

4 Layer Foil Lamination - .062 +/-10%

				Thickness
TOP	L1		Foil 1.5 oz	0.0021
	Prepreg	2113	No. of pcs. 1	0.0035
	Prepreg	2116	No. of pcs. 1	0.0040
	L2		Foil 1 oz	0.0014
	Core Thickness 0.040			0.0400
	L3		Foil 1 oz	0.0014
	Prepreg	2116	No. of pcs. 1	0.0040
	Prepreg	2113	No. of pcs. 1	0.0035
BOTTOM	L4		Foil 1.5 oz	0.0021
Total Thickness				0.0620