

# Membrane Roofing/Silicone Skylight Coating



## 1. PRODUCT NAME

### SRC<sup>SM</sup> Silicone Skylight Coating

Silicone Skylight Coating

## 2. SUPPLIER

### NATIONAL COATINGS CORP.

1201 Calle Suerte  
Camarillo, CA 93012  
Phone: 800-423-9557  
FAX: 800-294-3866  
www.nationalcoatings.com

## 3. PRODUCT DESCRIPTION

### SRC Silicone Skylight Coating

Solvent-Free Silicone Skylight Coating is a one component, moisture curing silicone rubber roof coating system designed for use on existing skylights. The system provides long-term protection because it resists weathering, aging, oxidation, wind-driven sand, rain and snow, the effects of ozone, ultraviolet radiation and the temperature extremes typically found on roofs. With its high solids content and absence of hydrocarbon solvents, Silicone Skylight Coating can be applied in excess of 40 mils in a single coat without blistering, while maintaining maximum adhesion. The Silicone Skylight Coating is only available in clear.

Silicone Skylight Coating is a dispersion of silicone rubber. This coating is a ready-to-use material that can be applied easily to a dry, frost-free surface, and cures at normal temperature in 1 to 4 hours by reacting with moisture in the air. For applications with lower than normal humidity levels, expect the cure time to be longer.

### BENEFITS:

- *High Solids*
- *Superior Adhesion*
- *Outstanding UV Resistance*
- *Excellent Durability*

## 4. TECHNICAL DATA

See table below.

## 5. INSTALLATION

- Surfaces to be coated with silicone skylight coating must be properly cleaned, dry and free of loose particles
- The coating can be applied by medium nap roller or brush.
- The recommended application rate is 30 mils and should be applied in multiple coats to eliminate sag or runoff.

## 6. STORAGE

Recommended shelf life of 12 months from date of manufacture

when stored in unopened containers and between 40°F-80°F. Refer to product packaging.

## 7. AVAILABILITY AND COST

Contact National Coatings to purchase **SRC Silicone Skylight Coating** 800-423-9557.

## 8. WARRANTY

A 25-Year product warranty is available for **SRC Skylight Coating**.

## 9. MAINTENANCE

Periodic maintenance ensures extended performance and reduces life cycle costs.

## 10. TECHNICAL SERVICES

Additional information, product brochures, and guide specifications are available. Roof energy evaluations, life cycle cost analyses, and other roof management services are also available from a National Coatings Technical Consultant.

## 11. FILING SERVICES

Additional product information is available from National Coatings Corporation.

Typical Properties as Supplied	Typical Results
Solids Content By Volume	90% ± 3
Appearance	Clear
Specific Gravity	1.03
Cure Time	1-4 hrs.
Volatile Organic Compounds (VOC's)	<20 grams/liter
Flash Point	141°F
Tack Free Time	1-2 hours

SRC SILICONE SKYLIGHT COATING is for industrial/commercial applications only. These suggestions and data are based on information we believe to be reliable. They are offered in good faith, but without guarantee, as conditions and methods of use are beyond our control.