

STATE OF ILLINOIS WELL-BEING

2013 STATE, COMMUNITY, AND CONGRESSIONAL DISTRICT ANALYSIS



Gallup & Healthways: Working Together to Improve the Health of Populations and Individuals

The Gallup-Healthways Well-Being Index® is the preeminent source for well-being data in the United States and globally. A definitive measure and empirical database of real-time changes in well-being throughout the world, the Well-Being Index provides insights needed to improve health, increase productivity, and lower healthcare costs within any community.

The analysis contained in this individual state report contains six years of longitudinal data on Americans' perceptions of their well-being within this state. It includes topics such as physical and emotional health, healthy behaviors, work environment, social and community factors, financial security, and access to necessities such as food, shelter, and healthcare. The report includes analyses of these topics and provides a composite well-being rank and score for each community.

Business, healthcare, community, and government leaders leverage Well-Being Index data on the factors proven to impact well-being to inform and prioritize tangible policies to help their populations thrive and grow. It is an invaluable source of benchmark and comparability data by industry, occupation, city, state, and country. As communities and organizations increasingly put

well-being on their dashboards as a crucial business metric, the Well-Being Index can confirm that investments in health and quality of life can be measurably improved and have substantive impact on both improving performance and reducing costs.

With more than 2 million surveys completed, the Well-Being Index is the world's largest dataset on well-being, and it has garnered significant national and international recognition. Over the next decades, Gallup and Healthways will continue to survey millions of individuals around the globe, advancing the science of well-being and providing timely and in-depth information to leaders who are trying to solve some of the most pressing healthcare challenges of our time.

For more information on Gallup and Healthways ongoing well-being research, please visit www.well-beingindex.com.

To access the full report, the State of American Well-Being: 2013 State, Community, and Congressional District Analysis, please visit <http://info.healthways.com/wbi2013>.




STATE OF AMERICAN WELL-BEING

Illinois

	Rankings		Scores	
	2013	2012	2013	2012
Well-Being Overall	22	28	66.9	66.6
Life Evaluation	20	24	49.5	49.1
Emotional Health	21	21	79.6	79.7
Work Environment	28	28	48.3	47.3
Physical Health	10	7	78.0	78.4
Healthy Behaviors	32	34	63.5	62.9
Basic Access	24	31	82.5	82.0

For rankings, #1 signifies the top rank; #50 the bottom rank.
 For scores, 0 is the bottom score; 100 the top score (see methodology for descriptions)
 Source: Gallup-Healthways Well-Being Index N = 178,072 (2013) and N = 353,564 (2012)



- 1 ND
- 2 SD
- 3 NE
- 4 MN
- 5 MT
- 6 VT
- 7 CO
- 8 HI
- 9 WA
- 10 IA
- 11 NH
- 12 UT
- 13 MA
- 14 WI
- 15 ME
- 16 AK
- 17 CA
- 18 MD
- 19 AZ
- 20 KS
- 21 TX
- 22 IL
- 23 NJ
- 24 VA
- 25 OR
- 26 NV
- 27 GA
- 28 DE
- 29 ID
- 30 FL
- 31 CT
- 32 NC
- 33 NM
- 34 WY
- 35 NY
- 36 PA
- 37 MI
- 38 SC
- 39 RI
- 40 IN
- 41 LA
- 42 OK
- 43 MO
- 44 TN
- 45 AR
- 46 OH
- 47 AL
- 48 MS
- 49 KY
- 50 WV

COMMUNITY RANKINGS


Illinois

	Overall	Life Evaluation	Emotional Health	Work Environment	Physical Health	Healthy Behaviors	Basic Access
Chicago-Naperville-Joliet	67	76	79	97	29	112	102
Davenport-Moline-Rock Island	79	146	15	146	20	62	50
Peoria	35	55	12	37	54	90	63
Rockford	176	150	133	185	163	161	161
St. Louis	103	80	102	102	76	165	60

Ranking of 189 Metropolitan Statistical Areas, following U.S. Census Bureau Definitions for Metropolitan Statistical Areas

Source: Gallup-Healthways Well-Being Index N = 178,072 (2013) and N = 353,564 (2012)

**On January 1st, 2013 the Gallup-Healthways Well-Being Index methodology changed from 1,000 surveys per day to 500. In this report, we have combined 2012 & 2013 data for all U.S. Metropolitan Statistical Areas (MSAs) to ensure adequate sample size.



CONGRESSIONAL DISTRICT RANKINGS



Illinois

	Overall	Life Evaluation	Emotional Health	Work Environment	Physical Health	Healthy Behaviors	Basic Access
Congressional District - 01	358	195	207	369	187	353	406
Congressional District - 02	315	236	149	300	321	388	288
Congressional District - 03	254	376	257	137	40	332	285
Congressional District - 04	308	185	309	370	64	283	381
Congressional District - 05	51	13	316	144	34	206	114
Congressional District - 06	74	127	140	141	26	179	48
Congressional District - 07	53	29	137	78	44	209	214
Congressional District - 08	125	378	41	108	42	157	66

Ranking of 434 Congressional Districts in the 113th Congress. The results reflect the change in district boundaries.

Source: Gallup-Healthways Well-Being Index N = 178,072 (2013) and N = 353,564 (2012)

**On January 1st, 2013 the Gallup-Healthways Well-Being Index methodology changed from 1,000 surveys per day to 500. In this report, we have combined 2012 & 2013 data for all Congressional Districts to ensure adequate sample size.



CONGRESSIONAL DISTRICT RANKINGS

Illinois

	Overall	Life Evaluation	Emotional Health	Work Environment	Physical Health	Healthy Behavior	Basic Access
Congressional District - 09	39	27	170	299	45	42	15
Congressional District - 10	159	136	289	362	57	152	80
Congressional District - 11	78	198	138	17	54	272	64
Congressional District - 12	317	242	337	286	273	370	283
Congressional District - 13	171	94	144	263	179	352	134
Congressional District - 14	109	251	108	51	70	298	78
Congressional District - 15	353	410	261	237	251	378	241
Congressional District - 16	282	365	190	179	215	305	263
Congressional District - 17	229	374	69	103	157	296	291
Congressional District - 18	119	178	20	187	116	285	75



STATE RANKINGS & SCORES BY YEAR & DOMAIN

Illinois

Rankings

	2013	2012	2011	2010	2009	2008
Overall	22	28	32	26	28	30
Life Evaluation	20	24	24	12	14	20
Emotional Health	21	21	31	16	16	29
Work Environment	28	28	39	40	38	42
Physical Health	10	7	18	8	8	14
Healthy Behaviors	32	34	38	40	40	39
Basic Access	24	31	27	24	25	24

Scores

	2013	2012	2011	2010	2009	2008
Overall	66.9	66.6	65.9	66.3	66.2	65.8
Life Evaluation	49.5	49.1	49.1	50.9	49.3	44.3
Emotional Health	79.6	79.7	79.0	79.2	79.2	78.8
Work Environment	48.3	47.3	45.5	46.1	47.3	48.8
Physical Health	78.0	78.4	77.8	78.1	78.0	77.7
Healthy Behaviors	63.5	62.9	61.9	61.4	60.9	61.0
Basic Access	82.5	82.0	82.3	82.3	82.4	84.1



COMMUNITY RANKINGS BY YEAR & DOMAIN

Illinois

Overall

	2013/2012	2011	2010	2009	2008
Chicago-Naperville-Joliet	67	113	88	89	92
Davenport-Moline-Rock Island	79	85	132	51	141
Peoria	35	175	13	82	122
Rockford	176	155	63	132	155
Springfield	-	91	-	-	-
St. Louis	103	131	82	88	123

Life Evaluation

	2013/2012	2011	2010	2009	2008
Chicago-Naperville-Joliet	76	88	77	49	60
Davenport-Moline-Rock Island	146	50	158	66	129
Peoria	55	156	32	56	126
Rockford	150	86	18	108	149
Springfield	-	76	-	-	-
St. Louis	80	100	70	85	124



COMMUNITY RANKINGS BY YEAR & DOMAIN

Illinois

Emotional Health

	2013/2012	2011	2010	2009	2008
Chicago-Naperville-Joliet	79	123	105	79	95
Davenport-Moline-Rock Island	15	11	93	22	29
Peoria	12	159	8	17	84
Rockford	133	124	4	174	140
Springfield	-	98	-	-	-
St. Louis	102	81	57	38	90

Work Environment

	2013/2012	2011	2010	2009	2008
Chicago-Naperville-Joliet	97	138	116	138	142
Davenport-Moline-Rock Island	146	145	140	99	181
Peoria	37	185	13	83	67
Rockford	185	180	170	34	114
Springfield	-	20	-	-	-
St. Louis	102	133	113	118	137



COMMUNITY RANKINGS BY YEAR & DOMAIN

Illinois

Physical Health

	2013/2012	2011	2010	2009	2008
Chicago-Naperville-Joliet	29	38	34	21	34
Davenport-Moline-Rock Island	20	52	97	6	50
Peoria	54	130	14	71	124
Rockford	163	134	18	142	134
Springfield	-	149	-	-	-
St. Louis	76	90	43	55	69

Healthy Behaviors

	2013/2012	2011	2010	2009	2008
Chicago-Naperville-Joliet	112	131	140	128	125
Davenport-Moline-Rock Island	62	167	138	150	137
Peoria	90	148	167	178	179
Rockford	161	114	136	151	163
Springfield	-	179	-	-	-
St. Louis	165	182	155	144	144



COMMUNITY RANKINGS BY YEAR & DOMAIN

Illinois

Basic Access

	2013/2012	2011	2010	2009	2008
Chicago-Naperville-Joliet	102	97	51	90	87
Davenport-Moline-Rock Island	50	59	39	40	16
Peoria	63	117	20	65	80
Rockford	161	155	114	153	126
Springfield	-	92	-	-	-
St. Louis	60	60	56	46	71



ABOUT THE 2013 WELL-BEING REPORTS

SURVEY DATES

The most recently updated data in this report were based on data collected in these time periods:

State Results:

January 2 through December 29, 2013

Community and Congressional District Results:

January 2 through December 30, 2012 and

January 2 through December 29, 2013

SAMPLE INFORMATION

Yearly Gallup-Healthways Well-Being Index surveys completed by respondents aged 18 and older:

2013: 178,072 2012: 353,564 2011: 353,492
2010: 352,840 2009: 353,849 2008: 355,334

Maximum sample sizes for most recent results included in this report:

States: 17,053 respondents

Communities: 23,003 respondents

Congressional Districts: 3,308 respondents

Minimum sample sizes for most recent results included in this report:

States: 547 respondents

Communities: 459 respondents

Congressional Districts: 344 respondents

MARGIN OF ERROR

In years that overall national results were based on more than 350,000 respondents, one can say with 95% confidence that the margin of sampling error for those results is ± 0.2 percentage points. In 2013, for results based on 178,072 respondents, one can say with 95% confidence that the margin of sampling error for those results is ± 0.3 percentage points.

Margin of sampling error of composite results at various sample sizes:

0 (bottom) – 100 (top) Scale

- For results based on 5,000, ± 0.4
- For results based on 1,000, ± 0.9
- For results based on 500, ± 1.3
- For results based on 300, ± 1.6

In addition to sampling error, question wording and practical difficulties in conducting surveys can introduce error or bias into the findings of public opinion polls.

WELL-BEING COMPOSITE RESULTS

The Well-Being Index composite result is an average of six domains: Life Evaluation, Emotional Health, Physical health, Healthy Behaviors, Work Environment and Basic Access. Among states, overall Well-Being Index results ranged from a high of 70.4 (North Dakota) to a low of 61.4 (West Virginia). The 2013 national average for Well-Being was 66.2, Life Evaluation 48.2, Emotional Health 79.2, Physical Health 76.4, Health Behaviors 63.7, Work Environment 48.0 and Basic Access 81.9.

POSITION SCALE

Each state is positioned from 1-50, based on composite scores as compared to all states. Each congressional district is positioned from 1-434, based on composite scores as compared to all congressional districts. Each Metropolitan Statistical Area (community) is positioned from 1-189, based on composite scores as compared to all Metropolitan Statistical Areas.

WELL-BEING INDEX METHODOLOGY

Interviews are conducted with respondents on landline telephones and cellular phones, with interviews conducted in Spanish for respondents who are primarily Spanish-speaking. Each sample of national adults includes a minimum quota of 50% cellphone respondents and 50% landline respondents, with additional minimum quotas by time zone within region. Landline telephone and cellphone numbers are selected using random-digit-dial methods. Landline respondents are chosen at random within each household on the basis of which member had the most recent birthday.

Samples are weighted to correct for unequal selection probability, nonresponse, and double coverage of landline and cell users in the two sampling frames. They are also weighted to match the national demographics of gender, age, race, Hispanic ethnicity, education, region, population density, and phone status (cellphone only/landline only/both, cellphone mostly, and having an unlisted landline number). Demographic weighting targets are based on the most recent Current Population Survey figures for the aged 18 and older U.S. population. Phone status targets are based on the most recent National Health Interview Survey. Population density targets are based on the most recent U.S. census. All reported margins of sampling error include the computed design effects for weighting.

WELL-BEING INDEX DOMAINS

The Gallup-Healthways Well-Being Index Composite Score is comprised of six sub-indices: Life Evaluation, Emotional Health, Physical Health, Healthy Behavior, Work Environment and Basic Access. The Life Evaluation Sub-Index is partially based on the Cantril Self-Anchoring Striving Scale and combines the evaluation of one's present life situation with one's anticipated life situation five years from now. The Emotional Health Sub-Index is primarily a composite of respondents' daily experiences, asking respondents to think about how they felt yesterday along nine dimensions. The Physical Health Sub-Index is comprised of questions related to: Body Mass Index, disease burden, sick days, physical pain, daily energy, history of disease and daily health experiences. The Healthy Behavior Sub-Index includes items measuring life style habits with established relationships to health outcomes. The Work Environment Sub-Index surveys workers on several factors to gauge their feelings and perceptions about their work environment. The Basic Access Sub-Index is based on thirteen items measuring resident's access to food, shelter, healthcare and a safe and satisfying place to live.

For detailed descriptions of the domains, visit the methodology section of www.well-beingindex.com.



STATE OF
AMERICAN
WELL-BEING