

LOCATED MFP. FOR FAST, 25 PPM PRINTS IN BOTH COLOR AND B&W. QUICK WALK-UP COPIES OF MESSAGES, MEETING NOTES, INVOICES AND OTHER DOCUMENTS THAT WON'T WAIT. FLEXIBLE COLOR SCANNING TO MULTIPLE DESTINATIONS. AND DIRECT FAX TRANSMISSION AND RECEPTION. TO DO IT ALL, THE BIZHUB C25 IS YOUR SIMPLE SOLUTION — ONE THAT FITS ANYWHERE YOUR WORKFLOW DEMANDS, FOR MULTIPLE OUTPUT CAPABILITIES IN MINIMUM SPACE. YOU'LL HAVE KONICA MINOLTA'S EXCLUSIVE EMPERON® PRINT SYSTEM FOR BUILT-IN MULTI-PLATFORM PRODUCTIVITY, SIMITRI® HD TONER FOR SUPERIOR COLOR IMAGES AND LONG-LASTING PRINT QUALITY, A WIDE RANGE OF SPECIAL FEATURES — AND SEAMLESS CONNECTIVITY WITH YOUR TOTAL DOCUMENT SOLUTION.



bizhub C25: the document solution your desktop deserves.

KONICA MINOLTA'S BIZHUB C25 IS A HARD-WORKING, HIGH-PERFORMANCE DOCUMENT SOLUTION THAT PUTS MORE POWER IN LESS SPACE, WITH UNCOMPROMISING COLOR QUALITY FOR HIGH-IMPACT COMMUNICATIONS — PLUS COST-EFFECTIVE B&W FOR EVERYDAY DOCUMENT NEEDS. IT GIVES YOU MANY OF THE HIGH-TECH FEATURES YOU'LL FIND IN FULL-SIZE BIZHUB MFPS, ALL IN SLEEK DARK CABINET DESIGN WITH ULTRA-COMPACT BODY AND SMALL FOOTPRINT FOR YOUR DESKTOP. YOU CAN PRINT IN BOTH COLOR AND B&W AT UP TO 25 PPM. WARM-UP TAKES LITTLE MORE THAN HALF A MINUTE — AND YOU'LL GET RIGHT TO WORK WITH FAST FIRST-COPY OUTPUT: JUST 14 SECONDS IN COLOR, 12 SECONDS IN B&W. SIMPLE CONTROLS MAKE THINGS EASY FOR FIRST-TIME USERS, INCLUDING DEDICATED FUNCTION KEYS, A BACKLIT BLUE LED FOR BETTER VISIBILITY, EVEN SMOOTH-SLIDING, GROOVED-SURFACE PAPER TRAYS THAT ARE EASY TO GRIP FROM ABOVE OR BELOW.









Improve your image – and save on energy.

Exclusive Konica Minolta technology delivers superior performance — and you'll see the difference in every print and copy you make. Simitri® HD Toner creates high-resolution images with rich, vivid color. Fine details are rendered with greater precision. Text is sharper, with black overprint and auto trapping functions to keep letters readable even against background colors.



Simitri HD Toner also uses biomass plantbased material to reduce

environmental impact. Low-temperature oil-less fusing saves energy and creates documents that won't crack, peel or fade. An ozone-free charge roller minimizes air pollution. Power-saving modes meet strict Energy Star Tier 2 rating targets. And Konica Minolta environmental initiatives include the industry's first cost-free recycling program for all Konica Minolta consumables.

with PCL6 and PostScript3 PDLs with optional XPS support when you add a hard drive. Scan originals to multiple destinations, including Scan-to-Email, ors.

Scan-to-FTP and Scan-to-SMB at up to 20 originals per minute in B&W, 10 per minute in color.

Our Universal Printer Driver is easy and intuitive. You'll have special features like MyTab™ printing, the award-winning Konica Minolta interface that lets each individual customize a print tab that saves preferred settings for quick access. And PPML (Personalized Print Markup Language) enables variable-data printing that cuts down on RIP time to minimize network data traffic and speed output.

The power of built-in print/scan productivity.

faster, in more directions, with greater control, The

With the bizhub C25, you'll be able to move information

Emperon® print system is built-in, and comes standard

You can duplex documents at full rated speed, for 100% productivity. A standard 250-sheet paper tray, 100-sheet multiple bypass tray and optional 500-sheet paper tray give you maximum paper capacity of 850 sheets — with capability to handle thick paper up to 210 gsm. A convenient front-panel USB input lets you save to or print from a USB thumb drive. And with an optional 40 GB hard disk drive, you'll have on-board document storage for secure print jobs, job storage, USB direct print, and downloading fonts, profiles and overlays.





There's more: fax, networking, security and software.

Super G3 fax capability is also built-in — giving you high-speed, high-quality transmission with pro-quality functions like PC fax, memory transmission, quick-scan transmission, timer transmission, memory reception and more.

Another key advantage of the bizhub C25 is its ability to connect seamlessly to your network — while maintaining security to safeguard your information. You'll have IPv6 and DPWS support, Secure Print (Windows), IEEE 802.1X support for secure network connection, IP filtering, SSL/TLS protocol, even optional HDD encryption for print data.

Operational in your bizhub C25 is a powerful suite of PageScope® programs that work together to increase your productivity. PageScope Web Connection allows web-based simple setup and control of your bizhub C25. PageScope Net Care Device Manager enables IT administrators to manage multiple devices from a single point. PageScope Download Manager allows you to download fonts, color profiles, overlays and symbol sets directly to your bizhub C25. And PageScope Direct Print lets you print PDF, TIFF, JPEG documents quickly without opening their applications.

Like every bizhub MFP, the bizhub C25 is backed by superior service and support. And in long-term use, high-yield toner and developer achieve the industry's lowest total cost of ownership (TC0) — another reason to count on Konica Minolta.

- 25 PPM PRINT SPEED IN HIGH-QUALITY COLOR OR B&W
- SMALL FOOTPRINT FOR SPACE-SAVING DESKTOP PLACEMENT
- SIMITRI® HD TONER WITH BIOMASS TO PROTECT THE ENVIRONMENT
- FAST FIRST-COPY OUTPUT TIME 12 SEC. B&W, 14 SEC. COLOR
- BUILT-IN EMPERON® PRINT SYSTEM, PCL6/PS3, OPTIONAL NATIVE XPS
- UNIVERSAL PRINTER DRIVER FOR SIMPLE PRINT MANAGEMENT
- Mytab™ interface for quick access to custom settings
- STANDARD ADF DUPLEX PRINTING AT FULL RATED SPEED
- 850-SHEET MAXIMUM PAPER CAPACITY IN WEIGHTS TO 210 GSM
- FRONT-PANEL USB INPUT FOR THUMB-DRIVE PRINTING/SCANNING
- LONG-LASTING TONER CARTRIDGES AND DRUM TO REDUCE COSTS
- COLOR SCANNING TO EMAIL, FTP, SMB FOR FAST DISTRIBUTION
- STANDARD G3 FAX WITH ADVANCED FEATURES, PC FAXING
- PAGESCOPE® POWER FOR NETWORKING, SETUP, STATUS CONTROL



ECO-VISION 2050 is Konica Minolta's commitment to protect the environment – saving energy, preserving resources, promoting recycling and reducing CO₂ emissions to help sustain the environment for generations to come. Please visit our website to learn more about our environmental initiatives and our exclusive Clean Planet Program.

www.cleanplanetus.com



COUNT ON KONICA MINOLTA

SPECIFICATIONS	
Print / Copy Speed (Letter,portrait)	B&W / Color: Up to 25 ppm
Monthly Duty Cycle (pages)	120,000
Toner System / Print Method	Simitri® HD - Polmerized Toner / Electrostatic laser, tandem, indirect
COPY	
	4-line, 128 x 64 bitmap, dark characters, white backlit LCD
Display Warm-up Time / First Copy Out Time	38 seconds / 12 seconds for monochrome & 14 seconds for color
Copy Memory	128 MB (Shared with Scan and Fax)
Automatic Document Feeder	35 page capacity / simplex scanning
Copy Resolution / Gradation	600 x 600 dpi / 256 gradations
Multiple Copies	1-99
Copy Features	Duplex copy, 2-in-1, 4-in-1, Density Adjustement, Card Shot, Repeat, Electronic Collation*
	Ediplor copy, 2 in 1, 4 in 1, portion, regional mont, indiplout, Electronic Conductor
PRINT	MV78100 / 800 Mhz
Processor / Speed	
Print Memory Ungrade	256 MB 513 MD /759 MD Total) for factor print processing
Print Memory UpgradeHD-P03 Hard Disk*	512 MB (768 MB Total) for faster print processing 40 GB SATA
Print Resolution	40 db SAIA 600 x 600 dpi
First Print Out Time	16 seconds for monochrome & color
Interface	10 Base-T/100 Base-TX/1000 Base-T, USB 1.1, USB 2.0, USB Host
Page Description Language	PCL5ce/c Emulation, PCL6 XL ver.3.0 Emulation, PostScript 3 Emulation (3016), XPS v.2.1.4.0 (XML Paper Specification)*, PDF 1.7 Direct Printing*
Operating Systems	Windows XP (x32/x64), Windows Vista (x32/x64), Windows 7 (x32/x64), Windows Server 2003 (x32/x64), Windows Server 2008 (x32/x64), Windows DPWS Support,
Print Eastures	Macintosh OS X (10.2.8/10.3.9/10.4/10.5/10.6), Linux SUSE, Red Hat, Citrix, Netware 4/5/6 Direct Print of PDE (version 1.7), IDEE TIEE YPC*, Overlay, Watergraph, N. up. Poeter, Rocklet page order, Collecting*, Secure Print*
Print Features	Direct Print of PDF (version 1.7), JPEF, TIFF, XPS*, Overlay, Watermark, N-up, Poster, Booklet page order, Collating*, Secure Print*
SCAN Control (DRW (O.L.)	0.40
Scan Speed (B&W / Color)	20/10 opm (300 dpi via ADF)
Scan Resolution	Maximum 600 x 600 (TWAIN/WIA only)
Scan File Formats	JPEG, TIFF, PDF
Scan Features	Network TWAIN Scan (via Ethernet TCP/IP), WIA Scan, Scan to Email, Scan to FTP, Scan to SMB, Scan to USB Memory
Scan Destinations	Up to 220 (shared with fax)
Scan Drivers	Network TWAIN (Windows & Max OS X), WIA 1.0/2.0 (Windows)
FAX	
Fax Line / Mode	PSTN (Public Switch Telephone Network), PBX (Private Branch Exchange), Super G3 (Fax line)
Fax Compression	MH, MR, MMR, JBIG
Fax Resolution	Maximum: 203 x 392 dpi (super fine)
Fax Transmission Speed	Approx. 3 seconds (A4, V.34, 33.6kbps, JBIG)
Fax Features	Time Shift, Fax forwarding to Email / Fax number, PC Fax (Windows)
PAPER HANDLING	
ADF Specifications	35-sheets / Up to 8.5" x 14" / 14 lb. bond to 30 lb. bond (50-110 g/m²)
Tray 1	250-sheets / 3.6" x 5.8" to 8.5" x 11.7" (92 x 148 mm to 216 x 297 mm) / 16 lb. bond to 55.75 lb. (60-210 g/m²)
Bypass	100-sheets / 3.6" x 5.8" to 8.5" x 14" (92 x 148 mm to Legal) / 16 lb. to 55.75 lb. (60-210 g/m²)
Paper Types	Tray 1: Plain Paper, Recycled Paper, Thick Paper 1, Thick Paper 2, Coated Paper 1, Coated Paper 2, Label, Postcard, Letterhead
	Bypass: Plain Paper, Recycled Paper, Thick Paper 1, Thick Paper 2, Coated Paper 1, Coated Paper 2, Label, Postcard, Letterhead, Envelope (up to 10 capacity)
Output Capacity	150-sheet Output Tray
PF-P09 500-Sheet Lower Feeder Unit	500-sheets / 6.93" x 9.84" to 8.5" x 14" (176 x 250 mm to Legal) / 16 lb. to 55.75 lb. (60-210 g/m²) / Plain Paper (60-90 g/m²), Recycled Paper (60-90 g/m²)
SCD-25 Copy Desk	Steel cabinet with storage to accommodate a free standing bizhub C25***
APPLICATION SOFTWARE	
Network and Device Management	PageScope Enterprise Suite Plug-in, PageScope Net Care Device Manager, PageScope EMS Plug-in (Tivoli Netview, CA Unicenter, HP Open View, MMC)
User Tools	PageScope Web Connection, PageScope Direct Print, PageScope Download Manager, LinkMagic Scanning Software (Windows only), Local Setup Utility, Color Profiles
Management Tools	bizhub vCare support
SECURITY	
Security Features	IP filtering and port blocking, SSL2, SSL3 and TSL 1.0 network communication, IPsec support, Print User Authentication, Secure Print*, Hard disk data encryption (print only)*
ENVIRONMENTAL	
Temperature / Humidity	50-86 F / 15 to 85%
Noise Levels	Copying: < 53.5 dB / Printing: <52.5 dB / Standby: < 33dB
	Copyrig. 1 Co. 2
POWER & DIMENSIONS	120V (2011 @ 0.24 / Less than 1000W (new consumption) Less than 24W (new consumption)
Power Requirements / Consumption	120V / 60Hz @ 8.2 A / Less than 1000W (max consumption), Less than 34W (low power / sleep mode)
TEC Value (kWh)	5.9 or less
Dimensions (W x D x H) / Weight	15.9" (25.2" maximum width with bypass tray extended) x 22.0" x 19.8" / 70 lb.
CONSUMABLES	
Starter Toner Cartridges (Pre-Installed)	Cyan, Magenta, Yellow and Black - Yield up to 2,000 pages**
Replacement Toner Cartridges	Cyan, Magenta, Yellow and Black - Yield up to 6,000 pages**
Imaging Units	Cyan, Magenta, Yellow and Black - Yield up to 30,000 pages**
WARRANTY	
D.1.1	



QLS SOLUTIONS GROUP, INC. 701 Seneca Street Suite #600 Buffalo, NY 14210 800-859-2203

www.QLS.com www.QLS.com.Blog



Printer Warranty 1 year

KONICA MINOLTA

Konica Minolta Optimized Print Services offers a full suite of device output services and workflow solutions that increase efficiency and control costs. Please contact QLS, an authorized Konica Minolta sales representative for details.

© 2011 KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Konica Minolta is a registered trademark of KONICA MINOLTA HOLDINGS, INC. All other brands and product names are registered trademarks or trademarks of their respective owners.























* Optional hard disk drive enables secure print, proof-then-print, print & hold, job storing, XPS emulation, print user authentication, direct printing (PDF, TIFF, JPEG, XPS), downloading fonts/profiles/overlays, collating, PDF direct print. ** Declared yield in accordance with ISO/IEC 19798. *** Not available at time of launch

