



Paxton Access

Product Selection Guide 2013



Simple, Stylish and Smart
Access Control Solutions



About Paxton Access

Paxton Access Inc., based in Greenville, South Carolina, is a leading manufacturer of electronic access control systems. From its inception, Paxton Access has aimed for engineering excellence by designing and manufacturing intelligent and innovative products that meet the challenges and trends of the ever advancing security industry in a global society.

Paxton Access continues to work hard every day on the basic principles that make us a valuable partner including the continued development of high quality products, customer care, competitive pricing and responsive technical support.

Five Year Warranty and Ultimate Returns Policy

At Paxton Access we are fanatical about customer support. To prove this, we offer a five year warranty that reflects the total confidence we have in the reliability of our products.



All you have to do is send us your damaged Paxton Access product within five years of purchase and we will either replace it or arrange a credit. Our groundbreaking ultimate returns policy is designed to save our customers time and remove the frustration often associated with returning products.

We want to make life as easy as possible for all installers who are genuinely trying to do the job of installing our products. Our five year warranty and ultimate returns policy helps us to do this successfully.

New Products to Guide

- Net2 Entry Video Intercom Solution
- Net2Air Ethernet Bridge with PoE
- Mifare Smart Cards
- Standalone Access Systems



How to Start

This product selection guide has been designed to help you select the right products to build up the components of an access control system. Within this guide are the items necessary for the electronic portion of controlling access. Each installation may vary so please ensure all areas are identified accordingly.

The specific Paxton Access equipment on the following pages comprises a large portion of an overall system, but not everything. Included in this guide:

- Application Software
- Electronic Access Controllers
- Card Readers & Accessories
- Access and Vehicle Credentials
- Exit Request Devices
- Power Supplies
- Video Intercom & Stations

Other items required on a typical project, but not available from Paxton include;

- Wire/Cable
- Electric Strikes
- Door Closers
- Magnetic Locks
- Network Switches



Net2 software overview

Net2 is an advanced PC based access control system that is used for controlling who goes where, and when. Within the Net2 architecture a user can add and delete credentials, run reports and configure the hardware to perform as required. The Net2 software is the portal of entering the system functionality. The database which includes all credentials, door configurations, time zones, etc. is automatically downloaded to each access controller so the decisions are made locally at the door regardless of the computer condition. Net2 is a feature-rich solution to ensure the end users requirements are exceeded. An example of the features included with the base software include;


- Access Control
- Custom Reports
- Burglar Alarm Integration
- CCTV Integration
- Video Intercom Integration
- Card Badging Design and Print
- Time and Attendance
- First in Building Unlock
- Input to Output Linking
- Elevator Control
- Graphical Maps
- Relay Latching
- Emergency Lockdown
- Text and Email Alerts
- 3rd Party SDK Integration
- Browser/iPad/iPhone App Management

Net2 also allows unlicensed installations of application software on workstations throughout a facility so various departments can manage their part accordingly.




Example of a system using TCP/IP with Net2 plus controllers

- Net2 plus is our most powerful control unit yet. It employs the latest technology, offering huge potential for future expansion.
- Using Net2 plus ensures that the investment in access control is safe no matter how the system requirements change. It is the most suitable control unit for sites where requirements may grow over time.
- Net2 plus has on-board TCP/IP to allow direct connection to a computer network. This can save time, money and result in a better, more resilient system.
- Net2 plus control units can also be connected together using a dedicated RS485 network. This reduces the number of TCP/IP network points required, making it ideal for larger systems.




Example of a system using wireless with Net2 nano controllers

- Net2 nano is our wireless Net2 control unit, communicating with Net2 software at a central point by a secure, low power radio link.
- Net2 nano opens up new site opportunities. Offer the unit to sites where hard wiring proves tricky; our fantastic wireless technology makes them easier to reach.
- Net2 nano is cost effective and significantly reduces installation time up to 40% as no cable is required to communicate between doors and no knowledge of networks is needed.
- Simply connect a Net2Air USB bridge to the central Net2 server PC and the Net2 software will pick up Net2 nano control units within range.
- If there is an existing TCP/IP Ethernet network, a Net2Air Ethernet bridge may be used to extend the communication distance from the central server PC.



...up to 10 Net2 nanos can be connected per Net2Air bridge



Example of a system using wireless with Easyprox nano

- Easyprox nano is a Net2 networked entry system in a door handle; it combines a wireless access control unit and a reader in one.
- Easyprox nano uses the same wireless communication technology and Net2Air bridges as the Net2 nano controller.
- The unit is so quick and simple to install it cuts labor time dramatically.
- As Easyprox nano is so competitively priced, you can now add doors to an existing site for a fraction of the cost.
- Simply connect a Net2Air USB bridge to the central Net2 server PC and the Net2 software will pick up Easyprox nano units within range.
- If there is an existing TCP/IP Ethernet network, a Net2Air Ethernet bridge may be used to extend the communication distance from the central server PC.



...up to 10 Easyprox nanos can be connected per Net2Air bridge




8 Start here


Example of a system with Net2 Entry video intercom & access

Net2 Entry is a door entry system that works standalone or alongside Paxton's Net2 access control, combining door entry with key features of Net2. Installing Net2 Entry is easy, as only one type of cable is needed between system components. Net2 Entry can be fitted using existing Cat5 infrastructure, and can connect to an existing IP network. The components auto detect on setup, making installation straightforward, with no specialist training required. Net2 Entry is a true plug and play solution; connect the components and the system works.

- Just 3 simple components
- Units auto detect on setup
- Easy plug and play expansion
- Intuitive, touchscreen monitor
- Smart and robust intercom panel
- Only one type of cable needed




Net2 plus 1 door access control unit



Sales code 682-493-US
More information <http://paxton.info/1303>

- 1 door controller - PCB only
- 12v DC input
- TCP/IP & RS485 communications
- UL approved


Net2 plus 1 door ACU in plastic housing



Sales code 682-528-US
More information <http://paxton.info/1303>

- 1 door controller
- Small plastic enclosure
- TCP/IP & RS485 communications
- UL approved


Net2 plus with PoE+ power supply in metal cabinet



Sales code 682-721-US
More information <http://paxton.info/1303>

- 1 door controller
- Large metal enclosure
- Requires POE Injector
- 1.5 amps (POE+) or .750 amps (POE)
- TCP/IP & RS485 communications


Net2 plus with 12/24V AC/DC PSU in metal cabinet



Sales code 682-810-US
More information <http://paxton.info/1303>

- 1 door controller
- Outputs 12V (1.5a) & 24V (500a)
- TCP/IP & RS485 communications
- UL 294 approved
- Customer supplies 24V/40VA transformer


Net2 nano 1 door access control unit



Sales code 654-943-US
More information <http://paxton.info/1298>

- 1 door controller board
- 12v DC input
- 802.15.4 wireless communications
- UL approved

Net2 nano 1 door ACU in plastic housing



Sales code 654-549-US
More information <http://paxton.info/1298>

- 1 door controller
- Small plastic enclosure
- 802.15.4 wireless communications
- UL approved

Easyprox nano



Sales code 746-284-US
More information <http://paxton.info/1556>

- 1 door wireless lock, AA operated
- Up to 100' range
- Indoor use only
- UL approved

10 Control units

Two door IP starter kit, UL -
12/24V supply



Sales code 682-825-US
More information <http://paxton.info/1303>

2 reader system starter kit, includes:

- 2 x Net2 plus
- Enrollment reader
- 10 cards
- 10 tokens
- 24VAC Input power supplies
- Software
- 2 x P50 readers
- Customer supplies 24VAC/40VA transformer

Two door IP starter kit, UL - PoE
supply




Sales code 682-290-US
More information <http://paxton.info/1303>

2 reader system starter kit, includes:

- 2 x Net2 plus
- Enrollment reader
- 10 cards
- 10 tokens
- POE input power supplies
- Software
- 2 x P50 readers
- Customer supplies 24VAC/40VA transformer

Two door wireless access starter kit,
12/24V supply, UL



Sales code 654-210-US
More information <http://paxton.info/1293>

2 reader wireless system starter kit, includes:

- 2 x Net2 nano
- Enrollment reader
- 10 cards
- 10 tokens
- 24VAC input power supplies
- Software
- P50 reader
- USB bridge
- Customer supplies 24VAC/40VA transformer

PROXIMITY P38 reader



Sales code 333-110-US
More information <http://paxton.info/1138>

- Standard proximity
- Small Mullion mount
- Indoor/outdoor use

PROXIMITY P50M reader



Sales code 345-110-US
More information <http://paxton.info/1138>

- Standard proximity
- Mullion mount
- Indoor/outdoor use
- UL approved


PROXIMITY P75 reader



Sales code 373-110-US
More information <http://paxton.info/1138>

- Standard proximity
- Wall mount (use backbox for gang box)
- Indoor/outdoor use
- UL approved


PROXIMITY P200 reader



Sales code 323-110-US
More information <http://paxton.info/1138>

- Standard proximity
- Indoor/outdoor use
- Wall mount

PROXIMITY P200 reader - Metal mount



Sales code 324-110-US
More information <http://paxton.info/1138>

- Standard proximity
- Indoor/outdoor use
- Compensated for metal mounting

PROXIMITY KP50 keypad



Sales code 355-110-US
More information <http://paxton.info/1152>

- Proximity + Keypad
- Mullion mount


PROXIMITY KP75 keypad



Sales code 375-110-US
More information <http://paxton.info/1152>

- Proximity + Keypad
- Indoor/outdoor use
- Wall mount
- UL approved

PROXIMITY vandal proof reader



Sales code 568-855-US
More information <http://paxton.info/1145>

- Flush mounts into wall
- Cover to indicate location
- Small and discreet
- Indoor/outdoor use

PROXIMITY panel mount reader



Sales code 390-135-US
More information <http://paxton.info/1139>

- Mounts behind a surface
- Uses include elevator control, intercoms
- Indoor/outdoor use
- UL approved

PROXIMITY metal reader, satin chrome



Sales code 390-747-US

More information <http://paxton.info/1140>

- Metal compensated reader
- Brushed aluminum finish
- Security screws included
- Indoor/outdoor use
- UL approved

PROXIMITY metal reader, brass



Sales code 390-737-US

More information <http://paxton.info/1140>

- Metal compensated reader
- Polished brass finish
- Security screws included
- Indoor/outdoor use
- UL approved

PROXIMITY metal reader, chrome



Sales code 390-727-US

More information <http://paxton.info/1140>

- Metal compensated reader
- Polished chrome finish
- Security screws included
- Indoor/outdoor use
- UL approved

CARDLOCK reader, satin chrome



Sales code 409-711SC-US

More information <http://paxton.info/1147>

- Track 2 magnetic stripe
- Indoor/outdoor
- Satin chrome finish
- Mullion mount

CARDLOCK reader, black plastic



Sales code 266-898-US

More information <http://paxton.info/1146>

- Track 2 magnetic stripe
- Indoor/outdoor
- ABS plastic black finish
- Mullion mount

TOUCHLOCK K38 keypad



Sales code 331-110-US

More information <http://paxton.info/1148>

- Pin code only
- Small Mullion mount reader
- Indoor/outdoor use

TOUCHLOCK K50 keypad



Sales code 351-110-US

More information <http://paxton.info/1148>

- Pin code only
- Mullion mount reader
- Indoor/outdoor use
- UL approved

TOUCHLOCK K75 keypad



Sales code 371-110-US

More information <http://paxton.info/1148>

- Pin code only
- Wall mount reader
- Indoor/outdoor use
- Use backbox for gang box install
- UL approved

TOUCHLOCK K38 stainless steel keypad



Sales code 332-110-US

More information <http://paxton.info/1150>

- Pin code only
- Stainless steel finish and keys
- Indoor/outdoor use
- Small Mullion mount reader

TOUCHLOCK K50 stainless steel keypad



Sales code 352-110-US
More information <http://paxton.info/1150>

- Pin code only
- Stainless steel finish and keys
- Indoor/outdoor use
- Mullion mount reader
- UL approved

TOUCHLOCK K75 stainless steel keypad



Sales code 372-110-US
More information <http://paxton.info/1050>

- Pin code only
- Wall mount reader
- Use backbox for single gang box install
- UL approved

PROXIMITY architectural reader
 -matt black, dark gray or satin chrome



Sales code 360-864BL/GG/SC-US
More information <http://paxton.info/1144>

- Paxton or customer supplied inserts
- Indoor/outdoor use
- Includes custom backbox kit
- Matt black: BL / Dark gray: GG / Satin chrome: SC

Architectural reader insert, wood



Sales code 361-001-US
More information <http://paxton.info/1144>

Architectural reader insert, stone




Sales code 361-002-US
More information <http://paxton.info/1144>

Architectural reader insert, glass with logo



Sales code 361-003-US
More information <http://paxton.info/1144>


PROXIMITY marine reader



Sales code 500-010-US
More information <http://paxton.info/1141>

- Brushed aluminum finish
- Blue background light adjustable
- Indoor/outdoor use
- Includes mounting plate

PROXIMITY marine reader, chrome



Sales code 500-020-US
More information <http://paxton.info/1141>

- Polished chrome finish
- Blue background light adjustable
- Indoor/outdoor use
- Includes mounting plate

PROXIMITY marine reader, brass



Sales code 500-030-US
More information <http://paxton.info/1141>

- Polished brass finish
- Blue background light adjustable
- Indoor/outdoor use
- Includes mounting plate

14 Readers


Energy saving reader



Sales code 595-248-US
More information <http://paxton.info/1154>

- Uses ISO access cards only
- Works with Net2 plus controller


Long range reader



Sales code 313-110-US
More information <http://paxton.info/1142>

- Up to 15' with active keyfob
- Up to 160' with active keycard
- Powered from door controller
- Access indicator light in center


Vandal resistant metal keypad



Sales code 521-715-US
More information <http://paxton.info/1151>

- Pin code only
- Wall mount
- Cast housing
- Back-lit keypad

PROXIMITY LCD reader



Sales code 380-127-US
More information <http://paxton.info/1149>

- Standard proximity reader
- Download custom JPEG/BMP images
- Horizontal or vertical orientation
- Custom backbox included


PROXIMITY P50 Mifare reader



Sales code 353-467-US
More information <http://paxton.info/1558>

- Smart card reader
- Mifare technology cards; includes NFC
- Indoor/outdoor use

Net2 Caller ID/GSM reader in plastic housing



Sales code 460-210-US
More information <http://paxton.info/1728>

- Uses Caller ID technology
- Takes last 8 digits of callers phone number as access control token
- Requires and powered by Net2 controller
- SIM card purchased locally by customer

PROXIMITY P50M HID reader



Sales code 345-220-US
More information <http://paxton.info/1138>

- Standard proximity
- Mullion mount
- Indoor/outdoor use
- UL 294 approved
- Supports 125KHz HID or Paxton tokens

PROXIMITY metal HID reader, satin chrome



Sales code 390-757-US
More information <http://paxton.info/1140>

- Metal compensated reader
- Brushed aluminum finish
- Security screws included
- Indoor/outdoor use
- UL 294 approved
- Supports 125KHz HID or Paxton tokens

PROXIMITY panel mount HID reader



Sales code 390-530-US
More information <http://paxton.info/1139>

- Mounts behind a surface
- Uses include elevator control, intercoms
- Indoor/outdoor use
- UL 294 approved
- Supports 125KHz HID or Paxton tokens

* Note 1. An LCD reader image uploader, USB (Sales code 380-592-US) is required to upload custom images to the reader.

Net2 proximity ISO cards, no magstripe, pack of 10



Sales code 692-500-US
More information <http://paxton.info/1403>

Net2 proximity ISO cards no magstripe, pack of 500



Sales code 692-052-US
More information <http://paxton.info/1403>

Net2 proximity ISO cards with magstripe, pack of 10



Sales code 692-448-US
More information <http://paxton.info/1403>

Net2 proximity ISO cards with magstripe, pack of 500



Sales code 692-053-US
More information <http://paxton.info/1403>

Net2 proximity keyfobs, box of 10



Sales code 695-644-US
More information <http://paxton.info/1403>

Net2 proximity self-adhesive disc, box of 10



Sales code 660-100-US
More information <http://paxton.info/1403>

Net2 hands free keyfob



Sales code 690-222-US
More information <http://paxton.info/1431>

Net2 hands free keycard



Sales code 690-333-US
More information <http://paxton.info/1431>

Mifare plus 1k ISO card - Without magstripe, Pack of 10



Sales code 692-148-US
More information <http://paxton.info/1989>


Mifare plus 1k ISO card - Without magstripe, Pack of 500



Sales code 692-152-US
More information <http://paxton.info/1989>

16 Video intercom


Net2 Entry - Panel



Sales code 337-837-US

More information <http://paxton.info/1908>


Net2 Entry - Monitor



Sales code 337-286-US

More information <http://paxton.info/1908>

Net2 Entry - Control unit



Sales code 337-727-US

More information <http://paxton.info/1908>

Net2 Entry - Single door kit



Sales code 337-900-US

More information <http://paxton.info/1908>

Net2 Entry - Extension switch



Sales code 337-773-US

More information <http://paxton.info/1908>

Net2 Entry - Demo case



Sales code 337-350-US

More information <http://paxton.info/1319>


Net2 Entry - Panel flush-mount backbox



Sales code 337-857-US

More information <http://paxton.info/1908>

Net2 Entry - Monitor desk-mount stand



Sales code 337-847-US

More information <http://paxton.info/1908>

Net2 Pro software



Sales code 930-010-US
More information <http://paxton.info/1381>

Net2 Lite software



Download only via Extranet
More information <http://paxton.info/1381>

Exit button E38



Sales code 336-310-US
More information <http://paxton.info/1238>

Exit button E50




Sales code 356-310-US
More information <http://paxton.info/1238>

Exit button E75




Sales code 376-310-US
More information <http://paxton.info/1238>

Exit button marine



Sales code 593-721-US
More information <http://paxton.info/1238>

Exit button marine, brass



Sales code 593-741-US
More information <http://paxton.info/1238>

Hands free card holders with suckers, pack of 5



Sales code 696-100-US
More information <http://paxton.info/1248>

Hands free card holders with clip, portrait, pack of 5



Sales code 696-200-US
More information <http://paxton.info/1248>

Hands free card holders with clip, landscape, pack of 5



Sales code 696-300-US
More information <http://paxton.info/1248>

ISO card holder, clear, pack of 5



Sales code 696-400-US
More information <http://paxton.info/1631>

Easyprox nano 4 x AA high capacity battery pack



Sales code 746-003-US
More information <http://paxton.info/1557>

18 Accessories

2A/12V DC power supply in metal cabinet



Sales code 857-693-US
More information <http://paxton.info/1253>

- Large metal enclosure
- 110 VAC input
- Outputs 2 amps at 12V DC
- UL 294 approved
- Supports one access control board & battery

12/24V AC/DC power supply in metal cabinet



Sales code 857-381-US
More information <http://paxton.info/1253>

- Large metal enclosure
- Outputs 12V (1.5a) & 24V (500a)
- UL 294 approved
- Supports one access control board & battery


PoE+ power supply in metal cabinet - ETL



Sales code 857-346-US
More information <http://paxton.info/1253>

- Large metal enclosure
- Supports one access control board & battery

Hands free interface in plastic housing - EM4100



Sales code 477-222-US
More information <http://paxton.info/1359>

- Convert Paxton series readers to hands free
- Leverages tags for extended read range
- Wires in series with the reader
- Requires no separate power source


Net2 I/O board



Sales code 489-710-US
More information <http://paxton.info/1347>

- I/O controller with TCP/IP communications
- (4) 2-state dry contact inputs
- (4) Form "C" relay outputs
- PCB only


Net2 I/O board in plastic housing



Sales code 385-710-US
More information <http://paxton.info/1347>

- I/O controller with TCP/IP communications
- (4) 2-state dry contact inputs
- (4) Form "C" relay outputs
- Small plastic enclosure


Net2Air USB bridge



Sales code 477-268-US
More information <http://paxton.info/1386>

- UL approved
- Connect to USB port on computer
- Supplied with DC power adapter
- Approximate range of 100 feet


Net2Air Ethernet bridge



Sales code 477-384-US
More information <http://paxton.info/1391>

- UL approved
- Supports Power over Ethernet
- IP configured through Net2 software
- Approximate range of 100 feet

Net2Air bridge - Ethernet, PoE, Plastic housing



Sales code 477-901-US
More information <http://paxton.info/1391>

- Small plastic enclosure
- Supports Power over Ethernet
- IP configured through Net2 software
- Approximate range of 100 feet

LCD reader image uploader, USB




Sales code 380-592-US
More information <http://paxton.info/1523>

Net2 desktop reader USB




Sales code 514-326-US
More information <http://paxton.info/1342>

Net2 desktop reader, proximity and magstripe USB



Sales code 350-910-US
More information <http://paxton.info/1342>

Net2 RS485 high speed repeater



Sales code 477-836-US
More information <http://paxton.info/1364>

Net2 RS485 repeater and PSU in plastic housing



Sales code 477-844-US
More information <http://paxton.info/1364>

Standalone Access Systems – Compact & Switch2

The Compact series are self-contained readers that include the components of an access control system for management of one door. All the wiring connects back to the reader. The Switch2 functionality is identical to the Compact, but the electronics to control the door have been removed and part of a separate access module that is typically mounted on the secure side of a door. This is a basic access system for handling of up to 50 users.

Common features include:

- 12 VAC/DC input
- 4A @ 24VDC door strike relay
- Separate driver output for bell
- 4-8 digit PIN codes
- 2 time zones

Compact TOUCHLOCK keypad
- K38



Sales code 331-210-US

- Small Mullion mount
- Indoor/Outdoor

Compact TOUCHLOCK keypad
- K50



Sales code 351-210-US

- Mullion mount
- Indoor/Outdoor

Compact TOUCHLOCK keypad
- K75



Sales code 371-210-US

- Wall mount
- Indoor/Outdoor

Compact TOUCHLOCK stainless
steel keypad - K38



Sales code 332-210-US

- Small Mullion mount
- Indoor/Outdoor

Compact TOUCHLOCK stainless
steel keypad - K50



Sales code 352-210-US

- Mullion mount
- Indoor/Outdoor

Compact TOUCHLOCK stainless
steel keypad - K75



Sales code 372-210-US

- Wall mount
- Indoor/Outdoor


Compact vandal resistant metal
keypad



Sales code 521-836-US

- Wall mount
- Security screws
- Back-lit keys


Switch2 controller



Sales code 405-321-US

- 12v AC/DC input
- One door controller
- Removable connectors


Switch2 controller - 12V 1A PSU, Plastic housing



Sales code 242-166-US

- Includes power supply
- One door controller

TOUCHLOCK vandal resistant metal keypad



Sales code 521-715-US

- Wall mount
- Security screws
- Back-lit keys

TOUCHLOCK keypad - K38



Sales code 331-110-US

- Small Mullion mount
- Indoor/Outdoor


TOUCHLOCK keypad - K50



Sales code 351-110-US

- Mullion mount
- Indoor/Outdoor

TOUCHLOCK keypad - K75



Sales code 371-110-US

- Wall mount
- Indoor/Outdoor


TOUCHLOCK stainless steel keypad - K38



Sales code 332-110-US

- Small Mullion mount
- Indoor/Outdoor


TOUCHLOCK stainless steel keypad - K50



Sales code 352-110-US

- Mullion mount
- Indoor/Outdoor

TOUCHLOCK stainless steel keypad - K75




Sales code 372-110-US

- Wall mount
- Indoor/Outdoor

22 Installer tools


Hands free demonstration unit



Sales code 519-222-US

More information <http://paxton.info/1319>


PROXIMITY LCD reader demonstration unit



Sales code 380-999-US

More information <http://paxton.info/1319>


Easyprox nano demonstration unit



Sales code 746-989-US

More information <http://paxton.info/1319>


Net2 nano demonstration case



Sales code 541-372-US

More information <http://paxton.info/1319>

Net2 plus demonstration case



Sales code 541-427-US

More information <http://paxton.info/1319>


Reader junction box, pack of 5



Sales code 325-020-US

More information <http://paxton.info/1329>

RS485 protection module, pack of 2



Sales code 325-050-US

More information <http://paxton.info/1329>

RS485 IDC connection module, pack of 5



Sales code 325-040-US

More information <http://paxton.info/1329>


Hands free read range tester



Sales code 690-100-US

More information <http://paxton.info/1329>

Net2Air site surveyor kit



Sales code 690-200-US

More information <http://paxton.info/1338>

- Used to determine RF range
- Includes antenna and test card
- DC power adapter provided

Sales code	Description	Page
Control units		
682-493-US	Net2 plus 1 door access control unit	9
682-528-US	Net2 plus 1 door ACU in plastic housing	9
682-721-US	Net2 plus with PoE+ power supply in metal cabinet	9
682-810-US	Net2 plus with 12/24V AC/DC PSU in metal cabinet	9
654-943-US	Net2 nano 1 door access control unit	9
654-549-US	Net2 nano 1 door ACU in plastic housing	9
746-284-US	Easyprox nano	9
682-825-US	Two door IP starter kit, UL - 12/24V supply	10
682-290-US	Two door IP starter kit, UL - PoE supply	10
654-210-US	Two door wireless access starter kit, UL	10
Readers		
333-110-US	PROXIMITY P38 reader	11
345-110-US	PROXIMITY P50M reader	11
373-110-US	PROXIMITY P75 reader	11
323-110-US	PROXIMITY P200 reader	11
324-110-US	PROXIMITY P200 reader - Metal mount	11
355-110-US	PROXIMITY KP50 keypad	11
375-110-US	PROXIMITY KP75 keypad	11
568-855-US	PROXIMITY vandal proof reader	11
390-135-US	PROXIMITY panel mount reader	11
390-747-US	PROXIMITY metal reader, satin chrome	12
390-737-US	PROXIMITY metal reader, brass	12
390-727-US	PROXIMITY metal reader, chrome	12
409-711SC-US	CARDLOCK reader, satin chrome	12
266-898-US	CARDLOCK reader, black plastic	12
331-110-US	TOUCHLOCK K38 keypad	12
351-110-US	TOUCHLOCK K50 keypad	12
371-110-US	TOUCHLOCK K75 keypad	12
332-110-US	TOUCHLOCK K38 stainless steel keypad	12
352-110-US	TOUCHLOCK K50 stainless steel keypad	13
372-110-US	TOUCHLOCK K75 stainless steel keypad	13
360-864BL/GG/SC-US	PROXIMITY architectural reader - matt black, gunmetal grey or satin chrome	13
361-001-US	Architectural reader insert, wood	13
361-002-US	Architectural reader insert, stone	13
361-003-US	Architectural reader insert, glass with logo	13
500-010-US	PROXIMITY marine reader	13
500-020-US	PROXIMITY marine reader, chrome	13
500-030-US	PROXIMITY marine reader, brass	13
595-248-US	Energy saving reader	14
313-110-US	Long range reader	14

Sales code	Description	Page
Readers		
521-715-US	Vandal resistant metal keypad	14
380-127-US	PROXIMITY LCD reader	14
353-467-US	PROXIMITY P50 Mifare reader	14
460-210-US	Net2 Caller ID/GSM reader in plastic housing	14
345-220-US	PROXIMITY P50M HID™ reader	14
390-757-US	PROXIMITY metal HID™ reader, satin chrome	14
390-530-US	PROXIMITY panel mount HID™ reader	14
Tokens		
692-500-US	Net2 proximity ISO cards, no magstripe, pack of 10	15
692-052-US	Net2 proximity ISO cards no magstripe, pack of 500	15
692-448-US	Net2 proximity ISO cards with magstripe, pack of 10	15
692-053-US	Net2 proximity ISO cards with magstripe, pack of 500	15
695-644-US	Net2 proximity keyfobs, box of 10	15
660-100-US	Net2 proximity self-adhesive disc, box of 10	15
690-222-US	Net2 hands free keyfob	15
690-333-US	Net2 hands free keycard	15
692-148-US	Mifare plus 1k ISO card - Without magstripe, Pack of 10	15
692-152-US	Mifare plus 1k ISO card - Without magstripe, Pack of 500	15
Video intercom		
337-837-US	Net2 Entry - Panel	16
337-286-US	Net2 Entry - Monitor	16
337-727-US	Net2 Entry - Control unit	16
337-900-US	Net2 Entry - Single door kit	16
337-773-US	Net2 Entry - Extension switch	16
337-350-US	Net2 Entry - Demo case	16
337-857-US	Net2 Entry - Panel flush-mount backbox	16
337-847-US	Net2 Entry - Monitor deskmount stand	16
Accessories		
930-010-US	Net2 Pro software	17
930-001-US	Net2 Lite software	17
336-310-US	Exit button E38	17
356-310-US	Exit button E50	17
376-310-US	Exit button E75	17
593-721-US	Exit button marine	17
593-741-US	Exit button marine, brass	17
696-100-US	Hands free card holders with suckers, pack of 5	17
696-200-US	Hands free card holders with clip, portrait, pack of 5	17
696-300-US	Hands free card holders with clip, landscape, pack of 5	17
696-400-US	ISO card holder, clear, pack of 5	17
746-003-US	Easyprox nano 4 x AA high capacity battery pack	17
857-693-US	2A 12V dc power supply in metal cabinet	18
857-381-US	12/24V AC/DC power supply in metal cabinet	18

Sales code	Description	Page
Accessories		
857-346-US	PoE+ power supply in metal cabinet - ETL	18
477-222-US	Hands free interface in plastic housing - EM4100	18
489-710-US	Net2 I/O board	18
385-710-US	Net2 I/O board in plastic housing	18
477-268-US	Net2Air USB bridge	18
477-384-US	Net2Air Ethernet bridge	18
477-901-US	Net2Air bridge - Ethernet, PoE, Plastic housing	18
380-592-US	LCD reader image uploader, USB	19
514-326-US	Net2 desktop reader USB	19
350-910-US	Net2 desktop reader, proximity and magstripe USB	19
477-836-US	Net2 RS485 high speed repeater	19
477-844-US	Net2 RS485 repeater and PSU in plastic housing	19
Standalone systems		
331-210-US	Compact TOUCHLOCK keypad - K38	20
351-210-US	Compact TOUCHLOCK keypad - K50	20
371-210-US	Compact TOUCHLOCK keypad - K75	20
332-210-US	Compact TOUCHLOCK stainless steel keypad - K38	20
352-210-US	Compact TOUCHLOCK stainless steel keypad - K50	20
372-210-US	Compact TOUCHLOCK stainless steel keypad - K75	20
521-836-US	Compact vandal resistant metal keypad	20
405-321-US	Switch2 controller	21
242-166-US	Switch2 controller - 12V 1A PSU, Plastic housing	21
521-715-US	TOUCHLOCK vandal resistant metal keypad	21
331-110-US	TOUCHLOCK keypad - K38	21
351-110-US	TOUCHLOCK keypad - K50	21
371-110-US	TOUCHLOCK keypad - K75	21
332-110-US	TOUCHLOCK stainless steel keypad - K38	21
352-110-US	TOUCHLOCK stainless steel keypad - K50	21
372-110-US	TOUCHLOCK stainless steel keypad - K75	21
Installer tools		
519-222-US	Hands free demonstration unit	22
380-999-US	PROXIMITY LCD reader demonstration unit	22
746-989-US	Easyprox nano demonstration unit	22
541-372-US	Net2 nano demonstration case	22
541-427-US	Net2 plus demonstration case	22
325-020-US	Reader junction box, pack of 5	22
325-050-US	RS485 protection module, pack of 2	22
325-040-US	RS485 IDC connection module, pack of 5	22
690-100-US	Hands free read range tester	22
690-200-US	Net2Air site surveyor kit	22



Paxton Access

Product Selection Guide 2013

Paxton Access Inc.
P.O. Box 27335
Greenville, SC 29616
USA

877.438.7298
salesus@paxton-access.com
www.paxton-access.com

All information correct at the point of publication, but may be subject to change without notice.