

Hubbell SystemOne Flush Delivery Products



Multi-Service Floor Box, Round PVC	S1PFB
Stamped Steel	S1SFB
Stamped Steel AV	S1SFB
Cast Iron	S1CFC

Poke-Through, 1-Piece AV	S1PT31M*
Decorator	S1PT*
4x4	S1PT4X4*
Furniture Feed	S1PTFF*

*Add suffix for finish:
"AL"=Aluminum; "BL"=Black;
"BRS"=Brass; "GY"=Gray.

Poke-Through Floor Fitting 2-Channel	S1PTFIT
4x4	S1PT4X4FIT
AV	S1PTAVFIT

SystemOne Cover	
Carpet	S1CFC*
Tile	S1TFC*
Furniture	S1SPFF*
Feed Carpet	
Furniture	S1SPFFT*
Feed Tile	

Sub-Plate	
iSTATION	S1SP41M
4x4	S1SP4X4
Decorator	S1SP
iSTATION	S1SP31M

+ Power	S1SPTL
Twist-Lock	S1SPDU
+ Data	S1SPDUSL
Duplex/	
Duplex	
Duplex/	S1SPDU21M
Decorator	

Datacom/	S1SPSL21M
Duplex	
Datacom/	
Decorator	

*Add suffix for finish:
"AL"=Aluminum;
"BL"=Black; "BRS"=Brass;
"I"=Ivory; "GY"=Gray.

Extron® and FSR® Plate	
MAAP	S1SPEXT1
+ Power	
AAP	S1SPEXT2
+ Power	
MAAP +	S1SPEXT3
AAP	
AAP +	S1SPEXT4
Power + Data	



Hubbell SystemOne Recessed Fire-Rated Poke-Throughs (FRPT)

6" Fitting with Cover
(2) pre-wired 20A receptacles with 18" leads plus 2 decorator openings including 2" EMT and 3/4" EMT

6" FRPT Fitting
6" through floor fitting including 2" EMT and 3/4" EMT

6" Cover
6" cast aluminum cover with two large hide-away egress doors


8" Fitting with Cover
(4) pre-wired 20A receptacles with 18" leads plus 3 gangs with 2" EMT for data and AV

8" FRPT Fitting
8" through floor fitting including 2" EMT for data and AV

8" Cover
8" cast aluminum cover with two large hide-away egress doors

6" and 8" Sub-Plate
A large array of power, data and AV sub-plates are available for both 6" and 8" FRPTs. The 8" FRPT can accept third-party, 2-gang devices (i.e. FSR®, Crestron® and Extron®). Consult local sales team or Hubbell website.


xxx = Finish: **ALU** (Brushed Aluminum), **BLK** (Black Powder Coat), **BRS** (Brushed Brass, Plated), **BRZ** (Oil Rubbed Bronze, Plated) and **NKL** (Satin Nickel, Plated).



Recessed Concrete Floor Boxes and Covers

	7-Gang	11-Gang
4" depth	CFB7G4	CFB11G4
6" depth	CFB7G6	CFB11G6
Carpet Cover	CFB7CVRxxx	CFB11CVRxxx
Tile Cover	CFB7Txxx	CFB11Txxx

xxx = Finish: **ALU** (Aluminum), **BRS** (Brass)



Furniture and Work Surface Connectivity Boxes

Square Mini Lift-Up Style	
(1) pre-wired 15A outlet w/ 9ft power cord; (1) RJ-45 jack w/ 6ft patch cord	Black WSBA11BK Brushed WSBA11BSS Stainless
(2) pre-wired 15A outlets w/ 9ft power cord (power only)	Black WSBA2BK Brushed WSBA2BSS Stainless



Pop-Up Style	
Base unit w/ (4) pre-wired 15A outlets w/ 6ft power cord; (2) LV plates w/ 1-U iSTATION module opening	WSBH42U*
Trim ring and round top, Black	WSBHTRBK
Trim ring and round top, Brushed Stainless Steel	WSBHTRBSS

Note: *WSBH42U is CSA Certified only.

Grommet Style	
(2) pre-wired 15A outlets w/ 6ft power cord; (2) keystone openings	Black WSBF22BK Silver WSBF22SV
Flush grommet cover w/ dust shield	Black WSBFGROMBK Silver WSBFGROMSV Brushed Aluminum WSBFGROMBAL Brushed Stainless WSBFGROMBSS



Pre-Wired Dual-Service, Table Top Box
Pre-wired 15A outlet w/ 9ft power cord; 3.5mm screw terminal audio jack; 15-pin gender changer F/F; (2) keystone openings
(2) pre-wired 15A outlets w/ 9ft power cord; (2) keystone openings

xx = Finish: **BK** (Black Anodized Aluminum), **AL** (Clear Anodized Aluminum) and **BR** (Solid Brass).



Crestron® is a registered trademark of Crestron Electronics, Inc. Extron® is a registered trademark of Extron Electronics. FSR® is a registered trademark of FSR, Inc.

**Hubbell iSTATION
HDMI 110 UTP Extenders**

Decorator **ISFH110xx**
Module **IMH1102xx**



xx = Color: **BK** (Black), **EI** (Electric Ivory), **GY** (Gray), **OW** (Office White), and **W** (White).

HDMI Decorator Frames

1-port **NS801xx**
2-port **NS802xx**



xx = Color: **AL** (Almond), **BK** (Black), **I** (Electric Ivory), **GY** (Gray), **LA** (Light Almond), **OW** (Office White), and **W** (White).

HDMI Accessories

HDMI Horizontal Runs and Device Patch Cords



Patch Cords, 24AWG

3', Black **HDPC03BK**
6', Black **HDPC06BK**



Horizontal Cords (connector-to-connector)

Black **HDHyBK**



Link Cords, 24AWG (connector-to-device)

Black **HDLyBK**



Coupler Cords, 24AWG (coupler-to-device)

Black **HDCyyBK**

yy = Length: **10** (10'), **15** (15'), **20** (20'), **25** (25'), and **30** (30'). Black and non-plenum only.

HDMI Couplers



HDMI Coupler
Gold, Female-Female
1-pk **HDMIC14**



HDMI 3" Tail
Gold, Female-Female
1-pk **HDMIT14**



DVI to HDMI Adapter
Female-Female
1-pk **DVIHDMI1**



HDMI Keystone
Female-Female
1-pk **SFHC14**

**AV Plug-n-Play X-End
Horizontal Runs, M/M**



8-Pin
Plenum **VGA6PyyBK** Non-Plenum **VGA6yyBK**
8-Pin with 3.5mm
Plenum **VGA36PyyBK** Non-Plenum **VGA36yyBK**

yy = Length: **15** (15'), **25** (25'), **35** (35'), **50** (50'), **75** (75'), and **100** (100').

**X-End AV Plug-n-Play
Application Patching Runs, M/M**



S-video w/ 3.5mm audio **AVS35yy**
S-video w/ 2 RCA L/R audio **AVSRAyy**
3 RCA composite w/ L/R audio **AVRCyy**
3 RCA component **AVCRyy**
3 RCA composite S-video w/ L/R **AVSRCyy**
4 RCA component w/ S/PDIF **AVCRDyy**
5 RCA component w/ L/R audio **AVCARyy**
3 RCA component w/ 3.5mm **AVC35yy**
3 RCA composite w/ 3.5mm **AVR35yy**
3 RCA component w/ S-video **AVSCRyy**
5-BNC RGBHV **AVByy**
15-Pin VGA **AV15Myy**
15-pin VGA w/ 3.5mm audio **AV1535yy**
yy = Length: **05** (5'), **10** (10').

**X-End AV Plug-n-Play
Application Tails, M/F**



S-video w/ 3.5mm audio **AVS35T1**
S-video w/ 2 RCA L/R audio **AVSRAT1**
3 RCA composite w/ L/R audio **AVRCT1**
3 RCA component video **AVCRT1**
3 RCA composite S-video w/ L/R **AVSRCT1**
4 RCA component w/ S/PDIF **AVCRDT1**
5 RCA component w/ L/R audio **AVCART1**
3 RCA component w/ 3.5mm audio **AVC35T1**
3 RCA composite w/ 3.5mm audio **AVR35T1**
3 RCA component w/ S-video **AVSCRT1**
5-BNC RGBHV **AVBT1**
15-pin VGA w/ 3.5mm audio **AV1535T1**

VGA Plug-n-Play X-End Connections, 15-Pin to 8-Pin, F/F



Straight 180°
1-Pack **15S6P1**
10-Pack **15S6P10**
8" Tail
Female **15T6P1***
Male **15MP6P1***
Angled 45°
1-Pack **15A6P1**
10-Pack **15A6P10**
Angled 90°
1-Pack **15N6P1**
10-Pack **15N6P10**

*For 10-pack, change "1" to "10".

X-End Plug-n-Play Modules, F/F



S-video w/ 3.5mm audio **IMS3581xx**
S-video w/ 2 RCA L/R audio **IMSR81xx**
3 RCA composite w/ L/R audio **IMR8P1xx**
3 RCA component video **IMCR81xx**
3 RCA S-video w/ L/R audio **IMSRC815xx**
4 RCA component w/ S/PDIF **IMCRD815xx**
5 RCA component w/ L/R audio **IMCAR815xx**
3 RCA component w/ 3.5mm **IMC35815xx**
3 RCA composite w/ 3.5mm **IMR35815xx**
3 RCA component w/ S-video **IMSCCR815xx**
5-BNC RGBHV **IMB815xx**
15-pin VGA w/ 3.5mm audio **IM153815xx**

X-End Keystone Connectors, F/F

Snap Fit, 8-Pin
4" tail **SFAVCT**
90° **SFAVCN**
Straight **SFAVCS**



9- and 15-pin Connectors

Screw Terminal
9-pin 10-pk **9ST10**
15-pin 10-pk **15ST10**
Gender Changer
9-pin 10-pk **9GC10**
15-pin 10-pk **15GC10**
Gender Changer, 90°
15-Pin
1-pk **15901**
10-pk **159010**
Screw Terminal
15-pin keystone front mount **SF15ST**

DVI Adapters/Couplers

DVI-I Coupler
1-pk **DVI1**
DVI to VGA Adapter
Female-Female
1-pk **DVI151**
DVI Blank, Unloaded,
1 Unit
1-pk **IMBDVI15xx**
10-pk **IMBDVI1015xx**
DVI to HDMI Adapter
Female-Female
1-pk **DVIHDMI1**

xx = Housing Color:

AL (Almond) **BK** (Black) **EI** (Electric Ivory) **GY** (Gray) **LA** (Light Almond) **OW** (Office White) **W** (White)

IFP Faceplates

Single Gang

1-port	IFP11xx	2-port	IFP12xx	3-port	IFP13xx
4-port	IFP14xx	6-port	IFP16xx		



Double Gang

6-port	IFP26xx
9-port	IFP29xx
12-port	IFP212xx



Almond is not available in single gang.

RCA Connectors



110 Punch Down
Housing: Black
Insulator: Blue, Green, Red, White, Yellow
SFRC110xx




Gold Pass-Thru F/F
Housing: Office White
Insulator: Black, Red, White, Yellow
SFRCxxFF



RCA Solder Term
Housing: See chart (except Office White)
Insulator: See chart
SFRCxxxx



RCA Pass-Thru F/F
Housing: Office White
Insulator: Blue, Green, Orange
SFRCxxFFOW



Gold Pass-Thru F/F Recessed
Housing: See chart
Insulator: See chart
SFRCxxRxx



RCA Pass-Thru F/F
Housing: See chart
Insulator: See chart
SFRCxxFFxx

xx = Insulator Color:

BK	B	GN	OR	R	W	Y
-----------	----------	-----------	-----------	----------	----------	----------

F-Type Connectors



Pass-Thru F/F
Office White **SFFX**
Other colors **SFFxxX***
**Housing Colors as below except: B (Black), E (Electric Ivory), G (Gray)*



3 GHz Pass-Thru F/F
Gold **SFF3Gxx**



Pass-Thru F/F Recessed
Gold **SFGRFxx**
Not available in Almond.



Pass-Thru F/F
Gold **SFFGxx**



RCA to F-Type, Gold Pass-Thru F/F
Gold **SFRFGxx**
Not available in Almond or Light Almond.



RG59 to RG6 M/F
Use w Recessed F-Type
10-pk **RG59A10**

xx = Housing Color:

AL (Almond)	BK (Black)	EI (Electric Ivory)	GY (Gray)	LA (Light Almond)	OW (Office White)	W (White)
--------------------	-------------------	----------------------------	------------------	--------------------------	--------------------------	------------------

Stereo Jacks



3.5mm Solder
SF35SJxx



3.5mm Screw Term
SF35STxx




Pass-Thru F/F
Gold **SF35GFFxx**



110 Termination F/F
SF35110BK



1/4" Solder
SF14SJxx



Bulk, 3.5mm 10-Pk Solder **35S10**
Pass-Thru **35FF10**
Screw Term **35ST10**

Gold Speaker Post Connectors



Screw Term, Black
SFSPGBKxx



Screw Term, Red
SFSPGRxx




Banana Plug, Black
10-pk **SPPBK10**




Banana Plug, Red
10-pk **SPPR10**

BNC Connectors



Pass-Thru F/F
SFBxx



Pass-Thru F/F, Gold
SFBGxx


Blank Connectors and Coupler



Blank, 10-Pk
Office White **SFB10**
SFBxx10*



Smooth Blank, 10-Pk
SFSBxx10*
**No Office White.*



RG59 to RG6 M/F
Use w Recessed F-Type
10-pk **RG59A10**



S-Video Connections




S-Video to 110
SFSV110xx
Not available in Light Almond.




S-Video Pass-Thru
SFSVxx
Not available in Light Almond.

USB Connectors



A to A, 2.0
Blue **SFUSBAAB**
Of. White **SFUSBAAOW**
White **SFUSBAAW**
A to A, 3.0
Black **SFUSBAA3BK**



A to B, 2.0
Blue **SFUSBABB**
Of. White **SFUSBABOW**
White **SFUSBABW**
A to B, 3.0
Black **SFUSBAB3BK**

6-Pin DIN Connectors



Keyboard, Pass-Thru
Black **SF6PK**



Mouse, Pass-Thru
Black **SF6PM**


Inline Data Couplers



Cat 5e, Pass-Thru
Black **SFC5EBK**
White **SFC5EW**



Cat 6, Pass-Thru
Black **SFC6BK**
White **SFC6W**



Cat 5e, Cross Over 10/100BASE-T
Gray **SF5ECOY**

Xcelerator Jacks



NEXTSPEED® Cat 6A
1-pk. **HJ6Axx**
25-pk. **HJ6Axx25***



NEXTSPEED® Cat 6
1-pk. **HXJ6xx**
25-pk. **HXJ6xx25***



SPEEDGAIN® Cat 5e
1-pk. **HXJ5Exx**
25-pk. **HXJ5Exx25***







USOC
RJ-25 **HXJUxx**
RJ-61 Black **HXJU8BK**
RJ-61 Of. Wh. **HXJU8OW**

xx = Jack Color:

AL	BK	B	EI	GY	GN
LA	OW	OR	R	W	Y



*Also available in Purple and Gold

Hubbell iSTATION Plates and Frames

	
iSTATION Plates	iSTATION Stainless Steel Plates
1-gang IMF1xx	1-gang IMSS1
2-gang IMF2xx	2-gang IMSS2
	3-gang IMSS3
	4-gang IMSS4
	
iSTATION Bezels	Raceway Bezels
For 3rd party Raceway	Gray KPIMBZGY
Gray HWAPLGY	Of. White KPIMBZOW
Of. White HWAPLOW	
White HWAPLW	

Unloaded Keystone/SC/Pro AV Modules

	
SC Angled	Keystone Angled
1-Port, 1 Duplex, 1.5 Unit IM1SCA15xx	1-Port, 1.5 Unit IM1KA15xx
2-Port, 2 Duplex, 2 Unit IM2SCA2xx	2-Port, 1.5 Unit IM2KA15xx
	
Keystone Flat, 1 Unit	Keystone Recessed, Angled, 1.5 Unit
1-Port IM1K1xx*	1-Port IM1IA15xx**
2-Port IM2K1xx*	2-Port IM2IA15xx**

	
Blank Modules	Pro-AV, 1.5 Unit
0.5 Unit IMB05xx*	IMAVB15xx
1 Unit IMB1xx*	
1.5 Unit IMB15xx*	

*Includes all housing colors except Light Almond.
**Includes all housing colors except Almond and Light Almond.

Loaded Pro AV Modules

	
Mini XLR, 3-Pole, Solder,	Screw Term XLR, VGA 3.5mm Stereo
IMXLRM1xx	IM153X2OW

Hubbell iSTATION Multimedia Modules

			
Composite Video w/ L-R Audio Solder	Component Video Solder	Composite Video, 3.5mm Stereo, Solder	Component Video w/ L-R Audio RGBHV Solder
IM3RS1xx	IMCRS1xx	IMRSJ1xx	IMCRS15xx
			
Component Video, L/R Audio, 110 Term	Component Video, 3.5mm, 110 Term	Composite Video, 3.5mm, 110 Term	Component Video, S-Video, 110 Term
IMCAR11015xx	IMC3511015xx	IMR3511015xx	IMSC11015xx
			
4R Audio, 110 Term	Composite Video w/ L-R Audio, 110 Term	S-Video, w/ L-R Audio, 110 Term	Component Video, 110 Term
IMAR1101xx	IMR1101xx	IMSR1101xx	IMCR1101xx
			
S-Video, 3.5mm Stereo, 110 Term	Composite Video w/ L-R Audio Pass-Thru	Component Video Pass-Thru	L-R Audio, 3.5mm Stereo, Pass-Thru
IMSV351101xx	IM3RF1xx	IMCRF1xx	IM35AR1xx
			
Speaker Post, Screw Term	Banana Plug, 10-Pk.		
IMSP1xx	Black SPPBK10		
	Red SPPR10		

Multimedia Panels



Hubbell iSTATION Panel, Rack Mount, Unloaded

Height	Ports	Flat	Angled
1U	16	UDXIS1U	UDXAM16
2U	48	UDXIS2U	UDXAM48



UDX Jack Panel, Rack Mount, Unloaded

Height	Ports	Flat	Angled
1U	24	UDX24E	UDXA24
1U	36	UDX36E	-
2U	48	UDX48E	UDXA48

UDX Jack Panel, High Density, Unloaded

Height	Ports	Flat*	Angled*
1U	48	UDX48E1U	UDX48A1U







*Accepts only HXJ/HJ Jacks.



UDX Pro-AV Panel, Rack Mount, Unloaded

Height	Ports	Flat	Angled
1U	16	PAV16	PAVA16
2U	32	PAV32	PAVA32

Pro Audio Connections

	
1394 FireWire, Pass-Thru	1/4" Locking Stereo, Solder
10-pk 139410	10-pk 14510
	
XLR, 3-pole, Screw Term	USB, A-to-B Pass-Thru
10-pk XLRST10	10-pk USB10
	
2-Pole Speakon®, Solder	XLR 3-Pole, Solder
10-pk SC10	10-pk XLR10

xx = Housing Color:

AL (Almond)	BK (Black)	EI (Electric Ivory)	GY (Gray)	LA (Light Almond)	OW (Office White)	W (White)
--------------------	-------------------	----------------------------	------------------	--------------------------	--------------------------	------------------