



### **Quality Assurance/Quality Control Plan**

[ProjectName]
[ProjectNumber]

Version Date: September 14, 2011

# PROJECT-SPECIFIC ROOF CONSTRUCTION QUALITY PLAN TABLE OF CONTENTS

Background Information	7
Project Name	7
Project Number	
Project Location	7
Project Description	7
Project Scope	7
A. [CompanyName] Quality Policy	8
B. Key Elements of the Roof Construction Quality Plan	
Project Quality Assurance/Quality Control Plan Overview	12
C. Project Quality Coordination and Communication	13
D. Project QC Personnel	
Project QC Job Position Assignments	17
Project QC Organization Chart	18
E. Duties, Responsibilities, and Authority of QC Personnel	19
F. Personnel Qualifications and Technical Certifications	
G. Qualification of Third Party Inspection/Testing Companies and Subcontractors And Suppliers	27
Roof Construction Inspection/Testing Laboratry Qualification Requirements	27
Qualification	27
Purchase Order Approval	28
H. Quality Training	30
I. Roof Construction Project Quality Specifications	
Local Building Codes	33
Compliance with Industry Roof Construction Standards	
J. Design Control	
K. Material Inspection Traceability and Quality Controls	
Identification of Lot Controlled Materials	
L. Roof Construction Inspection and Test Plan	42
Control of Inspection, Measuring, and Test Equipment	42
M. Roof Construction Work Task Quality Inspections	45
Identification of Quality Inspected Roof Construction Work Tasks	45
Required Inspections For Each Roof Construction Work Task	
Daily Quality Control Report	46
N. Control of Punch Items and Nonconformances	64

Marking of Nonconformances and Observations	64
Control the Continuation of Work	64
Recording of Nonconformances	64
Quality Manager Disposition of Nonconformance Reports	65
Corrective Actions	65
Nonconformance Preventive Actions	66
O. Project Completion Inspections	68
Punch-Out QC Inspection	68
Pre-Final Customer Inspection	
Final Acceptance Customer Inspection	69
P. Project Quality Records and Documents	72
Q. Quality Assurance Surveillance	75
Project Quality Performance Surveillance	75
Project Quality Audits	75
Project Audit Plan	76
Project Audit Requirements	
R. Additional Quality Control Requirements	

Sologie

## M. Roof Construction Work Task Quality Inspections

[CompanyName] identifies a list of work tasks, phases of production, which will be quality controlled. Each work task is subject to a series of inspections; before, during, and after the work is complete. Each inspection verifies compliance with full scope of the relevant specifications; not limited to checkpoints for heightened awareness.

The initial task-ready inspection occurs when crews are ready to start work and ensures that work begins only when it does not adversely impact quality results.

Incoming material inspections verify that materials are as specified and meet all requirements necessary to assure quality results.

Work-in-process inspections continuously verify that work conforms to project specifications and workmanship expectations. Work continues only when it does not adversely impact quality results.

At completion of the work task an inspection verifies that work, materials, and tests have been completed in accordance with project quality requirements. When appropriate, functional tests are performed.

Inspection results are recoded and maintained as part of the project files.

The Quality Manager identifies each Task that is a phase of roofing that requires separate quality controls to assure and control quality results. Each Task triggers as set of requirements for quality control inspections before, during and after work tasks.

Independent quality audits are conducted to verify that the task quality controls are operating effectively.

Roofing projects may execute a work task multiple times in a project, in which case a series of quality inspections are required for each work task.

Independent quality control audits are conducted to verify that the task quality controls are operating effectively.

## IDENTIFICATION OF QUALITY INSPECTED ROOF CONSTRUCTION WORK TASKS

A listing of project work tasks is included on the Quality Control work task List and included as an exhibit in this subsection.

### REQUIRED INSPECTIONS FOR EACH ROOF CONSTRUCTION WORK TASK

Each work task is subject to a series of inspections before, during, and at completion including:

- Preparatory site inspection
- Material inspections
- Work task-ready inspections
- Work in process inspections

Work task Completion inspections

Results of inspections will be recorded as follows:

- Task inspection results will be recorded on the Work task Inspection Form.
- Daily inspections of work in process will be recorded on the Daily Quality Control Report.

Each item is described below.

#### **PREPARATORY SITE INSPECTION**

The Superintendent performs a quality inspection of the work area and:

- Assesses completion of required prior work
- Verifies field measurements
- Assures availability and receiving quality inspection status of required materials
- Identifies any nonconformances to the requirements for the task to begin
- Identifies potential problems

#### **TASK-READY INSPECTIONS**

For each work task, the Superintendent or a qualified inspector performs job-ready quality inspections to ensure that work activities begin only when they should begin. Job-ready quality inspections verify that conditions conform to the project quality requirements.

#### **WORK IN PROCESS QUALITY INSPECTIONS**

For each work task, the Superintendent or a qualified inspector performs an initial work in process inspection when the first representative portion of a work activity is completed.

The Superintendent or a qualified inspector performs ongoing work in process quality inspections to ensure that work activities continue to conform to project quality requirements.

#### **WORK TASK COMPLETION QUALITY INSPECTIONS**

For each work task, the Quality Manager or a qualified inspector inspects the completion of each work task to verify that work conforms to project quality requirements.

Completion quality inspections are performed for each work task. Completion quality inspections are conducted before starting other work activities that may interfere with an inspection.

Any outstanding punch items remaining after the work task completion inspection is deemed a nonconformance.

[CompanyName] Quality Inspection and Test Plan											
CONTRACT NUMBER	<u> </u>		PROJEC	T NAME						CONTRACTOR	
[ProjectNumber]			[ProjectName]				[CompanyName]				
SPECIFICATION SECTION AND PARAGRAPH NUMBER	SCHEDULE ACTIVITY ID	TEST REQUIRED	ACCREE APPRO LAI YES /	OVED B	SAMPLED BY	TESTED BY	LOCAT OF TI ON/O SITE/S	EST OFF	DATE COMPLETED	DATE FORWARDED TO CUSTOMER	REMARKS
						<b>O</b>					
					X						
					20						

## N. CONTROL OF PUNCH ITEMS AND NONCONFORMANCES

Should a problem occur in the quality of work, we systematically contain the issue and quickly make corrections. Our first action is to clearly mark the item by tape, tag, or other easily observable signal to prevent inadvertent cover-up.

Then we expedite a corrective action that brings the workmanship or material issue into conformance by repair, replacement, or rework. Previously completed work is reinspected for similar nonconformances. In the event that we cannot correct the item to meet contract specifications, the customer will be notified and customer approval of corrective actions is required before proceeding.

Fixing problems found is not sufficient. [CompanyName] systematically prevents recurrences to improve quality. First enhanced controls and management monitoring are put into place to assure work proceeds without incident. Then using a structured problem solving process, [CompanyName] identifies root causes and initiates solutions. Solutions may involve a combination of enhanced process controls, training, upgrading of personnel qualifications, improved processes, and/or the use of higher-grade materials. Follow-up ensures that a problem is completely resolved. If problems remain, the process is repeated.

Nonconformances and their resolution are recorded on a Nonconformance Report form. A Nonconformance Report form exhibit is included in this subsection.

#### MARKING OF NONCONFORMANCES AND OBSERVATIONS

When the Quality Manager, Superintendent, inspector, or customer identifies a nonconformance or an observation, the item is quickly and clearly marked by paint, tape, tag, or other easily observable signal to prevent inadvertent cover-up.

#### **CONTROL THE CONTINUATION OF WORK**

After the item is marked, the Superintendent determines if work can continue in the affected area:

CONTINUE WORK: When continuing work does not adversely affect quality or hide the defect, work may continue in the affected area while the disposition of the item is resolved. The Superintendent may place limitations on the continuation of work.

STOP WORK ORDER: When continuing work can adversely affect quality or hide the defect, work must stop in the affected area until the disposition of the item resolved. The Superintendent identifies the limits of the affected area. The Superintendent quickly and clearly marks the stop work area.

#### **RECORDING OF NONCONFORMANCES**

If nonconformances or observed items exist by the work task completion inspection, the Superintendent or inspector records the nonconformances on a nonconformance report.

The Superintendent sends the nonconformance report to the Quality Manager.

[CompanyName] Nonconformance Report  Version July 15, 2012							
Nonconformance Report	version July	15, 2012					
Control ID	Project ID	Project Name					
	[ProjectNumber]	[ProjectName]					
Preparer Signatu	re/ Submit Date	Quality Manager Signature / Disposition Date					
Description of the requirement or specification							
Description of the nonconformance, location, affected area, and marking		6					
Disposition	☐ Replace ☐ Repair ☐ Rework ☐ Use As-is						
	Approval of disposition required by cus  Customer approval signature /date:	tomer representative? Yes 🔲 No 🔲					
Corrective Actions	☐ Corrective actions completed Name/Date:  Customer acceptance of corrective actions required? Yes ☐ No ☐  Name/Date:						
reventive Actions							
	Preventive actions completed Name/Date:						

### QUALITY MANUAL

### **TABLE OF CONTENTS**

1. Quality System Management and Responsibilities	7
1.1. Overview	7
1.2. [CompanyName] Quality Policy	
1.3. Quality Duties, Responsibilities, and Authority	
1.4. Quality System Performance Measures	
1.5. Customer Satisfaction Performance Measures	
1.6. Exceptions	10
2. Project Quality Assurance/Quality Control Plan	11
2.1. Overview	
2.2. [CompanyName] Project License and Qualification Requirements	
2.3. Project Personnel and Qualifications	11
2.4. Project Quality Assurance/Quality Control Plan	
2.5. Identification of Quality Controlled Work Tasks	
2.6. Project Quality Inspection and Test Plan	13
2.7. Project Quality Communications Plan	
2.8. Project Quality Training Plan	13
2.9. Customer Training On Operation And Maintenance	13
2.10. Project Records and Documentation Plan	13
2.11. Project Audit Plan	14
3. Contract Specifications	15
3.1. Overview	15
3.2. Contract Technical Specifications	
3.3. Contract Drawings	
3.4. Contract Submittals	
3.5. Customer Submittal Approval	17
3.6. Contract Warranty	
3.7. Contract Review and Approval	18
4. Design Control	19
4.1. Overview	19
4.2. Design Input Review	
4.3. Project Design Quality Assurance/Quality Control Plan	
4.4. Design Progress Reviews	
4.5. Design Output Verification and Approval	
5. Project-Specific Quality Standards	21
5.1. Overview	21
5.2 Regulatory Codes	21

	5.3. Industry Quality Standards	21
	5.4. Material and Equipment Specifications	21
	5.5. Work Process Specifications	22
	5.6. Controlled Material Identification and Traceability	22
	5.7. Measuring Device Control and Calibration	23
	5.8. [CompanyName] Quality Standards	23
	5.9. Application of Multiple Sources of Specifications	
6.	Project Purchasing	24
	6.1. Overview	24
	6.2. Qualification of Outside Organizations and Company Departments	24
	6.3. Quality Responsibilities of Key Subcontractor Personnel	
	6.4. Requirements for Subcontractor QC Plan	
	6.5. subcontractor and supplier Quality Policy	
	6.6. Project subcontractor and supplier List	
	6.7. Purchase Order Requirements	
	6.8. Project Purchase Order Approvals	
_	Process Controls	
/.		
	7.1. Overview	29
	7.2. Project Startup and Quality Control Coordination Meeting	29
	7.3. Preparatory Project Quality Assurance/Quality Control Plan Planning	29
	7.4. Weekly Quality Planning and Coordination Meetings	30
	7.5. Process Control Standards	
	7.6. Daily Quality Control Report	31
	7.7. Monthly Quality Control Report	32
8.	Inspections and Tests	33
	8.1. Overview	33
	8.2. Required Work Task Quality Inspections and Tests	
	8.3. Additional Inspection Requirements for Process Tasks	
	8.4. Inspection of Special Processes	
	8.5. Independent Measurement and Tests	
	8.6. Commissioning Functional Acceptance Tests	
	8.7. Hold Points for Customer Inspection	
	8.8. Quality Inspection and Test Specifications	
	8.9. Inspection And Test Acceptance Criteria	
	8.10. Inspection and Test Status	
	8.11. Independent Quality Assurance Inspections	
	8.12. Inspection and Test Records	
	8.13. Project Completion and Closeout Inspection	
_		
9.	Nonconformances and Corrective Actions	
	9.1. Overview	
	9.2. Nonconformances	
	9.3. Corrective Actions	40

10. Preventive Actions	41
10.1. Overview	41
10.2. Identify Preventive Actions for Improvement	41
10.3. Train Preventive Actions for Improvement	41
11. Quality System Audits	43
11.1. Overview	43
11.2. Project Quality System Audit	
11.3. Company-wide Quality System Audit	43
12. Record and Document Controls	44
12.1. Overview	
12.2. Quality System Documents	44
12.3. Document Controls	44
12.4. Record Controls	
13. Appendix	47
13.1. Definitions of Terms	47

Selecieo

#### 7. Process Controls

#### HOW WORK IS CARRIED OUT

#### 7.1. OVERVIEW

The painting process plan defines how project work is to be done and approved for the overall project. The painting process plan is communicated to all key personnel, subcontractors and suppliers in a startup meeting. As the project proceeds, work task plans provide additional details of how each individual work task is carried out. Work tasks planning meetings are used to communicate expectations of the work task plan to key personnel responsible for carrying out the work task.

#### 7.2. PROJECT STARTUP AND QUALITY CONTROL COORDINATION MEETING

Prior to the commencement of work, the Project Manager holds a meeting to discuss and coordinate how project work will be performed and controlled. Key personnel from [CompanyName], subcontractors and suppliers meet to review expectations for project quality results as well as quality assurance and quality control policies and procedures including:

- Key requirements of the project
- The Project Quality Assurance/Quality Control Plan
- Required quality inspections and tests
- The project submittal schedule
- Quality policies and heightened awareness of critical quality requirements
- Project organization chart and job responsibilities
- Methods of communication and contact information
- Location of project documents and records

#### 7.3. PREPARATORY PROJECT QUALITY ASSURANCE/QUALITY CONTROL PLAN PLANNING

#### 7.3.1. WORK TASK REQUIREMENTS REVIEW

In preparation for the start of an upcoming work task, the Superintendent reviews an integrated and coordinated set of documents that collectively define quality requirements for the work task including:

- Objectives and acceptance criteria of the work task
- Quality standards that apply to the work task
- Work instructions, process steps, and product installation instructions that apply to the work task
- Shop drawings
- Submittals
- Tools and equipment necessary to perform the work
- · License, certification, or other qualification requirements of personnel assigned to work
- Required records of the process and resulting product
- The subcontractor contracted to perform the work, if applicable
- Customer contract requirements
- Required quality inspections and tests
- Method for clearly marking nonconformances to prevent inadvertent use
- Location of quality system records and documents
- Personnel training

#### 7.3.2. PREPARATORY SITE INSPECTION

The Superintendent also performs a quality inspection of the work area and:

- Assesses completion of required prior work
- Verifies field measurements
- Assures availability and receiving quality inspection status of required materials
- Identifies any nonconformances to the requirements for the work task to begin
- Identifies potential problems

#### 7.3.3. WORK TASK PREPARATORY QUALITY PLANNING MEETINGS

Prior to the start of a work task, the Superintendent conducts a meeting with key company, subcontractor personnel responsible for carrying out, supervising, or inspecting the work, and interested customer representatives.

During the meeting, the Superintendent communicates the work task quality requirements and reinforces heightened awareness for critical requirements. Topics for a work task quality plan meeting include:

- Work tasks quality requirements as identified in section 7.3.1
- Findings of the work task preparatory quality inspection in section 7.3.2
- Conflicts that need resolution
- Required quality documents and a verification of availability to personnel carrying out, supervising, or inspecting the work task
- Record keeping requirements and the availability of necessary forms
- Review methods and sequences of installation
- Special details and conditions
- Standards of workmanship
- Heightened awareness of critical quality requirements
- Quality risks
- Work tasks quality inspection form

# LIST OF INCLUDED INSPECTION FORMS FOR ROOFING

#### **FROM CSI DIVISIONS**

• Thermal and Moisture Protection – 07

#### **FORMS:**

- Flashing and Sheet Metal
- Joint Protection
- Membrane Roofing
- Thermal and Moisture Protection-Roof Accessories
- Thermal and Moisture Protection-Roof and Deck Insulation
- Thermal and Moisture Protection-Roof Panels 07.41.00
- Roof Tiles
- Roofing and Siding Panels
- Sheet Metal Roofing
- Shingles and Shakes

Thermal and Moisture Protection-Roof Tiles <u>07.32.00</u>							
Project:	Phase:	Contrac	t#:		9101 Field Operations		Crew:
Compliance Verification		FTQ	2TQ	Heightened	Awareness Checkpoint	ts	
Compliance with initial journal in requirements	•			Underlaymond	ent: (tar/asphalt/plasti	c)/ layout t	type and weight per
☐ Compliance with materia☐ Compliance with work in inspection requirement:	n process first article			Underlayme free <u>2384</u>	ent layout and laps: po	er specific	ations; damage
☐ Compliance with work in requirements	n process inspection			Underlayme specificatio	ent fasteners: type/ si: ns <u>2385</u>	ze and pat	tern per
Compliance with Task c requirements	ompletion inspection			Tiles: type/	mfr/ color and sizes	per specifi	cations 2386
☐ Compliance with inspec ☐ Compliance with safety	•			Mortars/ Ad specificatio	lhesives/ membranes ns <u>2387</u>	: See man	ual and
Reported Nonconformances	s and incomplete items:			Starter and 2388	termination courses:	correct in	stallation per plans
				Layout: Joi	nts broken; coursing s	straight 23	<u>89</u>
				Backflashin	g between courses po	er plans (if	required) <b>2390</b>
				Exposures:	tiles/ edge and valley	metal cor	rect per plans 2391
				Mortars/ Ad	thesives: correct types	s/ colors a	nd installation 2392
	FTQ Scores	and	Со	mpletion	Sign-off		
Field MgmtSuperinten	dent Inspection 91.45.0	<u>1</u>					
Quality 5 4 3 2 1	Notes:			<b>\</b>			
On-Time 5 4 3 2	Notes:	X	Z				
Safety 5 4 3 2	Notes:	J					
Sign and date*: Cell # / ID #::		Signed			Date:		
Task has been has been verified complete and in	compliance with contract drawings and specification	ons except	or non-co	onformances and inco	omplete items reported above.		
Field MgmtQA Inspection 91.45.02							
Quality 5 4 3 2 1	Notes:						
Sign and date*: Cell # / ID #::  Task has been has been verified complete and in	compliance with contract drawings and specification	Signed ons except t		onformances and inco	Date:		
Quality Score         5 = 100% No           On-Time Score         5 = On Time           Safety Score         5 = 1000% No	O problems 4 = 1 minor problems 4 = Late	3 :	= Late by	ot or 2-3 minor	2 = 6+ or major problems 2 = Late by 2 days 2 = 4+ or major problem	1 = Excessive p 1 = Late more	



### LIBRARY OF INCLUDED QA/QC PLAN FORMS

#### **MILITARY FORMS:**

- Preparatory Phase Checklist
- Initial Phase Checklist Form
- Contractor Production Report
- Contractor Quality Control Report
- Testing Plan and Log

#### **STANDARD FORMS:**

- Point Of Contact List Form
- Project Quality Communications Plan Form
- Quality Manager Appointment Letter Form
- Project Manager Appointment Letter Form
- Superintendent Appointment Letter Form
- Project Personnel Resumes Form
- Training Plan Form
- Training Log Form
- Project Design Process Plan Form
- Design Review Form
- Controlled Materials Form
- Metals Material Receiving Inspection Report Form
- Material Inspection and Receiving Report Form
- Quality Inspection and Test Plan Form
- Test Equipment Calibration Plan and Log Form
- Quality Controlled Work Task List Form
- Daily Production Report Form
- Work Task Inspection Form
- Punch List Form
- Project License and Qualifications Form
- Project Organization Chart Form
- Project Personnel Qualification Form
- Personnel Certifications and Licenses Form
- Subcontractor And Supplier Quality Communications Plan Form
- Project Quality Training Plan Form
- Project Quality Records Plan Form
- Project Submittals Schedule and Log Form
- Project Submittal Form
- Change Order Form
- Project Design Process Plan Form
- Project Regulatory Building Codes Form

- Laboratory Qualification Form
- Subcontractor And Supplier Qualification Form
- Subcontractor And Supplier Certifications and Licenses Form
- Subcontractor And Supplier Quality Control Policy Requirements Form
- Project Startup Meeting Form
- Work Task Quality Assurance/Quality Control Plan Form
- Work Task Quality Control Planning Meeting Form
- Monthly Quality Control Report Form
- Inspection and Test Report Form
- Project Completion Inspection Form
- Nonconformance Report Form
- Nonconformance Report Control Log Form
- Corrective Action Report Form
- Training Record Form
- Jobsite Quality Review Planning and Log Sheet Form
- Quality System Audit Form
- System Document Control Form
- Project Records Control Form

# INCLUDES REGULATORY CODES AND INDUSTRY STANDARDS

#### **FROM CSI DIVISIONS**

• Thermal and Moisture Protection – 07

APPLICABLE REGULATORY CODES AND INDUSTRY STANDARDS FOR DIVISION 07 THERMAL AND MOISTURE PROTECTION							
Description	Reference Standard No.	Reference Standard Title					
Use of coal-tar pitch materials	29 CFR 1926	Safety and Health Regulations for Construction					
Minimum clearance around masonry chimneys or masonry enclosing a flue	NFPA 211	Standard for Chimneys, Fireplaces, Vents, and Solid Fuel- Burning Appliances					
Minimum clearance around vents and vent connectors	NFPA 211	Standard for Chimneys, Fireplaces, Vents, and Solid Fuel- Burning Appliances					
Applying roofing materials to steep-slope roofs	NRCA 0418	Steep-slope Roof System Manual					
Fabrication of flashing and trim	SMACNA 1793	Architectural Sheet Metal Manual					

Industry-Specific Information  Available by Division						
03 Concrete	08 Openings	27 Communications				
04 Masonry	09 Finishes	28 Electronic Safety and Security				
05 Metals	21 Fire Suppression	31 Earthwork				
06 Wood Plastic Composite	22 Plumbing	32 Exterior Improvements				
07 Thermal and Moisture Protection	23 HVAC	33 Utilities				
	26 Electrical					



For More Information:

Contact: Ed Caldeira

410-451-8006

www.firsttimequality.com

EdC@FirstTimeQuality.com