

SHOR-LINE PRODUCT CATALOG





WHAT'S NEW

This is the best time in the last decade to expand, upgrade or start a new facility. That's why we have added "How to Buy" guides at the start of many chapters. Use them to consider which features are important to you.

Shor-Line remains committed to the strongest, most durable products that will last for decades. That's why we have included "The Anatomy of..." to show the features our craftspeople build into your equipment.

Our continuous product improvement is making your favorite products even better. Here are some new and improved products:

- Warming Pad Now CLA/UL certified, giving you that added confidence in the high quality of the pad's safety, security and functionality. See page 93.
- **Prelude Series LED Surgery Lights** We took the extra step obtaining CSA/UL listing for our Prelude Series LED surgery lights. Cool, long-lasting lights adjust up to 90,000 LUX maximum. See page 80.
- **Kat Play-Around**[™] This new concept in cat housing gives two or more cats the chance to live and exercise in the same place. Use it as housing or rotate cats in for exercise sessions. See page 46.
- Barkolyn Boudoir Dutch Door Kennel[™] Create a home-like environment with an extra-large kennel complete with a Dutch Door! Plenty of room to add a deluxe pet bed. See page 25.









TABLE OF **CONTENTS**

HOUSING

HOUSING	4
Kennels	5
Kennel Run Accessories	26
Cages	27
Cage Accessories	36
Cat Condos + Suites	
Feeding Accessories	48
Animal Handling Accessories	51
GROOMING	52
Tables	52
Tubs	54
Grooming Accessories	56
Dryer Cages	58
TABLES	59
Exam	59
Utility Chases	65
Exam + Treatment	66
Tub Tables	
Surgery	71
Utility	75
Accessories	77
LIGHTING	79
LED	80
Halogen	81
ANESTHESIA	82
Anesthesia Machines	83
Oxygen Concentrators	86
Accessories	88
CONFC	
SCALES	89
SCALES Blue-Line	
	90
Blue-Line	90
Blue-Line	90 92 93
Blue-Line K9-W8 CRITICAL CARE	90 92 93 93
Blue-Line	90 92 93 93 94
Blue-Line	90 92 93 93 94
Blue-Line	90 92 93 93 94 97 99

Centrifuges	100
Autoclaves	101
Accessories	102
TERMS + CONDITIONS	103
CONTACT US	106
FAQs	107

HOUSING ANIMAL HOUSING PHILOSOPHY

Shor-Line has been manufacturing high-quality animal housing for three generations. But this is not just a family company. No matter what job a Shor-Line employee does, the common denominator is a love for animals. Everyone wants to make a product they would want used with their pet.

You can see the craftsmanship in every product we make. Our kennels and cages have housed cherished pets for almost 60 years, so we have learned how important highguality housing is to an animal's well being.

As you choose your housing, ask us lots of questions. Our goal is to satisfy your needs because we know your investment will last for decades. You will be satisfied with your purchase, we guarantee it.

Your partner in excellence,

ya Sehren

Joe Schroer President





Figuring out what housing you need Here is a list of questions to ask yourself:

- What rooms/areas do you want to have runs?
- o Grooming
- o Treatment/Exam
- o Recovery/ICU
- o Boarding (Interior and/or Exterior)
- o IsolationHow many units and what sizes will you need?
- o Consider your client base
- o Consider future needs for expansion
- What is your preference for type of run? o Against the wall (aisle in middle) o Back-to-Back (aisles on sides)
- On what floor surface will the kennels be? o Concrete floor with trench drain
- o Concrete floor with trench dra o Concrete floor with hole drain
- o Concrete floor with hole drain
- o Raised floor with trench drain
- o Raised floor without drain
- o Elevated PVC coated grate floor

Matching philosophical wants with space realities

The next step is to measure your space and match up the space available with your list of needs. Fortunately, there are a lot of options!!

KENNELS/RUNS

Some common reasons to use runs instead of cages:

- Give larger animals adequate space. Large and giant breeds need runs.
- Reduce stress on medium to giant breed dogs. They need room to move around, and the space overhead can be calming.
- Provide the opportunity to house family groups together. This could be a mother and her puppies or two- to three-dog families.
- Many pet parents are willing to pay for extra space for their dogs even if the pet does not necessarily require it. Both the pet and its parent will be happier.
- Runs can be easier to clean because you can hose them down.

What do you need to plan:

There are many details to planning an animal housing facility. A good architect can help you make sure you are asking the right questions.

If you are not ready for that yet, Shor-Line can help you with some basic floor layouts. Many customers find having their dream on paper helps them plan.



ADD SOME FUN! Premium Colors* 8444 4288 4300 7300 6132 *New Color! 8426 2354 1562

Shor-Line Single Kennel with elevated PVC-coated grate floor

Standard Colors				
8321	3530	2357		
7327	8343	7387		



* Premium PVC panel colors and custom colors must be special ordered and require a buying minimum.

THE ANATOMY OF A SHOR-LINE RUN SYSTEM

Shor-Line Stainless Steel Kennels are the crown jewel of our Shor-Line family. Years of craftsmanship have gone into creating our top-of-the line kennels that will last decades in your facility.

These runs are entirely constructed of stainless steel components, including a 1¼" stainless steel tube frame and stainless steel door. Each features a sound-deadening material encased in two sheets of heavy-gauge stainless steel.

The shine of stainless will reflect the quality of your organization, so we are committed to making it available in many sizes and designs to meet the unique needs of your facility.

Performance Features:

- 6'6" height.
- All stainless steel.
- 1¼" square tubing with mitered corners.
- Rods spaced every 6" for security.
- Rods welded at every intersection.
- Tempered glass side panels and doors optional.
- Rods pass through horizontal brace tubing for strength.
- Rods pass into gate frame tube for added security.
- 16-gauge stainless steel hardware.
- Dual pin latch for security (can be locked).
- Hands-free latch operation.
- Wedge Kennel Run System follows the slope to prevent cross-contamination.
- Nylon, brass or flag hinge available.
- Side panels available in 48"H isolation or full isolation.
- Feeding Systems for food and water available.
- Inside Run width is specified gate size.
- Gates mounted between side panels or walls.




THE ANATOMY OF A T-KENNEL RUN SYSTEM

T-Kennel offers Run Systems that work indoors or outdoors. If you can dream it, we can build it! These pages introduce you to our high-quality products and different ways you can combine them to build or renovate your facility.

Performance Features:


- Choose tempered glass, galvanized or stainless steel door and gate panel.
- Frame made of 1" square tubing.
- $\frac{3}{16}$ " horizontal rods spaced every 6" for strength.
- Side and back panels available in 4' isolation or full isolation.
- 16-gauge stainless steel hardware.
- Single pin latch for security (can be locked).
- Gate can open in and out and is completely removable.
- Slots for food and water trays.
- 6' run height.
- Tempered glass available on gate, side and back panels.
- Additional side panel material variations available
- for outdoor applications.
- PVC panels dampen sound with Styrofoam cores.
- Adjustable drop bar helps prevents cross-contamination.





HOW TO BUY **SHOR-LINE KENNELS**

FLOOR



GATE + BACK PANEL SIZE



3

36" Wide

48" Wide

SIDE PANEL SIZE



Overall benefits: Size of the gate and side panels will

Concrete Floor with Trench Drain Cover Your facility is built with a trench drain system and the kennel walls sit on concrete. We offer half and full trench drain covers (half is shown). An alternative is to cover the Trench Drains with a Resting Bench.

Sloped Floor with Concrete Trench Drain The built-in side panel and wedge system has an adjustable wedge that conforms to the concrete slope. Once caulked, it creates a seal against cross contamination. It works with your trench drain system

Elevated PVC-Coated Floor We take a 14-gauge, round-holed, heavy-duty steel sheet and coat it with about ${\rm 1}\!\!/_{\rm 8}{\rm ''}{\rm -thick}$ layer of PVC coating. It keeps the pet off the kennel floor (see Kennel Accessories on page 26).

Also available with hole drain or no drain.

FRAME + GATE STYLE





Overall benefits: All gate frames are constructed of welded 1¼" square tubing and wire mesh (when applicable). All gates are stainless steel and are 78" high.



Full Stainless Steel Frame Gate frame and gate panel are constructed of welded 1¼" square stainless steel tubing and stainless steel wire mesh.



Stainless Steel Frame + Glass Door Gate Gate frame and door are constructed of welded 1¼" square stainless steel tubing. Tempered glass is encased by an aluminum extrusion that mounts to the gate and door frame.

3

Stainless Steel without Bottom Bar Door is constructed of welded 1¼" square stainless steel tubing with reinforced frame and stainless steel wire mesh.

Note: Any Shor-Line door can have a Swivel feeder added. See page 23.

SIDE PANEL TYPE









Overall benefits: Standard side panels are sloped ¼" per foot. Other slopes available on request.

Full Isolation

Strong stainless steel panels add brightness and make cleaning easy. The stryrofoam core helps reduce sound. Also available in tempered glass or PVC. Full isolation covers the entire 78".

48" Isolation

Choose from heavy-duty stainless wire mesh or tempered glass for the 30" top section and your choice of stainless steel, or PVC for the bottom 48" section. The styrofoam core helps reduce sound.


Side Panel with Transfer Door

Guillotine transfer door can operate on one side and allow pet to travel between kennels. Door is V_{16} " thick aluminum, H channel is \tilde{V}_{16} " aluminum and cable is \tilde{V}_{32} " aircraft-grade aluminum cable.

- 16"W x 24"H opening with 18"W x 28"H door
- 16"W x 32"H opening with 18"W x 35"H door
- 24"W x 32"H opening with 26"W x 35"H door

Full Height or 48" Cement Masonry Unit Benefits are no cross contamination possibilities and total isolation. Disadvantage is that it is a permanent structure and the block width reduces kennel size. (Shor-Line does not install nor sell concrete block). You can place our 30" stainless steel or tempered glass Flag Panels on top.

BACK PANEL TYPE



SHOR-LINE Single Kennel

Benefits:

The quality of this kennel is evident in the extra premium features, such as welds at every intersection and the smooth feel of crafted stainless steel. A pet in a Shor-Line kennel is protected by our well-crafted kennel that will withstand decades of use.

You choose the width and length to fit your needs, and mix and match side and back panels to make a statement. If you can dream it, we will make your vision sparkle!


Features:

- Our most durable kennel system features full stainless steel available throughout this kennel.
- \bullet Frame is made up of $1\%^{\prime\prime}$ square tubing.
- Stainless steel is the best and easiest surface to clean and disinfect.
- Installed freestanding or against a wall using modular components.
- Stainless steel side panels are sloped ¼" per foot. Other slopes available by request.
- Optional PVC Isolation side panels are available in multiple colors to complement your decor.
- **Optional accessories:** Top wire panel, side transfer door, stainless steel glass door, elevated PVC floor and swivel feeding system.
- **Specs:** standard widths: 30", 36" and 48"; standard lengths: 5' and 6'; total height 78".

See "How to Buy Shor-Line Run Systems" on page 8 for outline of options.







SHOR-LINE Side-to-Side Kennel

Benefits:

The Side-to-Side connects two single kennels. It gives more space for dog families or can protect your staff because the operator can make the transfer without animal contact.

The side transfer door works with a pulley system, enabling the operator to open the transfer door to move the animal from one side to the other. Rotating dogs has never been easier! Can be free-standing or mounted to an existing structural wall. Works well against a wall.


Features:

- Our most durable kennel, this kennel's stainless beauty will last for years.
- Frame is made up of 1¼" square tubing.
- May be installed freestanding or against a wall.
- Stainless steel side panels are sloped ¼" per foot. Other slopes available by request.
- Stainless steel is the best and easiest surface to clean and disinfect.
- Tempered glass or multiple colors of PVC panels are available to complement your decor.
- **Optional accessories:** Top wire panel, side or back transfer door, stainless steel glass door, elevated PVC floor, swivel feeding system.
- **Specs:** standard widths: 30", 36" and 48"; standard lengths: 5' and 6'; total height 78".

See "How to Buy Shor-Line Run Systems" on page 8 for outline of options.







SHOR-LINE Front-to-Back Kennel

Benefits:


The Shor-Line Front-to-Back Kennel System places two Single Kennels back to back. Comes with a counter-weighted transfer door to link them. The enclosed double pulley system enables the operator to open the transfer door from either side allowing the animal to transfer from one side to the other. The operator does not have to handle the animal.

Features:

- Each kennel has two openings.
- An enclosed double pulley system operates a counter-weighted transfer door that may be opened from either end for ease of transferring animals.
- Works best in larger rooms that can accommodate aisles down each side of the room.
- Transfer door included.
- Patented Dual Pin Latch System for security.
- **Optional accessories:** Top wire panel, side transfer door, stainless steel glass door, elevated PVC floor, swivel feeding system.
- **Specs:** standard widths: 30," 36" and 48"; standard lengths: 5' and 6'; total height 78".

See "How to Buy Shor-Line Run Systems" on page 8 for outline of options.








HOW TO BUY T-KENNEL RUN SYSTEMS

FLOOR



GATE + BACK PANEL SIZE






4' Wide

SIDE PANEL SIZE





SIDE PANEL TYPE









Overall benefits: Standard side panels are sloped ¼" per foot. Other slopes available on request.

Full Isolation

1

Two strong (0.093) PVC panels are sandwiched between a stryrofoam core to help reduce sound and add strength. The panels add color and make cleaning easy. Full isolation covers the entire 72".

48" Isolation

Choose between stainless steel, hot-dipped galvanized mesh or tempered glass for 24" top section. Strong (0.093) PVC panels (bottom 48") clean easily and add color. A styrofoam panel core helps reduce sound.


Side Panel with Transfer Door

Guillotine transfer door operates from one side only, and allows pet to travel between to kennels. Two transfer door styles are available.

- 18"W x 24"H opening held with caribiner
- 18"W x 24"H opening counter weighted
- Special Transfer Door sizes upon request

Full Height or 48" Cement Masonry Unit Benefits are no cross contamination possibilities and total isolation. Disadvantage is that it is a permanent structure and the block width reduces kennel size. (Shor-Line does not install nor sell concrete block.) You can place our 24" stainless steel or galvanized wire mesh, tempered glass or PVC panels on top.


BACK PANEL TYPE



PVC PANEL COLORS

Standard Colors				
8321	3530	2357		
7327	8343	7387		

Premium Colors



T-KENNEL Single Kennel

Benefits:

This functional but fun T-Kennel Run System allows you to design a room that makes good use of space. Our options for colored PVC, tempered glass, stainless and galvanized steel let you mix and match your look to fit budget and aesthetic choices.


Features:

- Durable frame is made up of 1" square tubing.
- You can install freestanding or against a wall.
- Includes one 2' wide gate that opens inward and outward.
- Has two slots for optional slide-in feed and water trays. (Any Kennel Run System less than 4' wide will receive only one feed tray slot.)
- Raised floor systems can run 32' in either direction before a stub out is needed and feature leveling legs to rectify floor imperfections.
- Standard side panels are sloped ¼" per foot. Other slopes available by request.
- Easy to clean PVC Panels are available in multiple colors to complement your decor.
- PVC panels contain Styrofoam core that dampens sound.
- Raised Floor Systems include a back panel.
- **Optional accessories:** top wire panel, side transfer door, stainless steel wire door and stainless steel glass door. Choice of Stainless or galvanized steel components.
- **Specs:** standard widths: 3', 3'6", & 4'; standard lengths: 3', 4', 5', 6' & 8'; 72" high.

See "How to Buy T-Kennel Run Systems" on page 14 for outline of options.







T-KENNEL Side-to-Side Kennel

Benefits:

This is ideal for housing family groups or people-aggressive dogs. You can fit the Side-to-Side Kennel Run System with a side transfer door. The pulley system enables the operator to make a hands-free transfer by opening the transfer door to move the animal to the other side. Can be freestanding or mounted on an existing structural wall.


Features:

- Durable frame is made up of 1" square tubing.
- Has two slots per compartment for optional slide-in feed and water trays. (Any Kennel Run System less than 4' wide will receive only one feed tray slot.)
- Raised floor systems feature leveling legs and can run 32' in either direction to rectify floor imperfections before a stub out is needed.
- Standard side panels are sloped ¼" per foot. Other slopes available by request.
- Easy to clean PVC Panels are available in multiple colors to complement your decor.
- PVC panels contain Styrofoam core that dampens sound.
- **Optional accessories:** top wire panel, side transfer door, stainless steel wire door and stainless steel glass door. Choice of Stainless or galvanized steel components.
- **Specs:** standard widths: 3', 3'6", & 4'; standard lengths: 4', 5', 6' & 8'; 72" high.

See "How to Buy T-Kennel Run Systems" on page 14 for outline of options.







HOUSING

T-KENNEL Front-to-Back Kennel

Benefits:

The Front-to-Back Kennel Run System places two single kennels back to back, separated by a full width, counterweighted, transfer door. The enclosed double pulley system enables the operator to open the transfer door from either side. This allows the animal to transfer to the other side without operator contact. This is a time saver as well as a safety feature.


Some facility managers report quieter and calmer dogs because the animals are not facing each other.

This System can sit directly on the floor or have a raised floor system with an integrated trench drain system covered by the full T-Cover.

Features:

- Each kennel has two compartments—a full-width transfer door is included.
- An enclosed double-pulley system operates a full-width, counter-weighted transfer door that you can open from either end to make transferring animals easy.
- Each compartment has one 2' wide gate that opens in or out.
- Includes two slots per compartment for optional slide-in feed and water trays. (Any kennel less than 4' will receive only one feed tray slot.)
- Raised floor systems feature leveling legs and can run 32' in either direction to rectify floor imperfections before a stub out is needed.
- Full T-Cover, with baffle, bridges the trench at the midsection to prevent cross-contamination when cleaning.
- **Optional accessories:** top wire panel, side transfer door, stainless steel wire door and stainless steel glass door. Choice of Stainless or galvanized steel components.
- **Specs:** standard widths: 3', 3'6", & 4'; standard lengths: 8', 10', 12' & 16'; 72" high.

See "How to Buy T-Kennel Run Systems" on page 14 for outline of options.







T-KENNEL Double Decker Kennel

Benefits:

The Double Decker Kennel Run System saves valuable floor space by stacking two kennels on top of each other. The top unit floor is 35" off the floor (if unit is ground level), so you are at about counter height. Use color on the PVC panels or select tempered glass to create a statement. Flexibility can be beautiful!

Features:


- Frame is made up of 1" tubing, and wire is welded to the frame. Wire mesh top piece included.
- One door per compartment is included. All gates open inward and outward.
- Great for placement against a wall or freestanding.
- Has two slots for optional slide-in feed and water trays. (Any Kennel Run System less than 4' wide will receive only one feed tray slot.)
- Raised floor systems feature leveling legs and can run 32' in either direction to rectify floor imperfections before a stub out is needed.
- Standard side panels are sloped ¼" per foot. Other slopes available by request.
- Easy to clean PVC Panels are available in multiple colors to complement your decor.
- Optional accessories: Side transfer door and stainless steel or tempered glass door.
- Specs: standard widths: 3' and 4'; standard lengths: 3' and 4'; each unit 34" high, 72" high total.

See "How to Buy T-Kennel Run Systems" on page 14 for outline of options and "Door Styles for T-Kennel Double Decker, Tri and Quad Kennels" on page 23.



* Marry Stainless Steel with glass panels for good ventilation!





T-KENNEL Tri Kennel

Benefits:


This unit pairs our Double Decker Kennel with a Single Kennel to create a flexible housing unit. The full-width, counterweighted, transfer door allows the pet to travel from one lower unit to the other.

This works best in large rooms where there is space enough to get to both sides of the Kennel Run System. It can be a good choice for housing dog families.

Features:

- Frame is made up of 1" tubing, and wire is welded to the frame. Wire mesh top piece included for the Double Decker side, optional on other side.
- The Tri Kennel contains three separate compartments, so it's great for boarding dogs of all sizes.
- A full width, counter-weighted transfer door between the bottom two compartments is operated by an enclosed double pulley system. You can open the transfer door from either side for easy animal transfer.
- Has two slots for optional slide-in feed and water trays. (Any Kennel Run System less than 4' wide will receive only one feed tray slot.)
- One gate per compartment is included. All gates open inward and outward.
- The upper floor drain is covered by a half T-Cover.
- The lower floor drains are covered by a full T-Cover that bridges the trench at the midsection to prevent cross-contamination when cleaning.
- Raised floor systems feature leveling legs and can run 32' in either direction to rectify floor imperfections before a stub out is needed.
- Can be manufactured to fit most common slopes.
- Easy to clean PVC Panels are available in multiple colors to complement your decor.
- **Optional accessories:** Top wire panel, side transfer door and stainless steel or tempered glass door.
- **Specs:** standard widths: 3', 3'6", & 4'; standard lengths: 8', 10' and 12'; double decker units: 34" high each, single kennel 72", total height 72".

See "How to Buy T-Kennel Run Systems" on page 14 for outline of options and "Door Styles for T-Kennel Double Decker, Tri and Quad Kennels" on page 23.







T-KENNEL Quad Kennel

Benefits:

The Quad Kennel System saves floor space while giving you the flexibility of stacked housing with the space of a kennel run. With the Double Decker Kennels back to back, a full width, counter-weighted, transfer door allows a pet to move freely between the lower units.


The top unit floor is 35" off the floor (if unit is ground level), so you are at about counter height. This works well in large areas in which you can move down one row tending to needs and back up the other side.

The Quad Kennel System can sit directly on the floor, or have a raised floor system with an integrated trench drain system covered by the full T-Cover for the lower kennel and two half T-Covers for the upper kennels.

Features:

- The Quad Kennel has two separate top and bottom compartments on either side and is designed to provide maximum space.
- Frame is made up of 1" tubing, and wire is welded to the frame. Wire mesh top piece standard.
- Includes two slots per compartment for optional slide-in feed and water trays. Any kennel less than 4' wide will receive only one feed tray slot.
- Raised floor systems feature leveling legs and can run 32' in either direction to rectify floor imperfections before a stub out is needed.
- Four swing doors that open in or out.
- Includes a full width transfer door between the lower units operated by a counter-weighted pulley system.
- The upper floor drains are covered by two half T-Covers.The lower floor drains are covered by a full T-Cover that
- bridges the trench at the midsection to prevent crosscontamination when cleaning.
- Interconnecting drain systems permit up to 16 kennels (64 compartments) to share one centrally located drain outlet.
- **Optional accessories:** Side transfer door and stainless steel or tempered glass door.
- **Specs:** standard widths: 3', 3'6" and 4'; standard length: 8', 10' and 12'; each unit 34" high, 72" high total.

See "How to Buy T-Kennel Run Systems" on page 14 for outline of options and "Door Styles for T-Kennel Double Decker, Tri and Quad Kennels" on page 23.







DOOR STYLES FOR T-KENNEL DOUBLE DECKER, TRI AND QUAD KENNELS

1 Stainless Steel Doors and Gate Frame

Gate frame and gate panel are constructed of welded 1" stainless steel square tubing and stainless steel wire mesh. You can open the 23½"W by 32½"H doors from either the inside or outside for maximum flexibility.

2 Galvanized Doors and Gate Frame

Gate frame and gate panel are constructed of welded 1" square galvanized tubing and welded wire mesh. Both are hot-dip galvanized after fabrication for durability, strength and longevity. You can open the 23½"W by 32½"H doors from either the inside or outside for maximum flexibility.

Stainless Steel + Glass Doors and Gate Frame

Gate panel is constructed of welded 1" stainless steel square tubing and stainless steel wire mesh. The 23½"W by 32½"H doors are constructed of 1" stainless steel square tubing and ¼" tempered glass. You can open the 23½"W by 32½"H doors from either the inside or outside for maximum flexibility.



FEEDER SYSTEMS

Shor-Line Swivel Feeder

Part number determined at time of order.

Benefits:

Makes quick work of feeding and watering animals. Simply place the food and water in the holders at the correct height and swivel the items into the kennel. Lock in place.

Features:

- Made of durable stainless steel.
- Fits 21¾ "W x 10½" H opening.
- Works with range of pails and bowls that are sold separately (See page 48).





Kennel Gear[™] Versa Feeder 041.0017.64

Benefits:

Convenient swivel feeding system swivels 180 degrees for you to attach filled food and water containers and then swivels another 180 degrees to lock into the opening so the pets can eat and drink.

Features:

- Made of aluminum.
- Fits 21¾"W x 10½"H opening.
- Works with range of pails and bowls that are sold separately (See page 48).



Shor-Line Stainless Steel Feed Tray 041.0018.03 3 lbs.

Benefits:

The Feed Tray keeps food in the tray and makes feeding easy. Just slide in and pull out.

Features:

- Made of durable stainless steel.
- Slides into feed slot in Shor-Line or T-Kennel kennels.
- You can fill and clean without entering the kennel.
- Specs: 8½"W x 15½"L x 2"D.

SPECIALTY KENNELS

SHOR-LINE Folding Kennel


The Folding Kennel is a unique and groundbreaking concept in dog kenneling. You now have the ability to turn a room into a play area during the day and overnight accommodations in the evening.

Our Folding Kennel gives you a wall of kennels when it is unfolded and then folds up against a wall to a 7-inch footprint.

Yes, 7 inches!


Specs: Available opening sizes: 36"W x 37"L or 48"W x 49"L..





Fully unfolded, the kennel is approximately 4.5' deep and comes with either a 3' or 4' width

...or two rooms while others stay against the wall



Barkolyn Boudoir Dutch Door Kennel™ New

Part number determined at time of order.

Benefits:

Dogs are living the "suite" life with an extra large, home-style kennel complete with a tempered glass Dutch door you can open part way or close tight. You can chose colored panels to decorate in style.

Your contractor can add drywall to make the kennel a floor-toceiling room.

Features:

- Extra sturdy 11/2" square stainless steel tube door frame.
- Tempered glass Dutch door with glass encased in aluminum.
- Optional smoked glass for lower door.
- Add a Resting Bench for luxury sleeping. See page 26.
- Choice of tempered glass or colorful PVC panels on side and back door.
- Optional accessories: swivel feeder.
- **Specs:** 78"H, 48" or 60"W and 6' or 8'D.



Puppy Kennel

Part number determined at time of order.

Benefits:

Shor-Line's Puppy Kennel gives puppies the "big dog" experience. The double decker unit has a carabiner pulley system that opens and shuts a transfer gate that allows puppies to travel horizontally. You can close the gate for cleaning.

Features:

- Frame is 1" square tubing and wire is welded to the frame.
- Includes top welded steel mesh piece.
- Two carabiner-style pulleys independently operate each transfer door.
- Transfer aluminum doors are 12"W x 14"H.
- Insulated PVC panels in a variety of colors. (See page 5.)
- Four units with interior space 34"W x 25"L x 31"H.
- Specs: Exterior 73"W x 27"L x 66"H



KENNEL RUN ACCESSORIES

Resting Bench

909.0067.00 14 lbs.

Benefits:

Allows pets a comfortable bed above a cold or wet run floor.

- Features:
- Thermoformed, one-piece construction of high-density polyethylene.
- Surface has a comfortable, non-slip texture that is slightly crowned for fluid run-off.
- 40½"L x 22¼"W x 4"H.



Flip-Up Resting Bench


Part number determined at time of order.

Benefits:

Allows pets a comfortable bed above a cold or wet run floor. Doubles as a drain cover.

Features:

- Heavy-gauge perforated sheet steel.
- \bullet Openings are approximately $\mathbb{V}_{16}" \ge 5\!\!\!/ s"$ diameter after PVC coating.



Pet Cot

047.0018	Small	7 lbs.
047.0019	Medium	9 lbs.
047.0020	Large	11 lbs.
047.0021	X-Large	12 lbs.

Benefits:

Treat your pet customers to comfort and support on a raised surface. Easy-to-clean stretched woven, vinyl-coated polyester surface on cot. Sturdy corners increase the bed's longevity.

Features:

- Frame constructed from galvanized metal tubing for durability.
- Clean with water or safe disinfectant.
- Color choices: Brown tweed, hunter green, sky blue, navy blue (vinyl); patterns are dark brown paw print or light brown paw print.
- 35-oz heavy-duty blue vinyl cover choice to resist heavy chewers.
- Sizes:

X-Large—46"W x 30"D x 4.5"H Large—39"W x 28"D x 4.5"H Medium—39"W x 22"D x 4.5"H Small—22"W x 22"D x 4.5"H



PET COT COLORS



CAGES

Shor-Line began making animal cages mid-century to meet the needs of veterinarians. We have continued to improve our animal cages, evolving with veterinary, boarding and shelter professionals.

If you need cages, we can find a solution! Our standard cages are made in 6" increments, starting with 18"W x 18"H. All cages are 28%" deep, not including the latch. Your best value comes with purchasing standard sizes, but if you can dream it, we can build it.

Our cages are often handed down from practice to practice because they are so durable. There is a reason why animal professionals have been purchasing our cages for almost **seven** decades.



48"W x 30"H Double Door Cage

BENEFITS OF A DOUBLE DOOR CAGE

Looking for a housing solution for your large dogs? Try our Double Door (DD) cage. **It comes in a variety** of sizes with these features:

- 48", 60" or 72" W
- 30" or 36" H
- Removable middle cage post adds strength and integrity when securing the latch, but it also allows for easy opening.
- Removing the cage post allows you to slide in a recombinant patient.
- Insert cage divider to house more smaller animals. We designed the cage to provide a secure environment when you divide the cage.

* Further reduce animal stress

Optional Silent Latch Mechanism makes cage closing near silent.



24"W x 30"H Cage



4' Assembly, Option A 902.0103.19 199 lbs.

Top: 2 - 24"W x 24"H cages Bottom: 1 - 48"W x 30"H double door cage

 With Platforms:

 Mobile
 #902.0103.20
 223 lbs.

 Stationary
 #902.0103.21
 215 lbs.



4' Assembly, Option B 902.0103.16 217 lbs.

Top: 2 - 24"W x 30"H cages Bottom: 1 - 48"W x 30"H double door cage

 With Platforms:

 Mobile
 #902.0103.17
 241 lbs.

 Stationary
 #902.0103.18
 233 lbs.



4' Assembly, Option C 902.0105.33 273 lbs.

Top: 2 - 24"W x 24"H cages Middle: 2 - 24"W x 18"H cages Bottom: 1 - 48"W x 30"H double door cage

 With Platforms:

 Mobile
 #902.0105.34
 297 lbs.

 Stationary
 #902.0105.35
 289 lbs.

6' STAINLESS STEEL CAGE ASSEMBLIES



6' Assembly, Option A 902.0105.36 324 lbs.

Top: 3 - 24"W x 30"H cages Bottom: 2 - 36"W x 30"H cages

With Platforms:

Mobile#902.0105.37355 lbs.Stationary#902.0105.38349 lbs.



6' Assembly, Option B 902.0105.39 354 lbs.

Top: 2 - 36"W x 30"H cages Bottom: 1 - 72"W x 36"H double door cage

With Platforms:

Mobile#902.0105.40385 lbs.Stationary#902.0105.41379 lbs.



6' Assembly, Option C 902.0105.42 302 lbs.

Top: 3 - 24"W x 24"H cages Bottom: 1 - 48"W x 30"H double door cage 1 - 24"W x 30"H cage

With Platforms:

Mobile #902.0105.43 333 lbs. Stationary #902.0105.44 327 lbs.



5' Assembly, Option A 902.0104.19 262 lbs.

Top: 2 - 30"W x 30"H cages Bottom: 2 - 30"W x 30"H cages

 With Platforms:

 Mobile
 #902.0104.20
 287 lbs.

 Stationary
 #902.0104.21
 281 lbs.




5' Assembly, Option B 902.0104.22 217 lbs.

Top: 2 - 30"W x 24"H cages Bottom: 1 - 60"W x 36"H double door cage

 With Platforms:

 Mobile
 #902.0104.23
 309 lbs.

 Stationary
 #902.0104.24
 303 lbs.



5' Assembly, Option C 902.0104.25 329 lbs.

Top: 2 - 30"W x 24"H cages Middle: 2 - 30"W x 24"H cages Bottom: 2 - 30"W x 30"H cages

 With Platforms:

 Mobile
 #902.0104.26
 354 lbs.

 Stationary
 #902.0104.27
 348 lbs.

7' STAINLESS STEEL CAGE ASSEMBLIES



7' Assembly, Option A 902.0106.16 360 lbs.

Top: 2 - 30"W x 30"H cages, 1 - 24"W x 30"H cage Bottom: 1 - 48"W x 30"H DD cage, 1 - 36"W x 30"H cage

With Platforms:

Mobile #902.0106.17 405 lbs. Stationary #902.0106.18 389 lbs.



7' Assembly, Option B 902.0106.19 377 lbs.

Top: 2 - 30"W x 30"H cages, 1 - 24"W x 30"H cage Bottom: 1 - 36"W x 30"H cage, 2 - 24 x 30"H cages

 With Platforms:

 Mobile
 #902.0106.20
 422 lbs.

 Stationary
 #902.0106.21
 406 lbs.



8' Assembly, Option A 902.0109.16 400 lbs.

Top: 4 - 24"W x 24"H cages Bottom: 2 - 36"W x 30"H cages, 1 - 24"W x 30"H cage

With Platforms:

Mobile#902.0109.17450 lbs.Stationary#902.0109.18435 lbs.



8' Assembly, Option B 902.0109.19 388 lbs.

Top: 4 - 24"W x 24"H cages Bottom: 2 - 48"W x 30"H DD cages

With Platforms: Mobile #902.0109.20 422 lbs.

Stationary #902.0109.21 406 lbs.

9' STAINLESS STEEL CAGE ASSEMBLIES



9' Assembly, Option A 902.0110.19 506 lbs.

Top: 3 - 36"W x 30"H cages Bottom: 1 - 72"W x 36"H DD cage, 1 - 36"W x 36"H cage

With Platforms:

Mobile #902.0110.20 558 lbs. Stationary #902.0110.21 544 lbs.



9' Assembly, Option B 902.0110.22 469 lbs.

Top: 2 - 30"W x 30"H cages, 2 - 24"W x 30"H cages Bottom: 1 - 48"W x 30"H DD cage, 2 - 30"W x 30"H cages

 With Platforms:

 Mobile
 #902.0110.23
 518 lbs.

 Stationary
 #902.0110.24
 504 lbs.



8' Assembly, Option C 902.0109.22 590 lbs.

Top: 4 - 24"W x 24"H cages Middle: 2 - 36"W x 30"H cages, 1 - 24"W x 30"H cage Bottom: 2 - 48"W x 30"H DD cages

 With Platforms:

 Mobile
 #902.0109.23
 638 lbs.

 Stationary
 #902.0109.24
 622 lbs.



8' Assembly, Option D 902.0109.25 450 lbs.

Top: 1 - 36"W x 30"H cage, 2 - 30"W x 30"H cage Bottom: 1 - 60"W x 36"H DD cage, 1 - 36 x 36"H cages

With Platforms:

Mobile#902.0109.26496 lbs.Stationary#902.0109.27482 lbs.



9' Assembly, Option C 902.0110.25 641 lbs.

Top: 2 - 30"W x 24"H cages, 2 - 24"W x 24"H cages Middle: 2 - 30"W x 24"H cages, 2 - 24"W x 24"H cages Bottom: 3 - 36"W x 30"H cages

With Platforms:

Mobile #902.0110.26 704 lbs. Stationary #902.0110.27 680 lbs.

ITEM NUMBER	SIZE (WxH)	SHIPPING WEIGHT
902.1818.70	18" x 18"	31 lbs.
902.1824.70	18" x 24"	37 lbs.
902.2418.70	24" x 18"	37 lbs.
902.2424.70	24" x 24"	44 lbs.
902.2430.70	24" x 30"	56 lbs.
902.2436.70	24" x 36"	63 lbs.
902.3024.70	30" x 24"	56 lbs.
902.3030.70	30" x 30"	63 lbs.
902.3036.70	30" × 36"	73 lbs.
902.3624.70	36" x 24"	70 lbs.
902.3630.70	36" × 30"	73 lbs.
902.3636.70	36" x 36"	85 lbs.
902.4230.70 SD	42" × 30"	79 lbs.
902.4236.70 SD	42" × 36"	83 lbs.
902.4830.70 SD	48" × 30"	92 lbs.
902.4830.73 DD	48" × 30"	95 lbs.
902.4836.70 SD	48" x 36"	101 lbs.
902.4836.73 DD	48" x 36"	103 lbs.
902.6036.73 DD	60" x 36"	162 lbs.
902.7236.73 DD	72" x 36"	198 lbs.

SD: Single Door DD: Double Door

STANDARD INDUSTRY CAGE SIZES



10' Assembly, Option A 902.0112.13 586 lbs.

Top: 4 - 30"W x 30"H cages Bottom: 2 - 60"W x 36"H DD cages

 With Platforms:

 Mobile
 #902.0112.14
 636 lbs.

 Stationary
 #902.0112.15
 624 lbs.



10' Assembly, Option B 902.0112.16 770 lbs.

Top: 5 - 24"W x 24"H cages Middle: 4 - 30"W x 24"H cages Bottom: 1 - 72"W x 36"H cage, 1 - 48"W x 36"H DD cage

 With Platforms:

 Mobile
 #902.0112.17
 825 lbs.

 Stationary
 #902.0112.18
 811 lbs.

12' STAINLESS STEEL CAGE ASSEMBLIES



12' Assembly, Option A 902.0114.13 674 lbs.

Top: 4 - 30"W x 30"H cages, 1 - 24"W x 30"H cage Bottom: 1 - 72"W x 36"H DD cage, 2 - 36"W x 36"H cage

With Platforms:

Mobile #902.0114.14 736 lbs. Stationary #902.0114.15 724 lbs.



12' Assembly, Option B 902.0114.16 885 lbs.

Top: 6 - 24"W x 24"H cages Middle: 4 - 30"W x 30"H cages, 1 - 24"W x 30"H cage Bottom: 3 - 48"W x 30"H DD cages

With Platforms:

Mobile #902.0114.17 957 lbs. Stationary #902.0114.18 933 lbs.



10' Assembly, Option C 902.0112.19 738 lbs.

Top: 5 - 24"W x 24"H cages Middle: 4 - 30"W x 30"H cages Bottom: 1 - 48"W x 30"H DD cage, 2 - 36 x 30"H cages

With Platforms:

Mobile #902.0112.20 783 lbs. Stationary #902.0112.21 779 lbs.



14' STAINLESS STEEL CAGE ASSEMBLIES



14' Assembly, Option A 902.0117.13 813 lbs.

Top: 4 - 30"W x 30"H cages, 2 - 24"W x 30"H cages Bottom: 1 - 72"W x 36"H DD cage, 1 - 60"W x 36"H DD cage, 1 - 36"W x 36"H cage

With Platforms:

Mobile #902.0117.14 889 lbs. Stationary #902.0117.15 868 lbs.



14' Assembly, Option B 902.0117.16 1039 lbs.

Top: 7 - 24"W x 24"H cages Middle: 4 - 30"W x 30"H cages, 2 - 24"W x 30"H cages Bottom: 2 - 48"W x 30"H DD cages, 2 - 36"W x 30"H cages

With Platforms:

Mobile #902.0117.17 1118 lbs. Stationary #902.0117.18 1096 lbs.

SPECIALTY CAGES

Isolation/Parvo Cage

925.3931.01	Isolation/Parvo Cage	130 lbs.
925.2000.02	Upper Isolation/Parvo Cage	130 lbs.
925.2000.03	2 Unit Isolation/Parvo Cage	260 lbs.

Benefits:

Isolates potentially infectious patients from healthy patients and uses a unique drainage system that makes clean-up fast and easy.

Features:

- Easy-to-clean, disinfectant safe polyethylene cage shell.
- Raised floor system keeps the patient elevated, minimizing contact with their waste.
- Lexan door splatter guard and raised bottom retaining lip help to contain liquids.
- Sloped rear drainage system.
- Interior dimensions: 35"W x 271/2"H x 28"D.
- Exterior dimensions: 38¾ "W x 31 "H x 34"D (including drain).



Mobile Transport Unit

902.0001.50 40¾"W x 38"H x 30¾"D

Benefits:

Mobility and design allow this unit to be used for receiving and releasing patients, moving them, as a temporary holding kennel, or even as an emergency exam and treatment table.

119 lbs.

Features:

- Built like the Shor-Line modular cages, the mobile transport unit is insulated and finished with polished stainless steel side and top panels.
- The universal door is designed for right-hand or left-hand opening.
- Large 5" heavy-duty corrosion resistant casters let you maneuver the unit easily through most door openings.
- All casters feature locking mechanisms to hold the unit stationary when not in use.
- Full width bar handle for easy control.



MORE CAGE OPTIONS!

Glass Back Cage (Back shown at right) Pass-Thru Perforated Floor and Pan and more!

Contact us for all your unique housing needs. Our custom design service offers an array of housing options.



PLASTIC CAGES

Standard Plastic Cages

925.1000.02	2 Unit Assembly	175 lbs.
925.3000.02	3 Unit Assembly	160 lbs.
925.4000.02	4 Unit Assembly	148 lbs.
925.6000.02	6 Unit Assembly	222 lbs.
925.1000.11	2 Unit Assembly with Floor and Pans	190 lbs.
925.3000.12	3 Unit Assembly with Floor and Pans	163 lbs.
925.4000.12	4 Unit Assembly with Floor and Pans	152 lbs.
925.6000.12	6 Unit Assembly with Floor and Pans	244 lbs.
925.2430.02	Medium Cage	42 lbs.
925.4836.03	Large Cage	86 lbs.
925.2430.12	Medium Cage with Floor and Pan	51 lbs.
925.4836.13	Large Cage with Floor and Pan	85 lbs.

Benefits:

A cost-effective alternative approach to animal cages, the plastic cages are corrosion-resistant and constructed of technologically advanced materials for durability and sanitation. More durable and serviceable than fiberglass or wood/laminate dog cages.

Features:

- One piece, rotationally molded polyethylene eliminates stress points and adds overall uniformity and rigidity.
- Plastic material resists stains, daily exposure to disinfectants and makes clean up a snap.
- Urine retaining lip catches spills.
- Stainless steel doors and hardware.
- Optional raised PVC coated floors and high impact, polystyrene pans available.
- Medium cage: 24¼ "W x 325/16"H x 28¾ "D.
- Large cage: 48½"W x 34½"H x 28¾"D.
- Platforms sold separately.
- See "High Impact Pans for Plastic Cages" on page 36.



925.6000.12 (Floors and pans included)



925.3000.02 3-Unit Assembly



925.4000.12 (Floors and pans included)



925.1000.02 2-Unit Assembly

CAGE ACCESSORIES




Divider for Large Plastic Cages

 314.0535.01
 Large Cage
 14 lbs.

 314.0535.00
 Large Cage with Floor+Pan
 14 lbs.

Benefits:

This removable cage divider converts a large cage into two medium cages. Works with Plastic Cages (page 35).



PVC Coated Floors for Plastic Cages

725.2128.01	With Legs	12 lbs.
	for Medium Cage	
725.2128.00	Without Legs	10 lbs.
	for Medium Cage with Floor + Pans	

Benefits:

Raised floors slide into cage bottom, helping to keep patients clean and dry. Works with Plastic Cages (page 34).



High Impact Pan for Plastic Cages

181.0018.00 6 lbs.

Benefits:

Plastic cage pan makes cleanup simple and fast without disturbing the patient. Works with Plastic Cages (page 35).

Features:

- Made of polystyrene.
- Ideal for patients experiencing containment problems.
- Fits below cage floor to collect fluids and waste from patients.



Platform for Plastic Cages

825.4800.00	48" Platform for Plastic Cages	24 lbs.
825.7200.00	72" Platform for Plastic Cages	31 lbs.
086.5012.11	Caster with Brake	5 lbs.
702.0004.00	Leveling Leg Adapter	2 lbs.

Benefits:

Casters provide easy maneuverability that aids in cleaning and bank rearranging. Adjustable feet in each leveling leg allows for easy leveling. Works with Plastic Cages (page 35).

Features:

- Platform comes in a black powder coat finish for durability.
- Choose 5" corrosion proof reinforced nylon locking casters with polyurethane wheels that will not "flat spot" or mar floors OR stainless steel leveling legs to complete your platform purchase.

Stainless Steel Litter Pans

190.9000.03	12¾"W x 20¾"L x 4"H	4 lbs.
190.9000.08	12¾"W x 10℁"L x 2½"H	2 lbs.

Benefits:

Heavy-gauge stainless steel to provide easy care and cleanup.





Mobile Platform for Stainless Steel Cages

See standard cage assemblies for applicable item numbers or call to speak with a sales representative about a custom configuration.

Benefits:

Platform provides easy maneuverability that aids in cleaning and bank rearranging. Easier access to bottom level cages.

Features:

- Large reinforced nylon casters and polyurethane wheels that will not "flat spot" or mar floors. Rotates 360° for easy maneuverability.
- All casters feature locking mechanisms to hold your kennel assembly stationary between moves.
- Allow 8¹/₂" height increase for mobile platforms when planning your space requirements.
- 086.5012.11 Caster with Brake.

End & Top Panels for Stainless Steel Cages

802.0018.51	End Panels for 18"H Cage	10 lbs.
802.0024.51	End Panels for 24"H Cage	12 lbs.
802.0030.51	End Panels for 30"H Cage	14 lbs.
802.0036.51	End Panels for 36"H Cage	16 lbs.
802.1800.00	Top Panel for 18" Cage	10 lbs.
802.2400.00	Top Panel for 24" Cage	12 lbs.
802.3000.00	Top Panel for 30" Cage	14 lbs.
802.3600.00	Top Panel for 36" Cage	16 lbs.
802.4800.00	Top Panel for 48" Cage	18 lbs.
802.6000.00	Top Panel for 60" Cage	20 lbs.
802.7200.00	Top Panel for 72" Cage	23 lbs.

Benefits:

Top and End Panels are the easiest way to give your individual cage or cage assemblies an attractive, one piece finished look.

Features:

- Constructed of the same high-quality stainless steel used on the cage itself.
- End and Top Panels are ordered separately and are easily attached at your facility.

Cage Valets

915.0200.04	Small 10½"H x 5½"W x 3"D	1 lb.
915.0200.05	Large 15"H x 9"W x 3"D	2 lbs.

Benefits:

Holds medications, toys, collars, leads, ID cards and forms.

Features:

- Stainless steel tension clip secures your patient's paperwork.
- Polycarbonate material is crack and shatter resistant.



Stationary Platform for Stainless Steel Cages

See standard cage assemblies for applicable item numbers or call to speak with a sales representative about a custom configuration.

Benefits:

Allows cleaning under cages and raises bottom cages to an easier access level.

- Adjustable feet in each leg easily facilitates leveling.
- For planning purposes, allow for a 9¼" height increase when adjustable feet are fully extended and an 8" height increase when they are not extended.
- 702.0004.00 Leveling Leg Adapter.







Divider for Stainless Steel Double Door Cages

802.0030.00	30"H Double Door Cage	14 lbs.
802.0036.00	36"H Double Door Cage	17 lbs.

Benefits:

The removable cage divider provides a quick, affordable way to convert 48", 60" and 72" wide double-door Shor-Line cages into two smaller units.

Features:

- The solid stainless steel divider connects to a bracket at the back of each cage to form a secure separation between compartments.
- The double-door latch system can be quickly and easily removed when transferring large patients in and out of the cage.



PVC Coated Cage Floors for Stainless Steel Cages

317.0098.00	Floor, 18"W Cage	11 lbs.
317.0098.01	Floor, 24"W Cage	20 lbs.
317.0098.02	Floor, 30"W Cage	25 lbs.
317.0098.03	Floor, 36 "W Cage	28 lbs.
317.0098.04	Floor, 48"W Single Door Cage	33 lbs.
317.0098.05	Floors, 48"W Double Door Cage (2 piece)	41 lbs.
317.0098.45	Floors, 60"W Double Door Cage (2 piece)	51 lbs.
317.0098.46	Floors, 72"W Double Door Cage (2 piece)	57 lbs.

Benefits:

Keeps patients dry and clean.

Features:

- 14 gauge perforated sheet steel.
- Openings are approximately 3/8" diameter after PVC coating.
- \bullet Non-toxic PVC coating is approximately $1\!\!/_8$ " thick and seals entire floor.
- Floor height is approximately 21/4".
- Cages require 2 pieces. Part numbers above are 1 piece they are Double Door cages.



Squeeze Restraint New + improved!

924.0200.00	24" x 18" cage	19 lbs.
924.0200.01	24" x 24" cage	22 lbs.
924.0200.02	24" x 30" cage	25 lbs.
924.0200.03	30" x 30" cage	29 lbs.

Benefits:

Puts non-cooperative patients in a secure but tighter space, creating a safer vaccination and treatment environment.

- The squeeze mechanism is designed with two 1" diameter stainless steel handles affixed to a wire door panel, similar to our cage doors.
- The push/pull system allows the squeeze restraint to gently ease the patient to the front of the cage for treatment.
- When the wire door panel is pushed to the back of the cage, the handles discreetly blend in with the cage frame.







Stainless Steel Card Holders

802.0000.01	3"H x 5"W	1	lb.
802.0000.02	5"H x 8"W	1	lb.

Benefits:

Quickly and easily identify your patients at a glance.

Features:

- Three-sided pocket holds an index card in place.
- Twist and turn method attaches holders easily to the horizontal bar of Shor-Line and most other wire cage doors.



Record Holders

802.0010.05	5½"W x 8¼"H Tension Clip	1 lb.
802.0010.06	9"W x 12¼"H Tension Clip	2 lbs.

Benefits:

Quickly and easily identify your patients at a glance.

Features:

- Twist and turn method attaches holders easily to the horizontal bar of Shor-Line and most other wire cage doors.
- Holders keep patient records securely attached to cage
 or kennel doors.

Quiet-Time Cage Door Cover

179.2424.00	24"W x 24"H Cage Door	1 lb.
179.2430.00	24"W x 30"H Cage Door	1 lb.
179.3030.00	30"W x 30"H Cage Door	1 lb.
179.3630.00	36"W x 30"H Cage Door	1 lb.

Benefits:

Instead of hanging old towels over your cage doors to silence those loud dogs use Shor-Line Quiet-Time Cage Door Covers. Most dogs stop their nuisance barking when you block their visibility of people and other animals. Quiet-Time Cage Door Covers provide some isolation and solitude for patients during treatment or recovery.

Features:

- Color-fast blue nylon construction is stain and snag resistant.
- 3" deep pocket fits snugly over the top of door and secured with plastic snaps.
- Clear vinyl window to display client/patient information.
- Machine washable.



Shor-Shelf® Cat Perching Shelf for Stainless Steel Cages

802.0006.00 4 lbs.

Benefits:

The removable Shor-Shelf $\ensuremath{\mathbb{R}}$ allows cats to follow their natural instinct to jump and perch above the floor.

- \bullet The shelf is 7" deep and adjusts to fit all 18", 24" and 30" wide cages.
- Unique flex-ends with special non-slip pads automatically adjust to taper of kennel—no drilling or modification of cage required.



CAT CONDOS AND SUITES

Cat condos and suites reduce stress on cats because you are getting the bathroom out of the bedroom. Our suites give cats a separate litter area. Use the "How to Buy" guide on the next page to plan your new cat housing unit.

> ×New ventilation!→





THE DIFFERENCE BETWEEN A CONDO AND A SUITE

Our Cat Condos include a 24" or 30" wide living area with a resting shelf. It also includes a horizontal portal that you can open to allow a cat to travel from its condo to an adjacent unit. This allows you to turn any two condos into a large Suite. The horizontal plug cover pulls through easily so you can adjust it open or closed from the outside.

So what makes a unit a Suite? Our Shor-Line Cat Suites include both a 24" or 30" wide living area with a resting shelf PLUS two 12" wide litter, feeding or storage areas. The cat accesses the litter or feeding area with the same horizontal plug cover as the condo. You can choose to have the upper area be storage that the cat can't access or give the cat freedom to move between both upper and lower units.

GOT STORAGE?


Many of our customers regret not building more storage into units. The cat condos have plenty of opportunities to store special diets, personal toys and other items you need handy.

- Bottom storage: Add an extra foot or two of storage with either doors or drawers. Available in 12", 24" and 30" high.
- **Side storage:** A laminate face hides the contents. It typically is above the litter area. Available in 9" or 15" high.




HOW TO BUY MODULAR CAT CONDOS + SUITES

MATERIAL



BACK PANELS



Optional Wilson Art® and Formica® colors are available for additional charge and longer lead times. Interior is always white.

STANDARD CAT CONDO + SUITE ASSEMBLIES



3' Wide Cat Suite 923.0030.10 386 lbs.

/20.0000.10 000 103.

2 - 24"W x 30"H Condos with Left Hand Litter and Bedroom

With Platforms:

Mobile	#923.0030.11	419 lbs.
Stationary	#923.0030.12	413 lbs.



3¹/2¹ Wide Cat Suite 923.0035.10 418 lbs.

2 - 30"W x 30"H Condos with Left Hand Litter and Bedroom

 With Platforms:

 Mobile
 #923.0035.11
 455 lbs.

 Stationary
 #923.0035.12
 449 lbs.



4' Wide Cat Condo 923.0040.10 439 lbs.

4 - 24"W x 30"H Condos

With Platforms:

Mobile	#923.0040.11	484 lbs.
Stationary	#923.0040.12	475 lbs.



5' Wide Cat Condo 923.0050.11 503 lbs.

4 - 30"W x 30"H Condos

With Platforms:

Mobile #923.0050.13 556 lbs. Stationary #923.0050.15 547 lbs.



5' Wide Cat Suite 923.0050.10 604 lbs.

4 - 24"W x 30"H Condos with Centered Litter and Bedroom

 With Platforms:

 Mobile
 #923.0050.12
 657 lbs.

 Stationary #923.0050.14
 648 lbs.



6' Wide Cat Condo 923.0060.10 657 lbs.

6 - 24"W x 30"H Condos

With Platforms:

Mobile#923.0060.13722 lbs.Stationary#923.0060.16710 lbs.

STANDARD CAT CONDO + SUITE ASSEMBLIES



6' Wide Cat Suite

923.0060.11 668 lbs.

4 - 30"W x 30"H Condos with Centered Litter

With Platforms:

Mobile#923.0060.14734 lbs.Stationary#923.0060.17722 lbs.



6' Wide Cat Suite

923.0060.12 769 lbs.

4 - 24"W x 30"H Condos with Left/Right Hand Litter and Bedroom

With Platforms:

Mobile#923.0060.15835 lbs.Stationary#923.0060.18823 lbs.



8' Wide Cat Condo 923.0080.10 875 lbs.

8 - 24"W x 30"H Condos

With Platforms:

Mobile#923.0080.11965 lbs.Stationary#923.0080.12947 lbs.



8' Wide Cat Suite 923.0080.13 987 lbs.

6 - 24"W x 30"H Condos with Centered and Right Hand Litter and Storage

With Platforms:

Mobile#923.0080.141077 lbs.Stationary#923.0080.151059 lbs.





7' Wide Cat Suite 923.0070.10 833 lbs.

4 - 30"W x 30"H Condos with Left/Right Hand Litter and Bedroom

With Platforms:

Mobile #923.0070.11 907 lbs. Stationary #923.0070.12 895 lbs.

7¹/2¹ Wide Cat Condo 923.0075.10 753 lbs.

6 - 30"W x 30"H Condos

With Platforms:

Mobile	#923.0075.11	835 lbs.
Stationary	#923.0075.12	820 lbs.



10' Wide Cat Condo 923.0010.10 1003 lbs.

8 - 30"W x 30"H Condos

With Platforms:

Mobile#923.0010.111109 lbs.Stationary#923.0010.121091 lbs.

SPECIALTY CAT HOUSING

Kat Play-Around™ New

Part number determined at time of order.

Benefits:

Need a bigger place for cats to play? The Kat Play-Around lets cats climb, jump and play with the benefits of being safely enclosed.

The kennel has proven durability, standing up to anything a cat can bring. Yet its color and tempered glass options lets you showcase the frolicking felines, making the unit as good for your facility as it is for the cats.

Features:

- Sturdy Stainless Steel or galvanized steel frame with 1" square welded tubing.
- 16-gauge single pin latch (can be locked).
- Two lower resting lounges and one large upper lookout perch.
- **Specs:** 49"W x 86½"H x 48"D.



Kat Play and Sleep

Part number determined at time of order.

Benefits:

Create a playful, colorful environment for your feline friends with a large play area attached to four lounging quarters with feeding and sleeping space. Provides exercise without having to move the cats!

- Large center play area has two horizontal lookout shelves (6"W and two side resting benches (6"W).
- Spacious sleeping areas have attached litter/bedroom areas with pass thrus you can open or close from the outside.
- Laminate Kat Play and Sleep is available in variety of standard colors as well as optional Wilson Art® and Formica® colors with an additional charge and longer lead times.
- Total height as shown: 72"H without caster base.
- **Specs:** 4 24"W x 30"H condos each with two attached 15"H litter/bedroom areas; 2 36"W x 12"H storage areas with doors and 1 24"W x 12"H storage area with doors. All areas are 26½"D. Play area is 24"W x 60"H.



Stainless Steel Cat Suite

Looking for the space of a Laminate Condo Suite in durable Stainless Steel? This Suite is for you. The Double Unit Stainless Steel Cat Suite provides 18.7 square feet of living space, meeting the new industry standards for feline housing! (9.35 square feet for our Single Unit)

 902.4830.22
 Single Unit
 200 lbs.

 902.0103.24
 Double Unit with Mobile Platform
 440 lbs.

Benefits:

Field-tested by felines and their caretakers! We developed this product with leading University thought leaders, reflecting the latest trends in animal housing. Stainless steel construction provides the best surface for disinfection and an incredibly long service life. We've made this our quietest cage, designed to relieve the stress of the occupant, thus leading to a healthier and safer habitat.

Features:

- Patented Hinge Design: US Patent #7,805,808
- Stainless steel door design features tighter spacing near the latch, which discourages paw entrapment.
- Lockable door latch to prevent escapes.
- Silent Latch Mechanism eliminates noise and creates a stressfree environment for patients.
- You can remove integrated compartment divider for cleaning.
- Grip allows you to open or close portals from the outside without opening cage doors or disturbing occupants.
- Interior polymer resting shelf and other components are made of chemical resistant Polyethylene (PE).
- •Specs: 48"W x 30"H x 28¼"D.
- Single Unit: End and Top Panels are not included, but may be purchased separately.
- Double Unit: End and Top Panels are included with purchase.



Quiet-Time Door Cover for Stainless Steel Cat Suite

179.3330.00 1 lb.

Benefits:

Give felines some privacy with the new Quiet-Time Door Cover. These covers allow a feline a sense of isolation and comfort during boarding, treatment or recovery.

- Color-fast blue nylon construction is stain and snag resistant.
- •3" deep pocket fits snugly over the top of door and secured with plastic snaps.
- Clear vinyl window to display client/patient information.
- Machine washable.



FEEDING ACCESSORIES

Mounting Choices

Shor-Line offers two types of mounting systems—traditional Shor-Line circle brackets and Kennel Gear™ brackets. Both of these systems can attach to Shor-Line housing products. Mounting systems that work with other housing products are listed at the end of this section.

Kennel Gear[™] Plastic Bowl Kits

041.0017.40	Blue	1.5 lbs.
041.0017.41	Red	1.5 lbs.
041.0017.53	Green	1.5 lbs.
041.0017.54	Pink	1.5 lbs.
041.0017.55	Purple	1.5 lbs.
041.0017.75	Grey	1.5 lbs.
041.0017.74	Slate Blue	1.5 lbs.

Benefits:

DNISUOH

A clean and efficient food and water solution for all size animals. Door mount prevents bowls from being turned over, spilling food or water.

Features:

- Kit comes with a durable 20 oz. polypropylene Plastic Bowl and a plastic Kennel Bar Mount.
- Kennel Bar Mount system fits most standard kennels or solid surfaces. Back plate is not used for solid surface mounting.
- Bowl can be easily inserted into the Kennel Bar Mount for a secure feeding solution and easily removed with the flip of a paw-proof lever.
- Bowls also available without mounting brackets.



×New Colorl

Kennel Gear™ Stainless Steel Pail Kits

041.0017.44	1 Quart	2 lbs.
041.0017.45	2 Quart	2 lbs.
041.0017.38	4 Quart	2 lbs.
041.0017.46	6 Quart	3 lbs.

- Kit comes with a durable Stainless Steel Pail and a Kennel Bar Mount made from anodized grade aircraft aluminum to prevent corrosion.
- Kennel Bar Mount fits most standard kennels.
- Kennel Bar Mount back plate is not used for solid surface mounting.
- Two ¾" thumbscrews are provided.
- Pail can be easily inserted into the Kennel Bar Mount for a secure feeding solution and easily removed with the flip of a paw-proof lever.
- Pail handle folds back and locks in place when pail is securely mounted preventing danger to animals.
- All pails are interchangeable with the various Kennel Gear Mounting Systems.
- Pails also available without mounting brackets.



Kennel Gear[™] Stainless Steel Bowl Kits

041.0017.33	1 Pint	2 lbs.
041.0017.34	1 Quart	2 lbs.
041.0017.36	2 Quart	2.5 lbs.
041.0017.43	Double 1 Pint	2 lbs.
041.0017.35	Double 1 Quart	2 lbs.
041.0017.37	Double 2 Quart	2.5 lbs.

Benefits:

A clean and efficient food and water solution for all size animals. Door mount prevents bowls from being turned over, spilling food and water.

Features:

- Kit includes a durable Stainless Steel Bowl and a Kennel Door Mount made from anodized aircraft grade aluminum to prevent corrosion.
- Kennel Door Mount fits most standard kennels.
- Bowl can be easily inserted into the Kennel Door Mount for a secure feeding solution and easily removed with the flip of a paw-proof lever.
- All bowls are interchangeable with the various Kennel Gear Mounting Systems.





Kennel Gear™ Stainless Steel Bowls

041.0017.12	1 Pint Stainless Steel Bowl	1 lb.
041.0017.23	1 Quart Stainless Steel Bowl	1 lb.
041.0017.14	2 Quart Stainless Steel Bowl	1.5 lbs.
041.0017.13	Double 1 Pint Stainless Steel Bowl	2 lbs.
041.0017.48	Double 1 Quart Stainless Steel Bowl	2 lbs.
041.0017.15	Double 2 Quart Stainless Steel Bowl	2 lbs.

Benefits:

A clean and efficient food and water solution for all size animals.

Features:

- Manufactured from stainless steel for durability.
- Bowls are designed to be used with the various Kennel Gear Mounting Systems.





Kennel Gear[™] Mounting Systems

041.0017.16	Surface Mount, Aluminum	1 lb.
041.0017.17	Kennel/Cage Bar Mount, Aluminum	1 lb.
041.0017.39	Kennel/Cage Bar Mount, Plastic	1 lb.
041.0017.18	Chain Link Fence Mount, Aluminum	1 lb.
041.0017.57	Universal (Grooming) Table Mount	1 lb.
190.0013.00	Surgical Table Rail Mount	1 lb.

- A variety of mounting options available: door, surface and table.
- Kennel Gear Door Mounts fit most standard kennels.
- Two ¾" thumbscrews are provided with door mounts.
- Table mount fits up to 3½" thick tables.



Economy Bowl Mounting Brackets

000 0000 00			
802.0002.00	1½ Quart Economy Bowl Bracket	11	b.
802.0003.01	2 Quart Economy Bowl Bracket	11	b.
890.0200.01	10 or 12 oz. Feline Bowl + Bracket	11	b.

Benefits:

Shor-Line bowl mounting brackets help prevent bowls from being turned over, spilling food and water.

Features:

- Bracket attaches bowls to Shor-Line cage doors and other wire cage doors.
- Bracket is constructed of stainless steel and installs easily.





802.0003.01

890.0200.01

Economy Water/Feed Bowl

1	90.9000.09	1 Pint Stainless Steel Bowl	1	lb.
			1	lb.
		5		lb.
	70.7000.00	2 Quart Stainless Steer Economy Bowi	1	ID.

- Polished stainless steel looks great and easy to clean.
- You can nest bowls for easy storing.
- One- and two-quart bowls are designed for use with Shor-Line circle bowl mounting brackets (Sold separately; see above).



ANIMAL HANDLING ACCESSORIES

Animal Stretcher

918.0003.04 7 lbs.

Benefits:

This is a secure, professional transport aid for injured or sedated patients. Stretcher is 48" long.

Features:

- Heavy-duty, 30mil woven vinyl material is easy to clean.
- Rigid, 1" diameter tube frame.
- Two 2" wide adjustable Velcro®, restraint straps.
- **Specs:** 48"L x 21"W.



Fetch Pole

918.0002.03	3" long	3 lbs.
918.0002.04	4" long	4 lbs.
918.0002.05	5" long	5 lbs.

Benefits:

Safe handler control for your patients with an attitude problem.

Features:

- Soft plastic tubing surrounds the noose cable and the end of the pole for animal's safety.
- Two non-slip grips provide secure control for the animal handler.
- Spring-loaded noose release knob at handler's end instantly widens the noose to free the pet.



Animal Handling Gloves

918.0001.01	8" Gauntlet, Large	2 lbs.
918.0001.05	8" Gauntlet, Medium	4 lbs.
918.0001.02	8" Gauntlet, Small	2 lbs.
918.0001.03	19" Gauntlet, Large	6 lbs.
918.0001.04	19" Gauntlet, Medium	6 lbs.

Benefits:

These gloves are especially good for handling fractious cats or dogs.

- 19" long gauntlets have a split leather shell and 4mm foam.
- Elk hide glove has double thickness of leather on index finger and back of thumb for added protection.
- Overall length for the 19" Gauntlet Gloves is 27".



GROOMING

GROOMING TABLES

We crafted our grooming tables with premium features that last for decades...and then we gave you the color you asked for just for fun!



Foot pedal works from both Sides

Elite Grooming Table

903.3220.36	Hydraulic Lift, Plum Perfect	137 lbs.
903.3220.37	Hydraulic Lift, Screamin' Green	137 lbs.
903.3220.38	Hydraulic Lift, Burnt Orange	137 lbs.
903.3220.39	Hydraulic Lift, Electric Pink	137 lbs.
903.3220.11	Hydraulic Lift, Silver Vein	137 lbs.
903.3220.19	Electric Lift, Plum Perfect	187 lbs.
903.3220.20	Electric Lift, Screamin' Green	187 lbs.
903.3220.21	Electric Lift, Burnt Orange	187 lbs.
903.3220.22	Electric Lift, Electric Pink	187 lbs.
903.3220.10	Electric Lift, Silver Vein	187 lbs.

Benefits:

Ergonomics were at the forefront when we developed this table. It effortlessly lifts the pet on a secure, coated table. The pivoting grooming arm adjusts to how YOU want to groom the pet. It's so durable that it will be your grooming partner for years!

Shor-Line tables are designed for animal use only.

Features:

- The ONLY CSA/UL listed grooming table on the market.
- Pivoting grooming arm travels 180° around the end of the table.
- The arm locks into five positions horizontally, any position between 22" and 39" vertically. The loop hook has six position choices. All features allow the groomer to operate the table efficiently and comfortably.
- Proprietary polyurethane coated table top provides a secure and comfortable surface for the pet. Plus, it's durable and easy to clean.
- You can operate our smooth and quiet lifting system from both sides of the table.
- Bright color lasts because of the powder coated, heavygauge steel construction.
- The actuator lifts up to 200 lbs. from 20" to 41" high.
- Specs: Super-sized 40"L x 26"W table top.





Kennel Gear[™] Supply Caddy

190.0026.00	Blue with Plastic Bar Mount	2 lbs.
190.0025.00	Blue with Table Mount	2 lbs.

Benefits:

This single-opening supply caddy increases your productivity.

Features:

- Constructed of durable polypropylene.
- Provides a convenient, accessible place for you to place supplies, tools and other items.
- Also available in black.



Kennel Gear[™] Professional Grooming Caddy 041.0017.30 7 lbs.

Benefits:

The Professional Grooming Caddy helps extend the life of your tools, keeps you organized and increases your productivity.

- •The Professional Grooming Caddy comes with a Universal Table Mount that fits up to $3\frac{1}{2}$ " wide tables.
- •Two large inner bays hold spray bottles or the Wahl Clipper Comb Tray, outer bays for combs, clippers, files and a specially designed graduated scissors slot.

GROOMING TUBS

Small Animal Bathing Tub

904.0752.30 100 lbs.

Benefits:

The perfect tub for your smaller animals! The Small Animal Bathing Tub has ergonomics in mind with bathing height of 29" after you set the pet over the 36" lip onto the stainless steel grill. The supply caddy keeps everything you need within reach.

Need the tub higher? Sturdy tubular legs can adjust the height and then anchor the tub with triangular stainless steel flat feet flush against a wall or corner. The high backsplash keeps the water in the tub.

Features:

- This sturdy tub will last for decades. It's fabricated from 18-gauge stainless steel and strengthened with a tubular frame.
- Adjust the height of the stainless steel tubular legs with new stainless steel triangular feet that feature two mounting holes to secure the tub to the floor.
- The triangular feet allow you to mount the tub directly against the wall or corner.
- The grill sits 4" off the tub floor.
- Backsplash is 30 "W x 27" H from the bottom of the tub. Left and right side splashes are 24"L x 27" H.
- Stainless steel Tie-Down Ring mounted on backsplash.
- Mounting holes centered on the backsplash and side splashes on 4" centers for optional plumbing fixture with sprayer handle and Supply Caddy.
- Includes: Stainless steel Supply Caddy, 4" tall stainless steel grill floor, plastic Hair Strainer Insert and plugs for mounting holes not in use.
- Specs: 52"H x 30"W x 24"L. Tub is 11" deep and the lip of the tub is 36" (counter-height) from the floor.
- Plumbing fixtures not included.



Classic Grooming Tub New + improved

904.0702.35Left Hand Drain904.0702.34Right Hand Drain

Drain 367 lbs. d Drain 367 lbs.

Benefits:

This basic grooming tub fills up with features. Durability is standard with a sturdy tube frame construction strengthening the one-piece backsplash. Adjustable feet make it sturdy whether it is free-standing or placed against a wall.

- Constructed with radiused corners along all the corners of the tub (the ONLY one on the market to do so!)
- •45° angles on the front edges add safety and aesthetic appeal.
- Move the included PVC Coated Tub Floors onto the rails to raise the grooming platform and help reduce strain on your back.
 Sliding restraint ring design allows you to turn dogs around
- without detaching the safety lead.Use the Supply Caddy or remove it, using the two provided plugs.
- Includes: Supply Caddy, 2 PVC Coated Tub Floor Panels, plastic Hair Strainer Insert and Restraint Rings.
- **Specs:** 60"H x 55¼"W x 24"D
- Plumbing fixtures not included.



Elite Grooming Shower New 904.0702.32 Right Hand Drain 227 lbs.

904.0702.32Right Hand Drain904.0702.33Left Hand Drain

Benefits:

Bathing animals is easier with the new Elite Grooming Shower. This shower's sturdy tube frame construction—one piece-backsplash and adjustable feet—make it sturdy whether it's free-standing or placed against a wall.

227 lbs.

Features:

- Constructed with radiused corners along all the corners of the shower (the ONLY one on the market to do so!).
- $\bullet\,45^\circ$ angles on the front edges add safety and aesthetic appeal.
- Sliding restraint ring design allows you to turn dogs around
- without detaching the safety lead.
- Use the Supply Caddy or remove it, using the two provided plugs. • **Includes:** Supply Caddy, 2 PVC Coated Floor Panels, plastic Hair
- Strainer Insert and Restraint Rings.
- Specs: 56"W x 50½"H x 24½"D.
- Plumbing fixtures not included.



Elite Grooming Tub

904.0702.30	Left Hand Door, Right Hand Drain	367 lbs.
904.0702.31	Right Hand Door, Left Hand Drain	367 lbs.

Benefits:

Our innovative STAMP (STeprAMP) System makes getting a pet into the tub easier. You decide whether it's a ramp or steps, and you can slide it out of the way with your foot when you're done. This premium tub also has durable tube frame construction, one piece-backsplash and adjustable feet you expect from a tub that lasts for decades.

- Constructed with radiused corners along all the corners of the tub (the ONLY one on the market to do so!).
- •45° angles on the front edges add safety and aesthetic appeal.
- Featuring our innovative STAMP (STeprAMP) System that collapses steps into a ramp. The System conveniently folds away under the tub for storage when not in use.
- No hands required—the steps/ramp slides in and slides out with the push of your foot.
- Slip-resistant tread on steps/ramp.
- Use the included PVC Coated Tub Floors either on the tub bottom or set them upon the rails to raise the grooming platform to an ergonomic grooming level.
- The door features our durable cage hinges, and you can completely remove it.
- One-handed latch opens easily.
- Sliding restraint ring design allows you to turn dogs around without detaching the safety lead.
- \bullet Use the Supply Caddy or remove it, using the two provided plugs.
- Includes: Supply Caddy, 2 PVC Coated Tub Floor Panels, plastic Hair Strainer Insert and Restraint Rings.
- •**Specs:** 60"H x 55¼"W x 24"D.
- Plumbing fixtures not included.



GROOMING ACCESSORIES

PVC Coated Tub Floors

317.0098.57	30"L Grill Floor Piece, Solid	15 lbs.
317.0098.58	30"L Grill Floor Piece, with Notch	15 lbs.

Benefits:

Our tub floors provide sure footing for pets while bathing or dipping. The notched floor piece features easy drain access.

Features:

- Designed to be used in our Elite Grooming Shower or Tub and Classic Grooming Tub. Use two pieces per tub or shower one solid and one with a notch.
- Floor is coated with approximately 1/6" thick non-toxic PVC coating, which is approved for animal use.
- Sturdy frame and 3¾" legs with a heavy-gauge perforated sheet steel.
- Openings are approximately 3/6" diameter after PVC coating.





Wall Mount Faucet, Stainless Steel Hose

804.0006.10 Stainless Steel Hose 12 lbs.

Features:

- •12" swing-away nozzle and self-closing spray head.
- Flexible, 8" stainless steel hose extends for easy cleaning of those hard to reach areas.
- Wall mount hanger hook holds hose and spray head when not in use.



Wall Mount Faucet, Coil Hose 804.0006.72 Coil Hose 9

Features:

• Lightweight spray head provides less fatigue when bathing pets.

9 lbs

- Flexible hose extends for easy cleaning of those hard to reach areas.
- Wall mount hanger hook holds hose and spray head when not in use.



Sink Drain Kit with Strainer Basket 804.0008.25 1 lb.

804.0008.25 1

Features:

- 3½" in diameter.
- Recessed sink drain kit for tub tables.
- Comes with strainer basket.



Hair Interceptor 047.0003.00 8 lbs.

- Stainless Steel basket replaces a "P" trap so you can clear hair.
- Intercept the fur before it clogs your plumbing!



Spill Resistant Vacuum Breaker 2 lbs.

804.0015.00

Benefits:

Designed to prevent contamination of potable water due to back-siphonage. Required for any municipality governed by USC regulations for faucets with continuous pressure spray hoses.

Features:

•Now lead free!

- •In-line flow design with integral shut-off valves.
- •Approved under ASSE 1056, CSA and USC FCCC and HR.

Backflow Preventer and 3/8" Vacuum Breaker

804.0006.56 1 lb.

Features:

- •¾" diameter IPS male inlet and female outlet.
- Double check design prevents back flow.
- •2³/₈" length from top to bottom.
- Comes standard with 804.0006.72.
- This is a replacement part.

Anti-Fatigue Mat

803.0100.07	36" x 24"	5 lbs.
803.0100.05	48" x 24"	6 lbs.
803.0100.06	48" x 36"	7 lbs.

Benefits:

Prevent leg and back discomfort while standing during long strenuous hours of grooming.

Features:

- Dual-density, closed-cell foam distributes your weight without feeling "unstable."
- Mats are 1/2" thick with tapered and rolled edge.
- Embossed pebble surface, black color. You can clean easily with soap and water.



Stat-Mats[™] Anti-Fatigue Mat

803.0206.00	19"W x 38"L x 2"H
803.0207.00	28"W x 38"L x 2"H

Benefits:

Extra thick anti-fatigue mat to help minimize leg and back discomfort common among groomers.

Features:

• Constructed of dual-density, closed-cell foam and a proprietary polyurethane coating. Provides a durable, long lasting, supple surface that does not break down.

7 lbs. 10 lbs.

- Gives your muscles a break as they adjust to the
- flexibility of the mat, promoting circulation.
- Mats are 2" thick.
- Seamless coating means no bacteria buildup and easy cleaning.
- Waterproof and stain-resistant surface.



DRYER CAGES

Dryer Cages

926.4836.01	Single Unit	129 lbs.
926.2000.02	Double Unit	258 lbs.
926.3000.03	Triple Unit	205 lbs.

US Patent #6,058,886

Benefits:

Patented heat-free drying method eliminates burns and dehydration while providing a speedy drying time.

Features:

- Designed with two high volume fans placed on opposite ends of the assembly. These fans act to create turbulence, which lifts and dries the pet's coat while removing the loose undercoat.
- Fan guards at both ends protect paws from fan blades, and multi-speed settings let you determine how fast the airflow dries patients.
- All fans are UL listed and feature OSHA compliant guards.
- Rounded corners throughout prevent bacterial buildup, making a healthier environment for animals and staff.
- Fluid-retaining lip prevents urine or other leakage.
- Removable PVC coated floors included.
- •Wide doors mean easier animal entrance and exit.
- Can also be equipped with stacking plastic cages for holding areas—leaving you free to dry the next animal.
- Includes a removable cage divider gives you the option of drying two smaller animals at one time.
- Double unit includes a mobile double large dryer cage on the bottom with another double large dryer cage on the top.
- Locking caster base provides instant portability.
- Specs: Single Unit is 48" x 36". Double Unit is two 48" x 36" cages stacked. Triple Unit is one 48" x 36" cage with two smaller holding cages stacked above. Each cage compartment is a one-piece mold of high-density polyethylene with a $\frac{3}{16}$ " thick wall. 25½"H x 44¼"W x 28"D. Maximum total air volume is 3,560 CFM. Requires 120V AC, 1.4 AMPS per fan.



926.4836.01





926.3000.03

TABLES

EXAM TABLES

Your exam tables tell a lot about your practice.

Set the table for positive client interactions with clean elegance.

There is a Shor-Line table to meet every need. Whether you are building a new business or updating an existing facility, a Shor-Line exam table is the symbol of quality and beauty. See how practicality meets sophistication in our product line.

Blue-Line Rotational Lift Table (RLT)

Patent #8,333,159; D706,426

903.3330.00	RLT, Standard Blue	705 lbs.
903.3330.01	RLT, Jade	705 lbs.
903.3330.02	RLT, Taupe Gray	705 lbs.
903.3330.03	RLT, Black	705 lbs.
903.3331.00	RLT with Scale, Standard Blue	735 lbs.
903.3331.01	RLT with Scale, Jade	735 lbs.
903.3331.02	RLT with Scale, Taupe Gray	735 lbs.
903.3331.03	RLT with Scale, Black	735 lbs.

Benefits:

The Rotational Lift Table (RLT) is the hardest working table you never knew you couldn't live without. While the table does the work, you converse with your customers. The table gives the pet a quick ride, saves your back and your customer is impressed.

You will never stop finding new ways to get more out of this table. And, it will last for decades.

Shor-Line tables are designed for animal use only.

Lifts them up

- Starts at $9\frac{1}{2}$ " (approx. length of the average female foot). • Maximum lift height is 47³/₄".
- Powerful actuator can lift up to 200 lbs.
- Ultra-quiet lift takes pet to counter height (36") in about 20 seconds.

Peninsula Mode engages pet parents

- •With only 22" between you and your customer, you are partnering on caring for the pet.
- The length (441/2") gives you good animal control.

Lateral Mode creates extra safety and control

- Pet is only 221⁄2″ from backboard.
- Tiedown rails on both sides to secure patient, if needed.
- For nervous or aggressive patients, the backboard provides

secure positioning for pet and vet. • Clears the area when treating giant breeds on floor.

Easy adjustability and functionality

- Quickly adjusts from lateral to peninsula between patients, locking in place.
- Safety is built in with descending motion stopping when it encounters an obstacle.
- Blue-Line table top has radius corners and laminated polyurethane edging that can hold up to a liter of fluid.

Comes fully equipped

- Two wireless remote controllers.
- One wireless foot control.
- Manual up/down switch.
- On/Off key switch to lock unit.


Features:

- •Actuator: 120V, 15 amps.

- Stainless Steel table top. Table size: 44½"L x 22½"W x 1"H Maximum footprint: 44"W x 82½"H x 56"D
- Base mounting: Heavy-duty, low-profile base mounting plate minimizes obstructions under table.
- Wall mounting: Mounts to any concrete surface of 4" or greater or any 2" x 4" reinforced wooden stud wall with 16" or 24" stud centers.
- Power outlet: Located in rear of unit.
- Available with scale. See scale section.







BLUE-LINE COLORS

TAUPE GRAY BI ACK

LIFT TABLES

Get a Lift

A lift table shifts the wear and tear of repeated lifting from you and your staff to a machine. Go mobile or pick a stationary lift table.

CoJack® Multi-Purpose Table

903.3130.00 320 lbs.

Benefits:

All your patient lifting, exam, transport and surgical procedures in one table. Another of the Shor-Line Back-Saving products, the CoJack® Multi-Purpose Table offers more than just years of service. It offers the budget conscious the opportunity to own a sturdy table that can lift, tilt and transport without the clutter of numerous tables that serve just one function.

Shor-Line tables are designed for animal use only.

Features:

- 60"L x 22"W stainless steel table top with raised edge to channel fluids to drain opening.
- Top raises from 14" to 40" with a 60° tilt capability.
- Four sliding tie-down restraints.
- Four corrosion resistant, 360° swivel and total locking casters with non-marring polyurethane wheels.
- Lift/Tilt rocker switch selection is activated by a foot pedal.
- Rechargeable 24-volt actuator system lifts up to 250 lbs.



Lift Exam Table

916.1140.02	Table	318 lbs.
916.3400.02	Table with Scale	332 lbs.

Benefits:

Focus on the pet and let your foot operate the lift. The gentle start and stop helps keep everyone calm.

Shor-Line tables are designed for animal use only.

Features:

- Lifts patients up to 300 lbs.
- Exam surface travels from 12" to 39" high.
- Backboard has two restraint bars with adjustable, locking cam cleats for patient restraint.
- Features an Aggressive Behavior Position: The lateral exam table lets you securely position the animal against the backboard and use the tie-down fixtures if you need to restrain a fractious patient.
- Specs: Exam surface is 441/2"L by 20"W
- Available with scale. See scale section.



913.1140.02

Mobile Animal Lift Table

903.3120.00Table187 lbs.903.3120.02Table with Scale235 lbs.

Benefits:

The multi-functional Mobile Animal Lift Table solves your lifting, exam and treatment issues, especially for injured and Post-Op patients.

Shor-Line tables are designed for animal use only.

Features:

- Foot switch engages a quiet, battery-operated rechargeable actuator system that lifts up to 200 lbs.
- Table top raises from 10³/₄" to 37³/₆" high.
- \bullet Stainless steel exam top is 44½"L by 20"W with raised edges to prevent fluid run-off.
- Features an Agressive Behavior Position: When placed laterally against a wall, the Mobile Animal Lift table features two tie-down restraint cleats on each side of the table that can be used to restrain a fractious patient.
- Corrosion resistant reinforced nylon locking casters and rotating non-marring bumpers.
- Available with scale. See scale section.



Economy Lift Exam Table

903.1240.02	Hydraulic	187 lbs.
903.1240.00	Electric	187 lbs.

Benefits:

A great lift exam table for the budget conscious.

Shor-Line tables are designed for animal use only.

- "Super-sized" stainless steel exam top, 46" x 25".
- Lifts up to 250 lbs.
- Table top raises from 20" to 41" high.



FOLD-UP WALL MOUNT TABLES

Feel the difference. Our Fold-Up Wall Mount tables are the ONLY table on the market with radiused corners. Feel the machine-formed corners and see how our skilled team creates a lip to help prevent runoff.

Blue-Line Fold-Up Wall Mount Exam Table

903.1530.04	Lateral, Standard Blue	100 lbs.
903.1530.05	Lateral, Jade	100 lbs.
903.1530.06	Lateral, Taupe Gray	100 lbs.
903.1530.07	Lateral, Black	100 lbs.
903.1531.04	Peninsula, Standard Blue	95 lbs.
903.1531.05	Peninsula, Jade	95 lbs.
903.1531.06	Peninsula, Taupe Gray	95 lbs.
903.1531.07	Peninsula, Black	95 lbs.

Benefits:

Blue-Line Wall Mounts provide a creative splash of color to a sturdy, stainless steel table filled with versatile features. The Blue-Line Fold-Up Wall Mount Table offers extra stability and elegance while maximizing valuable floor space with the industry approved Shor-Line wall mount design.

Shor-Line tables are designed for animal use only.

Features:

- The ONLY Fold-Up Wall Mount with radiused corners.
- Laminated polyurethane edging holds up to one liter of fluid.
 Torsion spring technology allows you to easily and safely raise
- and lower the table. •Wall Mount allows you to set the height to your ergonomically
- correct working height.Weight capacity: 200 lbs. when installed based on manufacturer's recommendations.
- Table mounting template included.
- **Specs:** Table Top is 44½"L x 22½"W x 1"H. Five inches from the wall when folded up. Easy to mount to any standard 2" x 4" reinforced wooden stud wall with 16" or 24" stud centers.
- •Also compatible with our Stainless Steel Utility Chase.
- Cabinet mounting option and Specialized Cabinetry available.





Fold-Up Wall Mount Exam Table

903.1130.04	Peninsula	97 lbs.
903.1130.05	Lateral	97 lbs.

Benefits:

Maximize valuable space with our Fold-Up Wall Mount Table featuring an attractive laminated underside. Torsion Spring Technology allows you to easily and safely raise and lower the table.

Shor-Line tables are designed for animal use only.

Features:

- The ONLY folding table on the market with radiused corners.
- **Specs:** 20 gauge stainless steel exam table is 44"L x 22"W
- with raised edge to prevent fluid run off.
- 200 lbs. capacity.
- Adjustable stop allows for exact leveling of the work platform.
- Optional laminate top available.
- Easily Mounts to Utility Chase. See cabinetry section.
- Cabinet mounting option and Specialized Cabinetry available.



Lateral

STATIONARY TABLES

Stationary Wall Mounts offer a clean, attractive stainless steel exam table for positive customer interaction.

Blue-Line Stationary Wall Mount Exam Table

903.1030.01	Standard Blue	110 lbs.
903.1030.02	Jade	110 lbs.
903.1030.03	Taupe Gray	110 lbs.
903.1030.04	Black	110 lbs.

Benefits:

Simplicity at its best. This Blue-Line table injects a sophisticated splash of color to a sturdy, stainless steel table. Add visual appeal and ample exam surface space to your facility with this Blue-Line table option. The wall mount design leaves floor space open. Consider adding an optional storage drawer to help keep your exam area clutter free.

Shor-Line tables are designed for animal use only.

Features:

- Stainless Steel Blue-Line Table Top is 44½"L x 22½"W x 1"H.
- Blue-Line Table Top with radius corners and laminated
- polyurethane edging holds up to one liter of fluid.
- Storage drawer is 11"W x 15½"L x 4¼"H.

Stationary Wall Mount Exam Table

903.1030.00 77 lbs.

Benefits:

Large exam surface with storage drawer. Wall mount design leaves floor space open.

Shor-Line tables are designed for animal use only.

Features:

- Extra-large stainless steel exam surface, 46"L x 22"W.
- Storage drawer is 11 "W x 15½"L x 4¼"H.





Mark II and IV Exam Tables

903.1000.10	Mark II, White	228 lbs.
903.1000.50	Mark II, Almond	228 lbs.
905.6210.10	Mark IV with Scale, White	248 lbs.
905.6210.50	Mark IV with Scale, Almond	248 lbs.

Benefits:

The ultimate exam table combines durable stainless steel surface with the option of reliable Shor-Line scale and plenty of storage underneath.

Shor-Line tables are designed for animal use only.

- Stainless steel exam top with scale makes good use of space.
- Chip-resistant, 3mm PVC edging on door and drawer edges
 Cabinet is high pressure laminate. Comes standard in white or
- almond. Other Wilson Art or Formica colors are available with additional cost and longer lead times.
- **Specs:** Exam top is 44½"L x 22½"W.
- Available with scale. See scale section.



PEDESTAL TABLES

Blue-Line Pedestal Base Exam Table

903.1110.01	Standard Blue	150 lbs.
903.1110.02	Jade	150 lbs.
903.1110.03	Taupe Gray	150 lbs.
903.1110.04	Black	150 lbs.

Benefits:

This quality stainless steel exam table takes a step up in class with the addition of the Blue-Line Table Top.

Shor-Line tables are designed for animal use only.

Features:

- Blue-Line Table Top with radiused corners and laminated polyurethane edging holds up to one liter of fluid.
- Heavy, tip-resistant base has adjustable leveling feet.
- Specs: Table Top is 44½"L x 22½"W x 1"H. Overall height is 35".



Pedestal Base Exam Table

903.1110.00 170 lbs.

Benefits:

Quality stainless steel exam table at a budget price.


Shor-Line tables are designed for animal use only.

Features:

- Heavy, tip-resistant base has adjustable leveling feet.
- Table top has a raised edge to prevent fluid run-off.
- Specs: 44½"L x 20"W exam surface. Overall height is 35".



BLUE-LINE COLOR OPTIONS



UTILITY CHASES

Stainless Steel Utility Chase

907.0000.00 470 lbs.

Benefits:

The Shor-Line Stainless Steel Utility Chase is truly the backbone of a multi-functional treatment and procedure area, offering custom design, durability and ease of cleaning. This product is completely modular providing you a blank canvas to design your work space to suit your individual needs.

Shor-Line tables are designed for animal use only.

Features:

- The chase stretches from floor to ceiling to surround and cover electrical, plumbing and oxygen lines.
- Three of the four panels are designed to accept optional equipment including: Exam/Procedure Lights, Otoscope/ Ophthalmoscope Sets, Anesthesia Units, etc.
- Many shelf and cabinet options are also available for instrument and supply storage.
- A large selection of Shor-Line tubs and exam tables can be attached to the chase, but the panels can also serve as a "docking station" for our line of mobile exam and treatment tables, as shown below.
- Laminate is also available. Standard laminate colors are white and almond. Optional Wilson Art® or Formica® colors are available at additional cost and longer lead time.
- Plumbing fixtures and other cabinets and tables may be purchased separately.



Only Chase included.

EXAM + TREATMENT TABLES

Give your exam room a signature look with laminate or stainless cabinets with knee space for better animal positioning options.

Exam and Treatment Tables with Knee Space

Benefits:

High quality cabinetry that stands the test of time gives you storage flexibility. Our most popular plan is a single door with three drawers. Choose between a 46" top for tight spaces or modest floor plans, or the longer 60" top for more space.

Shor-Line tables are designed for animal use only.

Features:

- Both 46" and 60" exam/treatment tables are 36" high.
- Exam top is 46"L x 25"L or 60"L x 25"W.
- Three storage options: six drawer, door and three drawers or two doors.
- Standard cabinet colors are available in stainless steel, white or almond.
- Optional Wilson Art® or Formica® colors are available at additional cost and longer lead time. • Optional pull-out shelf available for models with doors.
- Additional configurations available. Please speak with your sales representative to learn more.

Left Hand Tables




46" Long Table, White 903.1405.11 190 lbs.

One door and three drawers with left hand knee space and laminate top.



46" Long Table, Almond 903.1405.51 190 lbs.

One door and three drawers with left hand knee space and laminate top.



Chose between dozens of Wilson Art® or Formica® colors to set your own style. See our color with your imagination page on **shor-line.com**.



60" Long Table, Stainless Steel 903.5000.03 423 lbs.

One door and three drawers with left hand knee space and stainless steel top.

Right Hand Tables



60" Long Table, White 903.1401.10 290 lbs.

Two doors with right hand knee space and laminate top.



60" Long Table, Almond 903.1404.50 290 lbs.

Six drawers with right hand knee space and laminate top.




60" Long Table, White 903.1105.10 290 lbs.

One door and three drawers with right hand knee space and laminate top.

* Don't see what you like? Choose your own on the next page.

HOW TO BUY TUB TABLES + EXAM/TREATMENT TABLES



TUB TABLES

Tub Tables with Knee Space

Benefits:

Shor-Line's multi-purpose tub tables add efficiency and user comfort to many of your daily procedures. Cabinets provide ample instrument storage for dental services, necropsy and surgical procedures.

Shor-Line tables are designed for animal use only.

Features:

- Two storage options: door and three drawers or two doors.
- Standard cabinet colors are white or almond. Optional Wilson Art® or
- Formica® colors are available at additional cost and longer lead time.
- Both 46" and 60" tub tables are 36" high.
- Two piece grill top included.
- Plumbing fixtures may be purchased separately.
- Optional pull-out shelf available for models with doors.
- Additional configurations available. See "How to Buy" on previous page.



46" Long Tub Table, White 904.4100.10 190 lbs.

One door and three drawers with right hand knee space and stainless steel tub.



46" Long Tub Table, White 904.4100.11 190 lbs.

One door and three drawers with left hand knee space and stainless steel tub.



46" Long Tub Table, Almond 904.1100.51 190 lbs.

Two doors with left hand knee space and stainless steel tub.



60" Long Tub Table, White 904.4000.10 290 lbs.

One door and three drawers with right hand knee space and stainless steel tub.



60" Long Tub Table, Almond 904.4000.50 290 lbs.

One door and three drawers with right hand knee space and stainless steel tub.



60" Long Tub Table, Stainless Steel 904.5000.00 419 lbs.

One door and three drawers with right hand knee space and stainless steel tub.

* Don't see what you like? Choose your own on page 67.

Tub Tables

904.2100.10	46" Long, 6" Deep Tu	ub, White	190 lbs.
904.2100.50	46" Long, 6" Deep Tu	ub, Almond	190 lbs.
904.2101.10	46" Long, 16" Deep Tu	ub, White	210 lbs.
904.2101.50	46" Long, 16" Deep Tu	ub, Almond	210 lbs.
904.2000.10	60" Long, 6" Deep Tu	ub, White	265 lbs.
904.2000.50	60" Long, 6" Deep Tu	ub, Almond	265 lbs.
904.2001.10	60" Long, 16" Deep Tu	ub, White	270 lbs.
904.2001.50	60" Long, 16" Deep Tu	ub, Almond	270 lbs.

Benefits:

Shor-Line's multi-purpose tub tables add efficiency and user comfort to many of your daily procedures. Cabinets provide ample instrument storage for dental services, necropsy and surgical procedures.

Shor-Line tables are designed for animal use only.

Features:

- Cabinets are constructed of ¾" MRB (moisture resistant board).
- All door edges are wrapped with 3 mm PVC to prevent chipping and for additional moisture protection.

13 lbs.

15 lbs.

- Standard cabinet colors are white or almond. Optional Wilson Art® or Formica® colors are available at additional cost and longer lead time.
- All tub tables are 24⁵/₄"W and 36"H.
- The stainless steel grill covers are recessed.
- Plumbing fixtures may be purchased separately.



Stainless Steel Exam Top for Tub Tables

 804.3104.03
 46" Long Exam Top

 804.3004.03
 60" Long Exam Top

Shor-Line tables are designed for animal use only.

Features:

- Heavy gauge, austenitic stainless steel.
- 60" tub top measures 24⁷/₈" x 47⁷/₁₆".
- 46" tub top measures 245/6" x 337/16".



Cabinet not included.

Bi-Level Tub Table

990.0400.00 180 lbs.

Benefits:

Our Bi-Level Tub is truly multi-purpose. Bathe small and large pets or use for dental and other procedures. You can even use this tub to wash cage and table accessories while using the upper level as a drain board.

Shor-Line tables are designed for animal use only.

- \bullet Manufactured with seamless weld construction from 14-gauge austenitic stainless steel. Measures 25"W X 36"H.
- The tub is sturdily supported by four stainless steel tubular legs that feature fully enclosed gussets and adjustable feet.
- The sloping portion of the tub tapers from 4¾" to 5¾" before dropping to an 18" depth.
- The inner dimensions measure 211 \prime_{16} "W x 54"L, and the outer dimensions are 24"W x 601/2"L.
- \bullet The height from the floor to the tub top is 36", and 18" from the floor to the bottom of the tub.
- All holes for the faucet and drains are pre-drilled. Drain is 3½" diameter.
- Removable stainless steel grill is included.
- Plumbing fixtures may be purchased separately.



Economy Tub Tables

904.3100.00	46" Long Mini, 6" Deep Tub	150 lbs.
904.3101.00	46" Long Mini, 16" Deep Tub	160 lbs.
904.3000.00	60" Long Standard, 6" Deep Tub	170 lbs.
904.3001.00	60" Long Standard, 16" Deep Tub	145 lbs.

Benefits:

You can use this tub/table anywhere in your facility. Because it's 100% stainless steel, it's perfect for any area with high humidity or wet floors. Stainless steel two-piece grill is included.

Shor-Line tables are designed for animal use only.

Features:

- All Tubs are 24⁵/₈"W and 36"H.
- Both models are supported on a stainless steel frame, constructed of 1¼" square tubing.
- 2 piece stainless steel grill included.
- Plumbing fixtures may be purchased separately.



Economy Deck Mount Faucets

804.0006.64	8' Heavy Duty Polyethylene Hose	10 lbs.
804.0006.51	8' Stainless Steel Hose	8 lbs.

Benefits:

Lightweight aluminum spray head provides less fatigue when bathing.

Features:

- Wide-radius gooseneck nozzle with aerator and automatic diverter directs water stream where it's needed most.
- Large 4" long faucet handles allow activation with wrist or forearm.
 Stainless steel spray head available.





804.0006.51

804.0006.64

Scrub Sink Packages


904.0200.03	Scrub Sink	13 lbs.
990.0400.173	Scrub Sink with Foot Pedal	15 lbs.
990.0400.172	Scrub Sink with Knee Valve	13 lbs.
990.0400.50	Scrub Sink with Infared Sensor	13 lbs.

Benefits:

The Scrub Sink is perfect for pre-surgical scrub-up and is an essential part of daily cleaning chores. Its heavy duty stainless steel construction provides strength for day to day abuse.

Features:

- All packages include Scrub Sink, Rigid Gooseneck Faucet and drain unit with removable stainless steel basket.
- **Specs:** 21¹/₂"W x 33"L with a 11"D bowl and backsplash.





990.0400.173

990.0400.172

SURGERY TABLES

Quality craftsmanship for the surgery suite

You've trained for years to become a skilled surgeon, so you deserve our best craftsmanship as your work surface.

CLASSIC SURGERY TABLES

Classic V-Top Surgery Table, Hydraulic

903.4100.00 Hydraulic Base 228 lbs.

Benefits:

The V-Top acts as a helper during surgery, keeping the patient in the correct position. Check out the extra features in this premium table. Gives you flexibility to go from straight horizontal and level to V-Shaped, near vertical positioning without external devices. You choose how you want to operate.

Shor-Line tables are designed for animal use only.

Features:

- High-quality, durable stainless steel table surfaces.
- Two polymer five lobe ergonomic knobs open the new Flip Open Trough™ design. This new design allows the tops to open to 270° for easy access to remove surgical waste. Just clean the trough and reinsert the tray for the next surgical procedure.
- Two-panel system that adjusts from horizontal to near vertical to hold the patient in the desired position during surgery.
- Two sliding, quick-release, cam cleat tie-down attachments provided on each side of the attachment rail.
- 3" stainless steel trough permits fluid runoff into a drain outlet.
- Table can be lifted from 30½" to 41" via hydraulic mechanism.
- Top can rotate 360 degrees or be stationary (hydraulic base only).
- Solid stainless steel base that lasts for decades.
- **Specs:** Overall size of the top is 19"W x 58"L.
- Need it taller? Optional height extenders available.



Classic Heated V-Top Surgery Table, Hydraulic

903.4101.00 Hydraulic Base 252 lbs.

Benefits:

Our Heated Classic V-Top has the same great features as our Classic V-Top with the addition of dual heating panels to help prevent hypothermia during small animal surgeries.

Shor-Line tables are designed for animal use only.

- Each panel has an 8" x 48" heated area. Overall heated area is 16" x 48".
- The thermostatic control mounted on the frame allows easy temperature monitoring.
- Controlled heating temperature ranges from
- 70° F–97° F with even heat distribution.
- Need it taller? Optional height extenders available.



Classic Flat-Top Surgery Table

903.4000.00 Hydraulic Base 244 lbs.

Benefits:

Premium stainless steel is crafted with smooth, radiused curves to a graceful but functional, seamless table that promotes a bacteria-free environment.

Shor-Line tables are designed for animal use only.

Features:

- Directional tilt lock secures the top in almost any position, from horizontal to near vertical.
- Extra large 22"W x 60"L stainless steel flat top.
- Raised center permits fluid run-off into a perimeter trough and to a drain outlet.
- Top rotates 360° (hydraulic base only).
- Attachment rail system runs continually along the sides and ends of the table.
- Four sliding, quick-release, cam cleat tie-down attachments come with the table, allowing you to tighten them in any position along the rail.
- Hydraulic mechanism lifts table from 28¾" to 39¾".
- Need it taller? Optional height extenders available.



Classic Heated Flat-Top Surgery Table

903.4001.00 Hydraulic Base 227 lbs.

Benefits:

Our Heated Classic Flat-Top has the same great features as our Classic Flat-Top with the addition of a heating panel to help prevent hypothermia during small animal surgeries.

Shor-Line tables are designed for animal use only.

Features:

- •15" x 48" heated area.
- The thermostatic control mounted on the frame allows easy temperature monitoring.
- Controlled heating temperature ranges from 70° F–97° F with even heat distribution.
- Need it taller? Optional height extenders available.



* A Modern Classic

This is the surgery table that passes down through generations of veterinarians. Make this a memorable part of your practice.

CONTINUUM SURGERY TABLES

Who says value can't be premium? We packed our Continuum Surgery Tables with high-quality features. Flexible jack lifts the patient while the table tilts to the perfect surgery angle.

Continuum V-Top Surgery Table New

903.4100.01 Hydraulic Base 228 lbs.

Benefits:

You can position the patient from horizontal to near-vertical without external devices. The new Flip Open Trough™ design provides ergonomic ease of use and ready access to trough cleaning. Gives the dependable operation you expect from Shor-Line. Lifts up to 250 lbs.

Shor-Line tables are designed for animal use only.

Features:

- Two polymer five lobe ergonomic knobs open the new Flip Open Trough™ design. This new design allows the tops to open to 270° for easy access to remove surgical waste. Just clean the trough and reinsert the tray for the next surgical procedure.
- Rail attachment on each side.
- •A 3" stainless steel trough permits fluid runoff into a drain outlet.
- Continuum Surgery table base is a distinctive stainless steel hemmed column with a clean and sophisticated design.
- The round, tubular "X" base is designed with enough clearance for feet and other surgical tools that need to be in close proximity of the table.
- The base is powder-coated gun metal grey and will stand up to cleaning and disinfecting agents.
- The Hydraulic Jack allows you to place the table anywhere you want with no cords.
- The hydraulic mechanism lifts the table from 301/2" to 41".
- **Specs:** 19"W x 58"L
- Need it taller? Optional height extenders available.

Continuum Flat-Top Surgery Table New 903.4000.04 Hydraulic Base 244 lbs.

Benefits:

Shor-Line crafts a durable and elegant table from one piece of stainless steel with raduised curves to remove the possibility of sharp edges. This keeps this table seam-free, which helps promote a bacteria free environment.

Shor-Line tables are designed for animal use only.

- Durable stainless steel top stands up to decades of surgery.
- Attachment rail system runs continually along the sides and ends of the table.
- Four sliding, quick-release, cam cleat tie-down attachments come with the table, allowing you to tighten them in any position along the rail.
- Continuum Surgery table base is a distinctive stainless steel hemmed column with a clean and sophisticated design.
- The round, tubular "X" base is designed with enough clearance for feet and other surgical tools that need to be in close proximity of the table.
- The base is powder-coated gun metal grey and will stand up to cleaning and disinfecting agents.
- The Hydraulic Jack allows you to place the table anywhere you want with no cords.
- Table can be lifted from 301/2" to 41" via hydraulic mechanism.
- **Specs**: Extra large 22"W x 60"L flat top.
- Need it taller? Optional height extenders available.











Feline Surgery Table

903.4000.02 244 lbs.

Benefits:

This space saver provides the same great table as our Classic line but with a shorter length. The same one-piece design is crafted with radiused curves and a smooth, molded surface that drains off fluid, helping to make the table easy to maintain.

Shor-Line tables are designed for animal use only.

Features:

- Stainless Steel Top features a drain outlet.
- \bullet Directional tilt lock secures the top in almost any
- position, from horizontal to near vertical.
- Top rotates 360° (hydraulic only).
- Attachment rail system runs along the sides of the table.
- Four sliding, quick-release, cam cleat tie-down attachments are provided, and can be tightened in any position along the rail.
- Table can be lifted from 28¾" to 39¾" via hydraulic mechanism.
- **Specs:** 20"W x 44½"L flat top.






SHOR-LINE LEGACY TABLES

"My father was Dr. Louis Leonpacher, immigrant veterinarian educated in Germany. He was building a new clinic which was to be air conditioned! This was circa 1948. I began using the table in 1962 after graduation from Texas A&M. When I went to the University of Florida for a residency in Lab Animals, I sold it to Dr. Dave Elston. Later when his son-in-law opened a practice, he gave it to Dr. Carson. When the veterinarians in the Lafayette, Louisiana area were starting an emergency clinic the table was transferred to the clinic. I filled in at that emergency clinic for a few months in 2000, where I recognized the table."

- Robert J. Leonpacher, DVM



PREP + UTILITY TABLES

Dependable Utility Tables. Shor-Line's collection of utility tables feature durable stainless steel and a range of shapes and sizes to meet your needs.

Mobile Instrument Table

903.2003.00 150 lbs.

Benefits:

Keep your instruments within reach with this stand that slides easily over all standard small animal surgery tables.

Shor-Line tables are designed for animal use only.

Features:

- Table measures a full 33" between legs.
- Handle adjusts tabletop height from 40" to 53"
- Neatly slides under most tables when not in use.
- \bullet 4" casters provide infinite maneuverability and are
- equipped with locking brakes. • **Specs:** Work surface 23"W to 40"L.





Mayo Stand

803.0010.00 19 lbs.

Benefits:

Compact size, but large enough for most surgical procedures.

Shor-Line tables are designed for animal use only.

Features:

- Easy-slide extension posts allow height adjustments from 34" to 53".
- Legs and base are constructed of 1" chrome-plated steel tubing.
- Gray hard rubber casters allow for easy transport.
- Specs: Stainless steel tray measures 12"W x 19"L x ¾"D.



Mobile Instrument Stand

803.0010.01 17 lbs.

Benefits:

Compact size, but large enough for most surgical procedures.

Shor-Line tables are designed for animal use only.

- Chrome plated stand adjusts from 271/2" to 48" high.
- Base consists of 22" diameter epoxy coated steel.
- Four heavy-duty rubber casters allow for easy maneuverability.
- Specs: Stainless steel tray measures 12% "W x 191/8"L x 3/4 "D.



Mobile Prep Table

903.1120.04 87 lbs.

Benefits:

Economical yet durable, this cart can take critical patients from the waiting room to exam to surgery. Works equally well moving equipment and supplies.

Shor-Line tables are designed for animal use only.

Features:

- Durable, stainless steel construction.
- Lower shelf for more storage area.
- 34" height provides a convenient match-up to most tables in your facility.
- 5" locking casters, corrosion proof.
- Specs: 20"W x 44½"L prep surface.



Blue-Line Mobile Prep Table

903.1120.10	Standard Blue	115 lbs.
903.1120.12	Jade	115 lbs.
903.1120.13	Taupe Gray	115 lbs.
903.1120.11	Black	115 lbs.

Shor-Line tables are designed for animal use only.

Features:

- Durable Stainless Steel construction that's built to last.
- Two levels for storage
- 34" height provides a convenient match-up to most tables.
- 5" locking corrosion proof casters provide mobility.
- Specs: Table Top is 441/2"L x 221/2"W x 1"H.

Utility Table

903.2004.00 20 lbs.

Benefits:

The stainless steel top comfortably holds up to 50 pounds. It's perfect for any hospital needing an easy-to-clean table for procedures.

Shor-Line tables are designed for animal use only.

- Provides a larger surface area than similar tables and standard Mayo Stands.
- \bullet The table top height is adjustable from 263/4 " to 431/4 " high.
- Locking casters makes it easy to move wherever it is needed!
- **Specs:** 11¾"W x 23¾"L.



TABLE ACCESSORIES



Stat-Mats[™] Prep/Exam Pad

803.0200.00	20"W x 44"L x 1"H	1 lb.
803.0202.00	20"W x 30"L x 1"H	1 lb.
803.0201.00	20"W x 44"L x ½"H	1 lb.

Benefits:

Provides conductive warmth and cushioned comfort for animals during short or long procedures.

Features:

- A beneficial and cost effective solution that boldly addresses the concern of heat loss in the veterinary clinic or animal hospital.
- Constructed from high-quality insulating materials, Stat-Mats™ prevent body heat loss that occurs from contact with cold surfaces.
- Closed cell foam and polyurethane coating provide a durable, long lasting, supple surface that does not break down and is moisture and abrasion resistant.
- Seamless coating means no bacteria build-up and easy cleaning.
- Waterproof and stain resistant.
- Saves cost of laundering towels.



Stat-Mats[™] Surgery Table Pad

803.0203.00	15"W x 50"L x 1"H	1 lb.
803.0204.00	15"W x 40"L x 1"H	1 lb.
803.0205.00	V-Top; 2-Piece	1 lb.

Benefits:

Provides conductive warmth and cushioned comfort for animals during short or long procedures.

Features:

- A beneficial and cost effective solution that boldly addresses the concern of heat loss in the veterinary clinic or animal hospital.
- Constructed from high-quality insulating materials, Stat-Mats™ prevent body heat loss that occurs from contact with cold surfaces.
- Closed cell foam and polyurethane coating provide a durable, long lasting, supple surface that does not break down and is moisture and abrasion resistant.
- Seamless coating means no bacteria build-up and easy cleaning.
- Waterproof and stain resistant.
- Saves cost of laundering towels.



Blue-Line Table Top Non-Skid Mat

197.0008.00 5 lbs.

Benefits:

The Blue-Line Table Top Non-Skid Mat provides solid footing while providing a more comfortable table surface for the patient.

Features:

- Mat fits Blue-Line table tops & scale tops (441/2"L x 221/2"W x 1"H).
- ¼" thick with tapered edge.
- Dual-density, closed-cell foam that distributes weight to prevent the patient from feeling "unstable."
- Embossed pebble surface, black in color.
- Easily cleaned with soap and water.



Classic Surgery Table Caddie

803.0002.02 4.3 lbs.

Benefits:

Provides mobility for hydraulic base Shor-Line Classic Surgery Table for assistance with cleaning purposes.

- Easy to install.
- Lift table slightly opposite the wheels and push table.
- Leveling legs keep base from sliding.
- For Classic Surgery Table only.



914.0002.00

Vacu-Positioner Kit

914.0002.00	Vacu-Positioner Kit	6 lbs.
814.0002.01	19½" x 39¼" Pad Only	2 lbs.
814.0002.02	11¾" x 23½" Pad Only	2 lbs.

Benefits:

The vacuum property of the pad holds your patients in position for x-ray and surgery while minimizing heat losswithout sandbags, adhesive tape or bolsters.

Features:

- Safe and durable, it's made of an extremely strong plastic material that is compatible with most commonly used disinfectants.
- Radioluscent.
- Kit comes complete with two Vacu-Positioner pads, 30" long air hose and a vacuum pump.



Collection Pails

904.9001.01	Pail with Caster Base	9 lbs.
190.9000.04	Pail only	6 lbs.

Benefits:

Superior to plastic for cleaning and sanitation. Caster Base makes it virtually un-tipable. Kick it around the O.R. where needed!

Features:

- 121/2 quart 100% seamless stainless steel pail.
- Pail nests into a frame made from $\frac{1}{8}$ " thick x 1" high stainless steel band.
- Four 2" hard rubber casters allow the pail/frame to be easily moved.
- Outer frame is wrapped with a heavy duty conductive rubber bumper that offers protection to other equipment and the pail itself.



Thoracic Positioner

803.0003.00 5 lbs.

Benefits:

Holds your patients in the desired position allowing you to operate efficiently.

Features:

• Sure-grip rubber feet hold the thoracic positioner in place on a flat-top surgery table.



Surgeon's Chair 918.0004.33 23 lbs.

Benefits:

Comfortable economy seat for surgery with arm rests for tedious procedures.

Features:

- Pneumatic seat adjusts from 181⁄2" to 261⁄2".
- Padded upright swivels from backrest to forearm support.
- Adjustable footring.
- Comes in black.



Economy Lab Stool

918.0004.34 13 lbs.

Benefits:

Comfortable seating for lab or exam room.

- Pneumatic seat adjusts from 19½" to 27½".
- Comes in black.

LIGHTING

We are shedding new light on surgery and exam room lights. Our development team has listened to your needs and developed cutting edge lighting to meet them.

We introduced our Prelude Series LED lights in 2013, and we have continued to add new features to this important new product.

Halogen lights continue to be a staple in some practices, and we will continue to serve those needs.







LED LIGHTS

Prelude Series LED Surgery Lights

913.8000.00	Single Ceiling Mount	65 lbs.
913.8000.01	Dual Ceiling Mount	109 lbs.
913.8000.02	Single Wall Mount	41 lbs.
913.8000.03	Mobile	122 lbs.

Benefits:

The lights feature a color temperature of 4500 K for visual tissue clarity and at one meter working distance featuring a 6 inch (152 mm) field of illumination, so refocusing and repositioning the lights is not necessary. The lights use 18 white light LEDs with individual parabolic reflectors with a burn life of 75,000-100,000 hours.

The lights are cool to the touch and comfortable to work under. A dimming switch allows for illumination adjustment up to 90,000 LUX maximum. The lights' convenient memory feature remembers the LUX of the last use time.

Features:

- High efficiency. In general LEDs consume only 20% of the power other bulbs require.
- Very low heat cool to work under
- No replacement bulbs or fuses necessary.
- Easily positioned and drift free.
- Low maintenance.
- Product has a 3-year warranty.
- Two removable, autoclavable handles are included.
- Auto voltage sensing of 120V-240V.
- CSA/UL listing pending: General Requirements for Human Medical Electrical Equipment UL 60601-1, CSA C22.2 No. 601.1



913.800.02





HALOGEN LIGHTS

Surgical Dome Light

913.5005.01	Single Ceiling Mount	86 lbs.
913.5005.02	Dual Ceiling Mount	136 lbs.
913.5005.03	Single Wall Mount	39 lbs.
913.5005.04	Mobile	125 lbs.

Benefits:

Surgical Dome Lights feature an excellent field of illumination with proper intensity and correct color. Power supply technology replaces hot, heavy transformers and increases bulb life. Many swivel options with non-drift positioning.

Features:

- The single 15" reflector provides a shadow-free beam at 4000° Kelvin.
- Bulb produces a 6" diameter field of harmonious light and 4000 footcandles at a normal 36" working distance.
- The best articulating arm delivery system for mobile, wall and ceiling applications.
- Autoclavable handles.
- CSA/UL listed.



913.5005.03



913.5005.02



Surgical Spot Light

913.5006.01	Single Ceiling Mount	86 lbs.
913.5006.03	Wall Mount	39 lbs.
913.5006.04	Mobile	125 lbs.
913.5007.01	Spot/Dome Ceiling Mount	136 lbs.

Benefits:

Surgical Spot Lights feature an excellent field of illumination with proper intensity and correct color. Power supply technology replaces hot, heavy transformers and increases bulb life. Many swivel options with non-drift positioning.

Features:

- Continously adjustable spot from 3" to 11" diameter at 4000° Kelvin.
- 4150 footcandles at a normal 36" working distance.
- Lamp head and arm both rotate 360 degrees on a
- horizontal plane.
- The best articulating arm delivery system for mobile, wall and ceiling applications.
- Autoclavable handles.
- CSA/UL listed.



913.5006.03





913.5006.01

ANESTHESIA

Trusted Performance. Our anesthesia line features products designed for veterinarians with needs of pets at the forefront.

Considering an anesthesia machine?

As a veterinarian, you double as the surgeon and anesthesiologist for cherished fur children. You need innovative products that put safety first and are intuitive to operate.

We developed the Anesthesia Builder to walk you through tips for deciding what is best for you. Try it out at **shor-line.com/anesthesia**.



THE DIFFERENCE BETWEEN BASIC AND DELUXE

All deluxe models use the trademarked Safety Pressure Relief Valve that is designed to stay open. The operator must continually manually push down to close the valve.

This important feature can help avoid anesthesiarelated complication from overinflating the animal's lungs because the operator can't accidentally shutdown the valve.

The basic safety valve is screwed open and shut. The operator must follow proper anesthesia protocol when using the valve.






Basic



Deluxe

HOW TO BUY ANESTHESIA

WHAT TYPE OF UNIT DO YOU WANT?



ANESTHESIA MACHINES

Pureline M6000 Anesthesia Machine

195.1142.00 65 lbs.

Benefits:

Built specifically for veterinary use, Pureline M6000 Anesthesia Machine with O_2 Concentrator is FDA approved, UL listed and backed by a full 10-year warranty on the anesthesia machine and a 3-year warranty on the O_2 concentrator.

Features:

- Includes patented pressure relief valve to ensure pet safety.
- 0-4 l/pm precision flow meter.
- Audible and illuminated safety alerts.
- Easy on/off controls are large and easily accessible.
- Quiet 40-dBA operation.
- Valves are simple, durable and maintenance-free.
- Heavy-duty shelf holds all monitor types safely and securely.
- Same features as OC6000 (page 86).
- Uses standard "E" Tank for backup and oxygen flush.
- Adult, pediatric and non-rebreathing circuits included.
- Heavy-duty rebreathing bags included.
- Sturdy chassis and low center of gravity for extreme stability.
- Made in the USA with state-of-the-art manufacturing.
- Vaporizer sold separately. See page 88.

* Best option!

All the best features are combined in this machine—an O_2 concentrator to save money and deluxe anesthesia machine on a sturdy cart. All you need to add is the vaporizer!

Mobile Anesthesia Units

195.1038.00	Basic	60 lbs.
195.1038.01	Deluxe	70 lbs.

Benefits:

Your best value in anesthesia equipment with a 5-year limited warranty on parts. Economy version is without attached shelf.

Features:

- Five-leg base with shielded casters.
- 17" x 10" heavy-duty shelf holds up to 50 lbs.
- CO_2 absorber with pressure gauge.
- "One seal" canister with lifetime warranty against breakage.
- Dual O₂ supply ready with check values.
- 0-4 LPM oxygen flowmeter with mechanical stop knob.
- Oxygen flush with 30 LPM safety restrictor.
- Common gas outlet for non-rebreathing systems.
- 19mm enclosed pop-off valve.
- Syringe holder for inflating E/T cuffs.
- Adult and pediatric unilimb rebreathing circuits.
- Non-rebreathing system with 1 liter bag.
- 0.5, 1, 2 and 3 liter bags.
- Five year warranty on parts.
- Storage organizer, Dual "E-Tank Manifold, Vaporizer and bottles sold separately. See page 88.

* The intersection

of flexibility and affordability. These products are the backbone of durable and dependable anesthesia on an easy-to-use unit.



195.1038.01 Vaporizer not included.

aintenance-free.





Vaporizer not included.

Wall Mount Anesthesia Units

195.1040.00	Basic	40 lbs.
195.1040.01	Deluxe	40 lbs.
195.1056.00	Basic with Articulating Arm	45 lbs.
195.1056.01	Deluxe with Articulating Arm	45 lbs.

Benefits:

Conveniently located on the wall, this design is best suited for work stations in radiology or dentistry.

Units with the Articulating Arm extend 24" from wall with full 180° movement and feature high-quality metal bearings for smooth operation.

Features:

- Mounts on standard 16" centers.
- Adult & pediatric unilimb rebreathing circuits.
- Non-rebreathing system with 1 liter bag.
- Comes with 0.5-, 1-, 2- and 3-liter bags.
- Industry best 10-year warranty.
- Vaporizer sold separately. See page 88.





195.1056.01 Vaporizer not included.

Table Top Anesthesia Units

195.1042.00	Basic	40 lbs.
195.1042.01	Deluxe	40 lbs.

Benefits:

These rebreathing anesthesia machines provide flexibility to move to table top, wet table or mount to a cart.

Features:

- Compact 13" x 13" footprint.
- Includes adult and pediatric unilimb rebreathing circuits.
- \bullet 0-4 Lpm $\rm O_2$ flow meter with mechanical stop flow control.
- Non-rebreathing system with 1-liter bag.
- Comes with 0.5-, 1-, 2- and 3-liter bags.
- High-quality metal bearings for smooth operation.
- Industry best 10-year warranty.
- Vaporizer sold separately. See page 88.



195.1042.01 Vaporizer not included.

OXYGEN CONCENTRATORS

Make free oxygen from room air!

Basic Pureline OC4000 Oxygen Concentrator

195.1150.00 30 lbs.

Benefits:

Our Basic Oxygen Concentrator rolls independently to work with your existing wall, table top or mobile unit. It allows you to get your oxygen for free by converting room air to medical-grade oxygen. This machine is built for veterinary use and is FDA-approved and UL tested.

Features:

- Energy efficient and costs average of 12 cents a day to operate.
- Includes 10 feet of high-pressure O₂ hose with female DISS end fittings.
- Lightweight (30 lbs.).
- Size: 14" x 9" x 23".
- Backed by 3-year warranty.
- Audible and illuminated safety alerts.



Pureline OC6000 Series Oxygen Concentrators

195.1145.00	OC6000	35 lbs.
195.1148.00	OC6200	70 lbs.

Benefits:

The OC6000 Series Oxygen Concentrators allow you to get your oxygen for free by converting room air to medical-grade oxygen. This machine is built for veterinary use and is FDA-approved and UL tested.

The OC6200 adapts to work with Matrx VMS, Shor-Line and LEI/Supera M1200 machines.

- Energy efficient and costs average of 12 cents a day to operate.
- Delivers up to 5 LPM.
- Backed by 3-year warranty.
- Audible and illuminated safety alerts.
- Features standard DISS fittings.
- Includes storage organizer with lockable wheels.
- Cart holds emergency backup oxygen supply in "E" tank. Oxygen not included.



Pureline OC8000 Series Oxygen Concentrators 35 lbs. 70 lbs. New

195.1363.00 OC 8000 195.1364.00 OC 8200

Benefits:

The NEW Pureline OC8000 Series Oxygen Concentrators can deliver on demand up to 8 LPM, allowing them to handle the higher flow rates sometimes needed for oxygen therapy. This makes both ideal for use with oxygen therapy cages. They can be an extra oxygen supply for your anesthesia system as well. Their state-of-the art manufacturing in the USA uses high-quality components. They are built with safety in mind with oxygen purity and flow safety alarms. They are FDA approved and UL listed.

Additionally, the OC8200 also features a stable "A" frame chassis with low center of gravity and a dual industry standard demand DISS connection. OC8200 also includes empty e-tank and IV pole (oxygen not included). Auxiliary and main supply switches are clearly marked. Also includes heavy-duty shelf with pre-drilled VESA 100 pattern.

Features:

- For veterinary use only.
- Intended for both oxygen therapy and anesthesia machines.
- Extracts medical grade oxygen (USP 93%) from the air and delivers it up to 8 LPM.
- Connects with industry standard oxygen DISS fittings.
- Includes 10' high pressure green oxygen hose.
- Quiet 52-dBA operation.
- Energy-efficient; costs average of 20 cents per day.
- Small footprint saves valuable floor space.
- Oxygen not included.

Y-Splitter

195.1113.00 1 lb.

Benefits:

Connects up to two anesthesia machines to OC8000 or OC8200.

Features:

- Maintains accurate split flow rates.
- This is the connecting piece that attaches to your O₂ tubing.
- O₂ tubing not included.



* Can Supply O2

To up to two anesthesia machines using a Y Splitter.



ANESTHESIA ACCESSORIES

Vaporizers

195.1155.00	Vaporizer, Isoflurane, Key	11 lbs.
195.1160.00	Vaporizer, Isoflurane, Pour	11 lbs.
195.1154.00	Vaporizer, Sevoflurane, Key	11 lbs.
195.1159.00	Vaporizer, Sevoflurane, Pour	11 lbs.

Benefits:

High quality Northern Vaporizers (Tech 3 style). Isoflurane or Sevoflurane. Available in Pour or Key fill. Bottle Adaptors available.





Universal Control Arm and Bain Non-Rebreathing Circuit 195.1149.00 Basic 1 lb.

1 lb.

195.1149.01 Deluxe

Benefits:

Aids in heat and moisture retention, speeding patient recovery time. Deluxe version features the Deluxe Safety Pressure Relief Valve.

Features:

• Single tube to patient design, 40" tube length.



Unilimb Rebreathing Circuit

195.1032.00Adult over 20lbs.1 lb.195.1033.00Pediatric 5–20lbs.1 lb.

Benefits:

Aids in heat and moisture retention, speeding patient recovery time.

Features:

• Single tube to patient design, 40" tube length.



Non-Rebreathing System

195.1034.00 1 lb.

Features:

- Quickly connects to the common gas outlet.
- Designed for use with animals <10kg.
- Includes a one liter bag with stop cock built into the evacuation fitting.



Small Animal Masks

195.1017.00	Small, Feline	1 lb.
195.1018.00	Medium, Canine	1 lb.
195.1019.00	Large, Canine	1 lb.

Benefits:

Diaphragms stretch for snug fit over muzzle.



Complete F/AIR Kit

 195.1020.00
 Complete F/AIR Kit
 1.5 lbs.

 195.1021.00
 F/AIR Canister Only
 1.5 lbs.

Benefits:

Effectively removes waste gases with activated charcoal granules and can be used on any anesthesia machine.

Features:

• F/AIR canister and canister bracket.

- 22mm x 19mm adapter.
- 4 feet of 19mm blue tubing.
- Screws and wrench for attachment.



Dual "E" Tank Manifold 195.1001.00 10 lbs.

Benefits:

Holds two "E" tanks that attach to a mobile base.

- Consists of a pressure regulator, green oxygen hose and dual yokes.
- The dual yokes act to orient and support the "E" cylinder, provide a gas-tight seal, and ensure a unidirectional flow of gas into the machine.
- Bottles sold separately.

SCALES CANINE SCALES

Dependable and durable—Your Shor-Line scale will weigh accurately for decades!!


We know how important an accurate weight is in your treatment, so our scales can be added to many of the tables we make and retrofitted to many of the tables you currently own.

The exception is Fold-Up Tables. Those are not compatible with scales.

Call your sales representative and discuss the options.



BLUE-LINE SCALE COLOR OPTIONS



Feline Scale

905.0400.01 8 lbs.

Benefits:


Compact in size to save counter space but large enough to accurately weigh your largest feline. Can weigh small dogs as well.

- Push button zero/tare weight.
- Pound/Kilogram switch.
- 44 lb/20 kg capacity, weighs in .02 lb/10g increments.
- Removable tray for easy cleaning.
- 9 Volt battery (included).




HOW TO BUY SCALES

SCALE PLATFORM



MOUNT





ADDITIONAL DISPLAYS



In addition to the mounted display that comes with your scale, you may choose to add



Remote Display This contains two displays one with operation keys at the weighing platform and another at a remote location, such as an exam room.

4		
Г		
L		
L		
L		2

Shor-Connect The scale can read and operate both from the display at the scale as well as your computer or tablet. Compatible with XP and Windows 7.

BLUE-LINE SCALES

Blue-Line Scale, Display with Operation Keys

905.3010.05	Wall Mount, Standard Blue	100 lbs.
905.3011.05	Wall Mount, Jade	100 lbs.
905.3012.05	Wall Mount, Taupe Gray	100 lbs.
905.3013.05	Wall Mount, Black	100 lbs.
905.3014.04	Post Mount, Standard Blue	110 lbs.
905.3015.04	Post Mount, Jade	110 lbs.
905.3016.04	Post Mount, Taupe Gray	110 lbs.
905.3017.04	Post Mount, Black	110 lbs.

Benefits:

The Blue-Line scale enhances your decor but also tough enough to stand up to reception area use.

Features:

- Low-profile stainless steel platform scale gives accurate and repeatable weights in pounds and/or kilograms.
- Unique polyurethane edge available in four colors.
- Large, easy to see backlit LCD screen with 1"H numbers.
- Quick, on-screen weight calibration.
- \bullet Wall Mount mounts above the scale or another room.
- Specs: 44½"L x 22½"W x 1"H.
- 10' data cord extension available; includes 6' power cord.



Blue-Line Scale, Remote Display

905.3010.08	Wall Mount, Standard Blue	105 lbs.
905.3011.08	Wall Mount, Jade	105 lbs.
905.3012.08	Wall Mount, Taupe Gray	105 lbs.
905.3013.08	Wall Mount, Black	105 lbs.
905.3014.06	Post Mount, Standard Blue	115 lbs.
905.3015.06	Post Mount, Jade	115 lbs.
905.3016.06	Post Mount, Taupe Gray	115 lbs.
905.3017.06	Post Mount, Black	115 lbs.

Benefits:

The remote control unit allows a person to weigh the animal in one area, and another person can view a second display located up to 30' away from the weighing platform.

Features:

- Remote display works best when there is a clear sightline or path from the platform unit.
- Display with operation keys works like other K9-W8 scales and the remote shows only the animal's weight.



Blue-Line Scale, Shor-Connect

905.3010.07	Wall Mount, Standard Blue	100 lbs.
905.3011.07	Wall Mount, Jade	100 lbs.
905.3012.07	Wall Mount, Taupe Gray	100 lbs.
905.3013.07	Wall Mount, Black	100 lbs.
905.3014.05	Post Mount, Standard Blue	110 lbs.
905.3015.05	Post Mount, Jade	110 lbs.
905.3016.05	Post Mount, Taupe Gray	110 lbs.
905.3017.05	Post Mount, Black	110 lbs.

Benefits:

The Shor-Connect option combines the features of the Display with Operation Keys with your PC or select Windows tablets.

- •The display (either post mount or wall mount) with operation keys allows the operator to conduct all weighing tasks, including calibration.
- The Shor-Connect installs on a computer also permits an operator conduct all the same weighing tasks from the computer.
- Works on computers with Windows 7 and an available USB port.



K9-W8 SCALES

K9-W8 Scale, Display with Operation Keys

905.5010.43Wall Mount100 lbs.905.5010.47Post Mount90 lbs.

Benefits:

We've made the K9-W8 Scale you love even better with new load cell technology and a new combination of materials that delivers incredible accuracy and the ability to withstand years of use.

Features:

- Four ultra low profile load cells at each corner provide accurate and repeatable weights in pounds and/or kilograms.
- A liquid-resistant shroud that spans the length of the scale provides protection from routine cleaning for the load cells.
- Large, easy to see backlit LCD screen with 1" high numbers.
- Tare, recall, lbs/kg, light and free/lock features and quick, on-screen weight calibration.
- Gray, ribbed, non-skid mat provides solid patient footing.
- Post display is powder-coated dark grey, stands 37" high. Slide the slim base under the scale or move it within 4" of the scale.
- Wall Mount can display above the platform or extend down the hall or to another room with data cord extensions.
- Specs: 221/2"W x 441/2"L x 21/2"H.
- Comes with a 6' power cord. 10' data cord extension available.



K9-W8 Scale, Remote Display

905.5010.46Wall Mount95 lbs.905.5010.49Post Mount105 lbs.

Benefits:

The remote control unit allows a person to weigh the animal in one area, and another person can view a second display located up to 30' away from the weighing platform.

Features:

- This unit has same features as Post Mount or Wall Mount K9-W8 scale but includes a second remote display.
- Second remote display is for viewing only, and it does not have operating keys.
- Remote display works best when there is a clear sightline or path from the platform unit.
- Specs: 221/2"W x 441/2"L x 21/2"H.
- Comes with a 6' power cord. 10' data cord extension available.



K9-W8 Scale, Shor-Connect

905.5010.45Wall Mount90 lbs.905.5010.48Post Mount100 lbs.

Benefits:

The Shor-Connect option combines the features of the Display with Operation Keys with your PC or select Windows tablets.

- The display (either post mount or wall mount) with operation keys allows the operator to conduct all weighing tasks, including calibration.
- Specs: 22½"W x 44½"L x 2½"H.
- The Shor-Connect installs on a computer and permits an operator to conduct weighing tasks from the computer.
- Works on computers with Windows 7 and an available USB port.



CRITICAL CARE

WARMING SYSTEMS

Warming Pad

912.1000.05 Warming Pad, 120V 912.1000.06 Warming Pad, 240V

10 lbs. Jew 10 lbs.

Benefits:

Our Warming Pad is now CSA/UL listed, giving you confidence in the safety, security and functionality of our thermal support for your clients for post-operative and treatment care. It is designed to reduce the risk of hypothermia, which has been proven to be heightened during and following anesthesia.

- Safety is built into this thermal formed, textured pad. The enclosed heating element automatically warms up (about 15 minutes) and maintains a factory-set temperature.
- The controller offers three timed cycle setting options—60, 90 and 120 minutes.
- The alarm helps you monitor the patient. Stand By mode is set to sound an alarm at five minutes and continue to the end of the selected time cycle. Then, a repetitive series of low-tone beeps warn the operator before the pad shuts off.
- If the Warming Pad becomes unplugged or the temperature exceeds the safety shut-down limit, the Alert mode will sound, a red light will illuminate and the pad will start a cool down process.
- The controller connects with a 2' black cable, and you can add one optional 2' cable.
- The controller mounts on a cage door with a stainless steel clip.
- You can use the warming pad in or out of a cage, and its light weight allows for easy transport.
- Specs: 21"W x 26"L; designed to fit in a 24" or wider Shor-Line cage. The power cord is 10'. Electrical: 120/240 VAC, 50/60 HZ, .5 A at 120 VAC, .25 A at 240 VAC.





OXYGEN THERAPY

What Shor-Line Cages Can Become O₂ Cages? Almost all Shor-Line cages back from our Type 1 cages to current models can become oxygen cages. (The exception is 18" Type 1 or 2 cages.)

To convert a cage, first determine what Type Shor-Line cage you have. If you have black, fiberglass reinforced nylon coating stainless steel hinges, you have Type III cages and can choose a door with no conversion. If you have Type I or II, you will need a retrofit kit in addition to the O_2 door. (This kit will change out the door hinges and/or latch, depending on cage type).

Using the retrofit kit requires minimal tools unless the hinge screws are stripped or otherwise unable to be removed. Our technical support team can give you phone guidance so you can assess your situation before you order. Call 800-444-1579.

Converting one or more cages to O_2 cages gives you an additional tool for supporting your patients, especially the older patients.





7' Cage Assembly, Option A shown with (clockwise): Squeeze Restraint, 30" x 30" O, Door connected to Pureline OC8000 Oxygen Concentrator, Warming Pad, IV Pump Holder, PVC Floor and Quiet-Time Cover.

Oxygen Therapy Doors New + improved!

18" x 24" Single O2 Door	30 lbs.
24" x 18" Single O2 Door	30 lbs.
24" x 24" Single O2 Door	33 lbs.
24" x 30" Single O2 Door	35 lbs.
24" x 36" Single O2 Door	38 lbs.
30" x 24" Single O2 Door	35 lbs.
30" x 30" Single O2 Door	38 lbs.
30" x 36" Single O2 Door	43 lbs.
36" x 24" Single O2 Door	38 lbs.
36" x 30" Single O2 Door	43 lbs.
36" x 36" Single O2 Door	45 lbs.
42" x 30" Single O2 Door	42 lbs.
48" x 30" Single O2 Door	51 lbs.
48" x 36" Single O2 Door	55 lbs.
	24" x 18" Single O ₂ Door 24" x 24" Single O ₂ Door 24" x 30" Single O ₂ Door 24" x 36" Single O ₂ Door 30" x 24" Single O ₂ Door 30" x 30" Single O ₂ Door 30" x 36" Single O ₂ Door 36" x 24" Single O ₂ Door 36" x 30" Single O ₂ Door 36" x 36" Single O ₂ Door 42" x 30" Single O ₂ Door 48" x 30" Single O ₂ Door

Benefits:

Oxygen therapy doors help you give additional oxygen support to your patients. Add this to your ICU offerings or make it part of a "step down" unit.

Features:

- Easily retrofits to most existing Shor-Line cages.
- The ¼" thick clear plexiglass door has removable autoclavable gaskets.
- Semi-disposable humidifier (3 included) positioned in a removable chamber allows you to cool the water with ice or warm with water.
- Digital readout for temperature/humidity with minimum and maximum memory function and Centigrade or Fahrenheit temperature readout.
- Cage sold separately.



Clear Plexiglass Door for Oxygen Therapy Conversion

914.2430.11 24" x 30" Single Door

Benefits:

Kit allows you to convert a standard $48" \times 30"$ Double Door Cage into an oxygen therapy holding unit for larger patients. Left side needs to be to be an existing O₂ door (Sold separately, see above). Remove right side cage door and replace with solid plexiglass door.

50 lbs.

(Note: Retrofit kit needed for Type I and II doors.)

Features:

- $\bullet \ensuremath{\ensuremath{\mathcal{H}}}^*$ thick clear plexiglass allows for maximum light and view of patients.
- Conversion kit design uses a 24"W x 30"H clear plexiglass door and removable gasket seals for your cages.
- Cage and O_2 door sold separately.



Clear Plexiglass Door

Mobile Transport with O₂ Door

914.3630.50 176 lbs.

Benefits:

Perfect for hospitals with small staffs. You can roll the Oxygen Therapy Unit to any area with electricity for maximum patient visibility and easy monitoring by team members.

Features:

- \bullet Same simple operation as $\mathrm{O_2}$ door.
- $\bullet\,5"$ casters and push handle allow for easy movement.
- Cage top surface provides space for extra work area or monitoring equipment.
- •**Specs:** 40¾"W x 38"H x 30¾"D



Assisted Care Console (ACC)

802.2400.10	ACC I, 24" H	10 lbs.
802.3000.10	ACC I, 30" H	10 lbs.
802.3600.10	ACC I, 36" H	10 lbs.
802.2400.11	ACC II, 24" H	12 lbs.
802.3000.11	ACC II, 30" H	12 lbs.
802.3600.11	ACC II, 36" H	12 lbs.
802.2400.12	ACC III, 24" H	14 lbs.
802.3000.12	ACC III, 30" H	14 lbs.
802.3600.12	ACC III, 36" H	14 lbs.

Benefits:

Eliminate dangling power cords, IV tubes and oxygen lines hanging from the ceiling or draping across cage doors.

Features:

- •Assisted Care Console fits between Shor-Line cages.
- The ACC is 6" wide and is available in 24", 30" and 36" high.
- ACC I includes 33" long adjustable IV Pole and IV Pump Holder.
- ACC II, same as ACC I plus GFI (Ground Fault Interrupter) Electrical Outlet.
- ACC III, same as ACC II plus Ohmeda O₂ Female Outlet.



Bubble Humidifier 025.0004.00 2 lbs.

025.0004.00 21

Benefits:

Delivers moist supplementary O_2 to the bronchial passages.

Features:

• Humidifier is semi-disposable. Can be cleaned and reused several times.





Oxygen Regulator and Flowmeter Combo

195.1015.00 195.1049.00 Combo 3 lbs. Flowmeter only 3 lbs.

Benefits:

Delivers precise amounts of oxygen to Shor-Line's oxygen therapy doors. Oxygen regulator adjusts the tank pressure to the usable pressure and rate from the Flowmeter.

- 10'-long hose and DISS female fitting.
- 0-15 LPM adjustment.
- Protected by an all-metal housing.

IV PRODUCTS

IV Holder, Rail Attachment

803.0006.10 4 lbs.

Benefits:

IV fluid holder length allows just enough gravity that fluids remain level in all surgical table positions.

Features:

- Holder features an extra-long, 48" pole.
- Fits any Shor-Line surgery table with a rail system.
- Locks into any position along the attachment rail.
- Kit includes dual hook IV pole and sliding block.



Mobile IV Stand

803.0010.02 14 lbs.

Benefits:

IV caster base is made from four epoxy-coated steel legs providing flexibility to place IV fluid where you need it.

Features:

• Dual wheel casters designed for hard surface floors.

- 1" chrome-plated tree is adjustable from 64" to 96".
- Two-hook IV holder.



IV Pump Holder

802.0011.00 3 lbs.

Benefits:

Easily mounts to any Shor-Line cage providing a stable support for your infusion pump. No more tripping over tubes and wires. Allows direct access to infusion pump readouts and controls.

- Fits securely over the horizontal bars in any Shor-Line cage.
- The weight of the pump and a twist clasp locks the holder onto the cage bars.
- Height-adjustable dual horn bag hooks for multiple sets.
- IV Pump not included.



Cage Door IV Holder

802.0001.00	19" Long	3 lbs.
802.0001.01	35" Long	4 lbs.

Benefits:

Keeps the floor and aisle space clear from mobile IV stands by attaching your fluids to a cage door.

Features:

- Easily attaches to any Shor-Line cage door.
- Sturdy ³/₈"-diameter stainless steel rod provides needed strength.
- Height specs: 19" holder adjusts from 2" to 16" above the point of attachment to the door; 35" holder adjusts from 2" to 32".



IV Track Ceiling Mount System 15 lbs.

914.0100.01

Benefits:

Whether in surgery, surgery preparation or ICU wards, the IV Track System allows you to position IV fluids where you need it.

Features:

- Simple twist and lock system for horizontal positioning.
- Button release system provides the flexibility to raise and lower fluids to the desired height.
- Four-hook assembly with extra hook at the bottom supply sufficient hanging space for your fluids.
- Track is constructed of extruded aluminum and comes in a standard 4 ft. length. Additional tracks are available in one-foot increments.
- IV Pole is 34" long.



Cage Assembly Support Brackets for IV Track System

814.0100.22 Mid Support Bracket 814.0100.23 End Support Bracket

Benefits:

Provides support at points where two cages are joined together. Purchase IV Track Ceiling Mount System (above) to join any cages. Works with all Shor-Line cage(s).

1 lb.

1 lb.

- Made from heavy-gauge stainless steel.
- End supports are used at the end of a cage bank.
- Includes: Bracket, 34" IV pole with 4-hook assembly, IV track.
- If continuing lengths are desired, we recommend using a support bracket for every 4' length.



SPECIALTY + DIAGNOSTIC

MICROSCOPES + LIGHTS

M250 LED Microscope

 910.0200.09
 250 LED
 20 lbs.

 910.0200.11
 250 LED with Carry Case
 21 lbs.

Benefits:

The rugged construction of this high-quality microscope works equally well in the field as it does at your practice. The sealed optics, anti-fungal coating and battery-operated (three AA batteries) cordless lighting make it easy to use in the field. Most importantly, it delivers optical quality superior to other microscopes at this price level.

Features:

- Seidentopf binocular head.
- DIN achromatic objectives: par-focal, par-centric and
- color coded 4x, 10x, 40x, 100x (oil).
- Wide-field10x/18 eyepieces.
- Pre-centered Abbe condenser. N.A. 1.25 with iris diaphragm and filter holder.
- Coaxial coarse and fine focusing with safety stop.
- LED illumination rated at 10,000 hours. Battery operated (three AA batteries), AC adapter included.
- Includes cleaning kit.
- Five-year limited warranty.



IP730 Microscope

910.0100.76 20 lbs.

Benefits:

The IP730 Microscope from Shor-Line is an excellent basic tool for your standard tasks, (fecal exams, fungal tests, routine hematology, urine sediment exams, gram stains, etc.).

Features:

- Seidentopf binocular head with 80/20 beam splitter.
- Koehler-type illumination and variable light intensity
- without losing any acuity or brightness.
- Ergonomically designed for comfort during extended use.
- Achromatic objectives: 4x, 10x, 20x, 40x, 100x (oil).
- Coaxial coarse and fine focusing system help.
- Focusable and centerable N.A. 1.25 Abbe condenser with graduated iris diaphragm and filter holder.
- Wide-field 10x/22 eye pieces.
- Includes cleaning kit.
- Five-year limited warranty.



Woods Exam Hand-Held Light with Magnifier

913.2004.00 4 lbs.

Benefits:

Do your routine examinations and check for fungal conditions with one light.

- Two-4 watt white fluorescent lights (4100°K) for routine examinations.
- Two-4 watt UV fluorescent lights for fungal examinations.
- 2x magnification, ground glass lens.



CENTRIFUGES

Micro-Hematocrit Centrifuge

910.0200.05 21 lbs.

Benefits:

Our basic model delivers dependable performance at an economical price.

Features:

- 24-place capillary tube rotor.
- Fixed 12,000 RPM.
- 0-15 minute timer with bell.
- Safety shut-off lid.
- Reader with Hematocrit Percent Scale included.



Power Spin FX Centrifuge

910.0200.08 15 lbs.

Benefits:

This entry model gives reliable operation with dependable results, giving good value for your practice.

Features:

- Has 3,400 RPM fixed speed.
- Six place tube rotor.
- 0-30 minute timer with bell.
- Latchable safety lid.
- Rotor chamber accessible for cleaning.





Power Spin LX Centrifuge

910.0200.07 18 lbs.

Benefits:

The most powerful centrifuge with variable linear speed in this price range. The extra power provides a more complete separation of cellular components from a wide range of fluids.

Features:

- Two-2 ml and six-4/5 ml tube included.
- Has variable speed from 300-4000 RPM.
- Color-coded panel with suggested speeds for fecals (1500 RPM), urine (2000 RPM) and blood (3400 RPM).
- Six place tube rotor.
- 0-30 minute timer with bell.
- Latchable safety lid.



Power Spin DX Centrifuge 36 lbs.

910.0200.28

Benefits:

The PowerSpin™ DX has variable speed 500-3400 RPM to ensure a clean and complete separation. Quiet and dependable, it has a maintenance-free motor. Use it to process blood, urine, semen and other specimens. This Horizontal Spin Centrifuge is preferred for fecal evaluations.

- Zero RPM Safety Latching System prevents lid from being opened while rotor is spinning.
- Quiet running—only 50 decibels at 3400 RPM.
- 99 minute digital timer adjusts to 1-second increments.
- Remembers last setting for quick repeat runs.
- Adjustable acceleration and deceleration.
- Stainless steel rotor chamber for easy cleaning.
- Suction cup rubber feet eliminate vibration.
- Available in 110/220V, 50/60HZ.

SPECIALTY + DIAGNOSTIC

AUTOCLAVES

Both manual and automatic autoclaves will sterilize your equipment using steam. The main choice is how much hands-on time you are willing to devote to the machine.

Manual. You manually set the unit to fill, and then you load and set the cycle and dry times. There are automatic shut-offs to the units we carry, but someone does need to actively participate in the process.

Tuttnauer Automatic Autoclaves

910.0100.32	EZ9	95 lbs.
910.0100.33	EZ10	95 lbs.

Benefits:

Fill, sterilize, exhaust and dry at the touch of a button.

Features:

- Closed-door active drying system maintains sterility and ensures efficient pack and pouch drying.
- High-efficiency air pump circulates hot air after the sterilization cycle for fast drying.
- HEPA filter .2µm air filter (replaceable).
- Pre-loaded cycles for unwrapped instruments, wrapped/packs, liquid and additional drying cycle.
- You can customize and store all program parameters.
- Automatic shut-off at the end of both the sterilization and dry cycles.
- Audible and visual cycle interruption alert.
- Double safety locking device prevents door from opening while chamber is pressurized.
- Low-water sensor prevents activation of sterilization cycle
- when there is insufficient water in the chamber or reservoir.
- Power outage recovery system.
- Door design prevents steam from coming in contact with control panel.
- Optional printer available.
- 510k clearance for dental hand pieces.
- Two-year parts and labor warranty.

Automatic. You will initially need to program the cycles you want to run for sterilization. After that, it is as simple as loading and pressing the needed pre-programmed cycle.

Whichever you choose, use the tray dimensions and capacity to determine the best size for your practice.



910.0100.32

★ See below for details.

Tuttnauer Manual Autoclaves

910.0100.30	2340M	85 lbs.
910.0100.31	2540M	85 lbs.

Benefits:

These basic manual autoclaves from Tuttnauer will satisfy all the sterilization needs of most veterinary hospitals.

Features:

- Automatic shut-off at the end of both the sterilization and dry cycles.
- Electro-polished chamber and door for long life against corrosion.
- Double safety locking device prevents door from opening while chamber is pressurized.
- Overheat shut-off prevents burnout of heating elements in case of insufficient water in the chamber.
- Drain valve is located on the front, allowing quick and easy draining of water reservoir.
- One-year parts and labor warranty.



910.0100.30

Model	Chamber Dimensions	Volume	Overall Dimensions D x W x H	Standard Cassette Capacity	Tray Dimension	# of Trays	Standard Unwrapped Cycle
EZ9	9″ x 18″	5 gallons	21.5" x 20" x 14.4"	2 full & 2 half	6.7" x 16.3" x 0.8"	3	Cold: 30 min., Hot: 20 min.
EZ10	10" x 19"	6 gallons	21.5" x 20" x 14.4"	3 full & 3 half	6.7" x 16.3" x 0.8"	4	Cold: 30 min., Hot: 20 min.
2340M	9″ x 18″	5 gallons	21.5" x 20 x 14.4"	2 full & 2 half	6.7" x 16.3" x 0.8"	3	Cold: 30 min., Hot: 20 min.
2540M	10" × 18″	6 gallons	21.5" × 20 × 14.4"	3 full & 3 half	6.7" x 16.3" x 0.8"	4	Cold: 30 min., Hot: 20 min.

ACCESSORIES

Narcotics Safe

918.0005.02	Large Narcotics Safe	15 lbs.
918.0005.03	Small Narcotics Safe	10 lbs.

Benefits:

A locking safe that provides secure protection of your controlled substances.

Features:

- Double wall construction.
- Small safe is cream-colored and large safe is alabaster.
- Two locks, keyed differently.
- **Specs:** Large safe: 14"W x 12"H x 8½"D; Small safe: 12%"W x 7%"H x 7"D





X-Ray Apron 918.0006.18 11 lbs.

Benefits:

0.5 mm pb apron provides excellent protection while remaining lightweight and comfortable to wear for extended periods of time.

Features:

- One size fits most.
- Blue nylon material is durable and easy to clean.
- Wrap-around Velcro® closure.



X-Ray Mittens

918.0006.17 6 lbs.

Benefits:

Open palm allows you to position and secure the patient while providing protection.

Features:

- 0.5 mm pb protection.
- Lined with soft but durable expanded foam.
- Blue nylon material is durable and easy to clean.



X-Ray Rack for Apron and Mittens 918.0006.19 11 lbs.

Benefits:

Provides a convenient way to store your apron and gloves while protecting them from damaging wrinkles.

Features:

- Durable, powder-coated white finish.
- Apron and mittens sold separately.



Thyroid Collar 918.1006.81 1 lb.

Benefits:

Gives 0.5 mm pb equivalent protection of neck area above the standard apron.

- Nylon material is durable and easy to clean.
- Accommodates neck sizes up to 20 inches.
- Convenient Velcro® closure.

TERMS + CONDITIONS

1. ORDER & ACCEPTANCE By submitting an order for the products, Buyer shall have agreed to purchase the products subject to all Seller's terms including these TERMS and CONDITIONS. Buyer's order is subject to and effective only upon acceptance and approval at Seller's offices in Kansas City, Kansas as evidenced by Seller's issuance of an Order Acknowledgement or Invoice. Processing of an order shall not commence until receipt of any applicable deposit and all required paperwork and customer sign-offs. The resulting contract shall be deemed made in Kansas and shall in all respects be governed and interpreted according to the laws of the State of Kansas. Buyer also consents to the jurisdiction of Kansas courts over any dispute involving an order.

2. ENTIRE AGREEMENT An order as accepted and approved by Seller constitutes the entire final agreement between the parties. Except as otherwise provided in writing by Seller, the terms set forth herein constitute the sole TERMS AND CONDITIONS for Buyer's order. Seller's acceptance of Buyer's order is expressly conditioned on Buyer's assent to these TERMS AND CONDITIONS which may not be supplemented, modified, superseded or otherwise altered except as authorized in writing by Seller. Any different, conflicting or additional terms in Buyer's purchase order or any other document of Buyer are rejected and Seller's TERMS AND CONDITIONS shall prevail.

3. TERMS OF PAYMENT Unless otherwise expressly specified by Seller in writing, payment shall be due 30 days from the date of invoice, payable in U.S. Funds. Seller reserves the right to negotiate terms or orders of any unique or special nature and may require full or partial payment in advance in its sole discretion. Acceptance of all orders and the payment terms for such orders are subject to approval by Seller's Credit Department. Seller may decline to make any shipment or perform any work except upon terms satisfactory to said Department. A charge of 1½% per month (or the highest monthly interest rate that may be imposed under applicable law) will be imposed on overdue accounts. Buyer will be liable for all expenses (including reasonable attorneys' fees) incurred in collecting any overdue accounts.

4. PRICES & QUOTES Prices on products are F.O.B. Seller's factory unless otherwise specified in writing and are exclusive of any city, state, local or federal tax. Prices are subject to adjustment without notice and Seller reserves the right to correct errors in prices or specifications. Any quotation (whether written or oral) is not an offer to contract or acceptance of an order. Similarly, neither a price list nor a catalog constitutes an offer to sell or contract, but are provided solely for customers' convenience.

5. TAXES Any sales, use, property, or other taxes or duties which Seller may be required to pay or collect (under any existing or future law) in connection with the sale, purchase, delivery, storage, processing, consumption or use of the products shall be for the account of Buyer and Buyer shall promptly reimburse Seller therefor.

6. DELIVERIES Delivery dates are estimates only and time shall not be of the essence unless specifically provided by Seller in writing. Seller will not have any liability for loss or damage resulting from a delay in a scheduled delivery or for non-delivery resulting from labor trouble, part or material shortages, accident, fire, war, strike, natural disaster, carrier delays or any contingency whatsoever (whether of the same class of those enumerated or otherwise) beyond its reasonable control. Buyer assumes all freight, handling and installation costs and the risk of loss or delay in transit. Seller will assist Buyer with transit arrangements, but Seller shall be free of any liability in connection therewith. Title to all materials and products sold by Seller shall pass to Buyer upon delivery to the carrier and Seller's responsibility ceases at that time. Risk of loss, injury, or destruction of the products shall be borne by the Buyer and any such loss, injury or destruction shall not release Buyer from payment of the purchase price.

7. INSPECTION Buyer must inspect all materials for shortages, damages, conformity with order and defects before signing any documentation requested by the carrier. Buyer must immediately complete such inspection and shall not accept delivery of goods that are damaged or not in accordance with the bill of lading or packing slip without proper notification to the carrier and Seller. If goods are damaged, defective, shorted or appear not to conform to the order, Buyer shall discontinue their use and immediately notify the carrier and Seller of such condition and afford a reasonable opportunity to inspect the same. Buyer shall make, or provide Seller in writing with all information necessary to make, a claim against such carrier for any shortage, damage, or discrepancy of the shipment within fifteen (15) days after receipt of the goods. Claims or written information thereon not so presented within fifteen (15) days after receipt of the goods will not be allowed. No products will be taken back and credited or replaced unless arrangements for their return have been made in compliance with Seller's Return Policy stated below. SEE PAGE 105 FOR INFORMATION ON HOW TO FILE A FREIGHT CLAIM.

8. PRODUCT SATISFACTION In the event Buyer is not fully satisfied with the quality or workmanship of a product, Seller in its sole discretion may arrange either to credit Seller's account (excluding shipping and handling costs) or replace the product. However, Buyer must notify Seller in writing of its dissatisfaction within fifteen (15) days of receipt of the product from Seller and immediately discontinue its use. Buyer also must return the rejected product to Seller freight paid within thirty (30) days of its receipt in compliance with Seller's Return Policy stated below. Seller's obligation is limited to providing the applicable credit or product replacement, which will be processed only after receipt of the retuned product. In addition, this Product Satisfaction policy does not apply to specially designed, discontinued, used, factory second or repaired products.

9. LIMITED WARRANTY Seller warrants to the initial purchaser only of products manufactured by it that such products are free from defects in materials or labor for varying periods depending on the particular product and subject to the limitations and conditions set forth herein. Seller's stainless steel products are warranted to be free from such defects for their normal useful life. Seller's mechanical and electrical products, parts, devices and components (including such parts, devices and components of stainless steel products), and other-non-stainless steel products are warranted to be free from such defects for only one year. Seller disclaims any express or implied warranty for products not manufactured by Seller and the only warranty available therefore to Buyer is that offered by the products' manufacturers.

The warranty period shall run from the date of delivery to Buyer. If within the applicable warranty period a product proves to be defective as described herein, Seller will repair or replace the product, at Seller's sole discretion, conditional upon Buyer's written notice of the defect within fifteen (15) days after its discovery. Upon receipt of Buyer's notice including substantiation of Buyer's status as the initial purchaser and details of the defect, Seller shall advise Buyer whether it plans to repair or replace the product. Seller's obligation is solely limited to repair or replacement of a defective product and in no event shall Seller be liable for transportation from or to Seller's offices or any other expense which may arise in connection with this Limited Warranty or the aforementioned Product Satisfaction policy.

SELLER MAKES NO OTHER WARRANTY OR GUARANTEE OF ANY KIND WHATSOVER, WHETHER EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE INCLUDING, BUT NOT LIMITED TO IMPLIED WARRANTIES OF FITNESS, AND/ OR MERCHANTABILITY. THE ABOVE LIMITED WARRANTY CONSTITUTES SELLER'S ONLY WARRANTY AND NO PERSON OR ENTITY IS AUTHORIZED, ON BEHALF OF THE SELLER, TO MODIFY OR EXPAND UPON THE PROVISION EXPRESSED IN THIS PARAGRAPH NUMBER NINE. THE SELLER'S LIABILITY UNDER THIS LIMITED WARRANTY SHALL BE LIMITED AS PROVIDED FOR ABOVE AND THE FOREGOING SHALL BE THE BUYER'S SOLE REMEDY AND RECOURSE .

There are no warranties which extend beyond the description on the face hereof and goods are sold as is. Seller's Limited Warranty is only available to the initial purchaser of its products and is effective only upon compliance with the terms set forth herein.

Buyer agrees that the products subject to this Limited Warranty will be properly maintained in the ordinary course of business. Buyer agrees to comply with all instructions and specifications furnished by Seller relating to the installation, care, use and application of products purchased. Buyer agrees that it will not modify, misapply, or misuse such products in any manner which would deviate from Seller's instructions. Any repairs, alterations or service provided by parties other than Seller, or its authorized representative, may void this Limited Warranty. This Limited Warranty shall not apply to normal wear and tear, improper or insufficient maintenance, routine maintenance, or damage caused by accident, negligence, improper operation or the use of corrosive materials (including without limitation bleach or sodium hypochlorite used on stainless steel surfaces).

THE SELLER'S LIMITED WARRANTY SHALL NOT BE EFFECTIVE AND SHALL BE VOID UNLESS GOODS ARE APPLIED AND USED IN ACCORDANCE WITH SELLER'S INSTRUCTIONS.

10. LIMITATION OF LIABILITY UNDER NO CIRCUMSTANCES SHALL SELLER BE LIABLE TO BUYER OR ANY OTHER PERSON FOR ANY SPECIAL, LIQUIDATED, INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING, WITHOUT LIMITATION, DAMAGES BASED UPON LOST GOODWILL, LOST SALES OR PROFITS, WORK STOPPAGE, DELAY, PRODUCT FAILURE, IMPAIRMENT OF GOODS OR OTHERWISE AND WHETHER ARISING OUT OF BREACH OF WARRANTY, BREACH OF CONTRACT, NEGLIGENCE OR OTHERWISE, and in any case, Seller's liability for any and all losses and damages sustained by Buyer and others shall not exceed the original purchase price of the products upon which liability is founded.

IN NO EVENT SHALL ANY ACTION BE COMMENCED AGAINST THE SELLER MORE THAN ONE YEAR AFTER THE CAUSE OF ACTION WITH RESPECT TO WHICH THE CLAIM IS MADE HAS ACCRUED. SELLER SHALL NOT BE RESPONSIBLE FOR EXPENSES FOR REPAIRS NOT MADE BY SELLER WITHOUT THE PRIOR WRITTEN CONSENT OF SELLER.

11. RETURN POLICY All products being returned for any reason or delivered for repair service (whether or not pursuant to the Limited Warranty) must receive advance authorization from Seller. Buyer must contact Seller's Technical Service Department at 1.800.444.1579 to receive a Return Authorization Number. All products returned, except for warranty service or pursuant to the Product Satisfaction policy, are subject to a minimum 15% restocking charge. Buyer will be responsible for all freight charges on returns.

12. INDEMNITY Buyer agrees to protect, defend, indemnify and hold harmless the Seller from and against any and all direct loss suffered and any liability to third parties due to bodily injury (including death) to any person or animal, or damage to any property as a result of Buyer's misuse, misapplication or failure to inspect or maintain the Seller's products, or such loss or liability caused by the act or omission of the Buyer in the performance of any services using said products. Buyer also agrees to indemnify and hold harmless the Seller for any taxes paid as discussed in paragraph five above. This indemnity provision expressly includes attorney's fees and settlements of claims in a reasonable manner under the circumstances.

13. UNLAWFUL USE Buyer agrees that no goods shall be used in any manner violative of any laws of the United States, whether state or federal, or local ordinance, and no such goods shall be distributed to any foreign country in any manner prohibited by United States law.

14. REGULATIONS AND CODES Seller makes no representation or promise, express or implied, that goods delivered will conform to any state or local laws, regulations, codes, ordinances, or standards, except as particularly and expressly specified and

agreed upon for compliance in writing as a part of the contract between Buyer and Seller.

15. SELLER'S REMEDIES Seller hereby expressly reserves all remedies provided for by the Uniform Commercial Code and such remedies are expressly cumulative in nature and include all of the available remedies for breach and Seller need not make any election of remedy.

16. MISCELLANEOUS Buyer may not assign its rights or duties relative without Seller's written consent, but Seller may assign its interest in such order to any affiliate or successor in interest. The waiver of any breach of these TERMS AND CONDITIONS shall not constitute a waiver as to any further breach. Any of these TERMS AND CONDITIONS found to be invalid, illegal or unenforceable, shall be considered inoperative and the remaining TERMS AND CONDITIONS shall be valid and enforceable as though such provisions are not included herein.

BILLING TERMS

Contact our Credit Department toll-free for questions at 1.800.444.1579.

STANDARD TERMS

Payment in full is due within 30 days from the date of invoice. Refer to #3 under Terms and Conditions. ANY PAYMENT TERMS ARE SUBJECT TO CREDIT APPLICATION APPROVAL.

PAYMENT OPTIONS

Shor-Line offers several payment options for orders over \$5000. Whether you pay in installments or finance with a lease company, we have flexible options for everyone.

Here are a few of the most popular:

- Credit Cards are welcome. We accept Visa, MasterCard and Discover.
- 2% Cash Discount. Prepay with a check for a 2% cash discount off of equipment. Discount does not include tax and shipping charges.

DOWN PAYMENT

A 25% down payment is required with the balance due net 30 days. The down payment is calculated on the total cost of equipment, shipping and tax.

• 3-3-3 Plan. Pay in three monthly installments with no interest charges. Total cost of equipment, tax and shipping is divided into three equal payments with 1/3 of the total being the first payment/deposit due at time of order. The second and last are due net 30 and net 60, respectively, after receipt of equipment.

LEASING

We offer lease options through major lease companies. Call for details.

TAX

Sales and use taxes may be collected for some government agencies. But, Shor-Line shall not be liable for any such taxes, which shall be the customer's sole responsibility. Refer to #5 under Terms and Conditions.

SHIPPING & HANDLING

Freight rates are calculated at the time the order is taken. Freight is charged on all orders unless otherwise stated.

Payment options, freight and tax are based on shipments within the U.S. Shipments outside the U.S. will be quoted at the time of the order.

DELIVERY OF PRODUCT

We use the following methods of freight for small shipments:

- Express Saver (Ground, 3-6 day service)
- Standard Overnight
- 2 Day Collect (payment is collected at the time the order is delivered)
- Pick-Up (customer may pick up their shipment at our warehouse in Kansas City, KS and save on all freight charges)

Equipment over 70 lbs. will be shipped by common carrier or vanline service (4-6 day service). Call one of our sales representatives at 800.444.1579 for a freight quote. Alaska/Hawaii/Canadian and International shipments require special freight quotes.

DELIVERY TERMS

Delivery options are listed below and should be discussed at the time the order is taken.

Some of our equipment is heavy and/or bulky and can't be delivered utilizing normal delivery procedures. Therefore, Customers have the option of requesting "special delivery" instructions. There may be some confusion regarding special delivery services, the terms used, what services are actually provided and the associated fees. Therefore, we feel it is best to explain the delivery terms and the types of services.

All orders for CoJack Tables, Electric Lift Tables, Surgery Tables, Tub/Treatment Tables, Exam Cabinet Tables, 60" x 36" and 72" x 36" Double-Door Kennels, Cat Condos, Run Systems and all Mobile Transport Kennels will automatically be shipped with "Inside Delivery--Call for Assistance" Instructions. We recommend you consider using "Inside Delivery-Assistance Provided" as these items are extremely heavy. (Universities and government agencies are excluded unless expressly specified).

The following terms explain optional services available through commercial freight lines. There will be extra charge for the services noted below under items 2, 4, and 5 which will be added to your invoice.

1. Call Before Shipping - A Shor-Line representative will call Customer before shipping the product from the factory to ensure the Customer is ready to receive the equipment. This is primarily used for new clinics that will be opening or customers with irregular working hours.

2. Call Before Delivery for Assistance - Trucking company will call Customer before delivery so that Customer can make arrangements to have adequate personnel to lift item off the truck and carry within the clinic. But the driver is not required to assist in unloading item off the truck. The driver is only responsible for getting the product to the rear of the truck. (Adequate "Call for Assistance" personnel must be at least three people that are able to lift heavy equipment.)

3. Inside Delivery-Call for Assistance - Trucking company will call before delivery so that Customer can make arrangements to have adequate personnel to assist the driver in taking the equipment off the truck and carrying it into the clinic. (Adequate "Inside Delivery" personnel must be at least three people that are able to lift heavy equipment.)

4. Liftgate Service - For items that are too heavy and cumbersome to safely lift off the back of the truck.

5. Manpower - Manpower to unload equipment can be provided to unload on vanline orders.

All optional services must be requested at time equipment is ordered and will be reflected on the Customer Order. Optional services requested by the Customer will be billed with the order by Shor-Line. Bills-of-lading will carry the following statement: Any Additional Charges Will Be Paid By the Customer.

Please be aware that these delivery services are optional and must be requested at the time the order is placed.

Note: Keep in mind that if the truckline is unable to make delivery and there are no special delivery instructions, the redelivery charge will be billed to the customer.

Call our Customer Service Department (1.800.444.1579) for the fees associated with these services. *These product delivery terms are for U.S. and Canada. For other countries, contact your Shor-Line distributor for local delivery terms.

Contact our Traffic Department toll-free at 1.800.444.1579 for additional questions.

DAMAGES/RETURNS/REPAIRS

Contact our Technical Services Department toll-free at 1.800.444.1579.

HOW TO FILE A FREIGHT CLAIM

1. Inspect ALL packages upon arrival. If containers show evidence of damage when delivered the packages should be opened immediately before the driver leaves. The shipment should be inventoried and inspected jointly by the Customer and the driver. The driver will then make proper notation on the delivery receipt.

Customer must inspect all materials for shortages, damages, conformity with order and defects before signing any documentation requested by the carrier. Customer must immediately complete such inspection and shall not accept delivery of goods that are damaged or not in accordance with the bill of lading or packing slip without proper notification to the carrier and Shor-Line. If goods are damaged, defective, shorted or appear not to conform to the order, Customer shall discontinue their use and immediately notify the carrier and Shor-Line of such condition and afford a reasonable opportunity to inspect the same.

Customer shall make, or provide Shor-Line in writing with all information necessary to make, a claim against such carrier for any shortage, damage, or discrepancy of the shipment within fifteen (15) days after receipt of the goods. Claims or written information thereon not so presented within fifteen (15) days after receipt of the goods will not be allowed. No returned products will be accepted, credited or replaced, unless arrangements for their return have been made in compliance with Shor-Line's Return Policy.

If containers do not show evidence of damage, there may be "concealed damage". Customer must report any concealed damage within 15 days after receipt of the shipment. Such report is to be made directly to Shor-Line's Traffic Department who will file a claim with the carrier. All packaging and contents must be held for this inspection.

2. Customer must check goods, contents against packing slip, weight against bill of lading, containers, etc.

3. Customer fills out "Inspection Report of Loss or Damage Discovered After Delivery" (a standard form).

4. Customer and consignee both sign this form. A copy is left with the consignee and should be forwarded to Shor-Line's traffic department to file a claim.

5. Call Shor-Line's Traffic Department to file a claim (1.800.444.1579). We will go to work right away and arrange for pick-up, return shipment, and replacement of the product.

RETURN POLICY & REPAIRS

All products being returned for any reason or delivered for repair service (whether or not pursuant to our Limited Warranty) must receive advance authorization from Shor-Line. Customer must contact Shor-Line's Technical Service Department at 1.800.444.1579 to receive a Return Authorization. All products returned, except for warranty service or pursuant to the Product Satisfaction policy, are subject to a minimum 15% restocking charge. Customer will be responsible for all freight charges on returns.

RETURN PRODUCT AUTHORIZATION


To assure efficient handling on damaged or defective equipment, or repairs, please contact our Technical Service Department for Return Product Authorization (1.800.444.1579). Failure to obtain Return Product Authorization will only delay the processing of your matter and may result in the denial of any repair, replacement or credit.

REPAIRS

Repairs are handled by the Technical Service Department at 1.800.444.1579. It is mandatory you contact them prior to sending in your product for repair.

All Shor-Line products are intended for animal use only and none of the products constitute medical equipment to be used in connection with any human medical applications.

CONTACT US



NORTH AMERICA

	TERRITORY	PHONE EXT.	REPRESENTATIVE	EMAIL
1	CA, NV, AZ	2354	Tim Hemings	timothy@shor-line.com
2	WI, WV, MI, OH, KY, IL, IN	2323	Jeremy Panzer	jpanzer@shor-line.com
3	TN, NC, SC, AL, GA, FL	2309	Mark Shea	marks@shor-line.com
4	NY, PA, VT, ME, MA, CT, RI, NJ, NH, MD, VA, DE, DC	2351	Guy Cosgrove	guyco@shor-line.com
5	TX, OK, NM, AR, LA, MS	2814	Jorge Vasquez	jvasquez@shor-line.com
6	WA, OR, ID, ND, SD, NE, KS, UT, CO, WY, MT, MO, IA, MN	2214	Doug Nietfeld	dougn@shor-line.com
7	AK, HI	2314	Summer Woods	summer@shor-line.com
8	Canada	2815	Adam Hermesch	adamh@shor-line.com

INTERNATIONAL

For orders in Mexico, Europe, Africa, Asia, Australia and South America, please contact international@shor-line.com.



FAQs

Our experienced sales team and technical service staff are available to answer your questions about Shor-Line products from the time you start to consider a purchase until you lovingly pass them along to another facility.

In all, we have several hundred years of experience with veterinary, boarding, shelters and grooming facilities. Here are some of the frequently asked questions our team wanted to share:





Will my cage bank come assembled?

No. We want to ensure that you are not inconvenienced by damaged freight, so we pack each cage individually with proven padding.

You can assemble the bank yourself using the instructions that are in the Product Guide. It shows the tools you need and step-by-step instructions. Our most experienced person can put a 6-foot cage bank together in about 30 minutes. Your time will depend on your level of experience with a Phillips-head screwdriver and product assemblies. Our tech staff is available Monday through Friday from 9 a.m. to 5 p.m. Central Time, excluding holidays, to assist by phone.

Tip: Do not over tighten screws.

Why is your equipment more expensive than some of the others?

Our products will last for decades because we use high-quality materials. Our founders decided almost a century ago to put quality craftsmanship into each product. That attention to quality has passed down to our third-generation owners who work hard to maintain high quality as we innovate.

We take the time to make the extra welds, craft products in one piece whenever possible and understand the needs of animal handling professionals. That is why our products have been passed down through generations. See a story of how our tables have lasted through generations of veterinarians on page 74.

I just need a replacement part for.....

Our technical service team is seasoned and well-versed in both new and aged technology, allowing us to recommend parts for older Shor-Line equipment via phone or email. We take service after the sale VERY seriously.

You can reach our technical team Monday through Friday from 9 a.m. to 5 p.m. Central Time, excluding holidays. They can help you troubleshoot a problem and immediately start the shipment of what you need to make the repairs (if applicable).

Tip: Have a digital camera or camera phone available because they may ask you to photograph and email your problem product so you can both look at it together.

How do I calibrate my scale?

This is the single most asked question on our tech service line. The answer is, it depends on which scale you have as we have been making them for decades. Refer to your Product Guide, if you still have it. It will walk you through it.

If you still need help, call our tech service department at 800-444-1579. We will rollout online help in 2015.





Find your DREAM

TO ORDER

CALL 888-551-4062 (toll-free) **EMAIL** contact@shor-line.com **VISIT** shor-line.com