

KIDSFIT® CLEANING AND INSPECTION CHECKLIST

MODEL 909

CHILDREN'S INDOOR OBSTACLE COURSE



MANUFACTURED BY:



"Motivating Kids to Move!"

www.kidsfit.com
2130 Cainhoy Road
Huger, SC 29450

CUSTOMER:



INSPECTION AND CLEANING OVERVIEW CHART

<i>ITEM/COMPONENT</i>	<i>CLEANING MATERIAL</i>	<i>CLEANING/INSPECT SCHEDULE</i>	<i>INSPECTION/ CLEANING SUMMARY</i>	<i>NEVER</i>
Plastics, Vinyls & Major Components	<ul style="list-style-type: none"> • Soap & Water solution • Soft Cloths • Mild, Non-toxic disinfectant spray 	<ul style="list-style-type: none"> • Daily • Weekly 	<ul style="list-style-type: none"> • Remove debris • Vacuum excess dust • Wash with soap, lukewarm water • Remove scuff marks with hair spray • Report cracks, tears, holes, etc. immediately 	Never use harsh chemicals, degreaser or hard bristle brushes
Domes & Windows	<ul style="list-style-type: none"> • Soap & Water solution • Soft Cloths 	<ul style="list-style-type: none"> • Daily • Weekly 	<ul style="list-style-type: none"> • Use soap and lukewarm water and soft cloths • Remove spray paint or markers with mineral spirits • Report cracked, broken or missing windows immediately 	Never use paper towels, degreaser or harsh chemicals
Ropes & Webbing	<ul style="list-style-type: none"> • Soap & Water solutions • Soft bristle brush • Mild, non-toxic disinfectant 	<ul style="list-style-type: none"> • Daily • Weekly 	<ul style="list-style-type: none"> • Use soap and water with soft bristle brush to scrub off marks • Spray with mild disinfectant • Report and repair/replace rips, tears and cuts immediately 	Never open a Fitness obstacle course system to the public with ripped, torn or cut netting or webs
Components w/Graphics & Indoor-only Activity Centers	<ul style="list-style-type: none"> • Soap & Water • Soft Cloths 	<ul style="list-style-type: none"> • Daily • Weekly 	<ul style="list-style-type: none"> • Use soap and water with soft, absorbent cotton cloth • Wipe clean and dry immediately • Remove spray paint or markers with mineral spirits 	Never use harsh chemicals, degreaser or hard bristle brushes Never use power washer
Surfacing	<ul style="list-style-type: none"> • Soft nylon brush • Vacuum • Wet vacuum 	<ul style="list-style-type: none"> • Inspect Daily • Inspect Weekly 	<ul style="list-style-type: none"> • Sweep daily with soft nylon brush and/or vacuum light debris that is not ground-in or food related • Outdoor surfacing can be hosed off • At least weekly, the surfacing should be cleaned with soap and water • Use a non-toxic liquid detergent diluted in warm water. Apply the solution to small areas at a time and scrub with a soft nylon brush • Remove the liquid using a wet vacuum. Be sure to rinse. Always have liquid detergent and warm water available for emergencies and “for a quick clean up”. 	Never let food or debris collect on surfacing
Themeing	<ul style="list-style-type: none"> • Soap & Water solution • Soft bristle brush 	<ul style="list-style-type: none"> • As necessary 	<ul style="list-style-type: none"> • Use soap and water with soft bristle brush 	Never use harsh chemicals, degreaser or hard bristle brushes

DAILY CLEANING AND INSPECTION CHECKLIST

TIME PERIOD: _____ **to** _____

INSPECTED BY: _____ **APPROVED BY:** _____

GOOD CONDITION? Y=Yes N=No	<i>S</i>	<i>M</i>	<i>T</i>	<i>W</i>	<i>T</i>	<i>F</i>	<i>S</i>
OVERALL PLAY AREA: Clean and free of trash, debris, hardware and other inappropriate items? Free of vandalism? Fasteners tight?							
PLASTICS, VINYL & MAJOR COMPONENTS: Clean and free of graffiti, scuff marks, trash and other inappropriate items? Hardware and fasteners tight?							
ACTIVITY CENTERS: Wiped clean with soft cotton cloth?							
DOMES & WINDOWS: Securely in place? Free of gaps, cracks and chips? Free of missing bolts or loose bolts? Clear visibility? Cleaned properly? Needs immediate repair if cracks or fractures of 1/2" (12.77mm) or greater exist between two bolt holes directly adjacent to each other.							
BOLTS, RIVETS, OTHER HARDWARE: In place and secure - not loose (NOTE: Needs immediate repairs if bolt ends extend more than 2 threads beyond face of nut.)							
THEMEING: Securely attached, no pieces, edges or elements broken or chipped.							
CAP NUTS: Secure and in place on entire unit?							
NETTING: Intact and free of rips, cuts, holes, tears? Fastened and attached appropriately?							
UNIT CLEARANCE: Proper use zones are clear with safety surfacing properly installed?							
SURFACING: Use zone free of objects? Clean and swept? Clean and free of odor, debris, food, etc. Cleaned and scrubbed according to guidelines. Any loose, broken or missing surfacing needs to be replaced immediately.							
SIGNAGE: Intact and up to date? Clearly visible when entering play area?							

DAILY CLEANING AND INSPECTION ACTION REPORT

TIME PERIOD: _____ **to** _____

INSPECTED BY: _____ **APPROVED BY:** _____

<i>DATE</i>	<i>ACTION TAKEN</i>	<i>EMPLOYEE SIGNATURE</i>
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

WEEKLY CLEANING AND INSPECTION CHECKLIST

TIME PERIOD: _____ **to** _____

INSPECTED BY: _____ **APPROVED BY:** _____

<u>Cleaning Checklist</u>							
GOOD CONDITION? Y=Yes N=No	<i>S</i>	<i>M</i>	<i>T</i>	<i>W</i>	<i>T</i>	<i>F</i>	<i>S</i>
OVERALL PLAY AREA: Clean and scrubbed with dishwashing soap, lukewarm water and soft cotton cloth towels. All plastics, slides, and climbers cleaned and sanitized? Free of debris and foreign articles?							
WINDOWS AND DOMES: Cleaned with mild dishwashing soap and soft cotton towels?							
SAFETY SURFACING: Clean and free of odor, debris, food, etc. Cleaned and scrubbed according to guidelines. Any loose, broken or missing surfacing needs to be replaced immediately.							
NETTING: Free of dust? Free of cuts, rips, tears, holes?							
PLASTIC TUBES: Free of debris, scuff marks, food and personal items? Clean or remove as needed.							
THEMEING: Free of dust and dirt							

<u>Inspection Checklist</u>							
OVERALL PLAY AREA: Clean and free of sharp edges, pinch, shear and crush points							
SLIDES: Free of cracks, warps, gaps greater than 3/16" between connecting plastics? All nuts and caps secure, in place and tight?							
PLASTICS, VINYLs AND MAJOR COMPONENTS: Free of cracks, hardware intact and tight?							
COMPONENTS: Free of cracks, warps, gaps greater than 3/16" between connecting plastics?							
THEMEING: Secure attached? Free of cracks, chips or burrs?							
DOMES AND WINDOWS: Securely in place. Free of gaps, cracks and chips. Free of missing bolts or loose bolts. Clear visibility. Cleaned properly. Needs immediate repair if cracks or fractures of 1/2" (12.77mm) or greater exist between two bolt holes directly adjacent to each other							
BOLTS, RIVETS, OTHER HARDWARE: In place and secure – not loose. If nuts are missing, replace immediately and tighten securely. Check replaced nuts following week to confirm tight. (Note: needs immediate repairs if bolt ends extend more than 2 threads beyond face of unit.)							
NETTING: Intact and free of rips, cuts, holes, tears? Repair immediately.							
UNIT CLEARANCES: Proper use zones are clear with safety surfacing properly installed							
ANCHORING/ SUPPORTS: In good condition, free of damaged, broken parts cracked, chipped or peeling paint.							
SIGNAGE: Intact and up to date? Clearly visibly when entering play area?							
SAFETY SURFACING: Clear of seating and décor? Poured-in-place or tiled surfacing has a minimum of 2" (51mm) in depth. Free from gaps or							

trip hazards, clean and free of odor, debris, food, etc. Free of curling on edges? Any loose, broken or missing surfacing needs to be replaced immediately.							
OTHER: Unit is free of pinch or crush points, entanglements and protrusions.							

WEEKLY CLEANING AND INSPECTION ACTION REPORT

TIME PERIOD: _____ to _____ INSPECTED BY: _____ APPROVED BY: _____		
<i>DATE</i>	<i>ACTION TAKEN</i>	<i>EMPLOYEE SIGNATURE</i>
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

ANNUAL CLEANING AND INSPECTION CHECKLIST

TIME PERIOD: _____ to _____

INSPECTED BY: _____ **APPROVED BY:** _____

<i>Cleaning Checklist</i>	
GOOD CONDITION? Y=Yes N=No	<i>DATE</i>
SCREWS, NUTS, BOLTS, RIVETS: In place, tight and secure. (NOTE: Needs immediate repairs if bolt ends extend more than 2 threads beyond face of nut.)	
NETTING: Free of rips, tears, cuts. Properly installed without exposed edges	
PADS: Free from holes, tears and other damage?	
SLIDE RUNOUTS/ ENTRYWAYS: Stable and free of debris?	

<i>Inspection Checklist</i>	
SLIDES: Free of gaps greater than 3/16". Bolts are non-protruding. Free of obvious surface imperfections.	
DOMES AND WINDOWS: Securely in place. Free of gaps, cracks and chips. Free of missing bolts or loose bolts. Clear visibility. Needs immediate repair if cracks or fractures of 1/2" (12.77) or greater exist between two bolt holes directly adjacent to each other.	
CRAWL TUBES: Free of gaps in seams greater than 5/8" (16mm). Loose bolts or obvious surface imperfections?	
SNEAKER KEEPER: Free of debris. Securely affixed to unit or ground. Signage intact. Bolts are capped.	
SIGNAGE: All signage intact and placed for easy visibility. Signs readable, clean and free of damage or vandalism. Securely placed or affixed to unit.	
SAFETY SURFACING: Clear of seating and décor. Pour-in-place or tiled surfacing has a minimum of 2" (51mm) in depth. Free from gaps or trip hazards. Clean and free of odor, debris, food, etc. Free of curling on edges. Any loose, broken or missing surfacing needs to be replaced immediately. Minimum of 5 feet (1525mm) of safety surfacing around use zones, entrances and exits of the Obstacle Course.	

ANNUAL CLEANING AND INSPECTION ACTION REPORT

TIME PERIOD: _____ to _____

INSPECTED BY: _____ **APPROVED BY:** _____

<i>DATE</i>	<i>ACTION TAKEN</i>	<i>EMPLOYEE SIGNATURE</i>
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

