

FUNCTIONAL | AFFORDABLE | UNIVERSAL

TOOL CATALOGUE

www.canamtool.com

*Direct Accu-Just coming soon



FUNCTIONAL | AFFORDABLE | UNIVERSAL



Table of Contents

- Applicator Tubes 3
 - Corner Flushers 5
 - Standard · 6
 - Direct · 7
 - Roller & Parts 8

Accu-Just Flushers



Handles • 11

Applicator Heads		13
Inside	•	14
Outside & Flat	·	15
Parts	·	16

- Corner Rollers 17 Inside • 17
 - Outside · 17

Tool Cases & Sets



Quick Tips • 21

Warranty · 22

We Finish

Professional results, start to finish.

Since our founding in 1973, Can-Am Tool continues to provide innovative, top quality, and high performance tools to drywall finishers worldwide.

As a pioneering company for the industry, our continued commitment to quality means that our tools are designed for ease of use, provide exceptional value, and work effectively in any finishing environment.

Can-Am Tools are built to finish your toughest jobs. We strive to provide you our finest tools at the highest value giving you consistent, professional results time after time.

Applicator Tubes

Essential for a great drywall finish.

The Applicator Tube, a Can-Am original, supplies joint compound to virtually any Applicator Head and Corner Finisher.

Lightweight aluminum construction gives it durability, and replacement parts add lifespan to the tool.

		Length
A DECEMBER OF	A100 Compact delivery in confined spaces.	24"
	A200 Good for when access is limited.	32"
	A300 Perfect for almost every corner.	42"
	A400 Reach higher with this extended Tube.	60"

Replacement Parts



A101 Piston Assembly



A133 Applicator Ball

Corner Flushers

A reliable, easy to use finisher.

Finish quick and easy with Can-Am's original Flusher; smoothly wiping and feathering joint compound to finish both sides of the corner at the same time.

With top quality, flexible stainless steel blade construction, get great results every time.

Standard Flushers

This classic design is the simplest to use, flushing both sides in a single pass.

		Flush Width	Track Width	Angle
A I.	B100	21/2"	11⁄2"	90°
Ø : 1,	B200	3"	2"	90°
	B300 Wide Track	3"	21⁄4"	90°
R:L	B400	31⁄2"	2"	90°
PI	B500	4"	2"	90°
	B600 Offset	31⁄2"	2"	135°

Corner Flushers

Direct Flushers

Save time, applying joint compound and flushing with the same tool.

		Flush Width	Track Width	Angle
M -1),	C100	21/2"	11⁄2"	90°
P=1,	C200	3"	2"	90°
	C300 Wide Track	3"	21/4"	90°
P:I)	C400	31⁄2"	2"	90°
PIL	C500	4"	2"	90°
Q.F.	C600 Offset	31/2"	2"	135°

Roller Flushers

Embed your tape as you flush for fast results.


		Flush Width	Track Width	Туре	Angle
R AND	B700	21⁄2"	11⁄2"	Standard	90°
R I	B800	3"	2"	Standard	90°
	C700	21⁄2"	11⁄2"	Direct	90°
TPA	C800	3"	2"	Direct	90°
	Replace	ment Parts		Parts	For
			B132 Spring Clip 2'	All Direct Standard Roller Flu	, and

Accu-Just Flushers

Smooth results for varying angles.

Unlike traditional flushers, the Accu-Just varies to any angle between 72° and 135° with a simple push. This allows you the freedom to flush most any angle you encounter, saving you time and money.





Accu-Just Flushers

		Flush Width	Track Width	Angle	
	B1100	21/2"	11⁄2"	72°-135°	
	B1200	3"	2"	72°-135°	
A CONTRACTOR	B1300 Wide Track	3"	21⁄4"	72°-135°	
Sec.	B1400	31⁄2"	2"	72°-135°	
Replacement Parts Included In Kit					
B1146 Spring Clip 15/8"			1 × Clip		
B1104 Link Pin Kit		1 × Link 1 × E-Cl			

Handles

Extend your reach.

Regardless of the length you need, our ergonomic, lightweight, durable Handles with rubber grips give you optimal control and reach.



Standard Handles		Length	Туре
	D050 Perfect for flushing corners in confined spaces.	24"	Flusher
	D100 A basic Handle for running Flushers.	48"	Flusher
	D200 The simplest Handle for everyday corner rolling.	48"	Roller

Handles


Extendable Handles	5		Length	Туре
	D400 This Flusher Handle o adjusts to the perfect	quickly t length.	42" - 72"	Flusher
	D500 An excellent all-arou Handle solution.	nd Roller	42" - 72"	Roller
	D600 Exceptional length fo hard to reach corners		48" - 96"	Flusher
	D700 Great Roller control a distance.	ta	48" - 96"	Roller
	Replacement Parts			Parts For
	A CONTRACT	D131 Flusher Ba	11	Old Flusher Handles
		D1131 Long Flusl	ner Ball	New Flusher Handles

Applicator Heads

Apply joint compound fast, clean, and easy.

Clipped to an Applicator Tube, Applicator Heads divert and streamline the flow of joint compound to create a uniform ribbon of mud along the whole joint in a single smooth action.

Inside Applicators		Angle	Bead Width
	E100 Inside Corner Applicator	90°	1"
	E200 Offset Inside Corner Applicator	135°	11⁄4"
	E300 4 Wheel Inside Corner Applicator	90°	1"



Replacement P	arts	Parts For	Included In Kit
\leq	B132 Spring Clip 2"	E200	1 × Clip
	E101 Wheel Assembly 5⁄8"	E100 E300	1 × Screw 1 × Wheel 1 × Washer
\leq	E135 Spring Clip 2¾"	E100 E300	1 × Clip
	G201 Shoe Kit	E100	1 × Left Shoe 1 × Right Shoe

Applicator Heads

Outside Applicators		Angle	Bead Width
() a	F100 Standard Outside Corner Applicator	90°	1" out 7⁄8" Wide
	F200 Bullnose Outside Corner Applicator	90°	1" out %" Wide

Flat Applicators		Angle	Bead Width
	G200 Flat Applicator	180°	3"



Replacement Pa	rts	Parts For	Included In Kit
\leq	E135 Spring Clip 2¾8″	F100 F200 G200	1 × Clip
9	F101 Wheel Assembly 1"	F100 F200	1 × Screw 1 × Wheel 1 × Washer
	F102 Shoe Kit	F100 F200	1× Left Shoe 1× Right Shoe
100	G201 Shoe Kit	G200	1× Left Shoe 1× Right Shoe

Corner Rollers

Clean crisp corners every time.

Accurately align and embed joint tape to internal corners, or corner bead to external corners

Inside		Outside			
	For Paper Tape		For Corner Bead		
the second se	J101 2 Wheel	5	T.	K101 Standard	
UT UT	J201 4 Wheel	4		K201 Bullnose	
Replacement	Parts	Parts For	Inclu	ded In Kit	
Replacement	Parts J202 Wheel Assembly	Parts For	Inclu 1 × Screw 1 × Washer	1×Wheel	
Replacement	J202		1 × Screw	1×Wheel	
Replacement	J202 Wheel Assembly J203	J201	1 × Screw 1 × Washer 1 × Screw	1 × Wheel 1 × D-Washer 1 × Mount 1 × Binder Post 1 × Wheel	



Tool Cases & Sets

Tool transport has never been more simple.

Our Tool Cases make moving your tools more convenient than ever by keeping them all in one easy to carry container.

	P100 Tool Bag		
Specifications			
Volume	2.5ft ³		
Dimensions	5' × 8" × 9"		
Weight	2.2lb		
Additional Features	Semi-rigid body Washable		



		P300 Hard Tool Case
	Specifications	
	Capacity	3.1ft ²
	Dimensions	4'6" × 4" × 1'2"
	Weight	7lb
	Additional Features	Hard protective shell
NEW!		Padlock mounts
		Universal padding



1 Bag & 8 tools: All in one.





Quick Tips

Basic Operation

Like almost all drywall tools, our tools work best when free of dried compound. Regular cleaning will prevent most performance problems, and prolong tool life.

Petroleum products should never be used to lubricate rubber parts, as it will cause them to swell or crack.


Parts such as plastic and rubber components may be replaced to extend the life of the tool. Contact your local Can-Am Tool dealer for replacement parts.

Accu-Just Flusher Adjustment

Simply pressing a completely relaxed Accu-Just into any angle in its range will compress the tool to automatically match the corner exactly. However, we suggest compressing the tool to an angle a few degrees larger than the corner you are flushing before applying pressure to the Flusher.


Compress


- 1. Hold the Flusher with your fingers on the front face, and your thumbs against the body.
- 2. Pull back with your fingers, and press forward with your thumbs.
- 3. Fine tune the angle with the thumbscrew if desired.



Relax

- 1. Gently squeeze the sides together to relieve pressure. Note: This is easiest when the Flusher is attached to a Handle.
- 2. Press the quick release, then slowly relax your grip on the sides.





You can call our customer support line weekdays from 8am and 4pm MST. We are here to answer any technical questions about our products, and assist with inquiries relating to warranty, and sales. Reach us at 1.866.605.0258, or by email at info@canamtool.com.

Troubleshooting Common Applicator Tube Issues

Mud is leaking past the piston.

- 1. Clean the Tube by removing the rod assembly, then rinsing the rod, piston, and the inside of the Tube with water.
- 2. Ensure the piston is undamaged, and firmly attached to the rod.

The handle is hard to pull/push.

- 1. Clean the Tube by removing the rod assembly, then rinsing the rod, piston, and the inside of the Tube with water.
- 2. On the piston, there is a label indicating the location of an, "Air Vent". If the vent hole is obstructed, use a pin or paper clip to gently clear it (do not enlarge the hole).
- 3. Check the straightness of the rod; a bent or damaged rod will often move smoothly in one part of the Tube, but not others.
- 4. Ensure nothing is causing friction where the rod passes through the plastic end cap. If needed, the rod can be removed from the end cap by removing the screw on the rubber grip.
- 5. Contact your nearest Can-Am Tool dealer to arrange a replacement, or repair.

Full Lifetime Performance Policy

Can-Am tools are promised to be free of defects in material and workmanship for the lifetime of your Can-Am Tool. All you have to do is take your tool to any authorized Can-Am Tool dealer with a copy of the purchase receipt. **Can-Am will repair or replace, at our option,** any defective product.

This Performance Policy ends when the product becomes unusable for reasons other than defects in materials or workmanship. Failures due to misuse, abuse, or normal wear are not covered. Rubber seals and other "wear" parts are not covered.

This policy gives you specific rights, and you may have other rights, which vary by province, state or country. Can-Am will abide by the laws of the jurisdiction in which the product was sold. Can-Am Is not responsible for any incidental or consequential damages.

THIS FULL LIFETIME PERFORMANCE POLICY IS THE SOLE PERFORMANCE POLICY. NO AGENT, DEALER OR OTHER PERSON IS AUTHORIZED TO ALTER THIS POLICY OR MAKE ANY OTHER PERFORMANCE POLICY ON BEHALF OF CAN-AM TOOL CORP.



FUNCTIONAL | AFFORDABLE | UNIVERSAL

Manufactured by Can-Am Tool Corp.

Customer Service & product questions 780.458.2116 1.866.605.0258 info@canamtool.com

www.canamtool.com



Catalogue# R1609 © 2016 Can-Am Tool Corp. All Rights Reserved