


MOONLIGHT ADDENDUM

PAGE #1

PLEASE READ ALL INSTRUCTIONS BEFORE STARTING WITH STEP #1




1 CEILING FACIA TRIM

Locate both the Front Ceiling Facia Trim **A** for the front 3 walls and also the Facia Trim for the back two walls **B**.

NOTE: You must notch Trim **B** in order for trim **A** & **B** to fit together properly.

Cut all trim to length and miter where needed on the front 3 trim pieces.

Use provided finishing nails to attach both front and back Facia Trim to roof. Nail trim into 2" x 2" Ceiling Framework for durability.




2 OTHER OUTER TRIM

Locate the 1-3/4" x 1/8" trim **C**. Nail it into place using provided finishing nails.

Make mitered cuts, as shown by illustration.


Corner trim **D** should be positioned to allow

trim **C** to slide in above it along the roof overhang.



MOONLIGHT ADDENDUM

PAGE #2





3 BACKRESTS & LIGHT STRIP

Do this before installing benches.


The light strip is located on the wall opposite the heater. Fasten it to the wall using supplied 3" screws and predrilled holes.

Fasten the backrests to the walls using provided 2" screws and predrilled holes.




MOONLIGHT ADDENDUM

PAGE #3




4 Fasten the upper bench to the Sauna interior using at least two 3" screws for stability.

Continued on the next page.



MOONLIGHT ADDENDUM

PAGE #4



STEP 4 CONTINUED

D. Now with the other end of the bench fastened to the wall you can put the H-Leg into final position by sliding it outwards until it meets with the 2x4 bench framework.

You can then secure the H-leg by screwing it to the bench and also the bench to the wall as shown by photo at left.


E. Mount the heater to the wall.
(Refer to mounting instructions provided with the heater.)

5 INSTALLING HEATER GUARD

6A Your heater guard comes in 2 sections.

Place it into location as shown by this photo and refer to steps 6B & 6C for mounting instructions.

This should be done before putting the heater into location.



5B With both sections of the heater guard in place, you can now mount the two together using predrilled holes and 3" screws as shown by the photo at left.


MOONLIGHT ADDENDUM

PAGE #5



STEP 5 CONTINUED


6C After both sections are fastened together you can mount the heater guard to the upper bench by running two 3" screws through the guard and into the bench frame as shown in the photo below.



6 INSTALLING UPPER "L" BENCH

Refer to the photo at right

The upper "L" bench has been predrilled on the one side which is to be fastened to the upper main bench.



Place the upper "L" bench into position and hold it firm so its top is flush with the top of the upper main bench. Then drill through the existing predrilled holes and through the framework of the upper main with a 1/2" bit. Use provided bolts, nuts, and washers to fasten the two benches together. Refer to the photo at left.

Once the 2 benches are fastened together you can screw the other end of the upper "L" to the sauna wall like was done in step 5C.

MOONLIGHT ADDENDUM

PAGE #6

Upper Main
Bench

Upper "L"
Bench

Lower Main
Bench


Lower "L"
Bench



7C Slide the lower "L" bench tight up against the wall near the heater guard as shown in the photo to the right. This will align both lower benches.

7D Now fasten the lower main bench to the sauna walls as was done in step 5C using one 3" screw on each end.

Bench
Skirts




7 LOWER BENCHES

Once the 2 upper benches are in place and fastened you can put the 2 lower benches in.

7A First put the Lower main bench into position resting it on the supports on the sauna walls. Do not fasten it yet.

7B The lower "L" bench has been predrilled like the upper "L" bench. You can fasten the two lower benches together in the same manner as the upper two benches using a drill and the provided bolts.



The bench skirts can now be attached. When complete, the sauna room will look like the photo to the left.

Refer to the next page for bench skirt installation instructions.


MOONLIGHT ADDENDUM

PAGE #7


8 BENCH SKIRTS

Refer to illustration at right

Place the two bench skirts into position on the benches. Make sure the 2" x 4" bench frame (X) butts up directly to mounting board (Y). Use 2" supplied screws (Z) and predrilled holes to screw bench skirt onto bench.



Interior of Sauna



9 LOCATION OF INSIDE CORNER TRIM

See photo above

Find the 2 pieces of 45° inside corner trim (1-5/8" wide). Put them into location along the 2 inside corners towards the front of the sauna. (There is no corner trim that goes along the interior back walls.) Use provided finishing nails to nail them into place.

NOTE: 45° trim pieces may need to be trimmed above and below lower benches.