



 **BLOOMFIELD®**

# BREWING EXPERTS



★ **SINCE 1933** ★  
FAST • FRESH • DELICIOUS



## CONTACT INFORMATION

### PLACE AN ORDER

*Customer Service or to Place an order:*

Phone: 314-678-6336 Fax: 314-781-5445

*International Sales:*

Phone: 314-781-2777 Fax: 314-781-5445

*Email:*

orders@bloomfieldworldwide.com (equipment)

eorders@bloomfieldworldwide.com (parts)

*Parts & Service:*

Phone: 314-678-6336 Fax: 314-781-2714

*International Parts & Service:*

Phone: 314-781-2777 Fax: 314-781-5445

*Mail Orders To:*

**BLOOMFIELD**

P.O. Box 430129, 10 Sunnen Drive, St. Louis, MO 63143-3800

### IF UNABLE TO MAIL OR FAX AN ORDER

Please call a Bloomfield Sales Representative or the factory. Bloomfield Customer Service Department hours are 8:00 a.m. to 4:30 p.m. Central Time.





Phone: 314-678-6336

**NOTE:** If placing order by phone, please send a confirming order to Bloomfield Sales Representative or factory. Make sure to mark written order "CONFIRMING" to avoid duplicate orders, and please send to the attention of the person with whom you placed the order.

### REQUIRED INFORMATION ON ORDERS

- A. Purchase order number.
- B. SHIP TO and BILL TO addresses.
- C. Phone number and person to contact in case of questions or problems.
- D. Product numbers, descriptions and electrical specifications of all items ordered.
- E. Note any special shipping instructions.

### INDEPENDENT LABORATORY CERTIFICATIONS

Bloomfield coffee brewers, tea brewers and warmers are  approved and  or  listed. Bloomfield decanters and tea dispensers are  approved.



## RETURN POLICY

### 1. DAMAGES AND SHORTAGES

A. Inspect your shipments immediately. You are responsible for the merchandise while it is in transit to you.

B. If there is a shortage or damage to your shipment, action must be taken by you to notify carrier within 48 hours of receipt of shipment to assure approval of claim. It is the duty and responsibility of the delivering carrier to give you a written report of such shortage or damage following notification.

C. For visible shortage or damage do not accept delivery unless the condition is noted on your copy of the freight bill and signed by the driver. If damaged and unacceptable, please advise the carrier and file your freight claim directly with the carrier.

D. **CONCEALED DAMAGE:** If the damage is concealed, notify the carrier within 48 hours by phone and in writing, asking them to send their agent to complete an inspection report. Retain all cartons and merchandise for their inspection report and claim approval. File freight claim directly with the carrier.

E. It is critical that you file a written claim with the carrier within 48 hours of receipt of shipment for any shortage or concealed damage. Enclose with your claim:

- 1. Bloomfield's Inspection Report.
- 2. Paid freight bill.
- 3. Original or Certified Copy of invoice.

### 2. RETURNS

Goods may not be returned without prior approval from Bloomfield Industries. In order for merchandise to be returned, it must be in the original carton and unopened. Product must be less than six months old from date of invoice. Special merchandise built to a buyer's specifications may not be returned. Returned goods must be shipped to Bloomfield Industries, prepaid and will be credited at invoice less 30% restocking charge. The restocking charge will be reduced to 20% if a replacement unit is ordered.

ALL CARTONS RETURNED MUST BE MARKED WITH RETURN AUTHORIZATION NUMBER. A NUMBERED FORM WITH THE CARTON LABEL WILL BE MAILED TO THE CUSTOMER FOR EACH REQUEST. MULTIPLE CARTONS MUST EACH BE MARKED WITH THE RETURN AUTHORIZATION NUMBER.

A return authorization request will not be issued for any item totaling less than \$200.00 list price.

### 3. PRICES

**Prices are subject to change without notice. All prices in U.S. dollars.**





**INFORMATION**

Place an Order & Return Policy .....	Inside Cover
--------------------------------------	--------------

**PRODUCTS BY PAGE NUMBER**

Products By Page .....	2
------------------------	---

**THERMAL BREWERS**

Thermal Style - Single & Dual .....	5
Accessories .....	5

**SATELLITE BREWERS**

Satellite Style - Single & Dual .....	7
Accessories .....	7

**EBC BREWERS**

Decanter Style .....	9
Airpot Style .....	11
Thermal Server Style .....	11
Accessories .....	11

**TRADITIONAL AUTOMATIC BREWERS**

Decanter Style & Decanter EBC Style .....	13-14
Airpot Style & Airpot EBC Style .....	15
Thermal Server Style & Thermal EBC Style .....	16

**TRADITIONAL POUR-OVER BREWERS**

Decanter Style .....	19
Airpot Style .....	19
Thermal Server Style .....	19
Accessories .....	19

**ECO BREWERS**

Decanter Style .....	20-21
Airpot Style .....	20-21

**SINGLE CUP POD BREWERS**

Single & Dual Cup, Pour-Over .....	22-23
Suncana® Electronic, Pour-Over & Plumbed-In .....	24-25
In-Room Capsule Brewer .....	26-27

**TEA BREWERS AND DISPENSERS**

Tea Brewers .....	28-29
Tea Dispensers .....	28-29

**HOT WATER MACHINES & HEATED SYRUP DISPENSERS**

Digital Deluxe .....	30-31
Standard .....	31
Heated Syrup Dispenser .....	31

**COFFEE SERVERS & ACCESSORIES**

Decanters - Glass .....	33
Decanters - Unbreakable .....	33
Why Bloomfield Decanters? .....	34
Decanter Brew-Thru Lids .....	35
Decanter Timer Bands .....	35
Decanter Cleaning Brush .....	35
Coffee Decanter Warmers .....	35
Thermal Servers - Gravity Flow- Glass Liner .....	37
Thermal Server Merchandising Stands .....	37
Thermal Server Accessories .....	37
Airpots - Glass & Stainless Liner .....	38
Airpots - Merchandising Stands .....	39
Kondo Kaddy .....	41
Airpot Drip Tray .....	41
Display Sauce Rack .....	41
Condiment Serving Stand - Stand Alone .....	41

Application Charts .....	42-43
Why Bloomfield .....	44
Warranty Statement .....	45

**QUIK-SHIP**

Quik-Ship is the fastest way to ship our top selling coffee brewers, tea brewers and tea dispensing equipment directly from our warehouse to your operation. The equipment will leave our warehouse within 2 shipping days after you place your order.



Items in the price book highlighted in red are Quik-Ship items.

Quik-Ship products sent in by 12:00 p.m. (Noon) Central Time will be shipped within the next two days. (Received on Tuesday, will go out by Thursday or sooner)

**Standard domestic models only, export models excluded.**

# QUIK-SHIP MODELS IN RED!



MODEL NUMBER	PAGE	MODEL NUMBER	PAGE
1012D3F	9 & 14	8785-A	19
1040D2F	9 & 13	8785-AL	19
1072D3F	9 & 13	8786TF	16
1080TF	11 & 16	8778-T	19
1082AF	11 & 15	8788AF	15
1082AFL	11 & 16	8790-TF	5
1086TF	11 & 16	8792AF	15
1088AF	11 & 15	8795-TF	5
<b>1222-2G</b>	<b>31</b>	<b>8799-3G</b>	<b>29</b>
<b>1225-5G</b>	<b>31</b>	<b>8802-5G</b>	<b>29</b>
1226-5G	31	8840-4G-W	29
1228-DLX	31	8851S	35
3011-CONDHLD	41	8852D	35
3012-SRVK2F	39	8857-SRVST1W	37 & 41
3013-SRVK3F	39	8894-BRUSH	35
3016-SR6B	41	8894-BRUSH	35
3022-SRVK2B	39	8916-LIDBLK	35
3023-SRVK3B	39	8918-LIDBRN	35
3024-DSO	41	8951-TMR-BLK	35
3103-SR3B	41	8953-TMR-BORG	35
35NTD	29	9003-D3	19
3774BREWSTEP	37	9010D3F	14
3776-DRTRY-P	37	9012D3F	14
3777-DRTRY-S	37	9016D3F	14
3778-DTAP	41	9121	17
3779-DTAPL	41	9221	17
3871-NS-SRVST	37 & 41	DCF1011301	33
4543-D2K	21	DCF1011501	33
4774-A	21	DCF10221O24	33
7745-ALM	38	DCF1022O3	33
7750NS-TGB	37	DCF885O3	33
7752NS-TGB	37	DCF889O24	33
7755S-ALM	38	DCF8901O24	33
7757 & 7757-D	5 & 37	DCF8913O3	33
7759-APM	38	<b>H701A-120V</b>	<b>25</b>
7760-ALM	38	<b>H701A4-120V</b>	<b>25</b>
7763-ALB	38	<b>H701B-120V</b>	<b>25</b>
7765-ALM	38	<b>H701B4-120V</b>	<b>25</b>
7874-THS	37	HD8799B	31
7878-THS	37	<b>K901-120V</b>	<b>27</b>
7880-APS	38	<b>K901S-120V</b>	<b>27</b>
7885-THS	37	<b>POD1</b>	<b>23</b>
8540D2F	13	<b>POD2</b>	<b>23</b>
<b>8542-D1</b>	<b>19</b>	REG10112BLK	33
<b>8543-D2</b>	<b>19</b>	REG10114BL1	33
8571-D3	19	REG8890BL24	33
<b>8572D3F</b>	<b>13</b>	REG8895BL3	33
8572LD3F	13	REG8900BL24	33
8573D3	13	REG8903BL3	33
8574D3F	13	REG8906BL24	33
8602-5G-SG	29	REG8923BL3	33
8708DSU	38		
<b>8740-3/5G</b>	<b>29</b>		
<b>8742-3G</b>	<b>29</b>		
8744-A	19		
8748-5G	29		
8773AF	15		
8778-T	19		
8780TF	16		
<b>8782AF</b>	<b>15</b>		
8782TFL	16		

# NEW BREWERS FROM




**KREAL IN-ROOM CAPSULE BREWER**  
Page 26 & 27

Simple operation, design and construction for ease of use and long life. Use with any K-Cup® or Capsule Cup. Pump attains higher pressure than competitor devices, allowing use of finer ground coffee.



**SINGLE CUP POD BREWER**  
Pages 24 & 25

The Suncana® brewer offers you the convenience & variety of choice in a single cup system. The patented extraction process delivers perfect, balanced flavor in every cup.



**CAF-X™ POD BREWER (SINGLE)**  
Page 22 & 23

Make a personalized fresh-brewed cup of coffee in seconds! Sleek, compact design requires little counter space. Since it doesn't have a warmer plate it saves energy. Brews at 195 °F — hotter than a K-Cup®! Accommodates mugs or disposable cups. Automatic shut-off. Stainless steel drip tray.



**CAF-X™ POD BREWER (DUAL)**  
Pages 22 & 23

Two fresh-brewed cup of coffee in seconds! It's sleek, compact design requires little counter space and is perfect for any venue. It doesn't have a warmer plate it saves energy. Brews at 195 °F — hotter than a K-Cup®! Accommodates mugs or disposable cups. Automatic shut-off. Stainless steel drip tray.

# VOLUME BREWING HAS NEVER BEEN EASIER

Superior spray  
head design

High quality  
easy-to-clean  
stainless steel  
construction

Hot water faucet

2 brew volumes

Premium quality  
thermostat

Exclusive design  
provides easy access  
to components for  
quick, efficient service

5.7 liter premium  
thermal servers

Optional orange  
decaf handle





## Traditional Thermal Brewers (Single)

Model Number	Approvals	Description	Voltage	Watts	Amps	Dimensions	Ship Weight (lbs)	Std Pkg	List Price Each
8795TF-120V	NSF UL	Single Thermal Brewer System, In-Line, Automatic	120V NEMA 5-15P	1550	13	20-3/8"D	40	1	\$2,497.00
8795TF-240V	NSF UL		120V/208-240V	2300	11.25	11-5/8"W			
8795TF-230V	CE		4 WIRE 220/240V	3050	13	35-1/2"H			
				3050	13				\$2,549.00



**Thermalers Sold Separately**



8795TF



## Traditional Thermal Brewers (Dual)

Model Number	Approvals	Description	Voltage	Watts	Amps	Dimensions	Ship Weight (lbs)	Std Pkg	List Price Each
8790TF-240V	NSF UL	Dual Thermal Brewer System, In-Line, Automatic	120/208-240V	4500	22	17-3/8"D	65	1	\$3,746.00
			4 Wire	6050	25	21-3/8"W			
			220V/240V	6050	25	35-1/2"H			



**Thermalers Sold Separately**



8790TF



## Thermal Brewer Accessories

Part Number	Description	Std Pkg	Ship Weight	List Price Each
<b>BREWER ACCESSORIES</b>				
7757	Single thermal server, 1.5 Gallon, 17.4"D x 8.5"W x 12.9"H	1	5	\$400.00
7757-D	Deluxe single thermal server, 1.5 Gallon, 17.4"D x 8.5"W x 12.9"H	1	5	\$459.00
82533	Stainless steel brew basket	1	3	\$149.00
8706-110	Filter paper, 500 per case, 250 per bag	500	2	\$27.00
21607	6" stainless steel leg adjustable up to 8"	1 set	2	\$79.00
82727	Spray Head, Embossed, Fits all standard brewers .07 holes, 12 holes	1	1	\$4.00
84132	Spray Head, Embossed, Fits all standard brewers .05 holes, 12 holes	1	1	\$5.00
<b>THERMAL ACCESSORIES</b>				
COMING SOON	Replacement drip tray	-	-	COMING SOON
72572	Orange/decaf faucet handle	1	1	\$13.00



7757



7757-D



# AN EYE FOR DETAIL AND A MIND TOWARD SIMPLICITY



Water tank that's capable of holding more than seven gallons of water

Exclusive design provides easy access to components for quick, efficient service

Two brewing volumes of 1 & 1-1/2 gallons will accommodate fluctuations in demand

**Satellites included!**

Ready-to-brew light indicates the proper water temperature

Spray head design will bathe the coffee bed in a shower of hot water for the utmost flavor

High quality easy-to-clean stainless steel construction

Optional orange decaf handle

Hot water faucet





## Traditional Satellite Brewers (Single)

Model Number	Approvals	Description	Voltage	Watts	Amps	Dimensions	Ship Weight (lbs)	Std Pkg	List Price Each
9121-120V	NSF UL	Single Brewer System, In-Line, Automatic, Includes one satellite dispenser	120	1650	13.8	19-1/2"D	40	1	\$2,497.00
9121-120/240	NSF UL		120V/208-240V 4 WIRE	2400	12	10"W			
9121-230V	CE		220V/240	3150	13.8	29"H			
									\$2,549.00



**Satellites Included**



9121



## Traditional Satellite Brewers (Dual)

Model Number	Approvals	Description	Voltage	Watts	Amps	Dimensions	Ship Weight (lbs)	Std Pkg	List Price Each
9221-120/240	NSF UL	Dual Brewer System, In-Line, Automatic, Includes two satellite dispensers	120V/208-240V 4 WIRE	4700	23	16-1/2 "D	65	1	\$3,746.00
9221EX (EXPORT)			380-415V 3 PHASE	5240-6250	8.7 8.7	19-1/8"W			
				6250	9.8 1.1	29"H			



**Satellites Included**



9221



## Satellite Brewer Accessories

Part Number	Description	Std Pkg	Ship Weight	List Price Each
<b>SATELLITE ACCESSORIES</b>				
9441	Single warmer, satellite dispenser - sold separately	1	5	\$234.00
9442	Double warmer, satellite dispenser - sold separately	1	5	\$354.00
72572	Orange/decaf faucet handle	1	1	\$13.00
<b>BREWER ACCESSORIES</b>				
9440	Satellite dispenser	1	5	\$333.00
3904	Single Drip Tray	1	1	\$59.00
3901	Dual Drip Tray	1	1	\$67.00
82533	Stainless steel brew basket	1	3	\$149.00
8706-110	Filter paper, 500 per case, 250 per bag	500	2	\$27.00
21607	6" stainless steel leg adjustable up to 8"	1 set	2	\$79.00
82727	Spray Head, Embossed, Fits all standard brewers .07 holes, 12 holes	1	1	\$4.00
84132	Spray Head, Embossed, Fits all standard brewers .05 holes, 12 holes	1	1	\$5.00



9441



9442




9440



3901



# PERFECT TEMPERATURE CONTROL FOR PERFECT COFFEE



Easy-to-use  
touch keypad

Perfect temperature  
control for perfect  
brewing

Save energy with  
After Hours mode

Hot water faucet

Each warmer plate  
has its own indicator  
and independent  
countdown timer



## Automatic EBC™ Brewers

Model Number	Approvals	Description	Voltage	Watts	Amps	Dimensions	Ship Weight (lbs)	Std Pkg	List Price Each
1040D2F-120V 1040D2F-230V	NSF UL CE	EBC™ Two Warmer Electronic Brewer, pour-over option, faucet, NEMA 5-15P	120V 220/240V	1700	14	17"D 8-3/4"W 16-7/8"H	26	1	\$1,178.00 \$1,189.00
1072D3F-120 1072D3F230UK	NSF UL CE	EBC™ Three Warmer Electronic Low Profile Brewer, pour-over option, faucet, NEMA 5-15P	120V 220/240V	1800	15	17 "D 16-1/4"W 16-7/8	31	1	\$1,214.00 \$1,221.00
1012D3F 1012D3F-UK	NSF UL CE	EBC™ Three Warmer Electronic Brewer Pour-over option, faucet, NEMA 5-15P	120V 220/240V	1800	15	21"D 8-5/8"W 18-7/8"H	32	1	\$1,244.00 \$1,305.00



**Decanters Sold Separately - See page 32 & 33**



1040D2F



1072D3F



1012D3F

## Automatic EBC™ Brewer Accessories

Part Number	Description	Std Pkg	List Price Each
POF	Filter paper, 1,000 per case, 500 per bag, 2 bags per case	1,000	\$20.00
8942-6B	Brew Basket, Black Plastic For all 12 cup coffee brewers	1	\$14.00
8942-6	Brew Basket, Brown Plastic, For all 12 cup coffee brewers	1	\$14.00
8707-6	Brew Basket, Stainless Steel, For all 12 cup coffee brewers	1	\$65.00
8766-11	Brew Basket, Black Plastic, Portion pack for all 12 cup coffee brewers	1	\$11.00
8942-6PP	Brew Basket, Brown Plastic, Portion pack for all 12 cup coffee brewers	1	\$11.00
82727	Spray Head, Embossed, Fits all standard brewers .07 holes, 12 holes	1	\$4.00
84132	Spray Head, Embossed, Fits all standard brewers .05 holes, 12 holes	1	\$5.00
8516-150	4" Leg Kit, Black Plastic, For all decanter brewers	1 kit	\$39.00
8544	4" Leg Kit, Chrome, For all decanter brewers	1 kit	\$89.00
83098	4" Leg Kit, Flanged Black Plastic	1 kit	\$26.00
83107	Rubber Feet (4) , For flanged feet	1 kit	\$15.50



**COFFEE WARMERS  
AVAILABLE  
SEE PAGE 35**



**BLOOMFIELD®**



# INNOVATION GOES BEYOND BREWING THE PERFECT CUP OF COFFEE



Easy to use  
touch keypad


Hot water faucet

Perfect temperature  
control for perfect  
brewing

Save energy with  
"after hours" mode



Bloomfield cannot tell  
any customers if they are  
ADA compliant. Each  
customer must use their  
own legal counsel.



## Airpot EBC™ Brewers

Model Number	Approvals	Description	Voltage	Watts	Amps	Dimensions	Ship Weight (lbs)	Std Pkg	List Price Each
1082AF	NSF UL	EBC™ Electronic Airpot Brewer	120V	1800	15	17"D	26	1	\$1,198.00
1082AF-120C	NSF	Pour-over option, faucet,	120V	1500		10"W			\$1,198.00
1082AF-230V	CE	NEMA 5-15P	220/240V	1800		21-1/2"H			\$1,258.00
1088AF	NSF UL	EBC™ Electronic Airpot Brewer	120/240V	1700	14	17"D	30	1	\$1,254.00
1088AF-240V	NSF	Pour-over option, faucet	115/230V	-		10"W			\$1,254.00
1088AF-230V	CE	3 wire plus ground. CORD NOT INCLUDED	220/240V	3500		21-1/2"H			\$1,316.00
1082AFL	NSF UL	EBC™ Electronic Thermal Brewer	120V	1800	15	17 "D	28	1	\$1,164.00
1082AFL-120C	NSF	Pour-over option, faucet, LOW	120V	1500		10"W			\$1,164.00
1082AFL-230	CE	PROFILE, NEMA 5-15P	220/240V	1800		17-3/4"H			\$1,223.00



1082AF



**Airpots Sold Separately - See page 38 & 39**

## Thermal EBC™ Brewers

Model Number	Approvals	Description	Voltage	Watts	Amps	Dimensions	Ship Weight (lbs)	Std Pkg	List Price Each
1086TF	NSF UL	EBC™ Electronic Thermal Brewer	120/240V	3500	15	17"D	30	1	\$1,276.00
1086TF-240V	NSF	Pour-over option, faucet	115/230V	-		10"W			\$1,276.00
1086TF-230V	CE	3 wire plus ground. CORD NOT INCLUDED	220/240V	3500		25-1/2"H			\$1,339.00
1080TF	NSF UL	EBC™ Electronic Thermal Brewer	120V	1800	15	17 "D	30	1	\$1,198.00
1080TF-120C	NSF	Pour-over option, faucet,	120V	1500		10"W			\$1,198.00
1080TF-230	CE	NEMA 5-15P	220/240V	1800		25-1/2"H			\$1,258.00



1088AF



**Thermal Servers Sold Separately - See page 37**



1082AFL



## Automatic EBC™ Brewer Accessories

Part Number	Description	Std Pkg	List Price Each
POF	Filter paper, 1,000 per case, 500 per bag, 2 bags per case	1,000	\$20.00
8942-6B	Brew Basket, Black Plastic For all 12 cup coffee brewers	1	\$14.00
8942-6	Brew Basket, Brown Plastic, For all 12 cup coffee brewers	1	\$14.00
8707-6	Brew Basket, Stainless Steel, For all 12 cup coffee brewers	1	\$65.00
8766-11	Brew Basket, Black Plastic, Portion pack for all 12 cup coffee brewers	1	\$11.00
8942-6PP	Brew Basket, Brown Plastic, Portion pack for all 12 cup coffee brewers	1	\$11.00
82727	Spray Head, Embossed, Fits all standard brewers .07 holes, 12 holes	1	\$4.00
84132	Spray Head, Embossed, Fits all standard brewers .05 holes, 12 holes	1	\$5.00
83098	4" Leg Kit, Flanged Black Plastic, For SS series brewers	1 kit	\$89.00
83107	Rubber Feet (4) , For flanged feet	1 kit	\$15.50



1080TF



# OUR PROVEN TECHNOLOGY IS TIMELESS

Ready-to-brew light  
indicates the proper  
water temperature

Any brewer in this family  
can be serviced with one  
common set of parts

High quality easy-to-clean  
stainless steel construction

Hot water faucet



Porcelain enameled  
warmer plates position  
decanters securely and  
with no exposed screw  
heads, will not scratch  
decanters

Easy spin-off warmer  
plates for easy cleaning



## Decanter Style Automatic Brewers

Model Number	Approvals	Description	Voltage	Watts	Amps	Dimensions	Ship Weight (lbs)	Std Pkg	List Price Each
8540D2F	NSF UL	Two Warmer Brewer	120V	1700	14	17"D	26	1	\$1,147.00
8540D2F-120C	NSF	Pour-over option, faucet,	120V	1500		8-3/4"W			\$1,147.00
8540D2F-230V	CE	NEMA 5-15P	220/240V	2000		16-7/8"H			\$1,203.00
1040D2F	NSF UL	EBC™ Two Warmer Electronic	120V	1700	14	17"D	26	1	\$1,178.00
1040D2F-230V	CE	Brewer, pour-over option, faucet, NEMA 5-15P	220/240V	-		8-3/4"W 16-7/8"H			\$1,189.00
8572D3F	NSF UL	<b>Three Warmer Low Profile Brewer Pour-over option, faucet, NEMA 5-15P</b>	120V	1800	15	17"D	31	1	<b>\$1,114.00</b>
8572D3F-120C	NSF		120V	1500		16-1/4"W			\$1,114.00
8572D3F-230V	CE		220/240	2100		16-7/8"H			\$1,170.00
8572LD3F	NSF UL	Three Warmer Low Profile Brewer, Stepped Left Pour-over option, faucet, NEMA 5-15P	120V	1800	15	17"D	31	1	\$1,135.00
8572LD3F230V	CE		220/240V	2100		16-1/4"W 16-7/8"H			\$1,193.00
8573D3	NSF UL	Three Warmer Low Profile Brewer Pour-over option, no faucet NEMA 5-15P	120V	1800	15	14"D	29	1	\$1,063.00
8573D3-230V	CE		220/240	2100		16-1/4"W 16-7/8"H			\$1,214.00
1072D3F	NSF UL	EBC™ Three Warmer Electronic Low Profile Brewer, pour-over option, faucet, NEMA 5-15P	120V	1800	15	17"D 16-1/4"W 16-7/8"	31	1	\$1,214.00
8574D3F	NSF UL	Three Warmer Low Profile Brewer Pour-over option, faucet, , 3 wire plus ground, cord not included	120/240V	3800	17	17"D 16-1/4"W 16-7/8"H	30	1	\$1,192.00

 **Decanters Sold Separately - See page 32 & 33**



8540D2F



1040D2F



8572D3F



8572LD3F



8573D3



1072D3F



8574D3F



COFFEE WARMERS  
AVAILABLE  
SEE PAGE 35



BLOOMFIELD®

## Decanter Style Automatic Brewers

Model Number	Approvals	Description	Voltage	Watts	Amps	Dimensions	Ship Weight (lbs)	Std Pkg	List Price Each
9012D3F	NSF UL	Three Warmer Brewer	120V	1800	15	21"D	32	1	\$1,211.00
9012D3F-120C	SE	Pour-over option, faucet,	120V	1500		8-5/8"W			\$1,211.00
9012D3F-230V	CE	NEMA 5-15P	220/240V	2150		18-7/8"H			\$1,271.00
1012D3F	NSF UL	EBC™ Three Warmer Electronic Brewer Pour-over option, faucet,	120V	1800	15	21"D	32	1	\$1,244.00
1012D3F-230V	CE NSF UL	NEMA 5-15P	220/240V	1800		8-5/8"W 18-7/8"H			\$1,305.00
9010D3F	NSF UL	Three Warmer Brewer Pour-over option, faucet NEMA 5-20P	120V	2300	20	21"D 8-5/8"W 18-7/8"H	32	1	\$1,254.00
9016D3F	NSF UL	Three Warmer Brewer	120/240V	3800	17	21"D	32	1	\$1,254.00
9016D3F-240V	SE	Pour-over option, faucet	120/240V			8-5/8"W			\$1,254.00
9016D3F-230V	CE	3 wire plus ground, CORD NOT INCLUDED	220/240V			18-7/8"H			\$1,316.00



**Decanters Sold Separately - See page 32 & 33**



9012D3F




1012D3F



9010D3F



9016D3F



**THREE TIER STAND TO HOLD GLASS BOWLS AND COFFEE SERVERS SEE PAGE 41**

## Airpot Style Automatic Brewers

Model Number	Approvals	Description	Voltage	Watts	Amps	Dimensions	Ship Weight (lbs)	Std Pkg	List Price Each
8773AF	NSF UL	Airpot Brewer, Pour-Over Option, faucet, NEMA 5-15P	120V	1500	12.5	17-1/4"D	30	1	\$1,125.00
8773AF-120V	NSF		120V	1500		8-3/4"W			\$1,125.00
8773AF-230V	CE		220/240V	1800		25-1/4"H			\$1,181.00
<b>8782AF</b>	<b>QUICK SHIP</b> NSF UL	<b>Airpot Brewer, Pour-Over Option, faucet, NEMA 5-15P</b>	<b>120V</b>	<b>1800</b>	15	17"D	26	1	<b>\$1,090.00</b>
8782AF-120V	NSF		120V	1500		10"W			\$1,090.00
8782AF-230V	CE		220/240V	1800		21-1/2"H			\$1,155.00
1082AF	NSF UL	EBC™ Electronic Airpot Brewer Pour-over option, faucet, NEMA 5-15P	120V	1800	15	17"D	26	1	\$1,198.00
1082AF-120C	NSF		120V	1500		10"W			\$1,198.00
1082AF-230V	CE NSF		220/240V	1800		21-1/2"H			\$1,258.00
8788AF	NSF UL	Airpot Brewer, Pour-Over Option, faucet, 3 Wire Plus Ground Cord not included	120/240V	3500	14.5	17"D	26	1	\$1,221.00
8788AF-240V	NSF		115/230V			10"W			\$1,221.00
8788AF-230V	CE		220/240V			21-1/2"H			\$1,283.00
1088AF	NSF UL	EBC™ Electronic Airpot Brewer Pour-over option, faucet 3 wire plus ground. CORD NOT INCLUDED	120/240V	1700	14	17"D	30	1	\$1,254.00
1088AF-240V	NSF		115/230V	-		10"W			\$1,254.00
1088AF-230V	CE		220/240V	3500		21-1/2"H			\$1,316.00
8792AF	NSF UL	Dual Airpot Brewer, Pour-Over Option, faucet, 3 Wire Plus Ground. Cord not included	120/240V 120/240V	4000	17	17"D 18"W 21-1/2"H	50	1	\$2,183.00



 **Airpots Sold Separately - See page 38 & 39**



ADD TO THE TOP OF  
YOUR BREWER! HOLDS  
COFFEE SERVERS OR  
CONDIMENTS.  
SEE PAGE 41





## Thermal Server Style Automatic Brewers

Model Number	Approvals	Description	Voltage	Watts	Amps	Dimensions	Ship Weight (lbs)	Std Pkg	List Price Each
8782TFL	NSF UL	Thermal Brewer,	120V	1800	15	17"D	23	1	\$1,131.00
8782TFL-120C	NSF	Pour-Over Option, faucet,	120V	1500		10"W			\$1,131.00
8782TFL-230V	CE	NEMA 5-15P	220/240V	1800		17-3/4"H			\$1,188.00
1082AFL	NSF UL	EBC™ Electronic Thermal Brewer	120V	1800	15	17"D	28	1	\$1,164.00
1082AFL-120C	NSF	Pour-over option, faucet,	120V	1500		10"W			\$1,164.00
1082AFL-230	CE	LOW PROFILE, NEMA 5-15P	220/240V	1800		17-3/4"H			\$1,223.00
8786TF	NSF UL	Thermal Brewer,	120/240V	3500	15	17"D	28	1	\$1,244.00
8786TF-240V	NSF	Pour-Over Option, faucet, 3 Wire	115/230V	-		10"W			\$1,244.00
8786TF-230V	CE	plus ground, cord not included	220/240V	3500		25-1/2"H			\$1,306.00
1086TF	NSF UL	EBC™ Electronic Thermal Brewer	120/240V	3500	15	17"D	30	1	\$1,276.00
1086TF-240V	NSF	Pour-over option, faucet	115/230V	-		10"W			\$1,276.00
1086TF-230V	CE	3 wire plus ground. CORD NOT INCLUDED	220/240V	3500		25-1/2"H			\$1,339.00
8780TF	NSF UL	Thermal Brewer,	120V	1800	15	17"D	28	1	\$1,164.00
8780TF-120C	NSF	Pour-Over Option, faucet,	120V	-		10"W			\$1,164.00
8780TF-230V	CE	NEMA 5-15P	220/240V	1800		25-1/2"H			\$1,223.00
1080TF	NSF UL	EBC™ Electronic Thermal Brewer	120V	1800	15	17"D	30	1	\$1,198.00
1080TF-120C	NSF	Pour-over option, faucet,	120V	1500		10"W			\$1,198.00
1080TF-230	CE	NEMA 5-15P	220/240V	1800		25-1/2"H			\$1,258.00



8782TFL



1082AFL



8786TF



Thermal Servers Sold Separately - See page 37



1086TF



8780TF



1080TF

## Traditional Automatic Brewer Accessories

Part Number	Description	Std Pkg	List Price Each
3774BREWSTE	Airpot Lift, brew step, for dual leg brewers	1	\$54.00
3776-DRTRY-P	Plastic drip tray for dual leg brewers	1	\$61.00
3777-DRTRY-S	Stainless steel drip tray for dual leg brewers	1	\$109.00
8942-6B	Brew Basket, Black Plastic For all 12 cup coffee brewers	1	\$14.00
8942-6	Brew Basket, Brown Plastic, For all 12 cup coffee brewers	1	\$14.00
8707-6	Brew Basket, Stainless Steel, For all 12 cup coffee brewers	1	\$65.00
8766-11	Brew Basket, Black Plastic, Portion pack for all 12 cup coffee brewers	1	\$11.00
8942-6PP	Brew Basket, Brown Plastic, Portion pack for all 12 cup coffee brewers	1	\$11.00
82727	Spray Head, Embossed, Fits all standard brewers .07 holes, 12 holes	1	\$4.00
84132	Spray Head, Embossed, Fits all standard brewers .05 holes, 12 holes	1	\$5.00
8516-150	4" Leg Kit, Black Plastic, For all decanter brewers	1 kit	\$39.00
8544	4" Leg Kit, Chrome, For all decanter brewers	1 kit	\$89.00
83098	4" Leg Kit, Flanged Black Plastic	1 kit	\$26.00
83107	Rubber Feet (4) , For flanged feet	1 kit	\$16.00
POF	Filter paper, 1,000 per case, 500 per bag, 2 bags per case	1,000	\$20.00



3774BREWSTE

3774BREWSTE  
(coffee dispenser not included)

3776-DRTRY-P



3777-DRTRY-S

**OUR LOVE  
FOR  
COFFEE  
GOES DEEP**



# EXCLUSIVE WATER DELIVERY SYSTEM

One-piece drawn stainless steel water tank has a superior design for extended life

Ready-to-brew light indicates the proper water temperature

High quality, easy-to-clean stainless steel construction

Any brewer in this family can be serviced with one common set of parts



Superior sprayhead design completely saturates the coffee to capture the full, rich essence

Porcelain enameled warmer plates position decanters securely and with no exposed screw heads, will not scratch decanters





## Decanter Style Pour-Over Brewers

Model Number	Approvals	Description	Voltage	Watts	Amps	Dimensions	Ship Weight (lbs)	Std Pkg	List Price Each
8542-D1	NSF UL	One Warmer, Low Profile Pour-Over Brewer NEMA 5-15P	120V	1600	13.5	14"D	20	1	\$482.00
8542-D1-120C	SB		120V	1400		8-3/4"W			\$482.00
8542-230V	CE		220/240V	1900		16-7/8"H			\$507.00
8543-D2	QUICK SHIP NSF UL	<b>Two Warmer, Low Profile Pour-Over Brewer NEMA 5-15P</b>	<b>120V</b>	<b>1700</b>	14	14"D	21	1	<b>\$514.00</b>
8543-D2-120C	SB		120V	1500		8-3/4"W			\$514.00
8543-D2-230V	CE		220/240V	2000		16-7/8"H			\$541.00
8571-D3	QUICK SHIP NSF UL	<b>Three Warmer, Low Profile Pour-Over Brewer NEMA 5-15P</b>	<b>120V</b>	<b>1800</b>	15	14"D	27	1	<b>\$577.00</b>
8571-D3-120C	SB		120V	1500		16-1/4"W			\$577.00
8571-D3-230V	CE		220/240V	2100		16-7/8"H			\$607.00
9003-D3	NSF UL	Three Warmer, In-Line Brewer NEMA 5-15P	120V	1800	15	18"D	27	1	\$598.00
9003D3-230V	CE		220/240V	2100		8-5/8"W 18-7/8"H			\$627.00



8542-D1



8571-D3

Decanters Sold Separately - See page 32 & 33

## Airpot Style Pour-Over Brewers

Model Number	Approvals	Description	Voltage	Watts	Amps	Dimensions	Ship Weight (lbs)	Std Pkg	List Price Each
8774-A	NSF UL	Airpot Brewer, Pour-Over NEMA 5-15P	120V	1500	12.5	14-1/4"D	25	1	\$653.00
8774-120C	SB		120V	1500		8-3/4"W			\$653.00
8744-A-230V	CE		220/240V	1800		25-1/4"H			\$685.00
8785-A	NSF UL	Airpot Brewer, Pour-Over NEMA 5-15P	120V	1800	15	14"D	24	1	\$653.00
8785-A-120C	SB		120V	1500		10"W			\$653.00
8785-A-230V	CE		220/240V	1800		21-1/2"H			\$685.00



8774-A

Airpots Sold Separately - See page 38 & 39

## Thermal Style Pour-Over Brewers

Model Number	Approvals	Description	Voltage	Watts	Amps	Dimensions	Ship Weight (lbs)	Std Pkg	List Price Each
8778-T	NSF UL	Thermal Brewer, Pour-Over NEMA 5-15P	120V	1800	15	14"D	25	1	\$687.00
8778-T-120C	SB		120V	1500		10"W			\$687.00
8778-T-230V	CE		220/240V	1800		28-1/2"H			\$722.00
8785-AL	NSF UL	Extra-Low, Thermal Brewer, Pour-Over, NEMA 5-15P	120V	1800	15	14"D	20	1	\$687.00
8785-AL-120C	SB		120V	1500		10"W			\$687.00
8785-AL-230V	CE		220/240V	1800		17-3/4"H			\$722.00



8785-A

Thermal Servers Sold Separately - See page 37

## Traditional Pour-Over Brewer Accessories

Part Number	Description	Std Pkg	List Price Each
8942-6B	Brew Basket, Black Plastic For all 12 cup coffee brewers	1	\$14.00
8942-6	Brew Basket, Brown Plastic, For all 12 cup coffee brewers	1	\$14.00
8707-6	Brew Basket, Stainless Steel, For all 12 cup coffee brewers	1	\$65.00
8766-11	Brew Basket, Black Plastic, Portion pack for all 12 cup coffee brewers	1	\$11.00
8942-6PP	Brew Basket, Brown Plastic, Portion pack for all 12 cup coffee brewers	1	\$11.00
82727	Spray Head, Embossed, Fits all standard brewers .07 holes, 12 holes	1	\$4.00
84132	Spray Head, Embossed, Fits all standard brewers .05 holes, 12 holes	1	\$5.00
8516-150	4" Leg Kit, Black Plastic, For all decanter brewers	1 kit	\$39.00
8544	4" Leg Kit, Chrome, For all decanter brewers	1 kit	\$89.00
83098	4" Leg Kit, Flanged Black Plastic	1 kit	\$26.00
83107	Rubber Feet (4) , For flanged feet	1 kit	\$16.00
POF	Filter paper, 1,000 per case, 500 per bag, 2 bags per case	1,000	\$20.00





8785-AL

**ECONOMY PRICE  
AND  
ECO FRIENDLY  
OUR  
FRESH WATER HEAT PUMP SYSTEM  
ONLY CONSUMES ENERGY  
WHILE IT'S BREWING**



**ENERGY SAVINGS  
OF UP TO  
20%\***  
OVER TRADITIONAL "BANK" STYLE UNITS.  
\*The quote doesn't include the setup.

## ECO Brewers

Model Number	Approvals	Description	Voltage	Watts	Amps	Dimensions	Ship Weight (lbs)	Std Pkg	List Price Each
4543-D2K		Decanter Style, Two Warmer, ECO Brewer NEMA-5-15P	120V 60Hz	1650	13.8	13-7/8"D 8-1/2"W 17-2/5"H	14.8	1	\$390.00
4774-A		Eco Thermal Style Brewer NEMA-5-15P	120V 60Hz	1450	12.1	13-7/8"D 8-1/2"W 22-2/5"H	18.1	1	\$390.00



**Decanters Sold Separately - See page 32 & 33**



**Thermal Servers Sold Separately - See page 37**



4543-D2K



4774-A

## Eco Brewer Accessories

Part Number	Description	Std Pkg	Ship Weight	List Price Each
POF	Filter paper, 1,000 per case, 500 per bag, 2 bags per case	1,000	4	\$20.00
8942-6B	Brew Basket, Black Plastic For all 12 cup coffee brewers	1	1	\$14.00

*Shipped in Merchandising Boxes!*



DRIP TRAY  
ONLY  
(SEE PAGE 40)

3779-DTAPL  
(AIRPOT NOT  
INCLUDED)



**COFFEE WARMERS  
AVAILABLE  
SEE PAGE 35**





# A PERSONALIZED FRESH-BREWED CUP OF COFFEE IN SECONDS!

Automatic shut-off

Sleek, compact  
design requires  
little counter space

Water level sensor  
and overflow opening  
(POD2 only)

No warmer plate  
saves energy



"BREW" and "OFF"  
push buttons

Light indicates  
coffee is brewing

Better extraction.  
Brews at 195 °F —  
hotter than a K-Cup®!

CUPS NOT  
INCLUDED







Textured  
finish

Stainless steel drip tray

Accommodates mugs or  
disposable cups

# CAF-X™ Pod Brewers



Model Number	Approvals	Description	Voltage	Watts	Amps	Dimensions	Ship Weight (lbs)	Std Pkg	List Price Each
<b>SINGLE CUP POD BREWER</b>									
<b>POD1-6</b> 	 	Single Cup, Pod Pour-Over Brewer. Works with 61mm pods	120V 60Hz	500	4.2	6-1/2"D 6-1/2"W 8*1/2"H	18 3	6 1	\$390.00 cs. \$70.00 ea.
<b>DUAL CUP POD BREWER</b>									
<b>POD2-6</b> 	 	Dual Cup, Pod Pour-Over Brewer Works with 61mm pods	120V 60Hz	750	6.3	7-3/4"D 8-1/2"W 8-9/10"H	24 4	6 1	\$540.00 cs. \$95.00 ea.



POD1



POD2

**1**

Flip top, add water, place pod, insert coffee cup



**2**

Press "Brew"



CUPS NOT INCLUDED

**3**

Enjoy!



**FOR USE WITH ALL PAPER PODS**  
(works best with 8 gram pods)



# THE SUNCANA BREWER VARIETY AND CONVENIENCE IN A SINGLE CUP

Plumbing Hook-up Water  
Supply or Manually Filled

Instant heat boiler - fast  
recovery for next cup.  
**ENERGY EFFICIENT!**

Stylish LCD display for  
quick and easy use

Smooth handle

5 Programmable  
cup settings

Easy clean  
removable spout

Brew/stop button

Patented pod drawer  
works with a wide  
variety of pods, allow-  
ing you to choose your  
favorite coffee or tea

5.1 cup reservoir





Power on/off with  
LED indicator

Easy clean drip tray

CUP NOT  
INCLUDED



# NEW Single Cup POD Brewers by Suncana®

Model Number	Approvals	Description	Voltage	Watts	Amps	Dimensions	Ship Weight (lbs)	Std Pkg	List Price Each
H701A4-120V H701A-120V	 	Pour-Over, Single Cup Brewer 14oz Boiler Capacity 198°F Brewing Temperature	110-120V 60Hz	1400 1400	12.7-11.7 12.7-11.7	8-3/5"D 12-1/2"W 10-9/10"H	44 11	4 1	\$1,000.00 cs. \$260.00 ea.
H701B4-120V H701B-120V	 	Plumbed-In, Single Cup Brewer 14oz Boiler Capacity 198°F Brewing Temperature	110-120V 60Hz	1400 1400	12.7-11.7 12.7-11.7	8-3/5"D 12-1/2"W 10-9/10"H	48 12	4 1	\$1,352.00 cs. \$348.00 ea.



H701A-120V



The Suncana® pod brewer works with all standard pods from many fine coffee roasters. This opens up many choices and allows you to taste and experience coffees from around the world. You can also take advantage of having instant hot water for other beverages and products such as hot chocolate, cups of soup & instant oatmeal.

Better extraction. Brews at 195 °F —hotter than a k-cup!

***For use with all 61mm asymmetric paper pods***



Expensive and Wasteful | Cost Efficient and Compostable

***Pods are compostable and the environmentally responsible choice!***



# FRESH & FAST FLAVOR IN EVERY CUP



Simple operation, design and construction for ease of use and long life

Better coffee extraction via improved four point spray head (more complete coffee soak)

Use with any K-Cup® or capsule



Attractive silver-painted accents

Pump attains higher pressure than competitor devices, allowing use of finer grain coffee

Removable spray head for cleaning







Automatic shut off after brewing

Larger capacity (14oz. vs. 7oz. for other single serves)

Attractive stainless steel drip tray cover

# KREAL In-Room Capsule Brewer



Model Number	Approvals	Description	Voltage	Watts	Amps	Dimensions	Ship Weight (lbs)	Std Pkg	List Price Each
<b>SINGLE CUP POD BREWER</b>									
K901S-120V 	 	KREAL In-Room Capsule Brewer Works with any K-Cup or capsule	120V	800	4.2	7-1/2"D 4-5/16"W 9-7/8"H	3.5	1	\$90.00 ea.
K901-120V 	 	KREAL In-Room Capsule Brewer Packed 6 per case	120V	800	4.2	7-1/2"D 4-5/16"W 9-7/8"H	21	6	\$520.00 cs.




K901S-120V

Shipped in Merchandising Boxes! Coffee cup and k-cup® are not included.


## BREWING COFFEE OR TEA IS AS EASY AS 1 - 2 - 3!




**1** Open top



**2** Add water, place pod, and insert coffee cup



**3** Press power on and enjoy!





# SUPERIOR DESIGN FOR EASY OPERATION



Ready-to-brew light

3 & 5 gallon capacities. Loose leaf or pillow pack brewing

One-piece drawn stainless steel water tank has a superior design for extended life

Rugged base assures stability and strength



Superior sprayhead design completely saturates the tea

High-quality, easy-to-clean stainless steel construction

No-drip faucet



ADD A CUSTOM WRAP. CALL  
FACTORY FOR DETAILS

## Tea Brewers

Model Number	Approvals	Description	Voltage	Watts	Amps	Dimensions	Ship Weight (lbs)	Std Pkg	List Price Each
8740-3/5G 8740-3/5G120 8740-3/5GEX	NSF UL CE	Tea Brewer, 3 Gallon Economy Brewer, NEMA-5-15P	120V 120V 220/240	1515 1515 1800	13	18-3/16"D 8-1/2"W 34-1/4"H	29	1	\$868.00 \$868.00 \$913.00
8742-3G-120V 8742-3GEX	NSF UL CE	Tea Brewer, 3 Gallon NEMA-5-15P	120V 220/240	1515 1515	13	17"D 10-15/16"W 32-1/4"H	32	1	\$1,093.00 \$1,145.00
8748-5G 8748-5GEX	NSF UL CE	Tea Brewer, 5 Gallon NEMA-5-15P	120V 120V 220/240	1500 1500 1500	13	17"D 10-15/16"W 32-1/4"H	33	1	\$1,205.00 \$1,205.00 \$1,265.00



**Tea Dispensers Sold Separately**



8740-5G Shown with optional 8802-5G



8742-3G Shown with optional 8799-3G



8602-5G-5G

## Tea & Beverage Dispensers

Model Number	Description	Dimensions	Ship Weight (lbs)	Std Pkg	List Price Each
8799-3G	3 Gallon Stainless Steel Dispenser, With Handles	9"D (13-1/2" including faucet 19-3/8"H (without lid)	9	1	\$111.00
8802-5G	5 Gallon Stainless Steel Dispenser, With Handles	10-3/8"D (14-7/8" including faucet 22-3/8"H (without lid)	11	1	\$126.00
35NTD	3.5 Gallon Narrow Stainless Steel Dispenser	16-3/8"D (including faucet 5-7/8"W 21-3/4"H (without lid)	9	1	\$165.00
8840-4G-W	4 Gallon, Stainless Steel Dispenser	12"D 22"W 22"H	14	1	\$317.00
8699-3G-SG	3 Gallon Stainless Steel Dispenser, With Handles & Sight Glass	9"D (13-1/2" including faucet 19-3/8"H (without lid)	9	1	\$207.00
8602-5G-SG	3 Gallon Stainless Steel Dispenser, With Handles & Sight Glass	10-3/8"D (14-7/8" including faucet 22-3/8"H (without lid)	11	1	\$211.00

## Tea Brewer & Dispenser Accessories

Part Number	Description	Std Pkg	List Price Each
<b>TEA BREWER ACCESSORIES</b>			
8706-110	Filter paper, 500 per case, 250 per bag	500	\$27.00
83101N	Brew basket - white/neutral, molded for 8740 tea brewer	1	\$24.00
8812-76	Stainless brew basket, for 3-gallon tea brewers	1	\$161.00
<b>TEA DISPENSER ACCESSORIES</b>			
8600-6	Solid lid, for use with 3-gallon tea dispenser stainless steel w/ knob	1	\$29.00
86059	Brew-thru lid, for use with 8802-5G 5-gallon dispenser - plastic	1	\$12.00
NTDS8740	35NTD Adapter 8740	1	\$103.00
NTDS8748	35NTD Adapter 8748	1	\$103.00



**Customize your dispenser!**  
**Ask the factory for details**  
**on custom graphic wraps.**

8840-4G-W



8779-3G



35NTD



# EXCLUSIVE WATER DELIVERY SYSTEM

LCD information panel

Electronic control system

Advanced diagnostics

Built-in filtration  
cartridge

Non-drip tap

Standby mode

Adjustable temperature  
(158 – 205°F)

Stainless steel body





## Hot Water Machines

Model Number	Approvals	Description	Voltage	Watts	Amps	Dimensions	Ship Weight (lbs)	Std Pkg	List Price Each
1228DLX-120	NSF UL	3 Gallon Deluxe Digital Hot Water Dispenser	120V	1800	15	18-3/10"D 11-2/5"W	28.7	1	\$1,500.00
1228DLX-240		3 Gallon Digital Hot Water Heater NEMA 6-20P	208V	240	28.7	25-7/10"H			
1222-2G 1222-2G120C	NSF UL SR	2 Gallon Hot Water Dispenser, NEMA-5-15P	120V 120V	1800	15	10-1/2"D 7"W 23-5/8"H	25	1	\$930.00
1225-5G-208V	NSF UL SR	5 Gallon Hot Water Dispenser, NEMA-6-30P	208V	4000	19	14-1/2"D 7"W 27-1/4"H	38	1	\$1,379.00
1226-5G-240V	NSF UL SR	5 Gallon Hot Water Dispenser, NEMA-6-30P	240V	4000	16.5	14-1/2"D 7"W 27-1/4"H	38	1	\$1,379.00



1228-DLX




1222-2G



1225-5G

## Hot Water Machine Accessories

Part Number	Description	Std Pkg	List Price Each
FMWB-2G	Front mount wall bracket for 2 gallon hot water dispenser	1	\$133.00
FMWB-5G	Front mount wall bracket for 5 gallon hot water dispenser	1	\$133.00
WMBDT	Mount wall bracket drip tray	1	\$41.00



## Heated Syrup Dispenser

Model Number	Approvals	Description	Voltage	Watts	Amps	Dimensions	Ship Weight (lbs)	Std Pkg	List Price Each
HD8799B	UL	2.5 Gallon Stainless Steel Dispenser and Handles, 140°F	120V	200 -	1.7	9"D 20-11/16"H	11	1	\$885.00



HD8799B



# CUSTOMIZE YOUR DECANTERS WITH YOUR LOGO AND COLOR



YOUR LOGO  
GOES HERE



18 DIFFERENT  
**COLOR**  
HANDLES  
AVAILABLE

ADVERTISE YOUR  
COFFEE ON THE  
OPPOSITE SIDE

PRINT YOUR LOGO  
ON BOTH SIDES

PRINT YOUR LOGO IN **COLOR**

## Glass Coffee Dispensers

Model Number	Description	Ship Weight (lbs)	Volume	Std Pkg	List Price Each
REG8900BL24	Regular Decanter with Bloomfield Logo, Black Handle	28	5.1 Cu. Ft.	24	\$201.12 cs.
DCF8901O24	Decaf Decanter with Bloomfield Logo, Orange Handle	28	5.1 Cu. Ft.	24	\$201.12 cs.
REG8906BL24	Regular Decanter without Logo/Imprint, Black Handle	28	5.1 Cu. Ft.	24	\$201.12 cs.
DCF10221O24	Decaf Decanter without Logo/Imprint, Orange Handle	28	5.1 Cu. Ft.	24	\$201.12 cs.
REG8903BL3	Regular Decanter with Bloomfield Logo, Black Handle	4	.6 Cu. Ft.	3	\$27.63 cs.
DCF891303	Decaf Decanter with Bloomfield Logo, Orange Handle	4	.6 Cu. Ft.	3	\$27.63 cs.
REG8923BL3	Regular Decanter without Logo/Imprint, Black Handle	5	.7 Cu. Ft.	3	\$27.63 cs.
DCF102203	Decaf Decanter without Logo/Imprint, Orange Handle	5	.7 Cu. Ft.	3	\$27.63 cs.
REG10112BLK	Regular Decanter with Bloomfield Logo, Black Handle	2	.4 Cu. Ft.	1	\$11.48 ea.
DCF10113O1	Decaf Decanter with Bloomfield Logo, Orange Handle	2	.4 Cu. Ft.	1	\$11.48 ea.

**NOTE: MUST ORDER PER STANDARD PACK**

## Unbreakable Coffee Dispensers

Model Number	Description	Ship Weight (lbs)	Volume	Std Pkg	List Price Each
REG8890BL24	Unbreakable Regular Decanter, Plastic & Stainless Steel with Bloomfield Logo, Black Handle	21	4.9 Cu. Ft.	24	\$540.00 cs.
DCF8889O24	Unbreakable Decaf Decanter, Plastic & Stainless Steel with Bloomfield Logo, Orange Handle	21	4.9 Cu. Ft.	24	\$540.00 cs.
REG8896BL24	Unbreakable Regular Decanter, Plastic & Stainless Steel without Logo/Imprint, Black Handle	21	4.9 Cu. Ft.	24	\$540.00 cs.
DCF8898O24	Unbreakable Decaf Decanter, Plastic & Stainless Steel without Logo/Imprint, Orange Handle	21	4.9 Cu. Ft.	24	\$540.00 cs.
REG8895BL3	Unbreakable Regular Decanter, Plastic & Stainless Steel with Bloomfield Logo, Black Handle	5	.7 Cu. Ft.	3	\$74.00 cs.
DCF8885O3	Unbreakable Decaf Decanter, Plastic & Stainless Steel with Bloomfield Logo, Orange Handle	5	.7 Cu. Ft.	3	\$74.00 cs.
REG8893BL3	Unbreakable Regular Decanter, Plastic & Stainless Steel without Logo/Imprint, Black Handle	5	.7 Cu. Ft.	3	\$74.00 cs.
DCF8899O3	Unbreakable Decaf Decanter, Plastic & Stainless Steel without Logo/Imprint, Orange Handle	5	.7 Cu. Ft.	3	\$74.00 cs.
REG10114BL1	Unbreakable Regular Decanter, Plastic & Stainless Steel with Bloomfield Logo, Black Handle	2	.4 Cu. Ft.	1	\$29.00 ea.
DCF10115O1	Unbreakable Decaf Decanter, Plastic & Stainless Steel with Bloomfield Logo, Orange Handle	2	.4 Cu. Ft.	1	\$29.00 ea.

**NOTE: MUST ORDER PER STANDARD PACK**



REG8900BL24



DCF8901O24



REG8906BL24



REG8890BL24



DCF8889O24



**COFFEE WARMERS  
AVAILABLE  
SEE PAGE 35**





# WHY BLOOMFIELD DECANTERS?

Bloomfield's special teardrop shaped bowl is engineered for strength using high tensile, thin-walled glass with reinforced bottom for heat dispersal and safety reinforcement.

- Bloomfield glass decanters feature an ergonomically designed handle for safety and comfort.
- The handle is bonded for strength and safety, and every bowl is closely inspected for consistent quality. Random individual bowls are selected and tested to ensure that the glass meets our exacting standards. Random samples are also subjected to a stress test to ensure that the handles are attached in such a way that the glass will fail before the handle comes off.
- We respond promptly to any concerns and we factory-inspect any returned bowls where a manufacturing defect may be suspected. Included in every bowl is a slip of paper with a warning against poor handling which can result in failure, and a similar warning is printed on the back of each bowl.
- We offer prompt order processing, manufacturing and shipping-usually with a three day turnaround. We also can rush build and ship even extraordinarily large orders if the need arises. We can trace orders as old as 15 years.
- There is a wide variety of handle and ink colors available to choose from. All inks are lead-free. Moreover, we will set up art work for private logo bowls at no charge.
- Safety is too important to compromise with selecting inferior glass. We have over the years tried a variety of glass stock from various domestic and overseas sources. While there are substantial economies in using glass from Asia, we prefer German Schott glass for strength and consistency. All bowls are assembled in our plant in Illinois, and we daily test all inbound materials to ensure quality standards.
- We use a date coding process to track our assembly, and we can go back as far as ten years to date our bowls.
- There is a lot to consider in something as basic as a coffee decanter. We think you'll agree a track record of safety and a demonstrated regard for quality are high on that list of considerations.

## Decanter Accessories

Model Number	Description	Ship Weight (lbs)	Std Pkg	List Price Each
8916-LIDBLK	Black Decanter Lid	1	12	\$25.00 cs.
8918-LIDBRN	Brown Decanter Lid	1	12	\$25.00 cs.
8920-LIDORG	Orange Decanter Lid	1	12	\$25.00 cs.
8951-TMR-BLK	Black Decanter Timer	1	3	\$25.00 cs.
8953-TMR-ORG	Orange Decanter Timer	1	3	\$25.00 cs.
8894-BRUSH	Decanter Cleaning Brush, Nylon	1	1	\$17.00 ea.

**NOTE: MUST ORDER PER STANDARD PACK**



8951-TMR-BLK



8953-TMR-ORG



8894-BRUSH



8916-LIDBLK



8920-LIDORG

## Coffee Warmers

Model Number	Approvals	Description	Voltage	Watts	Amps	Dimensions	Ship Weight (lbs)	Std Pkg	List Price Each
8851S	NSF UL CE	Single Warmer	120V	100	1.6	7-1/2"D	4	1	\$73.00
8851S-230UK			220/240V	100	3.1/3.3	7-1/2"W 3"H			\$77.00
8852D	NSF UL CE	Double Warmer	120V	200	1.6	7-1/2"D	6	1	\$113.00
			220/240V	200	3.1/3.3	15-9/16"W 3"H			\$120.00
8708DSU	NSF UL CE	Double, Step-Up Warmer	120V	200	1.6	14-1/2"D	7	1	\$199.00
			120V	200	1.6	7-1/2"W			\$209.00
			220/240V	200	3.1/3.3	6-1/2"H			



8851S



8852D



8708DSU



# CONVENIENT! BREW RIGHT INTO OUR SERVERS

Lever pump

Stainless steel and  
scratch resistant  
plastic exterior

Sight glass

Brew-thru stem

Sturdy handle

Vacuum liner and  
glass interior

Model 7755S-ALM



## Gravity Flow Thermal Servers - Glass Lined

Model Number	Description	Liner	Dimensions	Ship Weight (lbs)	Std Pkg	List Price Each
7752NS-TGB	2.5 Liter (84 oz.) Thermal Server without base, black brew-thru lid, gravity flow, satin black with sight glass	Glass	11-3/4"H 8-5/8"W	31 5.2	6 1	\$869.00 cs. \$150.00 ea.
7750NS-TGB	2.5 Liter (84 oz.) Thermal Server with base, black brew-thru lid, gravity flow, satin black with sight glass	Glass	17-1/16"H 8-5/8"W	38 6.3	6 1	\$937.00 cs. \$161.00 ea.
7757	Single thermal server, 1.5 Gallon,	Glass	17.4"D x 8.5"W x 12.9"H	5	1	\$400.00
7757-D	Deluxe single thermal server, 1.5 Gallon	Glass	17.4"D x 8.5"W x 12.9"H	5	1	\$459.00



7750NS-TGB  
Shown with  
Custom Wrap



3871NS-SRV5  
Shown with  
optional  
7752NS-TGB

## Gravity Flow Thermal Server Accessories

Model Number	Description	Ship Weight (lbs)	Std Pkg	List Price Each
3871NS-SRVST	Durable plastic serving stand - for use with 7752 & 7756 thermals, adjustable tray (for cups up to 7" tall)	1	1	\$100.00
8857-SRVST1W	Wire serving stand - for use with 7752, black PVC coated with drip tray (for cups up to 5-3/4" tall)	1	1	\$118.00



7757



8857-SRVST1W  
FOR USE WITH  
7752-TGB ONLY

## Stainless Thermal Servers

Model Number	Description	Liner	Dimensions	Ship Weight (lbs)	Std Pkg	List Price Each
7878-THS	1.9 Liter (64 oz.) Hand held pour, Brew-thru lid, stainless matte body	Glass	12-1/4"H 5-15/16"W	40 6.7	6 1	\$361.00 cs. \$65.00 ea.
7874-THS	2.5 Liter (84 oz.) Thermal Server with base, black brew-thru lid, gravity flow, satin black with sight glass	Stainless Steel	9-7/8"H 5-3/8"W	20 3.3	6 1	\$397.00 cs. \$71.00 ea.
7885-THS	1.9 Liter (64 oz.) Hand held pour, Brew-thru lid, stainless steel body	Stainless Steel	-	14 2.3	6 1	\$447.00 cs. \$80.00 ea.



7878-THS

## Thermal Server Accessories

Model Number	Description	Std Pkg	List Price Each
3774BREWSTE	Airpot Lift, brew step, for dual leg brewers	1	\$54.00
3776-DRTRY-P	Plastic drip tray for dual leg brewers	1	\$61.00
3777-DRTRY-S	Stainless steel drip tray for dual leg brewers	1	\$109.00
7750NS-BTLO	Orange decaf lid for 7750NS-TGB & 7752NS-TGB	1	\$8.00
3720	Holder for tags, label not included	1	\$6.00
85171	Brew-Thru Lid Server - Orange for use with 7750-TGB & 7752-TGB	1	\$11.00
85172	Brew-Thru Lid Server - Orange for use with 7874-THS	1	\$11.00
85678	Solid Lid Server - Orange for use with 7874-THS	1	\$11.00
85679	Solid Lid Server - Black for use with 7874-THS	1	\$11.00
87285	Brew-Thru Lid Server - Orange for use with 7885-THS	1	\$11.00



7874-THS



7885-THS



3774BREWSTE










3776-DRTRY-P



3777-DRTRY-S

# Airpots - Glass & Stainless Liners

Model Number	Approvals	Description	Dimensions	Liner	Ship Weight (lbs)	Std Pkg	List Price Each
<b>Airpots - Glass Liner</b>							
7759-APM		2.2 Liter (74oz.) Pump airpot, metal body, brew-thru stem	20"L 14"W 17"H	Glass	24 4	6 1	\$361.00 cs. \$65.00 ea.
7760-ALM		2.2 Liter (74oz.) Lever action airpot, metal body, brew-thru stem	20"L 14"W 17"H	Glass	28 4.7	6 1	\$361.00 cs. \$65.00 ea.
7763-ALB		2.2 Liter (74oz.) Lever action airpot, black metal body, brew-thru stem	20"L 14"W 17"H	Glass	28 4.7	6 1	\$361.00 cs. \$65.00 ea.
7755S-ALM		2.2 Liter (74oz.) Lever Pump airpot with sight glass, brushed stainless steel body, brew-thru stem	7-3/5"L 6-1/8"W 16"H	Glass	28 4.7	6 1	\$416.00 cs. \$75.00 ea.
7880-APS		3.0 Liter (100oz.) Pump airpot, brushed stainless body, brew-thru stem	6-3/7"L 8-3/4"W 11-1/2"H	Glass	28 4.7	6 1	\$422.00 cs. \$75.00 ea.
<b>Airpots - Stainless Steel Liner</b>							
7765-ALM		2.2 Liter (74oz.) Lever action airpot, metal body, brew-thru stem	20"L 14"W 12-1/4"H	Stainless	28 4.7	6 1	\$361.00 cs. \$65.00 ea.
7745-ALM		2.2 Liter (74oz.) Lever action airpot, stainless steel body	6-3/4"L 8-3/4"W 11-1/2"H	Stainless	14 2.3	6 1	\$478.00 cs. \$85.00 ea.



7759-APM



7760-ALM



7763-ALB



7755S-ALM



7880-APS



7765-ALM



7745-ALM



**DECAF**

*Decaf Magnet Included with All Airpots!*

*Now Shipped in Merchandising Boxes!*

# Airpot Merchandising Stands

Model Number	Description	Dimensions	Ship Weight (lbs)	Std Pkg	List Price Each
3012-SRVRK2F (Short/Front Rack)	2 Airpot serving rack, black steel, plastic drip trays, FRESH HOT COFFEE sign included	12"D 13-3/4"W 9-1/2"H	6	1	\$94.00
3022-SRVRK2B (Tall/Rear Rack)	2 Airpot serving rack, black steel, plastic drip trays, FRESH HOT COFFEE sign included	12"D 13-3/4"W 9-1/2"H	6	1	\$102.00
3013-SRVRK3F (Short/Front Rack)	3 Airpot serving rack, black steel, plastic drip trays, FRESH HOT COFFEE sign included	12"D 20-1/2"W 10"H	8	1	\$102.00
3023-SRVRK3B (Tall/Rear Rack)	3 Airpot serving rack, black steel, plastic drip trays, FRESH HOT COFFEE sign included	12"D 20-1/2"W 10"H	8	1	\$121.00



3012-SRVRK2F **Short/Front Rack**  
(Shown with two optional 7759-APM Airpots)



3022-SRVRK2B **Tall/Rear Rack**  
(Shown with two optional 7760-ALM Airpots)

## Airpot & Merchandising Stand Accessories

Model Number	Description	Std Pkg	List Price Each
8855-1	Drip tray for wire stands, black plastic grate	6	\$60.00 cs.
8855-3	Drip tray for wire stands, orange plastic grate	6	\$62.00 cs.
3720	Label holder - labels not included	1	\$7.00
3730	Cafe/Coffee" Airpot Label Black and gold with white space to write your own coffee variety or flavor, (4" x 6" vinyl cling type label without adhesive)	1 Per Sheet	\$7.00 Per Sheet
3744-A	Press Decaf" Airpot Label, 4" x 1/2" label, 2 per sheet	1 Per Sheet	\$4.00 Per Sheet

### COMBINE RACKS AND AIRPOTS FOR THESE COMBINATIONS:



3012-SRVRK2F **Short/Front Rack**

+



3022-SRVRK2B **Tall/Rear Rack**

=



Combine:  
• 3012-SRVRK2F **Short/Front Rack**  
• 3022-SRVRK2B **Tall/Rear Rack**

Shown with four optional 7759-APM Airpots



3013-SRVRK3F **Short/Front Rack**

+



3023-SRVRK3B **Tall/Rear Rack**

=



Combine:  
• 3013-SRVRK3F **Short/Front Rack**  
• 3023-SRVRK3B **Tall/Rear Rack**

Shown with six optional 7759-APM Airpots



# ACCESSORIZE!

- ORGANIZERS
- DRIP TRAYS
- SYRUP RACKS
- CONDIMENT STANDS



Black powder coated steel

Easy-to-clean

Attractive display

Model 3106-SR6B



Durable ABS material

Dishwasher safe

Easy-to-clean

Scratch resistant

Model 3024-DSO

## Accessories

Model Number	Description	Ship Weight (lbs)	Std Pkg	List Price Each
3024-DSO	Kondo Kaddy, 9 compartment drink organizer	-	12 1	\$315.00 cs. \$31.00 ea.
3779-DTAPL	Large drip tray for airpots, fits up to 6-3/4" base airpots	-	12 1	\$315.00 cs. \$31.00 ea.
3778-DTAP	Small drip tray for airpots, fits up to 6-1/4" base airpots	-	12 1	\$315.00 cs. \$31.00 ea.
3106-SR6B	6 holder rack, display sauce bottles & save space	-	1	\$46.00
3103-SR3B	3 holder rack, display sauce bottles & save space	-	4	\$55.00 ea.
3011-CONDHLD	Condiment stand, three tier with stir stick holder	4	1	\$162.00
3820	Coffee Decanter Holder - 3 shelf	-	1	\$112.00
3825	Topper for coffee brewer - holds coffee decanters	-	1	\$82.00
3871NS-SRVST	Durable plastic serving stand - for use with 7752 & 7756 thermals, adjustable tray (for cups up to 7" tall)	1	1	\$200.00
8857-SRVST1W	Wire serving stand - for use with 7752, black PVC coated with drip tray (for cups up to 5-3/4" tall)	1	1	\$240.00



3024-DSO

Drip Tray  
ONLY3779-DTAPL  
(AIRPOT NOT INCLUDED)

3106-SR6B



3103-SR3B



3011-CONDHLD



3820

3011-CONDHLD  
SHOWN WITH  
3871NS-SRVST3011-CONDHLD SHOWN WITH  
TWO 3871NS-SRVST8857-SRVST1W  
FOR USE WITH  
7752-TGB ONLY

3825

## APPLICATION CHART

## AIRPOTS - PUMP ACTION

Model	Capacity	Body Style	Brew Thru	Liner Style	Racks
7759-APM	2.2 L	Economy Metal	Yes	Glass	D,E
7880-APS	3.0 L	Brushed S/S	Yes	Glass	-
7755S-ALM	2.2 L	Brushed S/S	Yes	Glass	D,E

## AIRPOTS - LEVER ACTION

Model	Capacity	Body Style	Brew Thru	Liner Style	Racks
7760-ALM	2.2 L	Economy Metal	Yes	Glass	D,E
7763-ALB	2.2 L	Black Metal	Yes	Glass	D,E
7765-ALM	2.2 L	Economy Metal	Yes	Stainless	D,E
7745-ALM	2.2 L	Stainless Steel	Yes	S/S	C

## AIRPOTS - PUMP ACTION

Model	Brew Height	Lid Closed Height	Lid Open Height	Handle Up Height	Brewer
7759-APM	13"	15"	19"	16 9/16"	A,B
7880-APS	11 3/4"	14 1/4"	20 1/2"	16 3/4"	A,B
7755S-ALM	13"	16"	-	-	A,B

## AIRPOTS - LEVER ACTION

Model	Brew Height	Lid Closed Height	Lid Open Height	Handle Up Height	Brewer
7760-ALM	13"	16 1/8"	18"	18"	A,B
7763-ALB	12 1/4"	15"	20"	17 3/8"	A,B
7755S-ALM	12 1/4"	15"	20"	17 3/8"	A,B
7765-ALM	13"	16 1/8"	18"	18"	A,B

## BREWER SCHEDULE

A = 1082AF, 1088AF, 8773AF, 8774-A, 8782AF, 8785-A, 8788AF,

B = 1080TF, 1086TF, 8778-T, 8780TF, 8786TF

C = 1082AFL, 8782TFL, 8785AL

## CLEARANCE HEIGHT

A = 13 3/8"

B = 17 1/2" (used with part 3774 - 13 3/8")

C = 9 1/2"

## AIRPOT RACK SCHEDULE

D = Model 3012-SRVRK2F/3022-SRVRK2B, 2 or 4 Black Steel Serving Racks, Front/Back

E = Model 3013-SRVRK3F/3023-SRVRK3B, 3 or 6 Black Steel Serving Racks, Front/Back



## APPLICATION CHART

## THERMAL SERVERS - HAND HELD

Model	Capacity	Body Style	Brew Thru	Liner Style	Brew Height	Total Height	Brewers	Racks
7878-THS	1.9 L	Stainless Matte	Yes	Glass	12"	12 1/2"	A,D	-
7874-THS	1.9 L	Stainless Steel	Yes	S/S	9"	9 1/2"	C,D	-
7885-THS	1.9 L	Stainless Steel	Yes	S/S	7"	7"	C,D	-
7885-THS	1.9 L	Stainless Steel	Yes	S/S	7"	7"	C,D	-

## THERMAL SERVERS - GRAVITY

Model	Capacity	Body Style	Brew Thru	Liner Style	Brew Height	Total Height	Handle Up Height	Brewers	Stand
7750NS-TGB2.5 L	2.5 L	Black Metal	Yes	Glass	16 5/8"	16 5/8"	19 1/8"	B	-
7752NS-TGB2.5 L	2.5 L	Black Metal	Yes	Glass	11 1/2"	11 1/2"	14 1/4"	A	H,I

## BREWERS SCHEDULE

A = 1082AF, 1088AF, 8773AF, 8774-A, 8782AF, 8785-A, 8788AF,

B = 1080TF, 1086TF, 8778-T, 8780TF, 8786TF

C = 1082AFL, 8782TFL, 8785-AL

## THERMAL SERVING STAND SCHEDULE

H = Model 3871-SRVSTIP Single Black Plastic Thermal Server Stands

I = Model 8857-SRVSTIW Single Black Wire Thermal Server Stands

## NEW BSPP- BLOOMFIELD SERVICE PARTS PACK





Because different operations require different types of service, Bloomfield Coffee Brewing Systems are designed to meet your specific needs. Whether your brewing for office, restaurant table service, a hotel lobby or the neighborhood Convenience Store, Bloomfield is always ready.



**PURCHASE PARTS ONLINE!**

<https://www.starholdingsparts.com/estar/>



All electrical equipment manufactured by BLOOMFIELD is warranted against defects in materials and workmanship for a period of:

CATEGORY	PARTS	LABOR
POUR OVER, AUTOMATIC COFFEE BREWERS	2 YEARS	2 YEARS
EBC, EMAX COFFEE BREWERS	2 YEARS*	2 YEARS
EBC*, EMAX COFFEE BREWER CONTROL PANEL	3 YEARS	NO LABOR
POD COFFEE BREWERS	1 YEAR	1 YEAR
ECO COFFEE BREWERS	1 YEAR	1 YEAR
COFFEE WARMERS	1 YEAR	1 YEAR
TEA BREWERS	2 YEARS	2 YEARS
TEA DISPENSERS	1 YEAR	1 YEAR
TEA DISPENSER-BBTEA	1 YEAR	NO LABOR
HOT WATER MACHINES	2 YEARS	2 YEARS
THERMAL SERVERS	90 DAYS	NO LABOR
AIRPOTS	30 DAYS	NO LABOR
DECANTERS	NO WARRANTY	NO LABOR

THE FOREGOING OBLIGATION IS EXPRESSLY GIVEN IN LIEU OF ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXCLUDED.

BLOOMFIELD, LLC SHALL NOT BE LIABLE FOR INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES OR LOSSES FROM ANY CAUSE WHATSOEVER.

This warranty is void if it is determined that upon inspection by an Authorized Service Agency that the equipment has been modified, misused, misapplied, improperly installed, or damaged in transit or by fire, flood or act of God.

It also does not apply if the serial nameplate has been removed or unauthorized service personnel perform service. The prices charged by Bloomfield for its products are based upon the limitations in this warranty. Seller's obligation under this warranty is limited to the repair of defects without charge by a Bloomfield Authorized Service Agency or one of its sub-agencies. This service will be provided on customer's premises for non-portable models. Portable models (a device with a cord and plug or a dispenser) must be taken or shipped to the closest Authorized Service Agency, transportation charges prepaid, for services.

In addition to restrictions contained in this warranty, specific limitations are shown on the back cover. Bloomfield Authorized Service Agencies are located in principal cities.

This warranty is valid in the United States, Canada and void elsewhere. Please consult your classified telephone directory, your foodservice equipment dealer or for information and other details concerning warranty write to:

Service Parts Department  
Bloomfield  
10 Sunnen Dr. | St. Louis, MO 63143  
Phone: (314) 678-6336 | Fax: (314) 781-2714  
technical@bloomfieldworldwide.com  
www.bloomfieldworldwide.com



#### BLOOMFIELD SERVICE POLICY AND PROCEDURE GUIDE ADDITIONAL WARRANTY EXCLUSIONS

- Resetting the safety thermostats, circuit breakers, overload protectors, or fuse replacements.
- All problems due to operation at voltage other than specified on equipment nameplates – conversion to correct voltage must be the customer's responsibility.
- All problems due to electrical connections not made in accordance with electrical code requirement and wiring diagrams supplied with the equipment.
- Replacement of items subject to normal wear, to include such items as knobs and light bulbs. Normal maintenance functions including adjustments of thermostats, microswitches, and replacement of fuses and indicating lights are not covered under warranty.
- All problems due to inadequate water supply, such as fluctuating, high or low water pressure, etc.
- All problems due to mineral/calcium deposits, or contamination from chlorides/chlorines. De-liming is considered a preventative maintenance function and not covered by warranty.
- Full use and care and manuals may or may not be sent with each unit, only a condensed version. Please visit our web site to download the full version if needed.
- Travel mileage is limited to fifty (50) miles from an Authorized Service Agency or one of its sub-service agencies.
- All labor shall be performed during normal working hours. Overtime premium will be charged to customer.
- All genuine Bloomfield replacement parts are warranted for ninety (90) days from date of purchase on non-warranty equipment. Any use of non-genuine Bloomfield parts completely voids any warranty.
- Installation, labor, and job checkouts are not considered warranty.
- Charges incurred by delays, waiting time or operating restrictions that hinder the service technician's ability to perform service are not covered by warranty. This includes institutional and correctional facilities.





 **BLOOMFIELD**

# BREWING EXPERTS



★ SINCE 1933 ★

**THERMAL BREWERS • SATELLITE BREWERS**  
**AUTOMATIC BREWERS • POUR-OVER BREWERS**  
**SINGLE CUP BREWERS • ECO BREWERS**  
**TEA BREWERS • TEA DISPENSERS**  
**COFFEE DISPENSERS • COFFEE ACCESSORIES**  
**HOT WATER MACHINES & HEATED SYRUP DISPENSERS**



10 SUNNEN DR. • ST LOUIS, MO 63143  
PHONE: 314-678-6336 • FAX: 314-781-5445  
E-MAIL: [SALES@BLOOMFIELDWORLDWIDE.COM](mailto:SALES@BLOOMFIELDWORLDWIDE.COM)  
[WWW.BLOOMFIELDWORLDWIDE.COM](http://WWW.BLOOMFIELDWORLDWIDE.COM)

 **THE MIDDLEBY CORPORATION**