













HSM SECURIO B26

HSM GmbH + Co. KG Austrasse 1 - 9 88699 Frickingen www.hsm.eu Tel. +49 (0) 75 54 / 2100-0 Fax +49 (0) 75 54 / 2100-160 info@hsm.eu www.securio.com www.v-press.com



HSM SECURIO B26

This document shredder on castors ensures data security in the workplace. Its induction-hardened solid steel cutting rollers are impervious to staples and paper clips and guarantee long service life. The powerful motor guarantees a high cutting capacity as well as reliable operation even under continuous load. Optimum design of cutting and drive components as well as the closed gear mechanism ensure low noise. The multifunctional operation button enables intuitive use of the machine. An integrated light barrier starts the device automatically and switches it off again after the paper feed ends. The automatic reverse rectifies paper jams and ensures smooth operation. High user safety is guaranteed by the folding safety element, which prevents unintentional intake. The level of the waste container is always visible through the inspection window, making timely emptying possible. The removable reusable collecting bag helps make it easy to dispose of shredded materials. In standby mode, the energy management and control system EMCS ensures low power consumption. The high-quality materials and proven quality "Made in Germany" guarantee you security and long service life.

Product type description	SECURIO B26 5,8mm	SECURIO B26 3,9mm
Order number	1801111	1800111
EAN Code	4026631046251	4026631046268
Shredder material		
Cutting type	strip cut	strip cut
Security level new (DIN 66399)	P-2 / O-2 / T-2 / E-2	P-2 / O-2 / T-2 / E-2
Security level old (DIN 32757-1)	2	2
Cutting width	5.8 mm	3.9 mm
Particle length		
Cutting capacity (70g/m²)	28 - 30 sheet	22 - 24 sheet
Cutting capacity (80g/m²)	25 - 27 sheet	19 - 21 sheet
Intake width	280 mm	280 mm
Container volume	55 I	55 I
Cutting speed	65 mm/s	65 mm/s
Noise level (idle operation)	56 dB	56 dB
Noise level (full load)	59 - 63 dB	59 - 63 dB
eclass 5.1	24320703	24320703
UN/SPSC	44101603	44101603
Power consumption of the motor	500 W	500 W
Voltage	230 V	230 V
Frequency	50 Hz	50 Hz
Warranty period (months)	24	24
Depth	397 mm	397 mm
Width	497 mm	497 mm
Height	676 mm	676 mm
Weight	24.2 kg	24.2 kg



HSM SECURIO B26

Product type description	SECURIO B26 4,5x30mm
Order number	1803111
EAN Code	4026631046275
Shredder material	
Cutting type	particle cut
Security level new (DIN 66399)	P-4 / O-3 / T-4 / E-3 / F-1
Security level old (DIN 32757-1)	3
Cutting width	4.5 mm
Particle length	30,00 mm
Cutting capacity (70g/m²)	17 - 19 sheet
Cutting capacity (80g/m²)	14 - 16 sheet
Intake width	280 mm
Container volume	55 I
Cutting speed	65 mm/s
Noise level (idle operation)	56 dB
Noise level (full load)	59 - 63 dB
eclass 5.1	24320703
UN/SPSC	44101603
Power consumption of the motor	580 W
Voltage	230 V
Frequency	50 Hz
Warranty period (months)	24
Depth	397 mm
Width	497 mm
Height	676 mm
Weight	26.4 kg

