



WALKER
out front mowing

C *series*



walkermowers.com

C19



- 19-HP Kohler OHV V-Twin engine, air-cooled
- Remote engine air filter with integrated precleaner
- 7 bushel (8.7 cu. ft.) grass catcher
- 10.5" (27 cm) grass handling blower

- Splined PTO drive shaft with quick-disconnect coupler
- 4.0 gallon (15.1 liter) fuel tank
- 7 mph (11.3 kph) ground speed
- Tilt-open body completely exposes drive train

C19i



- 19-HP Kohler OHV V-Twin engine with Delphi Electronic Fuel Injection
- Remote engine air filter with integrated precleaner
- 7 bushel (8.7 cu. ft.) grass catcher
- 10.5" (27 cm) grass handling blower

- Splined PTO drive shaft with quick-disconnect coupler
- 4.0 gallon (15.1 liter) fuel tank
- 7 mph (11.3 kph) ground speed
- Tilt-open body completely exposes drive train

out front Advantage



Beautiful Cut

Walker Mowers are well-balanced. This balance, combined with our floating decks, gives our mowers a gentle footprint that insures a clean, beautiful cut every time.

With true deck suspension, Walker decks flex and float over the terrain, easily following ground contours. The result is less scalping and a clean, manicured finish. Because the weight of the deck is transferred to the drive wheels, there is less surface pressure on the deck wheels, which means reduced impact on the turf - and a beautifully striped lawn.




Versatile

Walker's out front design lends itself nicely to the use of a variety of attachments, keeping the tractor busy all year long. The Walker is on the job, getting work done through summer, fall, winter and spring. Walker Mowers can be adapted in just minutes to multiple grounds maintenance uses with front mounted attachments and implements.

The out front design also makes it easy to switch between sixteen different decks, which vary in size and configuration.

Grass Handling

The exclusive Walker GHS (Grass Handling System) offers precise trimming on both sides of the deck, powerful vacuum action, clog resistance, and high capacity design without the bulk of typical grass catchers found on other mowers.



Best Seat in the House

With a full view of the area to be mowed and an operator position at the center of the machine—you have the "Best Seat In The House."

- Full view of working area
- Low center of gravity maximizes tractor/operator balance and provides excellent hillside performance
- Low seat height and unique steering lever design makes it easy to get on and off the machine



The MC uses a 19-hp Kohler OHV engine, with optional EFI. It has an efficient design that delivers power to decks of all sizes and types up to 62 inches as well as a number of implements and attachments. A tilt-open body is standard, making it easy to completely expose the drive train, and the 7-bushel catcher makes it a well-balanced, easy-to-operate machine. The C19 is a popular machine for commercial operators getting started in high-end property maintenance.

Exclusive Easy Operating Controls

Two steering levers work in conjunction with the Forward Speed Control (FSC) to control the drive wheels for easy, smooth operation

Deck Counterweight Springs

Transfer weight from the deck to the drive wheels, maximizing traction and agility

Steel Body Shell

14 gauge body with welded steel construction

Tilt-Up Deck

Makes blade and deck housing maintenance quick and easy

Welded Deck

Durable deck design with 11 gauge steel deck housing and tubular carrier frame

Cutting Blades

Durable steel alloy blades are specifically designed for the Walker deck and contribute to the overall performance and finished cut quality

Easy-Change Drive Belts

Change belts in the field with no tools

1

2

3

4

5

6

7



8

Powerfil™

Oscillating delivery spout evenly packs the catcher full, even when grass is long or wet

9

Grass-Pak™ Full Signal Switch

Automatic signal horn warns when the catcher is full and ready for dumping

10

Low Profile Grass Catcher

Molded polyethylene catcher (high impact plastic) with 7 bushel capacity; back door is hinged for tailgate dumping

11

Comfortable Operating Position

Large contour molded seat is matched with natural and intuitive control placement and full view of mowing area.

12

Industrial Grade Engine

Both engines are exhaust emission certified and are full pressure lubricated including oil filter

13

Dual Hydro Axle

Combination of hydrostatic transmission and custom gear axle provide a durable and precise drive unit for each wheel



Well balanced machine makes it a superior hillside performer

Power-Dump



With the optional Walker Power Dump, emptying a full catcher box while sitting in the operator's seat is as easy as flipping a switch.



A tilt-open body quickly exposes the engine and drivetrain, while the tilt-up mower deck makes blade maintenance and deck cleaning a quick and easy task.

Accessible

It's unavoidable that commercial lawn mowing equipment needs routine maintenance like blade sharpening, engine oil changes, and belt changes.

The Walker Mower was designed and built to be easily maintained, and provides quick, easy access to serviceable parts.



Agile

The Walker's easy-to-use steering configuration is an original design characteristic that improves agility versus competitive machines.

While other mowers use lap bars and arm movements to steer, the Walker uses a forward speed control/ cruise control and gentle fingertip pressure on the steering levers to precisely maneuver the machine.

Engine Specifications	C19	C19i
Manufacturer/Model	Kohler Command Pro, CH620	Kohler Command Pro, ECH630
Displacement	674cc (41.1 cu. in.)	694cc (42.4 cu. in.)
Max Power [hp @ 3600 rpm]	19	
Max Torque	35 ft-lb	34.2 ft-lb
Fuel	Gasoline (E10 Max)	
Fuel Capacity	4.0 gallons (15.1 liter)	
Cooling System	Air	
Lubrication System	Full-Pressure with Filter	
Muffler	Engine Tuned	
Tractor Drive		
Transmission/Final Drive	Dual Hydrostatic Eaton Model 7, Each Wheel Independently Driven	
Steering	Hand Lever Control, Individual Drive Wheel	
Forward Speed Control	Precision Friction Lock Lever, Cruise Control with Neutral Park Position	
Brake	Dynamic Braking through Hydrostatic Transmissions	
Parking Brake	Mechanical Pin Lock in Transmission Gear	
Ground Speed	0-7 MPH Infinitely Variable	
Turning Radius	Zero (0")	
Mower Deck		
Cutting Width	36" to 62" (16 Decks: Collection, Mulching, Side Discharge)	
Cutting Height	1" to 4" (2.54 to 10.16 cm), 1/2" (1.27 cm) Increments	
Blade	0.197" Stamped Steel, 10B38 Alloy, Tempered	
Blade Drive	Splined PTO Drive Shaft w/ Quick Disconnect to Timed Gear Drive or Belt Drive on Deck	
Blade Clutch/Brake	Manual Belt Tightener/Band Brake	
Deck Suspension	Torsion-Flex Frame with Caster Wheels and Counterweight Springs	
Dimensions		
Outside Dimensions*	47" (119.5 cm) H x 43.25" (110 cm) W x 89.25" (227 cm) L	
Wheel Base [Tractor]	42.25" (107 cm)	
Tractor Width [Outside Drive Tire] **	37.75" (96 cm)	
Curb Weight (Approximate)		
Tractor Only	734 lbs.	739 lbs.
Tractor and Deck*	925 lbs.	930 lbs.
Compatibility		
Decks	DC36R, DC42, DC48, DC48R, DC52R, DS36, DS42, DS42 (Belt), DS48, DS52, DS56, DS62, DM36, DM42A, DM42B, DM48	
Add Ons	Single Stage/Two Stage Snowblowers, Dozer Blades, Rotary Broom	

*Dimensions and weight shown for models equipped with 42" collection deck (DC42-1) ** With standard 8.5" drive tire (5075-1)

Service Commitment

As a Walker owner, you can expect to receive the highest quality performance from your product and matching service from the local dealer where you made your purchase. Walker Mowers are sold by independent dealerships who understand the Walker line and agree to follow Walker's Sales with Service commitment to our customers. Dealers are established by independent distributors who are backed by Walker Manufacturing Company. Walker is an independent, family-owned, manufacturer of high quality, American-made, power equipment products since 1980.



Warranty

Today, it is popular to talk about "lifetime" warranty, but what really matters is how that promise is kept. We don't use warranty as a gimmick to sell our product – rather, we use it as a promise to stand behind our workmanship. Walker aims to use warranty as it is meant to be used: helping customers get back to work quickly in the event of a manufacturer's defect or failure of workmanship. At Walker Manufacturing, our warranty is our word.

For a zero turn mower to excel at its work, its design has to be right from the start, or it will be easily lost in the wide array of commercial mowers that deliver only marginal results. Walker's design philosophy consists of discipline, ingenuity and no compromises. Through three generations of the Walker family, each Walker model has been built from the inside out to achieve a balance of durability and performance.

1
YEAR

- All parts and components deemed not to be typical wear items in normal usage

3
YEAR

- Kohler administers their own 3-year engine warranty
- Hydrostatic Transmissions and Gear Axle Drive



walkermowers.com

©2014 • 11/14 • P/N 6895-97