



**INTAKE FUNCTIONAL STATUS SUMMARY (9/15/2016)**

<b>Patient:</b>	<b>PATIENTS, SAMPLE</b>	Risk-Adjustment Criteria	
<b>ID#</b>	MR1234567	<b>Care Type:</b>	Orthopedic
<b>Date of Birth:</b>	10/10/1950	<b>Gender:</b>	Male
<b>Initial DOS:</b>	9/15/2016	<b>Body Part:</b>	Hip
<b>Body Part:</b>	Hip	<b>Severity:</b>	Severe (Intake FS: 40)
<b>Impairment:</b>	Post-surgical procedures: Musc...	<b>Age:</b>	66
<b>Surgery Type:</b>	Total Hip Arthroplasty	<b>Acuity:</b>	22 - 90 days
<b>Surgery Date:</b>	09/07/2016	<b>Comorbidities:</b>	Two or Three
		<b>Payer:</b>	Medicare B
		<b>Fear Avoidance:</b>	Low
		<b>Surgery Status:</b>	1 or more

Functional Status Measures:	Intake Score	Interpretation of FS Scores/Stages Value
Patient's Physical FS Primary Measure	40	Patient's intake functional measure is 40 out of 100 (higher number = greater function). This FS measure places the patient in <b>Stage 3</b> and means the patient is a limited community ambulator.
Risk Adjusted Statistical FOTO*	43	Given the patient's risk-adjustment variables, like-patients nationally had a FS score of 43, <b>Stage 3</b> , at intake.

MCII = 6 (Points of change that is important to the patient)

MDC = 7 (Represents the smallest threshold to identify points of change that is greater than measurement error)



Rehabilitation Resource Predictor*	Predicted Value	Interpretation of Predicted Value
Points of Physical FS Change	16	
Discharge FS Score	56	Given this patient's risk-adjustment variables, and the actual Intake FS score, FOTO predicts this patient will experience at least an increase in function of 16 points (to 56 or higher), putting them in the <b>Stage 4</b> level or higher at discharge.
Visits per Episode	15	
Duration of Episodes in Days	55	
Satisfaction Score	98.8 %	

- Stage: 1** Physiological ambulator
- Stage: 2** Household ambulator
- Stage: 3** Limited community ambulator
- Stage: 4** Independent community ambulator
- Stage: 5** Active community ambulator

\* The above predictions are calculated for  
 1) patients who have previously utilized rehabilitation services from FOTO's national aggregate database and  
 2) using sophisticated analyses to risk adjust for the impact of ten important variables known to influence outcomes including Care type, Body Part/Impairment, Severity, Age, Acuity, Gender, Surgery, Fear Avoidance, Payer, and Comorbidities.

**What Does This Mean For Improving Function**

This chart displays the patient responses to the functional activities contained in the intake survey that generated the intake FS score. The activities are presented in the descending order of difficulty. Responses listed in the Intake column are the survey item levels of ability at intake. Given the change experienced by the comparative risk adjusted group in FOTO's data, it is anticipated the patient should be able to do the activities at the level indicated in the predicted column or higher at the completion of care, to place the patient in the predicted **Stage 4** functional level by discharge.

**Patient responses to functional health questions that indicate dysfunction were as follows:**

Activity (Question)	Amount of Limitation (Response) at Intake	Amount of Limitation (Response) predicted	Functional Limitation
Getting up or down 10 stairs (about 1 flight of stairs)?	Quite a bit of difficulty	No difficulty	Mobility - G8978
Getting into or out of a car?	Moderate difficulty	No difficulty	Changing & Maintaining Body Position - G8981
Performing light activities around your home?	Moderate difficulty	No difficulty	Other PT/OT Primary - G8990
Getting into or out of the bath?	Moderate difficulty	No difficulty	Changing & Maintaining Body Position - G8981
Putting on your shoes or socks?	A little bit of difficulty	No difficulty	Self Care - G8987

**INTAKE FUNCTIONAL STATUS SUMMARY (9/15/2016)**

**Patient:** Patients, Sample (MR1234567)

**Primary Body Part:** Hip

**Initial DOS:** 9/15/2016

If the patient reaches the anticipated level on the above activities, other **Stage 4** activities the patient should be able to perform include:

- Walking two blocks - No difficulty
- Lifting an object, like a bag of groceries from the floor - No difficulty
- Your usual work, housework, or school activities - A little bit of difficulty
- Walking between rooms - No difficulty
- Squatting - A little bit of difficulty
- Standing for 1 hour - A little bit of difficulty
- Your usual hobbies, recreational or sporting activities - A little bit of difficulty
- Walking a mile - A little bit of difficulty
- Performing heavy activities around your home - A little bit of difficulty
- Hopping - Moderate difficulty

**Additional Intake Information Gathered for the Clinician**

- **Physician Referral:** Physician Referral: Sample Physician  
Employer Referral: John Doe Employer, Inc.  
Insurance Referral: America PPO
- **Patient reports other health problems as:** Arthritis, High Blood Pressure
- **BMI:** 28.2 (Height: 74 inches, Weight: 220 lbs)
- **Exercise prior to onset:** Patient completed 20 minutes of exercise seldom or never
- **Prescription medicine:** Patient is not taking prescription medicine for this condition
- **Surgery:** Patient reports 1 surgeries for this primary condition
- **Fear avoidance belief about physical activity:** 26(8) Scale: 0-100(0-24)

**Additional Surveys**

	<u>Intake</u>	<u>Scale</u>
<b>Physical Fear</b>	26(8)	0-100(0-24)
<b>PROMIS® Global Health</b>		
<b>Physical Health Tscore</b>	37.4	
<b>Mental Health Tscore</b>	50.8	
<b>HOOS, JR.</b>	49.9	0 - 100

**Physical Fear**

**Physical Fear Results:**

	<b>Fear Avd Belief About Phys Activ</b>
<b>Intake</b>	26(8)

**PROMIS® Global Health**

**PROMIS® Global Health Results:**

	Physical Health Tscore	Mental Health Tscore	Physical Health Raw Score	Mental Health Raw Score	Global Health	Satisfaction with Social Roles
<b>Intake</b>	37.4	50.8	11(Low)	15(Normal)	Good	Good

**INTAKE FUNCTIONAL STATUS SUMMARY (9/15/2016)**

**Patient:** Patients, Sample (MR1234567)

**Primary Body Part:** Hip

**Initial DOS:** 9/15/2016

**HOOS, JR.**

**HOOS, JR. Results:**

	Score
<b>Intake</b>	49.9

**CMS G-Codes**

**FOTO Hip Survey**  
CMS G-Code Options\*\*

**Functional Limitations Assessed in FOTO Hip Survey**

Current Status	Goal Status	D/C** Status	Asked	Descriptor
G8978	G8979	G8980	1	Mobility: walking & moving around functional limitation
G8981	G8982	G8983	2	Changing & maintaining body position functional limitation
G8984	G8985	G8986	0	Carrying, moving & handling objects functional limitation
G8987	G8988	G8989	1	Self care functional limitation
G8990	G8991	G8992	1	Other physical or occupational primary functional limitation

\*\*Only report if this is a one time visit

**CMS Impairment/Limitation/Restriction for FOTO Hip Survey**

	Status	Limitation	G-Code	CMS Severity Modifier
Intake	40%	60%	<b>Current Status</b>	<b>CL</b> - At least 60 percent but less than 80 percent
Predicted	56%	44%	<b>Goal Status*</b>	<b>CK</b> - At least 40 percent but less than 60 percent
			<b>D/C Status</b>	<b>CL</b> **only report if this is a one time visit

\*Based on FOTO predicted change score

\* Mean, Risk Adjusted, Intake Composite FS measures from FOTO aggregate database.

\*\* As indicated by the ICF assignments to the survey items in the FOTO survey used.