

4 SEARCH RESULTS

Selected filters

Manufacturer: Seaman Corporation

Please note that the CRRC does not set a minimum definition for "cool", the CRRC simply lists the measured radiative property values on our Directory. A product's placement on the Directory does not mean that the product is "cool" as defined by any particular code body or program.

*CRRC Rapid Ratings: These are interim laboratory-aged values that simulate weathered values. These values will be replaced with the measured three-year aged values upon completion of the weathering process. SRI values calculated using Rapid Ratings may change once the aged rating replaces the interim rating.

PRINT EXPORT ALL PRODUCTS

CRRC PROD. ID	MANUFACTURER: BRAND MODEL	PRODUCT TYPE	COLOR	SOLAR REFLECTANCE		THERMAL EMITTANCE		SRI		MORE INFO
				initial	3 year	initial	3 year	initial	3 year	
0634-0003	Seaman Corporation: FiberTite Roofing Systems DC 667 CR Tan	Membrane: Single Ply Thermoplastic and Thermoset Roofing	Tan	0.72	0.63	0.88	0.89	88	76	+
0634-0004	Seaman Corporation: FiberTite Roofing Systems DC 671 CR Gray	Membrane: Single Ply Thermoplastic and Thermoset Roofing	Grey	0.69	pending	0.89	pending	84	pending	+
0634-0001	Seaman Corporation: FiberTite Roofing Systems DC196 Off White	Membrane: Single Ply Thermoplastic and Thermoset Roofing	Off-White	0.83	0.66	0.85	0.74	104	76	+
0634-0002	Seaman Corporation: FiberTite Roofing Systems DC6 White	Membrane: Single Ply Thermoplastic and Thermoset Roofing	Bright White	0.87	0.71	0.85	0.84	110	86	+

COOL ROOF RATING COUNCIL 2435 N. Lombard St. TEL (866) 465-2523 EMAIL: info@coolroofs.org
Portland, OR 97217

Certificate 3146.01