

FIBERTITE SIMULATED METAL ROOFING





Metal roofs look great and can yield many years of protection. However, their reputation to remain leak-free is less than brilliant — particularly when metal is used for complex roofing designs such as changes in roof direction, valleys, wall seams and conduit or vent penetrations. FiberTite's patent-pending Simulated Metal Roofs provide the look of metal with a proven, long-term track record and thermoplastic welded seams for superior and durable leak protection.



- 4 Layers for Long-Term Proven Protection Over 99% of our roofs are still protecting.
 - Twice the fiber content for superior puncture resistance vs. even Modified Bitumen
 - ► Unique adhesive coat to prevent wicking and to enable a molecular bond with the face and back coat to prevent delamination
 - ▶ Proprietary face and back coats engineered with DuPont™ Elvaloy® KEE—based formula for superior weatherability, chemical resistance and long-term flexibility
- Lower short and long-term costs Lower material costs, lower installed costs and lower maintenance costs.
- Proprietary compound including a coextruded thermally activated KEE (Elvaloy) adhesive strip on the bottom for over 10% greater adhesion vs. welding the strip.








- FiberTite is the only roofing product that meets the industry's most stringent KEE specification – ASTM D-6754.
- Design with Peace of Mind Because of its flexibility and strength, FiberTite can form to even the most intricate contour.



Custom Colors Available













Design Flexibility with *No Leaking*

Visit www.FiberTite.com/SimulatedMetalRoofing to learn more.

FiberTite® is a registered trademark of Seaman Corporation. Elvaloy® is the trademark property of DuPont™ Corporation.