

**LPA®-142 Solvent**

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Trade name LPA®-142 Solvent

Synonyms Paraffinic Naphthenic Solvent, Aliphatic Solvent

Use Industrial use, Industrial & Institutional cleaning, Paint and Coatings, Water treatment chemical

Company Sasol Chemicals (USA) LLC
 (an affiliate of Sasol Chemicals North America LLC)

Address 12120 Wickchester Lane Houston TX 77079

Telephone CHEMTREC North America Transportation Emergency (24-hr) (800) 424-9300
 CHEMTREC World Wide (703) 527-3887
 Other Emergencies (24-hr) (337) 494-5142
 MSDS and Product Information (8:00am-4:30pm CST) (281) 588-3491
 Health and Safety Information (7:30am-4:00pm CST) (281) 588-3492

E-mail address SasolElectronicSDS@us.sasol.com

SECTION 2 HAZARDS IDENTIFICATION

GHS Hazards

Flammable liquids Category 4
 Aspiration hazard Category 1

LABEL ELEMENTS**Hazard symbols**

Signal word Danger

Hazard statements H227 Combustible liquid.
 H304 May be fatal if swallowed and enters airways.

Precautionary statements

Prevention P210 Keep away from open flames/hot surfaces. - No smoking.
 P280 Wear protective gloves/ eye protection/ face protection.

Response P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide for extinction.
 P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.
 P331 Do NOT induce vomiting.

LPA®-142 Solvent

Storage P403 + P405 + P235 Store locked up in a well-ventilated place. Keep cool.

Disposal P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

<u>Components</u>	<u>CAS-No.</u>	<u>Weight percent</u>
Distillates, petroleum, hydrotreated light	64742-47-8	100

See Section 8 for Exposure Guidelines and Section 15 for Regulatory Classifications.

SECTION 4 FIRST AID MEASURES

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. When symptoms persist or in all cases of doubt seek medical advice. Wash contaminated clothing before re-use.

Inhalation Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. In case of shortness of breath, give oxygen. Call a physician immediately.

Ingestion If swallowed, call a poison control centre or doctor immediately. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

SECTION 5 FIREFIGHTING MEASURES

FLAMMABLE PROPERTIES

Fire/explosion NFPA Class IIIA combustible liquid.

Suitable extinguishing media Water spray or fog, foam, dry chemical, CO₂

Protective equipment and precautions for firefighters Wear self-contained breathing apparatus and protective suit.

Further information Keep containers and surroundings cool with water spray.

SECTION 6 ACCIDENTAL RELEASE MEASURES

LPA®-142 Solvent

Methods and materials for containment and cleaning up Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7 HANDLING AND STORAGE

Safe handling advice Ensure all equipment is electrically grounded before beginning transfer operations.

Storage/Transport temperature Ambient

Storage/Transport pressure Ambient

Load/Unload temperature Ambient

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING MEASURES

Air contaminant levels should be controlled below the PEL or TLV for this product (see Exposure Guidelines).

PERSONAL PROTECTIVE EQUIPMENT

Eyes Wear as appropriate: Goggles, Face-shield

Skin Wear suitable protective clothing, gloves and eye/face protection.

Inhalation Respiratory protection is normally not required except in emergencies or when conditions cause excessive airborne levels of mists or vapors. Use NIOSH approved respiratory protection.

EXPOSURE GUIDELINES

Contains no substances with occupational exposure limit values., The following Sasol internal standard would apply:., 100 ppm (525 mg/m³) for 8-hour TWA (Exposure limits for Petroleum Distillate - Stoddard Solvent)

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance liquid;

Colour clear

Form liquid

Odour hydrocarbon-like

Odour Threshold no data available

LPA®-142 Solvent

Flash point	Average 63 °C, 145 °F; ASTM D 56;
Flammability	Upper explosion limit: 7.0 %(V) Lower explosion limit: 0.7 %(V)
Boiling point/boiling range	192 - 211 °C, 376 - 412 °F; ASTM D-86; ASTM D-86;
Melting point/range	< -70 °C, < -94 °F; ASTM D-2386;
Auto-ignition temperature	233 °C, 453 °F; ASTM E 659;
Decomposition temperature	no data available
Flammability (solid, gas)	no data available
Vapour pressure	0.32 mm Hg @ 20 °C, 68 °F; API Calculation;
Vapour density	5.4
Density	0.803 g/cm ³ @ 15.5 °C, 60 °F; ASTM D-287;
Specific gravity	no data available
Water solubility	negligible
Viscosity	1.8 cSt @ 20 °C, 68 °F; ASTM D 445;
pH	no data available
Evaporation rate	no data available
Partition coefficient: n-octanol/water	no data available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	Stable at normal ambient temperature and pressure.
Chemical stability	No decomposition if stored and applied as directed.
Conditions to avoid	Keep away from heat and sources of ignition.
Hazardous decomposition products	Hazardous gases and vapors produced in fire are oxides of carbon.
Materials to avoid	Oxidizing agents

LPA®-142 Solvent

Hazardous polymerisation None.

SECTION 11 TOXICOLOGICAL INFORMATION

Acute dermal toxicity LD50 rabbit: 2,000 - 4,000 mg/kg

Acute inhalation toxicity LC50 rat (4 hours): > 4.3 mg/l
All rats survived at indicated concentration.

Acute oral toxicity LD50 rat: > 5,000 mg/kg

Skin corrosion/irritation Primary irritation (rabbit): 1.2 (Max. score is 8.0.)

Eye damage/irritation Primary irritation (rabbit): 1 hours; 3.0 (Max. score is 110.)

Respiratory or skin sensitization no data available

Germ cell mutagenicity **Genotoxicity in vitro:**
no data available

Genotoxicity in vivo:
no data available

Assessment Mutagenicity:
no data available

Reproductive toxicity **Reproductive toxicity:**
no data available

Assessment Reproductive toxicity:
no data available

Teratogenicity:
no data available

Assessment teratogenicity:
no data available

STOT - single exposure no data available

STOT - repeated exposure no data available

Aspiration toxicity May be fatal if swallowed and enters airways.

Carcinogenicity **Assessment carcinogenicity:**
Contains no ingredient listed as a carcinogen

LPA®-142 Solvent

SECTION 12 ECOLOGICAL INFORMATION

Aquatic toxicity	Not toxic to aquatic organisms (fish, daphnia, algae) up to water solubility.
Toxicity to fish	no data available
Toxicity to aquatic invertebrates	no data available
Toxicity to algae	no data available
Chronic toxicity to fish	no data available
Chronic toxicity to aquatic invertebrates	no data available
Biodegradation	Readily biodegradable. OECD Test Guideline 301F (28 d): 97 % Test substance: LPA® 142 Solvent
Bioaccumulation	no data available
Mobility in soil	no data available
Other adverse effects	no data available

SECTION 13 DISPOSAL CONSIDERATIONS

Waste Code	Any unused product or empty containers may be disposed of as non-hazardous in accordance with state and federal requirements. Re-evaluation of the product may be required by the user at the time of disposal, since the product uses, transformations, mixtures, contamination, and spillage may change the classification. If the resulting material is determined to be hazardous, please dispose in accordance with state and federal (40 CFR 262) hazardous waste regulations.
Disposal methods	Dispose of only in accordance with local, state, and federal regulations.
Empty containers.	Empty containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Empty drums should be completely drained, triple-rinsed, properly bunged and promptly returned to a drum reconditioner, or properly disposed.

SECTION 14 TRANSPORT INFORMATION

LPA®-142 Solvent

DOT Not regulated. Product does not sustain combustion (49 CFR 173.120(b)(3)).

IATA Not regulated.

IMDG Not regulated.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks no data available

SECTION 15 REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

OSHA Hazards (HCS 1994)

Combustible liquid.

TSCA Inventory Listing

Components

Distillates, petroleum, hydrotreated light

CAS-No.

64742-47-8

SARA 302 Status

Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

CAS-No.

Weight percent

SARA 311/312 Classification

"Fire hazard", "Immediate (acute) health hazard"

SARA 313 Chemical

Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

CAS-No.

Weight percent

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Components

none

Reportable Quantity

Weight percent

INTERNATIONAL REGULATIONS

WHMIS Classification

Class B, Division 3: Combustible liquid.

European Union

Classification according to Regulation (EU) 1272/2008.

Aspiration hazard, Category 1

Repeated exposure may cause skin dryness or cracking.

Australia. Inventory of Chemical Substances (AICS)

Listed

LPA®-142 Solvent

Japan. Inventory of Existing and New Chemical Substances (ENCS)	Listed
Japan. Industrial Safety & Health Law (ISHL) Inventory	Listed
Canada. Domestic Substances List (DSL) Inventory	Listed
Canadian Non-Domestic Substance Listing (NDSL)	Not listed
European Inventory of Existing Commercial Chemical Substances (EINECS) Listing	Listed
Philippines. Inventory of Chemicals / Chemical Substances (PICCS)	Listed
Korea. Existing Chemicals Inventory (KECI)	Listed
China. Inventory of Existing Chemical Substances (IECSC)	Listed
Mexico. National Inventory of Chemical Substances (INSQ)	Listed
New Zealand. Inventory of Chemicals (NZIoC)	Listed
Switzerland. Inventory of Notified New Substances (CHINV)	Listed
Taiwan. National Existing Chemical Inventory (NECI)	Listed

Please note: The names and CAS numbers which are used for this product in the stated inventories may deviate from the information which is listed in Section 3.

STATE REGULATIONS

California Prop. 65
Components
 none

CAS-No.

SECTION 16 OTHER INFORMATION

HAZARD RATINGS

	<u>Health</u>	<u>Flammability</u>	<u>Physical Hazard/ Instability</u>
HMIS®	1	2	0
NFPA	1	2	0

THE DATA AND INFORMATION CONTAINED HEREIN ARE BEING FURNISHED FOR INFORMATIONAL PURPOSES ONLY, UPON THE EXPRESS CONDITION THAT EACH CUSTOMER SHALL MAKE ITS OWN ASSESSMENT OF APPROPRIATE USE AND APPROPRIATE SHIPPING, TRANSFER AND STORAGE MATERIALS AND PROCEDURES FOR SASOL CHEMICALS (USA) LLC'S PRODUCTS. ALTHOUGH BASED ON INFORMATION SOURCES WHICH SASOL CHEMICALS (USA) LLC CONSIDERS ACCURATE AND RELIABLE, SASOL CHEMICALS (USA) LLC MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, REGARDING THE VALIDITY OF THIS INFORMATION, THE INFORMATION



LPA®-142 Solvent

SOURCES UPON WHICH THE SAME ARE BASED, OR THE RESULTS TO BE OBTAINED, AND EXPRESSLY
DISCLAIMS LIABILITIES FOR DAMAGES OR INJURIES RESULTING FROM THE USE THEREOF.
