

HUBBELL Advantage

- iSTATION System Integration
- Standard Hubbell Keystone Opening
- 3.5mm Stereo Audio (TRS)
- RoHS Compliant

FEATURES

- Easy 110 punch down termination
- Use with mono and stereo audio applications
- Standard 3.5mm stereo jack

SPECIFICATIONS

- Connector:
 - Connector body: brass
 - Nickel plated: 2µ"
 - Type: female to 110 IDC
- Material:
 - Snap Fit connector body: flame retardant high impact thermoplastic
 - Rated UL 94 V-0
- Cable type: Category 5e/6/6A

PERFORMANCE

- Electrical:
 - Distance: 75 feet
- Mechanical:
 - Mating cycles: 500+

STANDARDS

- UL Listed 1863
- RoHS Compliant

HUBBELL

110 To 3.5mr

110 Termination 3.5mm Stereo Jack



Hubbell's 110 Style Termination 3.5mm Stereo Jack is the perfect solution for distributing audio signal to and from devices. Today's computers and portable electronic devices have standardized on the 3.5mm stereo jack for audio distribution. Having this connection in the plate has become a requirement.

Requiring standard 110 style termination, these connectors install with a "snap" and provide a quick plug in style termination. HPW's 3.5mm Stereo Jacks are available in black only and flush mount into all Hubbell iSTATION plates, modules, frames, surface housings and UDX multimedia panels.

Create a customized multimedia workstation by adding a 110 Style Termination 3.5mm Stereo Jack along with Hubbell's extensive line of AV connectors, loaded modules, Category rated jacks and fiber connectors.

GENERAL INFORMATION

- Important: Always allow for clearance behind connection location to ensure for proper bend radius
- Supplied with IDC termination caps

APPLICATIONS

- Laptop and desktop computers
- Projectors
- Flat panel monitors
- CD, DVD, DVR, MP3, media players
- Gaming devices
- Mobile devices



ORDERING INFORMATION

1 per bag


ACCESSORIES

	Hubbell iSTATION 110 Termination 3.5mm Stereo Jack	
Unit of Catalog Measure Number		· ·



SF35110BK

DIMENSIONS



USB 2.0 Full Speed 110 Extenders Catalog

Description	Color	Number
Module 1-U	Black	IMU1101BK
	Electric Ivory	IMU1101EI
	Gray	IMU1101GY
	Office White	IMU1101OW
	White	IMU1101W






0.659 0.817 0.768 1.083

Hubbell iSTATION Modular Face Plate Frames

	1-Gang	2-Gang
Office White	IMF1xx	IMF2xx

xx = Color: AL (Almond), BK (Black), EI (Electric Ivory), **GY** (Gray), **OW** (Office White), and **W** (White)



Hubbell iSTATION Keystone Modules

Description	Catalog Number
Keystone, 2-port, flat, 1-unit	IM2K1xx

xx = Color: AL (Almond), BK (Black), EI (Electric Ivory), **GY** (Gray), **OW** (Office White), and **W** (White)



INSTALLATION TIPS

Termination: Station cable side of connection is a 110 style punch down. Simply lace in pair 1 and pair 2 from left to right on the IDC block. For example pair 1 (the blue pair) use the (pin 3) blue conductor and then (pin 1) blue/white, (pin 2) orange, (pin 4) orange/white. The key practice is to use the same pair/pairs on each side of the horizontal run.

Important: Use the same pair color combinations for each application (composite, component, left and right audio, 3.5mm and S-video).

HDMI 110 Extender Modules

Description	Catalog Number
110 UTP 2-unit HDMI extender (pair)	IMH110ST2xx

xx = Color: BK (Black), EI (Electric Ivory), GY (Gray), **OW** (Office White), and **W** (White)




Hubbell iSTATION VGA and 3.5mm 110 Extender, 1.5-Unit

Color	Catalog Number
Black	IM15311015BK
Electric Ivory	IM15311015EI
Gray	IM15311015 G Y
Office White	IM15311015 O W
White	IM15311015W









4 Orange/White



www.hubbell-premise.com

