

SAFETY DATA SHEET

Butene-1

Section 1. Identification

GHS product identifier	Butene-1	
Chemical name	butene-1	
Other means of identification	1-Butene; Butylene; n-Butylene; n-BUTENE; Ethylethylene	
Product use	Industrial use	
Supplier's details	TPC Group One Allen Center, Suite 2000 Houston, TX, 77002, USA T 713-627-7474	
company web address	www.tpcgrp.com	
Emergency telephone number (with hours of operation)	800-424-9300 (Chemtrec - U.S.) +1-703-527-3887 (Chemtrec - International)	
Section 2. Hazards	identification	
OSHA/HCS status	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).	
Classification of the substance or mixture	FLAMMABLE GASES - Category 1 GASES UNDER PRESSURE - Compressed gas SIMPLE ASPHYXIANT	
GHS label elements		
Hazard pictograms		
Signal word	Danger	
Hazard statements	Extremely flammable gas.	
	Contains gas under pressure; may explode if heated.	
Precautionary statements	May displace oxygen and cause rapid suffocation.	
Prevention	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
Response	Leaking gas fire: Do not extinguish, unless leak can be stopped safely. Eliminate all ignition sources if safe to do so.	
Storage	Protect from sunlight. Store in a well-ventilated place.	
Disposal	Not applicable.	
Supplemental label elements	Keep container tightly closed. Use only with adequate ventilation. Do not enter storage and confined spaces unless adequately ventilated.	
Hazards not otherwise classified	None known.	

Butene-1

Section 3. Composition/information on ingredients

Substance/mixture	Substance
Chemical name	butene-1
Other means of identification	1-Butene; Butylene; n-Butylene; n-BUTENE; Ethylethylene

CAS number/other identifiers	
CAS number	106-98-9
Product code	Not available.
Ingredient name	

Ingredient name	%	CAS number
butene-1	100	106-98-9
n-butane	0-1	106-97-8
isobutane	0-1	75-28-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. To avoid the risk of static discharges and gas ignition, soak contaminated clothing thoroughly with water before removing it. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	As this product is a gas, refer to the inhalation section.

Most important symptoms/effects, acute and delayed

Potential acute health effects	
Eye contact	Contact with rapidly expanding gas may cause burns or frostbite.
Inhalation	At very high concentrations, displaces normal air causing suffocation from lack of oxygen.
Skin contact	Contact with rapidly expanding gas may cause burns or frostbite.
Ingestion	As this product is a gas, refer to the inhalation section.
Over-exposure signs/symptom	<u>15</u>
Eye contact	No specific data.
Inhalation	No specific data.
Skin contact	No specific data.
Ingestion	No specific data.
Indication of immediate medica	l attention and special treatment needed, if necessary
Notes to physician	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Date of issue/Date of revision:	06/23/2022	Date of previous issue:	04/06/2015	Version: 2.0

2/11

Section 4. First aid measures

Specific treatments Protection of first-aiders No specific treatment.

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures		
Extinguishing media		
Suitable extinguishing media	Use an extinguishing agent suitable for the surrounding fire.	
Unsuitable extinguishing media	None known.	
Specific hazards arising from the chemical	Contains gas under pressure. Extremely flammable gas. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along the ground. Gas may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back, causing fire or explosion.	
Hazardous thermal decomposition products	Decomposition products may include the following materials: carbon dioxide carbon monoxide	
Special protective actions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Contact supplier immediately for specialist advice. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. If involved in fire, shut off flow immediately if it can be done without risk. If this is impossible, withdraw from area and allow fire to burn. Fight fire from protected location or maximum possible distance. Eliminate all ignition sources if safe to do so.	
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.	

Section 6. Accidental release measures

Personal precautions, protectiv	ve equipment and emergency procedures
For non-emergency personnel	Accidental releases pose a serious fire or explosion hazard. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing gas. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in : For non-emergency personnel
Environmental precautions	Ensure emergency procedures to deal with accidental gas releases are in place to avoid contamination of the environment. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for con	tainment and cleaning up
Small spill	Immediately contact emergency personnel. Stop leak if without risk. Use spark-proof

Small spill	Immediately contact emergency personnel. Stop leak if without risk. Use spark-proof tools and explosion-proof equipment.	:
large spill	Immediately contact emergency personnel. Stop leak if without risk. Use spark-proof tools and explosion-proof equipment. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.	:

Section 7. Handling and storage

Precautions for safe handling	
Protective measures	Put on appropriate personal protective equipment (see Section 8). Contains gas under pressure. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous. Do not puncture or incinerate container.
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in a segregated and approved area. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Eliminate all ignition sources. Keep container tightly closed and sealed until ready for use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
butene-1	ACGIH TIV (United States, 4/2014). TWA: 250 ppm 8 hours.

Appropriate engineering controls	Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Section 8. Exposure controls/personal protection

Body protection	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear antistatic protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.
Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

Appearance	
Physical state	Petroleum gas, liquefied.
Color	Colorless.
Odor	Hydrocarbon.
Odor threshold	Not available.
рН	Not available.
Melting point	-185.3°C (-301.5°F)
Boiling point	-6.3°C (20.7°F) @ 760 mmHg
Flash point	-80°C (-112°F) (method not available)
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
lower and upper explosive	Lower: 1.6%
(flammable) limits	Upper: 9.3%
Vapor pressure	38.1159 PSI @ 70°F/21°C (Liquid phase)
Vapor density	1.93 [Air = 1]
Specific gravity	625.63 kg/m ³
Solubility	Not available.
Solubility in water	Insoluble.
Partition coefficient n- octanol/water	2.4
Auto-ignition temperature	385°C (725°F)
Decomposition temperature	Not available.
Viscosity	7.4354 X 10⁻⁵ poise (Gas phase)
Molecular weight	56.106 g/mol
%Volatiles by volume	100%

Section 10. Stability and reactivity

Reactivity	No specific te	est data related to reactive	vity available for this	product or its ingredients.	
Chemical stability	The product	is stable.			
Possibility of hazardous reactions	Under norma	al conditions of storage a	nd use, hazardous	reactions will not occur.	
Conditions to avoid	Avoid all pos braze, solder allow gas to a	sible sources of ignition r, drill, grind or expose c accumulate in low or cor	(spark or flame). I ontainers to heat of fined areas.	Do not pressurize, cut, weld, r sources of ignition. Do not	
Date of issue/Date of revision:	06/23/2022	Date of previous issue:	04/06/2015	Version: 2.0	5/11

Incompatible materials

Section 10. Stability and reactivity

oxidizing materials

Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous polymerization does not occur.
Section 11. Toxicol	ogical information
Information on toxicological eff Acute toxicity Not available.	ects
Irritation/Corrosion Not available.	
Sensitization Not available.	
Mutagenicity Not available.	
Carcinogenicity Not available.	
Reproductive toxicity Not available.	
Teratogenicity Not available.	
Specific target organ toxicity (Not available.	single exposure)
Specific target organ toxicity (Not available.	repeated exposure)
Aspiration hazard Not available.	
Information on the likely routes of exposure	Not available.
Potential acute health effects	
Eye contact	Contact with rapidly expanding gas may cause burns or frostbite.
Inhalation	At very high concentrations, displaces normal air causing suffocation from lack of oxygen.
Skin contact	Contact with rapidly expanding gas may cause burns or frostbite.
Ingestion	As this product is a gas, refer to the inhalation section.
Symptoms related to the physic	cal, chemical and toxicological characteristics

Reactive or incompatible with the following materials:

Eye contact	No specific data.
Inhalation	No specific data.
Skin contact	No specific data.
Ingestion	No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure Short term exposure

Date of issue/Date of revision:

06/23/2022 Date of previous issue:

04/06/2015

Version: 2.0

Section 11. Toxicological information

	<u> </u>
Potential immediate effects	Not available.
Potential delayed effects	Not available.
long term exposure	
Potential immediate effects	Not available.
Potential delayed effects	Not available.
Potential chronic health effects	
Not available.	
General	No known significant effects or critical hazards.
Carcinogenicity	No known significant effects or critical hazards.
Mutagenicity	No known significant effects or critical hazards.
Teratogenicity	No known significant effects or critical hazards.
Developmental effects	No known significant effects or critical hazards.
Fertility effects	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates Not available.

Section 12. Ecological information

Toxicity

Butene-1

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	logPow	BCF	Potential
butene-1	2.4	-	low

Mobility in soil

Soil/water partition coefficient (K_{oc})

Not available.

```
Other adverse effects
```

No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods	The generation of this product requirements regional local via a licensed the sewer un Empty presso recycled. Inco feasible. This containers or container.	on of waste should be av ct, solutions and any by- of environmental protect l authority requirements. d waste disposal contract less fully compliant with ure vessels should be re- cineration or landfill shou s material and its contain liners may retain some	voided or minimized or products should at al tion and waste dispo Dispose of surplus a tor. Waste should no the requirements of a turned to the supplie Id only be considered her must be disposed product residues. Do	wherever possible. Disp I times comply with the osal legislation and any and non-recyclable produ- ot be disposed of untreat all authorities with jurisdie r. Waste packaging sho d when recycling is not d of in a safe way. Empty o not puncture or incinera	osal ucts ted to ction. uld be y ate
Date of issue/Date of revision:	06/23/2022	Date of previous issue:	04/06/2015	Version: 2.0	7/11

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	ΙΑΤΑ
UN number	UN1075	UN1075	UN1075	UN1075	UN1075	UN1075
UN proper shipping name	Liquefied petroleum gas	Liquefied petroleum gas	Liquefied petroleum gas	Liquefied petroleum gas	Liquefied petroleum gas	Liquefied petroleum gas
Transport hazard class(es)	2.1	2.1	2.1	2	2.1	2.1
Transport label						
Packing group	-	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	Marine Pollutant: No	No.
Additional information	Special provisions T50 Packaging Exceptions: 306 Packaging Non-Bulk: 304 Packaging Bulk: 314, 315	-	-	Tunnel code (B/D)	-	-

Special precautions for user

Transport within user's premises always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOI 73/78 and the IBC Code Not available.

Section 15. Regulatory information TSCA 8(a) CDR Exempt/Partial exemption: Not determined **U.S. Federal regulations** United States inventory (TSCA 8b): All components are listed or exempted. Clean Air Act (CAA) 112 regulated flammable substances: butene-1 Not listed **Clean Air Act Section 112** (b) Hazardous Air **Pollutants (HAPs)** Clean Air Act Section 602 Not listed **Class I Substances** Clean Air Act Section 602 Not listed Class II Substances Not listed **DEA list I Chemicals** (Precursor Chemicals) **DEA list II Chemicals** Not listed (Essential Chemicals) Date of issue/Date of revision: 06/23/2022 Date of previous issue: 04/06/2015 Version: 2.0 8/11

Section 15. Regulatory information

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ

SARA 311/312

Classification

Fire hazard

Not applicable.

Sudden release of pressure

Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
butene-1	100	Yes.	Yes.	No.	No.	No.

State regulations

Massachusetts	This material is listed.
New York	This material is not listed.
New Jersey	This material is listed.
Pennsylvania	This material is listed.

International regulations

<u>Chemical Weapon Convention list Schedules I, II & III Chemicals</u> Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Inform Consent (PIC) Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals Not listed.

International lists

National inventory	
Australia	This material is listed or exempted.
Canada	This material is listed or exempted.
China	This material is listed or exempted.
Europe	This material is listed or exempted.
Japan	This material is listed or exempted.
Malaysia	Not determined.
New Zealand	This material is listed or exempted.
Philippines	This material is listed or exempted
Republic of Korea	This material is listed or exempted
Taiwan	This material is listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Classification **Justification** Flam. Gas 1; Press. Gas Comp. Gas On basis of test data Simple Asphyxiant On basis of test data **History** 06/23/2022 **Date of printing** Date of issue/Date of 06/23/2022 revision 04/06/2015 Date of previous issue 2.0 Version Key to abbreviations ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available. References Indicates information that has changed from previously issued version.

Procedure used to derive the classification

Notice to reader

Section 16. Other information

Disclaimer Before using this product, the user is advised to make its own determination and assessment of the safety and suitability of the product for the specific use in question and is further advised against relying on the information contained in this document as it may relate to any specific use or application. It is the ultimate responsibility of the user to ensure that the product is suited and the information is applicable to the user's specific application. TPC Group does not make, and expressly disclaims, all warranties, including warranties of merchantability or fitness for a particular purpose, regardless of whether oral or written, express or implied, or allegedly arising from any usage of any trade or from any course of dealing in connection with the use of the information contained in this document or the product itself. TPC Group further makes no representations, and extends no warranties of any kind, that the use, sale, or other disposition of the product, whether alone or in combination with other products, will not infringe any patent, copyright, trademark, or other proprietary right. The user expressly assumes all risk and liability, whether based in contract, tort or otherwise, in connection with the use of the information contained herein or the product itself. Information contained in this document is given without reference to any intellectual property issues, as well as federal, state or local laws which may be encountered in the use of the information in this document or the product. Such questions should be investigated by the user.