FIRST AID

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so by a poison control center or a doctor. Do not give anything by , mouth to an unconscious person.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible, Call a poison control center or doctor for further treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Call 1-800-255-3924 for emergency medical treatment information.

NOTE TO PHYSICIAN: Contains petroleum distillate vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may windows, doors and eaves) must be limited to spot or crack cause allergic reactions in some individuals. Wear long sleeved and crevice treatments only, except for the following permitted shirt and long pants, socks and shoes.

User Safety Recommendations:

· User should wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet

Users should remove clothing/PPE immediately if pesticide gets inside and after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into (put on) clean clothing.

Environmental Hazards

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to or near eaves, screens, window frames, doors, patios, cracks, holes water. Drift and run-off may be hazardous to fish and aquatic or crevices wherever insects are noticed, spray for about 1 organisms in water adjacent to treated areas. Do not con- 2 seconds or until surfaces are moist. To prevent entrance of taminate water when disposing of equipment, washwater, or insects into the house, spray around points where insects can rinsate. See Directions for Use for additional precautions and enter house; outside plumbing, faucets, and cracks or crevices requirements

ment on blooming crops or weeds. Do not apply this product If spray accidentally contacts foliage, immediately wash with or allow it to drift to blooming crops or weeds while bees are water. This product may discolor exterior surfaces of building, actively visiting the treatment areas.

Physical and Chemical Hazards

Flammable. Contents under pressure. Keep away from heat sparks and open flame. Do not puncture or incinerate contain er. Exposure to temperatures above 130°F may cause bursting

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manne inconsistent with its labeling. Read Entire Label. Use Restrictions For spot, crack, and crevice application only. Do not apply more than 112 lbs. (1792 ounces or 89 bottles) of this product (0.56 lbs. ai PBO) per 1000 square feet. Not for broadcast use on indoor surfaces. Do not apply this product in a way that will contact adults, chi dren, or pets either directly or through drift. Do not allow adults, children, or pets to enter the treated are until spravs have dried.

Do not apply when food is present. Remove or cover dishes

utensils, food processing equipment, and food preparation surfaces, or wash them before use

Remove pets, birds and cover any water inhabited by fish (such as aquariums and ornamental fish ponds) before spray application. Turn off aquarium filtering systems before spraying and wait approximately 15 minutes after application before turning the filter back on. [Remove pets, birds, and cover fish aquariums before use.]

Do not use in commercial food/feed handling establishments, restaurants or other sites where food/feed is commercially prepared or processed. Not for use in federally inspected meat and poultry plants.

Do not apply to pets or contaminate feed, foodstuffs, dishes or utensils.

- Do not make application during rain.
- Do not wet articles to point of runoff or drip. Do not use treated article until spray has dried.

Do not apply directly into sewers or drains, or to any area like

a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

Remove or cover exposed food and drinking water before application.

Close milk bulk lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking. Do not use in aircraft cabins.

Other than application to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as uses: Treatment to soil or vegetation around structures; Applications to lawns, turf, and other vegetation; Applications to building foundations, up to a maximum height of 3 feet.

For best results, spray in early morning or late evening when insect activity is minimal. Stand a safe distance from nest and not directly underneath. [Remove protective cap.] Hold can upright and point spray opening toward nest with wind at your back. Spray until nest is thoroughly saturated to kill the entire nest population. Residual action will kill Wasps and Hornets returning to the nest. Wait at least 24 hours before removing the nest.

To kill Wasps, Hornets, Yellow Jackets and Bees under in foundation as well as along sills and ledges

This pesticide is highly toxic to bees exposed to direct treat- Do not spray vegetation directly to prevent damage to foliage. structures and painted surfaces and may cause staining (darkening) of asphalt surfaces and shingles. Test product in an

ıt,	inconspicuous area beiore appiying.	
n- g.	STORAGE AND DISPOSAL Do not contaminate water, food or feed by storage or disposal.	6
er	Pesticide Storage: Store in a cool, dry area away from [inaccessible to] children and pets and away from heat, sparks and open flame. Do not transport or store be- low 32°F. Do not freeze.	00129
of	Pesticide Disposal and Container Han- dling: Do Not Puncture or Incinerate! If empty: Place in trash or offer for recycling	788
il-	if available. If partly filled: Call your local solid waste	31
a	agency or 1-800-CLEANUP for disposal instructions.	
S,	ITEM 442000001-20AR Made in USA	00

Wasp & Hornet Killer

QuestSpecialty

- Kills Wasps, Hornets, Yellow Jackets & Bees **On Contact**
- Kills With Residual Action As Wasps & Hornets Return To Nest
- Jet Spray Will Reach Nests Up To 20 Feet Above Ground

Dielectric Breakdown Voltage Of 47,300 Volts

Tetramethrin	0.10 %
Permethrin	
*Piperonyl Butoxide	
**OTHER INGREDIENTS:	
	100.00 %
*(butylcarbityl) (6-propylpiperony	() ether and related compounds

**Contains petroleum distillates

EPA Reg. No. 44446-71 EPA Est. No. 44446-TX-1

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

NET WT. 12 OZ. (340 g)

QuestSpecialty Corporation P.O. Box 624 • Brenham, TX 77834 713.896.8188