### TUBERCULOCIDAL ACTIVITY

**Test Method:** AOAC Confirmative In Vitro Test for Determining Tuberculocidal Activity. **Test Conditions:** 5% serum - 5 minute contact time - glass slide carrier substrates

Test Organism: Mycobacterium bovis BCG (Organon Teknika)

Results:

			No. of Carriers
Subculture Media	<u>Sample</u>	No. of Exposed Carriers	<b>Showing Growth</b>
modified Proskauer-Beck Medium	Α	10	0
	В	10	0
Middlebrook 7H9 Broth	Α	10	0
	В	10	0
Kirchners Medium	Α	10	0
	В	10	0

**CONCLUSION:** Under the conditions of this investigation AIRX 75 Antibacterial Heavy Duty Cleaner and Odor Counteractant was **tuberculocidal** for *Mycobacterium bovis* (BCG) according to criteria established by the U.S. Environmental Protection Agency for registration and labeling of a disinfectant product as a tuberculocide.

## **MILDEW FUNGISTATIC ACTIVITY**

Test Method: EPA Hard Surface Mildew Fungistatic Test

riest Conditions: glazed ceramic tile substrates Test Organism: Aspergillus niger (ATCC 6275)

Results:

<u>Sample</u>	No. of Exposed Tiles	No. of Tiles Showing Growth
Airx 75	10	0
CONTROL	10	10

**CONCLUSION:** Under the conditions of this investigation, AIRX 75 Antibacterial Heavy Duty Cleaner and Odor Counteractant was **fungistatic** for *Aspergillus niger* according to criteria established by the U.S. Environmental Protection Agency for registration and labeling of a disinfectant product as a fungistat.

# **FUNGICIDAL ACTIVITY**

Test Method: AOAC Germicidal Spray Products as Disinfectants

Test Conditions: 5% serum - room temperature - glass slide carrier substrates

Results:

	No. of Carriers			
<u>Organism</u>	<u>Sample</u>	<u>Exposed</u>	<u>Positive</u>	Contact Time
Trichophyton mentagrophytes (ATCC 9533)	Α	60	0	10 minutes
	В	60	0	
	С	60	0	

**CONCLUSION:** Under the conditions of this investigation, AIRX 75 Antibacterial Heavy Duty Cleaner and Odor Counteractant was **fungicidal** for *Trichophyton mentagrophytes* according to criteria established by the U.S. Environmental Protection Agency for gistration and labeling of a disinfectant product as a fungicide.

# AIRX 75 (Continued)

# **BACTERICIDAL ACTIVITY**

Test Method: AOAC Germicidal Spray Products as Disinfectants

Test Conditions: 5% serum - room temperature - glass slide carrier substrates

Results:

	No. of Carriers			
<u>Organism</u>	<u>Sample</u>	<u>Exposed</u>	<u>Positive</u>	Contact Time
Staphylococcus aureus (ATCC 6538)	Α	- 60	0	3 minutes
,	В	60	0	
Salmonella choleraesuis (ATCC 10708)	Α	60	0	3 minutes
, , , , , , , , , , , , , , , , , , ,	В	60	0	-
Pseuodomonas aeruginosa PRD-10 (ATCC 15442)	Α	60	0	3 minutes
	В	60	0	
Clostridium difficile vegetative form (ATCC 9689)	Α	10	0	l minute
	В	10	0	
Corynebacterium ammoniagenes (ATCC 6871)	Α	10	0	3 minutes
	В	10	0	
Enterococcus faecium (ATCC 6569)	Α	10	0	3 minutes
	В	10	00	
Escherichia coli (ATCC 11229)	Α	10	. 0	3 minutes
	В	10	0	
Escherichia coli 0157:H7 (ATCC 43895)	Α	10	0	3 minutes
	В	10	0	
Listeria monocytogenes (ATCC 35152)	Α	10	0	3 minutes
	В	10	0	
Salmonella typhi (ATCC 6839)	Α	10	0	3 minutes
	В	10	0	
Yersinia enterocolitica (ATCC 23715)	Α	10	0	3 minutes
	В	10	· 0	
Methicillin resistant Staphylococcus aureus (MRSA)	Α	10	0	3 minutes
(ATCC 33593)	В	10	0	
Vancomycin resistant Enterococcus faecalis (VRE)	Α	10	0	3 minutes
(ATCC 51575)	В	10	· 0	
Vancomycin intermediate resistant Staphylococcus aureus	Α	10	0	3 minutes
(VISA) (CDC Isolate 99287)	В	10	0	

**CONCLUSION:** Under the conditions of this investigation, AIRX 75 Antibacterial Heavy Duty Cleaner and Odor Counteractant was **bactericidal** for *Staphylococcus aureus*, *Salmonella choleraesuis*, *Pseudomonas aeruginosa*, *Clostridium difficile* vegetative form, *Corynebacterium ammoniagenes*, *Enterococcus faecalis*, *Escherichia coli*, *Escherichia coli* 0157:H7, *Listeria monocytogenes*, *Salmonella typhi*, *Yersinia enterocolitica*, Methicillin resistant *Staphylococcus aureus* (MRSA), Vancomycin resistant *Enterococcus faecalis* (VRE) and Vancomycin intermediate resistant *Staphylococcus aureus* (VISA) according to criteria established by the U.S. Environmental Protection Agency for registration and labeling of a disinfectant product as a bactericide.

#### VIRUCIDAL ACTIVITY

**Test Method:** \*U.S. E.P.A. Pesticide Assessment Guidelines, Subdivision G: Product Performance, Section 91-2(f), and Section 91-30 (d), (e), November. 1982.

Protocols for Testing the Efficacy of Disinfectants against Hepatitis B Virus (HBV) (EPA, Federal Register, Vol. 65, No. 166, 8/25/2000, p. 51828).

Protocol for Testing Disinfectants against Hepatitis C Virus using Bovine Viral Diarrhea Virus as approved by the U.S. EPA on August 15, 2002

• Modified U.S. E.P.A. Pesticide Assessment Guidelines, Subdivision G: Product Performance, Section 91-2(f), and Section 91-30(d),(e), November, 1982.

# **Test Conditions:** 5% serum - glass petri dish substrates **Results:**

Test Oses siess	Canada	Titon Dod votion	Contact Time
Test Organism  Bovine Viral Diarrhea Virus (BVDV)	<u>Sample</u> <b>A&amp;</b> B	<u>Titer Reduction</u> ‡ <b>5.5 log</b> ₀	Contact Time  10 minutes
*Canine Parvovirus (ATCC VR-2017)	A&B	‡3.5 log <sub>10</sub>	10 minutes
•Feline Calicivirus (FCV)	A&B	6.48 log <sub>10</sub>	30 seconds
Hepatitis A Virus (HAV)	A&B	‡3.0 log₁₀	10 minutes
Hepatitis B Virus (HBV) (Duck Hepatitis B Virus-DHBV)	A&B	‡3.0 log₁₀	10 minutes
Hepatitis C Virus (HBV) (Bovine Viral Diarrhea Virus-BVDV)	A&B	‡5.5 log₁₀	10 minutes
*Human Immunodeficiency Virus, HTLV-III <sub>RF</sub> , strain of HIV-I (associated with AIDS)	A&B	‡3.5 log₁₀	10 minutes
*Human Coronavirus (ATCC VR-740, strain 229E)	A&B	‡3.0 log₁₀	2 minutes
*Norwalk Virus (Feline Calicivirus) (FCV)	A&B	6.48 log₁₀	30 seconds
*Poliovirus Type 1, strain Brunhilde (ATCC VR-1000)	A&B	‡3.25 log₁₀	10 minutes
*Rabies Virus (attenuated ERA strain, CDC)	A&B	‡3.0 log10	30 seconds

**CONCLUSION:** Under the conditions of this investigation, AIRX 75 Antibacterial Heavy Duty Cleaner and Odor Counteractant was **virucidal** for Bovine Viral Diarrhea Virus (BVDV), Canine Parvovirus, Feline Calicivirus (FCV), Hepatitis A virus (HAV), Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Human Immunodeficiency Virus (HIV-I), Human coronavirus, Norwalk Virus, Poliovirus Type I, and Rabies according to criteria established by the U.S. Environmental Protection Agency for registration and labeling of a disinfectant product as a virucide.

Airx and Airxide are registered Trademarks of AIREX LABORATORIES, FOLCROFT, PA 19032-0037 Phone (610) 534-8900 • Fax (610) 534-8912 • Email www.airxinfo.com