



expand productivity with simplicity

- high speed printing and copying
- enhanced emulation
- expandability with option items
- robust paper handling



SCX-5635FN boosts up your work efficiency and performance. The smart office assistant, it supports workgroups users and small and medium business users. SCX-5635FN can print, copy, scan and fax with 33 ppm printing speed, duplex and convenient network features that you require in workgroup environment. Getting the productivity boost has never been this easy.


high speed printing and copying

SCX-5635FN has the fastest printing and copying speed of up to 33 ppm in A4 for desktop style MFP within short distance of actual users, while a single page first print out time is as quick as 8 seconds.

enhanced emulation

Built-in emulation technology ensures utmost compatibility with any computer or software, so the multifunction printer can process every document fast and easy. No matter the job or requirement, from basic prints to professional looking documents, you are guaranteed the printout and quality you need.

expandability with option items



Optional Memory



Wireless LAN

SCX-5635FN maximizes your job environment with optional items. Expandable memories boost up printer's performance with up to 384 MB. Every printout is delivered quickly and smoothly without any bottleneck to disrupt workflow. Broaden the capabilities of your device with a wireless network. SCX-5635FN allows you to connect without the need to restrict your workplace location due to hard wire cabling availability. Expand the network by connecting everyone and print from any location, simply and wirelessly.

robust paper handling



SCX-5635FN supports up to 550 sheets composed of 50-sheet multipurpose tray, 250-sheet standard tray and optional 250-sheet tray. SCX-5635FN sets you free from frequent reloading paper and saves your time.

intuitive and easy UI



- 01-4 line Backlight LCD
- 02-Compass Navigation
- 03-Power Save Button

Get everyone at work onboard quickly with simple and easy to use UI panel. Reduce training and troubleshooting time with simple intuitive menus and buttons. The 4 line backlight LCD

direct USB



Scan to USB : JPEG, BMP, PDF, TIFF  
Print from USB : JPEG, BMP, PDF, TIFF, PRN

Change the way you look at printers, and how you work, with the outstanding features of the SCX-5635FN. A direct USB port turns it into a self-functioning PC to save time and effort,

spreads your control sight and blue lighted compass navigate you the job process status.

#### reasonable maintenance cost

More economical to operate than other models in the market, the SCX-5635FN adds more value to set-up. Think of the compounded savings you stand to make, with each printout costing you less than ever. The assurance of reliability also minimizes cost-wastage typically with paper jams and other malfunctions.

#### robust maximum monthly duty



With an average of 1,000 to 3,000 prints a month, know you stand to get the most out of your multifunction printer. Even in the most demanding and challenging business environments, the SCX-5635FN leads in productivity- capable of delivering a maximum monthly duty of 80,000 pages.

while letting you print and scan directly with a USB device.

#### support for various paper size

Maximum paper handling versatility with customizable paper input sizes. Letter, Legal, Oficio, Folio A4, JIS B5, ISO B5, Executive, A5 - Min: 98 x 148 mm (3.86" x 5.83") / Max: 215.9 x 355.6 mm (8.5" x 14.0") Legal.

#### worry-free operations

The multi-talented SCX-5635FN will change the way you work. You get high performance that will boost productivity and streamline workflow. SCX-5635FN is designed with smart set design for easy and fast maintenance to reduce unavailability time so you can spend more time on the job and not fixing paper jams.

<b>Overview</b>	<b>Function</b>	print, scan, copy, fax
<b>Print</b>	<b>Speed (Mono)</b>	up to 33 ppm in A4 (35 ppm in Letter)
	<b>First Print Out Time (Mono)</b>	less than 8.5 seconds (from Ready mode)
	<b>Resolution</b>	up to 1200 x 1200 dpi effective output
	<b>Duplex</b>	built-in
	<b>Emulation</b>	PCL5e, PCL6, PS3, PDF 1.4, TIFF
<b>Copy</b>	<b>First Copy Out Time (Mono)</b>	less than 10 seconds (from Ready mode)
	<b>Multy Copy</b>	1 ~ 99 pages
	<b>Zoom Rate</b>	25 ~ 400% (platen), 25 ~ 100% (ADF)
	<b>Duplex Copy</b>	built-in
	<b>Copy Features</b>	ID copy, 2-up, 4-up, poster copy, clone copy, collation copy, auto-fit
<b>Scan</b>		up to 1200 x 1200 dpi effective output
	<b>Speed</b>	up to 33 cpm in A4 (35 cpm in Letter)
	<b>Compatibility</b>	TWAIN standard, WIA standard
	<b>Method</b>	colour CCD
	<b>Resolution (Optical)</b>	up to 600 x 600 dpi
	<b>Resolution (Enhanced)</b>	up to 4,800 x 4,800 dpi
	<b>Scan to</b>	PC, email, USB memory, FTP, SMB

<b>Fax</b>	<b>Compatibility</b>	ITU-T G3	
	<b>Modem speed</b>	33.6 Kbps	
		standard: 203 x 98 dpi fine / photo: 203 x 196 dpi super fine: 300 x 300 dpi colour: up to 200 x 200 dpi	
	<b>Memory</b>	4 MB (225 pages)	
	<b>Auto Dial</b>	speed dial: 200 Locations	
	<b>Fax Feature</b>	on hook dial, auto redial, last number redial, auto reduction, multi-send, delayed send, fax forwarding (email / fax), broadcasting up to 209 locations	
<b>Paper Handling</b>	<b>Input Capacity and Types</b>	250-sheet cassette tray, 50-sheet multi-purpose tray	
	<b>Output Capacity and Types</b>	150-sheet face down, 1-sheet face up	
	<b>Media Size</b>	76.2 x 127 mm (3" x 5") ~ 215.9 x 355.6 mm (8.5" x 14")	
	<b>Media Type</b>	plain paper, transparency, envelope, labels, card stock, thick, thin, cotton, colour, preprinted, recycled, bond, archive	
	<b>ADF Capacity</b>	50-sheet	
	<b>ADF Document Size</b>	width: 142 ~ 216 mm (5.6" ~ 8.5") length: 148 ~ 356 mm (5.8" ~ 14")	
<b>General</b>	<b>LCD</b>	4 line graphic LCD	
	<b>Memory / Storage</b>	128 MB (max. 384 MB)	
	<b>OS Compatibility</b>	Windows 2000 / 2003 / 2008 Server / XP / Vista, various Linux OS, Mac OS X 10.3 ~ 10.5, Windows Terminal Services, Citrix Presentation Server (NOT Ready Logo, only compatibility), SAP (NOT Ready Logo, only compatibility), Windows Terminal Services	
	<b>Interface</b>	hi-speed USB 2.0, Ethernet 10 / 100 BaseTX	
	<b>Noise Level</b>	less than 52 dBA (printing), less than 54 dBA (copying), less than 26 dB (standby initial), 39 dB (standby long term)	
	<b>Duty Cycle, Monthly</b>	80,000 pages	
	<b>Dimension (W x D x H)</b>	466 x 435 x 458 mm	
	<b>Weight</b>	18.8 kg	
	<b>Consumables</b>	<b>Yield</b>	standard: average cartridge yield 4,000 standard pages high yield: average cartridge yield 10,000 standard pages (Ships with 4,000 pages Starter Toner Cartridge)(1)
		<b>Type</b>	single cartridge
<b>Model Code</b>		MLT-D208S, MLT-D208L	

Features and specifications are subject to change without prior notification.

(1) Declared cartridge yield in accordance with ISO/IEC 19752.