

SADLIER

# Common Core Progress Mathematics

Aligned to the

## Mathematics Florida Standards (MAFS)

**Grade 6**

### Contents

- 2 Domain: Ratios & Proportional Relationships
- 3 Domain: The Number System
- 6 Domain: Expressions & Equations
- 9 Domain: Geometry
- 10 Domain: Statistics & Probability



William H. Sadlier, Inc.  
[www.sadlierschool.com](http://www.sadlierschool.com)  
800-221-5175

## Domain: Ratios & Proportional Relationships

GRADE 6 STANDARD CODE / STANDARD

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 6

Cluster 1: Understand ratio concepts and use ratio reasoning to solve problems.

(MAJOR CLUSTER)

**MAFS.6.RP.1.1** Understand the concept of a ratio and use ratio language to describe a ratio relationship between two quantities. *For example, "The ratio of wings to beaks in the bird house at the zoo was 2:1, because for every 2 wings there was 1 beak." "For every vote candidate A received, candidate C received nearly three votes."*

*Cognitive Complexity:* Level 2: Basic Application of Skills & Concepts

**MAFS.6.RP.1.2** Understand the concept of a unit rate  $a/b$  associated with a ratio  $a:b$  with  $b \neq 0$ , and use rate language in the context of a ratio relationship. *For example, "This recipe has a ratio of 3 cups of flour to 4 cups of sugar, so there is  $3/4$  cup of flour for each cup of sugar." "We paid \$75 for 15 hamburgers, which is a rate of \$5 per hamburger."*

*Cognitive Complexity:* Level 2: Basic Application of Skills & Concepts

**MAFS.6.RP.1.3\*** Use ratio and rate reasoning to solve real-world and mathematical problems, e.g., by reasoning about tables of equivalent ratios, tape diagrams, double number line diagrams, or equations.  
 (\*amended standard)

*Cognitive Complexity:* Level 2: Basic Application of Skills & Concepts

a. Make tables of equivalent ratios relating quantities with whole-number measurements, find missing values in the tables, and plot the pairs of values on the coordinate plane. Use tables to compare ratios.

b. Solve unit rate problems including those involving unit pricing and constant speed. *For example, if it took 7 hours to mow 4 lawns, then at that rate, how many lawns could be mowed in 35 hours? At what rate were lawns being mowed?*

**Lesson 1** **Understand Ratios and Unit Rates**—pp. 10–17

**Lesson 1** **Understand Ratios and Unit Rates**—pp. 10–17

**Lesson 2** **Use Ratio Tables to Find Equivalent Ratios**—pp. 18–25

**Lesson 3** **Use Ratio Tables to Compare Ratios**—pp. 26–33

**Lesson 8** **Problem Solving: Ratios and Rates**—pp. 66–73

**Lesson 4** **Solve Unit Rate Problems**—pp. 34–41

**Lesson 8** **Problem Solving: Ratios and Rates**—pp. 66–73

## Domain: Ratios & Proportional Relationships

### GRADE 6 STANDARD CODE / STANDARD

- c. Find a percent of a quantity as a rate per 100 (e.g., 30% of a quantity means 30/100 times the quantity); solve problems involving finding the whole, given a part and the percent.

---

- d. Use ratio reasoning to convert measurement units; manipulate and transform units appropriately when multiplying or dividing quantities.

---

- e. Understand the concept of Pi as the ratio of the circumference of a circle to its diameter.

### SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 6

**Lesson 4** Solve Unit Rate Problems—pp. 34–41

**Lesson 8** Problem Solving: Ratios and Rates—pp. 66–73

**Lesson 7** Convert Measurement Units—pp. 58–65

**Lesson 8** Problem Solving: Ratios and Rates—pp. 66–73

Online at SadlierConnect.com

## Domain: The Number System

### GRADE 6 STANDARD CODE / STANDARD

Cluster 1: Apply and extend previous understandings of multiplication and division to divide fractions by fractions.  
(MAJOR CLUSTER)

**MAFS.6.NS.1.1** Interpret and compute quotients of fractions, and solve word problems involving division of fractions by fractions, e.g., by using visual fraction models and equations to represent the problem. *For example, create a story context for  $(2/3) \div (3/4)$  and use a visual fraction model to show the quotient; use the relationship between multiplication and division to explain that  $(2/3) \div (3/4) = 8/9$  because  $3/4$  of  $8/9$  is  $2/3$ . (In general,  $(a/b) \div (c/d) = ad/bc$ .) How much chocolate will each person get if 3 people share  $1/2$  lb of chocolate equally? How many  $3/4$ -cup servings are in  $2/3$  of a cup of yogurt? How wide is a rectangular strip of land with length  $3/4$  mi and area  $1/2$  square mi?*

*Cognitive Complexity:* Level 2: Basic Application of Skills & Concepts

### SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 6

**Lesson 9** Divide a Fraction by a Fraction—pp. 80–87

**Lesson 10** Problem Solving: Fraction Division—pp. 88–95

## Domain: The Number System

### GRADE 6 STANDARD CODE / STANDARD

Cluster 2: Compute fluently with multi-digit numbers and find common factors and multiples.

(ADDITIONAL CLUSTER)

**MAFS.6.NS.2.2** Fluently divide multi-digit numbers using the standard algorithm.

*Cognitive Complexity:* Level 1: Recall

**MAFS.6.NS.2.3** Fluently add, subtract, multiply, and divide multi-digit decimals using the standard algorithm for each operation.

*Cognitive Complexity:* Level 1: Recall

**MAFS.6.NS.2.4** Find the greatest common factor of two whole numbers less than or equal to 100 and the least common multiple of two whole numbers less than or equal to 12. Use the distributive property to express a sum of two whole numbers 1–100 with a common factor as a multiple of a sum of two whole numbers with no common factor. For example, express  $36 + 8$  as  $4(9 + 2)$ .

*Cognitive Complexity:* Level 2: Basic Application of Skills & Concepts

Cluster 3: Apply and extend previous understandings of numbers to the system of rational numbers.

(MAJOR CLUSTER)

**MAFS.6.NS.3.5** Understand that positive and negative numbers are used together to describe quantities having opposite directions or values (e.g., temperature above/below zero, elevation above/below sea level, credits/debits, positive/negative electric charge); use positive and negative numbers to represent quantities in real-world contexts, explaining the meaning of 0 in each situation.

*Cognitive Complexity:* Level 2: Basic Application of Skills & Concepts

### SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 6

**Lesson 11** **Divide Multi-digit Numbers**—pp. 96–103

**Lesson 12** **Add and Subtract Multi-digit Decimals**—pp. 104–111

**Lesson 13** **Multiply and Divide Multi-digit Decimals**—pp. 112–119

**Lesson 14** **Find the Greatest Common Factor and Least Common Multiple**—pp. 120–127

**Lesson 15** **Understand Positive and Negative Numbers and Opposites**—pp. 128–135

## Domain: The Number System

### GRADE 6 STANDARD CODE / STANDARD

**MAFS.6.NS.3.6** Understand a rational number as a point on the number line. Extend number line diagrams and coordinate axes familiar from previous grades to represent points on the line and in the plane with negative number coordinates.

*Cognitive Complexity:* Level 2: Basic  
Application of Skills & Concepts

- 
- a. Recognize opposite signs of numbers as indicating locations on opposite sides of 0 on the number line; recognize that the opposite of the opposite of a number is the number itself, e.g.,  $-(-3) = 3$ , and that 0 is its own opposite.
- 
- b. Understand signs of numbers in ordered pairs as indicating locations in quadrants of the coordinate plane; recognize that when two ordered pairs differ only by signs, the locations of the points are related by reflections both axes.
- 
- c. Find and position integers and other rational numbers on a horizontal or vertical number line diagram; find and position pairs of integers and other rational numbers on a coordinate plane.

**MAFS.6.NS.3.7** Understand ordering and absolute value of rational numbers.

*Cognitive Complexity:* Level 2: Basic  
Application of Skills & Concepts

- 
- a. Interpret statements of inequality as statements about the relative position of two numbers on a number line diagram. *For example, interpret  $-3 > -7$  as a statement that  $-3$  is located to the right of  $-7$  on a number line oriented from left to right.*
- 
- b. Write, interpret, and explain statements of order for rational numbers in real-world contexts. *For example, write  $-3^{\circ}\text{C} > -7^{\circ}\text{C}$  to express the fact that  $-3^{\circ}\text{C}$  is warmer than  $-7^{\circ}\text{C}$ .*

### SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 6

---

**Lesson 15** **Understand Positive and Negative Numbers and Opposites**—pp. 128–135

---

**Lesson 16** **Locate Points with Rational Coordinates**—pp. 136–143

---

**Lesson 16** **Locate Points with Rational Coordinates**—pp. 136–143

---

**Lesson 17** **Compare and Order Rational Numbers**—pp. 144–151

---

**Lesson 17** **Compare and Order Rational Numbers**—pp. 144–151

---

## Domain: The Number System

### GRADE 6 STANDARD CODE / STANDARD

- c. Understand the absolute value of a rational number as its distance from 0 on the number line; interpret absolute value as magnitude for a positive or negative quantity in a real-world situation. *For example, for an account balance of  $-30$  dollars, write  $|-30| = 30$  to describe the size of the debt in dollars.*
- d. Distinguish comparisons of absolute value from statements about order. *For example, recognize that an account balance less than  $-30$  dollars represents a debt greater than 30 dollars.*

**MAFS.6.NS.3.8** Solve real-world and mathematical problems by graphing points in all four quadrants of the coordinate plane. Include use of coordinates and absolute value to find distances between points with the same first coordinate or the same second coordinate.

*Cognitive Complexity:* Level 2: Basic Application of Skills & Concepts

### SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 6

**Lesson 18 Understand Absolute Value**—pp. 152–159

**Lesson 18 Understand Absolute Value**—pp. 152–159

**Lesson 19 Problem Solving: The Coordinate Plane**—pp. 160–167

## Domain: Expressions & Equations

### GRADE 6 STANDARD CODE / STANDARD

Cluster 1: Apply and extend previous understandings of arithmetic to algebraic expressions.  
(MAJOR CLUSTER)

**MAFS.6.EE.1.1** Write and evaluate numerical expressions involving whole-number exponents.

*Cognitive Complexity:* Level 1: Recall

**MAFS.6.EE.1.2** Write, read, and evaluate expressions in which letters stand for numbers.

*Cognitive Complexity:* Level 2: Basic Application of Skills & Concepts

- a. Write expressions that record operations with numbers and with letters standing for numbers. *For example, express the calculation “Subtract  $y$  from 5” as  $5 - y$ .*

### SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 6

**Lesson 20 Write and Evaluate Numerical Expressions with Exponents**—pp. 174–181

**Lesson 21 Write Algebraic Expressions to Record Operations**—pp. 182–189

## Domain: Expressions & Equations

### GRADE 6 STANDARD CODE / STANDARD

- b. Identify parts of an expression using mathematical terms (sum, term, product, factor, quotient, coefficient); view one or more parts of an expression as a single entity. *For example, describe the expression  $2(8 + 7)$  as a product of two factors; view  $(8 + 7)$  as both a single entity and a sum of two terms.*
- c. Identify parts of an expression using Evaluate expressions at specific values of their variables. Include expressions that arise from formulas used in real-world problems. Perform arithmetic operations, including those involving whole-number exponents, in the conventional order when there are no parentheses to specify a particular order (Order of Operations). *For example, use the formulas  $V = s^3$  and  $A = 6s^2$  to find the volume and surface area of a cube with sides of length  $s = 1/2$ .*

**MAFS.6.EE.1.3** Apply the properties of operations to generate equivalent expressions. *For example, apply the distributive property to the expression  $3(2 + x)$  to produce the equivalent expression  $6 + 3x$ ; apply the distributive property to the expression  $24x + 18y$  to produce the equivalent expression  $6(4x + 3y)$ ; apply properties of operations to  $y + y + y$  to produce the equivalent expression  $3y$ .*

*Cognitive Complexity:* Level 1: Recall

**MAFS.6.EE.1.4** Identify when two expressions are equivalent (i.e., when the two expressions name the same number regardless of which value is substituted into them). *For example, the expressions  $y + y + y$  and  $3y$  are equivalent because they name the same number regardless of which number  $y$  stands for.*

*Cognitive Complexity:* Level 2: Basic Application of Skills & Concepts

### SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 6

**Lesson 22 Identify Parts of an Expression**—pp. 190–197

**Lesson 23 Evaluate Algebraic Expressions**—pp. 198–205

**Lesson 24 Generate and Identify Equivalent Expressions**—pp. 206–213

**Lesson 24 Generate and Identify Equivalent Expressions**—pp. 206–213

## Domain: Expressions & Equations

GRADE 6 STANDARD CODE / STANDARD

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 6

### Cluster 2: Reason about and solve one-variable equations and inequalities.

(MAJOR CLUSTER)

**MAFS.6.EE.2.5** Understand solving an equation or inequality as a process of answering a question: which values from a specified set, if any, make the equation or inequality true? Use substitution to determine whether a given number in a specified set makes an equation or inequality true.

*Cognitive Complexity:* Level 2: Basic Application of Skills & Concepts

**MAFS.6.EE.2.6** Use variables to represent numbers and write expressions when solving a real-world or mathematical problem; understand that a variable can represent an unknown number, or, depending on the purpose at hand, any number in a specified set.

*Cognitive Complexity:* Level 3: Strategic Thinking & Complex Reasoning

**MAFS.6.EE.2.7** Solve real-world and mathematical problems by writing and solving equations of the form  $x + p = q$  and  $px = q$  for cases in which  $p$ ,  $q$  and  $x$  are all nonnegative rational numbers.

*Cognitive Complexity:* Level 2: Basic Application of Skills & Concepts

**MAFS.6.EE.2.8** Write an inequality of the form  $x > c$  or  $x < c$  to represent a constraint or condition in a real-world or mathematical problem. Recognize that inequalities of the form  $x > c$  or  $x < c$  have infinitely many solutions; represent solutions of such inequalities on number line diagrams.

*Cognitive Complexity:* Level 2: Basic Application of Skills & Concepts

**Lesson 25** **Identify Solutions to Equations and Inequalities**—pp. 214–221

**Lesson 26** **Write Algebraic Expressions to Represent Problems**—pp. 222–229

**Lesson 27** **Solve Equations of the Form  $x + p = q$** —pp. 230–237

**Lesson 28** **Solve Equations of the Form  $px = q$** —pp. 238–245

**Lesson 29** **Graph Solutions to Inequalities**—pp. 246–253



## Domain: Expressions & Equations

GRADE 6 STANDARD CODE / STANDARD

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 6

Cluster 3: Represent and analyze quantitative relationships between dependent and independent variables.  
(MAJOR CLUSTER)

**MAFS.6.EE.3.9** Use variables to represent two quantities in a real-world problem that change in relationship to one another; write an equation to express one quantity, thought of as the dependent variable, in terms of the other quantity, thought of as the independent variable. Analyze the relationship between the dependent and independent variables using graphs and tables, and relate these to the equation. *For example, in a problem involving motion at constant speed, list and graph ordered pairs of distances and times, and write the equation  $d = 65t$  to represent the relationship between distance and time.*

*Cognitive Complexity:* Level 2: Basic Application of Skills & Concepts

**Lesson 30** **Represent Relationships Between Variables**—pp. 254–261

## Domain: Geometry

GRADE 6 STANDARD CODE / STANDARD

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 6

Cluster 1: Solve real-world and mathematical problems involving area, surface area, and volume.  
(SUPPORTING CLUSTER)

**MAFS.6.G.1.1** Find the area of right triangles, other triangles, special quadrilaterals, and polygons by composing into rectangles or decomposing into triangles and other shapes; apply these techniques in the context of solving real-world and mathematical problems.

*Cognitive Complexity:* Level 2: Basic Application of Skills & Concepts

**Lesson 31** **Find Areas of Parallelograms and Triangles**—pp. 268–275

**Lesson 32** **Find Areas of Polygons**—pp. 276–283

## Domain: Geometry

### GRADE 6 STANDARD CODE / STANDARD

**MAFS.6.G.1.2** Find the volume of a right rectangular prism with fractional edge lengths by packing it with unit cubes of the appropriate unit fraction edge lengths, and show that the volume is the same as would be found by multiplying the edge lengths of the prism. Apply the formulas  $V = lwh$  and  $V = bh$  to find volumes of right rectangular prisms with fractional edge lengths in the context of solving real-world and mathematical problems.

*Cognitive Complexity:* Level 2: Basic Application of Skills & Concepts

**MAFS.6.G.1.3** Draw polygons in the coordinate plane given coordinates for the vertices; use coordinates to find the length of a side joining points with the same first coordinate or the same second coordinate. Apply these techniques in the context of solving real-world and mathematical problems.

*Cognitive Complexity:* Level 2: Basic Application of Skills & Concepts

**MAFS.6.G.1.4** Represent three-dimensional figures using nets made up of rectangles and triangles, and use the nets to find the surface area of these figures. Apply these techniques in the context of solving real-world and mathematical problems.

*Cognitive Complexity:* Level 2: Basic Application of Skills & Concepts

### SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 6

**Lesson 33 Find Volumes of Rectangular Prisms**—pp. 284–291

**Lesson 34 Plot and Analyze Polygons in the Coordinate Plane**—pp. 292–299

**Lesson 35 Use Nets to Find Surface Area**—pp. 300–307

## Domain: Statistics & Probability

### GRADE 6 STANDARD CODE / STANDARD

Cluster 1: Develop understanding of statistical variability.  
(ADDITIONAL CLUSTER)

**MAFS.6.SP.1.1** Recognize a statistical question as one that anticipates variability in the data related to the question and accounts for it in the answers. *For example, “How old am I?” is not a statistical question, but “How old are the students in my school?” is a statistical*

– continued on next page –

### SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 6

**Lesson 36 Understand Statistical Questions and Describe Data**—pp. 314–321

## Domain: Statistics & Probability

GRADE 6 STANDARD CODE / STANDARD

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 6

– continued from previous page –

question because one anticipates variability in students' ages.

*Cognitive Complexity:* Level 1: Recall

**MAFS.6.SP.1.2** Understand that a set of data collected to answer a statistical question has a distribution which can be described by its center, spread, and overall shape.

*Cognitive Complexity:* Level 2: Basic Application of Skills & Concepts

**MAFS.6.SP.1.3** Recognize that a measure of center for a numerical data set summarizes all of its values with a single number, while a measure of variation describes how its values vary with a single number.

*Cognitive Complexity:* Level 1: Recall

### Cluster 2: Summarize and describe distributions.

(ADDITIONAL CLUSTER)

**MAFS.6.SP.2.4** Display numerical data in plots on a number line, including dot plots, histograms, and box plots.

*Cognitive Complexity:* Level 2: Basic Application of Skills & Concepts

**MAFS.6.SP.2.5** Summarize numerical data sets in relation to their context, such as by:

*Cognitive Complexity:* Level 3: Strategic Thinking & Complex Reasoning

- a. Reporting the number of observations.
- b. Describing the nature of the attribute under investigation, including how it was measured and its units of measurement.
- c. Giving quantitative measures of center (median and/or mean) and variability (interquartile range and/or mean absolute deviation), as well as describing any overall pattern and any striking deviations from the

– continued on next page –

**Lesson 36** Understand Statistical Questions and Describe Data—pp. 314–321

**Lesson 37** Find the Median and Interquartile Range—pp. 322–329

**Lesson 37** Find the Median and Interquartile Range—pp. 322–329

**Lesson 38** Find the Mean and Mean Absolute Deviation—pp. 330–337

**Lesson 39** Display Numerical Data—pp. 338–345

**Lesson 40** Summarize Numerical Data—pp. 346–353

**Lesson 40** Summarize Numerical Data—pp. 346–353

**Lesson 40** Summarize Numerical Data—pp. 346–353

## Domain: **Statistics & Probability**

GRADE 6 STANDARD CODE / STANDARD

– continued from previous page –  
overall pattern with reference to the  
context in which the data were  
gathered.

- d. Relating the choice of measures of center and variability to the shape of the data distribution and the context in which the data were gathered.

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 6

**Lesson 40 Summarize Numerical Data**—pp. 346–353