

Pennsylvania Common Core Standards for Mathematics [JAN. 2013]

Common Core State Standards for Mathematics

SADLIER

Common Core Progress Mathematics

Crosswalk

Grade 7

Contents

- 2 2.1 Numbers and Operations
- 5 2.2 Algebraic Concepts
- 7 2.3 Geometry
- 9 2.4 Measurement, Data, and Probability



Sadlier
William H. Sadlier, Inc.
www.sadlierschool.com
800-221-5175

2.1 Numbers and Operations

(D) Ratios and Proportional Relationships

PA COMMON CORE STANDARDS FOR MATHEMATICS, GRADE 7

CC.2.1.7.D.1

Analyze proportional relationships and use them to model and solve real-world and mathematical problems.

COMMON CORE STATE STANDARDS FOR MATHEMATICS, GRADE 7

7.RP.1

Compute unit rates associated with ratios of fractions, including ratios of lengths, areas and other quantities measured in like or different units. *For example, if a person walks $\frac{1}{2}$ mile in each $\frac{1}{4}$ hour, compute the unit rate as the complex fraction $\frac{1/2}{1/4}$ miles per hour, equivalently 2 miles per hour.*

7.RP.2

Recognize and represent proportional relationships between quantities.

- Decide whether two quantities are in a proportional relationship, e.g., by testing for equivalent ratios in a table or graphing on a coordinate plane and observing whether the graph is a straight line through the origin.
- Identify the constant of proportionality (unit rate) in tables, graphs, equations, diagrams, and verbal descriptions of proportional relationships.
- Represent proportional relationships by equations. *For example, if total cost t is proportional to the number n of items purchased at a constant price p , the relationship between the total cost and the number of items can be expressed as $t = pn$.*
- Explain what a point (x, y) on the graph of a proportional relationship means in terms of the situation, with special attention to the points $(0, 0)$ and $(1, r)$ where r is the unit rate.

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 7

Lesson 1

Compute Unit Rates—pp. 10–14

Lesson 2

Identify Proportional Relationships—pp. 18–25

Lesson 3

Identify the Constant of Proportionality—pp. 26–33

Lesson 4

Represent Proportional Relationships with Equations—pp. 34–41

Lesson 5

Interpret Graphs of Proportional Relationships—pp. 42–49

2.1 Numbers and Operations

(D) Ratios and Proportional Relationships

PA COMMON CORE STANDARDS FOR MATHEMATICS, GRADE 7

COMMON CORE STATE STANDARDS FOR MATHEMATICS, GRADE 7

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 7

7.RP.3

Use proportional relationships to solve multistep ratio and percent problems. *Examples: simple interest, tax, markups and markdowns, gratuities and commissions, fees, percent increase and decrease, percent error.*

Lesson 6

Problem Solving: Multi-step Ratio Problems—pp. 50–57

Lesson 7

Problem Solving: Multi-step Percent Problems—pp. 58–65

2.1 Numbers and Operations

(E) The Number System

PA COMMON CORE STANDARDS FOR MATHEMATICS, GRADE 7

COMMON CORE STATE STANDARDS FOR MATHEMATICS, GRADE 7

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 7

CC.2.1.7.E.1

Apply and extend previous understandings of operations with fractions to operations with rational numbers.

7.NS.1

Apply and extend previous understandings of addition and subtraction to add and subtract rational numbers; represent addition and subtraction on a horizontal or vertical number line diagram.

- d. Apply properties of operations as strategies to add and subtract rational numbers.

Lesson 14

Convert Rational Numbers to Decimal Form—pp. 120–127

7.NS.3

Solve real-world and mathematical problems involving the four operations with rational numbers.

Lesson 15

Apply Rational-Number Operations—pp. 128–135

7.NS.2

Apply and extend previous understandings of multiplication and division and of fractions to multiply and divide rational numbers.

- c. Apply properties of operations as strategies to multiply and divide rational numbers.

Lesson 13

Multiply and Divide Rational Numbers—pp. 112–119

2.1 Numbers and Operations

(E) The Number System

PA COMMON CORE STANDARDS FOR MATHEMATICS, GRADE 7

Intentionally Blank

COMMON CORE STATE STANDARDS FOR MATHEMATICS, GRADE 7

- d. Convert a rational number to a decimal using long division; know that the decimal form of a rational number terminates in 0s or eventually repeats.

7.NS.1

Apply and extend previous understandings of addition and subtraction to add and subtract rational numbers; represent addition and subtraction on a horizontal or vertical number line diagram.

- a. Describe situations in which opposite quantities combine to make 0. *For example, a hydrogen atom has 0 charge because its two constituents are oppositely charged.*
- b. Understand $p + q$ as the number located a distance $|q|$ from p , in the positive or negative direction depending on whether q is positive or negative. Show that a number and its opposite have a sum of 0 (are additive inverses). Interpret sums of rational numbers by describing real-world contexts.
- c. Understand subtraction of rational numbers as adding the additive inverse, $p - q = p + (-q)$. Show that the distance between two rational numbers on the number line is the absolute value of their difference, and apply this principle in real-world contexts.

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 7

Lesson 14

Convert Rational Numbers to Decimal Form—pp. 120–127

Lesson 8

Understand Addition of Integers—pp. 72–79

Lesson 8

Understand Addition of Integers—pp. 72–79

Lesson 13

Multiply and Divide Rational Numbers—pp. 112–119

2.1 Numbers and Operations

(E) The Number System

PA COMMON CORE STANDARDS FOR MATHEMATICS, GRADE 7

Intentionally Blank

COMMON CORE STATE STANDARDS FOR MATHEMATICS, GRADE 7

7.NS.2

Apply and extend previous understandings of multiplication and division and of fractions to multiply and divide rational numbers.

- a. Understand that multiplication is extended from fractions to rational numbers by requiring that operations continue to satisfy the properties of operations, particularly the distributive property, leading to products such as $(-1)(-1) = 1$ and the rules for multiplying signed numbers. Interpret products of rational numbers by describing real-world contexts.
- b. Understand that integers can be divided, provided that the divisor is not zero, and every quotient of integers (with non-zero divisor) is a rational number. If p and q are integers, then $-(p/q) = (-p)/q = p/(-q)$. Interpret quotients of rational numbers by describing real-world contexts.

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 7

Lesson 11

Understand Multiplication of Integers—pp. 96–103

Lesson 12

Understand Division of Integers—pp. 104–111

2.2 Algebraic Concepts

(B) Expressions & Equations

PA COMMON CORE STANDARDS FOR MATHEMATICS, GRADE 7

CC.2.2.7.B.1

Apply properties of operations to generate equivalent expressions.

COMMON CORE STATE STANDARDS FOR MATHEMATICS, GRADE 7

7.EE.1

Apply properties of operations as strategies to add, subtract, factor, and expand linear expressions with rational coefficients.

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 7

Lesson 16

Combine Like Terms to Simplify Linear Expressions—pp. 142–149

Lesson 17

Expand and Factor Linear Expressions—pp. 150–157

2.2 Algebraic Concepts

(B) Expressions & Equations

PA COMMON CORE STANDARDS FOR MATHEMATICS, GRADE 7

CC.2.2.7.B.3

Model and solve real-world and mathematical problems by using and connecting numerical, algebraic, and/or graphical representations.

COMMON CORE STATE STANDARDS FOR MATHEMATICS, GRADE 7

7.EE.3

Solve multi-step real-life and mathematical problems posed with positive and negative rational numbers in any form (whole numbers, fractions, and decimals), using tools strategically. Apply properties of operations to calculate with numbers in any form; convert between forms as appropriate; and assess the reasonableness of answers using mental computation and estimation strategies. *For example: If a woman making \$25 an hour gets a 10% raise, she will make an additional $\frac{1}{10}$ of her salary an hour, or \$2.50, for a new salary of \$27.50. If you want to place a towel bar $9\frac{3}{4}$ inches long in the center of a door that is $27\frac{1}{2}$ inches wide, you will need to place the bar about 9 inches from each edge; this estimate can be used as a check on the exact computation.*

7.EE.4

Use variables to represent quantities in a real-world or mathematical problem, and construct simple equations and inequalities to solve problems by reasoning about the quantities.

- Solve word problems leading to equations of the form $px + q = r$ and $p(x + q) = r$, where p , q , and r are specific rational numbers. Solve equations of these forms fluently. Compare an algebraic solution to an arithmetic solution, identifying the sequence of the operations used in each approach. *For example, the perimeter of a rectangle is 54 cm. Its length is 6 cm. What is its width?*

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 7

Lesson 18

Problem Solving: Multi-step Problems with Rational Numbers—pp. 158–165

Lesson 19

Solve Linear Equations—pp. 166–173

Lesson 20

Problem Solving: Linear Equations—pp. 174–181

2.2 Algebraic Concepts

(B) Expressions & Equations

PA COMMON CORE STANDARDS FOR MATHEMATICS, GRADE 7

Intentionally Blank

COMMON CORE STATE STANDARDS FOR MATHEMATICS, GRADE 7

- b. Solve word problems leading to inequalities of the form $px + q > r$ or $px + q < r$, where p , q , and r are specific rational numbers. Graph the solution set of the inequality and interpret it in the context of the problem. *For example: As a salesperson, you are paid \$50 per week plus \$3 per sale. This week you want your pay to be at least \$100. Write an inequality for the number of sales you need to make, and describe the solutions.*

7.EE.2

Understand that rewriting an expression in different forms in a problem context can shed light on the problem and how the quantities in it are related. *For example, $a + 0.05a = 1.05a$ means that “increase by 5%” is the same as “multiply by 1.05.”*

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 7

Lesson 21

Solve Linear Inequalities—pp. 182–189

Lesson 22

Problem Solving: Linear Inequalities—pp. 190–197

Lesson 16

Combine Like Terms to Simplify Linear Expressions—pp. 142–149

Lesson 17

Expand and Factor Linear Expressions—pp. 150–157

2.3 Geometry

(A) Geometry

PA COMMON CORE STANDARDS FOR MATHEMATICS, GRADE 7

CC.2.3.7.A.1

Visualize and represent geometric figures and describe the relationships between them.

COMMON CORE STATE STANDARDS FOR MATHEMATICS, GRADE 7

7.G.1

Solve problems involving scale drawings of geometric figures, including computing actual lengths and areas from a scale drawing and reproducing a scale drawing at a different scale.

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 7

Lesson 23

Use Scale Drawings to Solve Problems—pp. 204–211

2.3 Geometry

(A) Geometry

PA COMMON CORE STANDARDS FOR MATHEMATICS, GRADE 7

Intentionally Blank

CC.2.3.7.A.1

Visualize and represent geometric figures and describe the relationships between them.

CC.2.3.7.A.3

Solve real-world and mathematical problems involving angle measure, area, surface area, circumference, and volume.

COMMON CORE STATE STANDARDS FOR MATHEMATICS, GRADE 7

7.G.2

Draw (freehand, with ruler and protractor, and with technology) geometric shapes with given conditions. Focus on constructing triangles from three measures of angles or sides, noticing when the conditions determine a unique triangle, more than one triangle, or no triangle.

7.G.3

Describe the two-dimensional figures that result from slicing three-dimensional figures, as in plane sections of right rectangular prisms and right rectangular pyramids.

7.G.4

Know the formulas for the area and circumference of a circle and use them to solve problems; give an informal derivation of the relationship between the circumference and area of a circle.

7.G.5

Use facts about supplementary, complementary, vertical, and adjacent angles in a multi-step problem to write and solve simple equations for an unknown angle in a figure.

7.G.6

Solve real-world and mathematical problems involving area, volume and surface area of two- and three-dimensional objects composed of triangles, quadrilaterals, polygons, cubes, and right prisms.

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 7

Lesson 24

Draw Shapes that Meet Given Conditions—pp. 212–219

Lesson 25

Construct Triangles Using Both Side Lengths and Angle Measures—pp. 220–227

Lesson 26

Slice Three-Dimensional Figures—pp. 228–235

Lesson 27

Use Formulas for Area and Circumference of Circles—pp. 236–243

Lesson 28

Use Equations to Find Unknown Angle Measures—pp. 244–251

Lesson 29

Problem Solving: Area, Volume, and Surface Area—pp. 252–259

2.4 Measurement, Data, and Probability

(B) Statistics and Probability

PA COMMON CORE STANDARDS FOR MATHEMATICS, GRADE 7

CC.2.4.7.B.1

Draw inferences about populations based on random sampling concepts.

CC.2.4.7.B.2

Draw informal comparative inferences about two populations.

COMMON CORE STATE STANDARDS FOR MATHEMATICS, GRADE 7

7.SP.1

Understand that statistics can be used to gain information about a population by examining a sample of the population; generalizations about a population from a sample are valid only if the sample is representative of that population. Understand that random sampling tends to produce representative samples and support valid inferences.

7.SP.2

Use data from a random sample to draw inferences about a population with an unknown characteristic of interest. Generate multiple samples (or simulated samples) of the same size to gauge the variation in estimates or predictions. *For example, estimate the mean word length in a book by randomly sampling words from the book; predict the winner of a school election based on randomly sampled survey data. Gauge how far off the estimate or prediction might be.*

7.SP.3

Informally assess the degree of visual overlap of two numerical data distributions with similar variabilities, measuring the difference between the centers by expressing it as a multiple of a measure of variability. *For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plot, the separation between the two distributions of heights is noticeable.*

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 7

Lesson 30

Understand Sampling—pp. 266–273

Lesson 31

Use Sampling to Draw Inferences—pp. 274–281

Lesson 32

Use Visual Overlap to Compare Distributions—pp. 282–289

2.4 Measurement, Data, and Probability

(B) Statistics and Probability

PA COMMON CORE STANDARDS FOR MATHEMATICS, GRADE 7

CC.2.4.7.B.3

Investigate chance processes and develop, use, and evaluate probability models.

COMMON CORE STATE STANDARDS FOR MATHEMATICS, GRADE 7

7.SP.4

Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. *For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book.*

7.SP.5

Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event, a probability around $1/2$ indicates an event that is neither unlikely nor likely, and a probability near 1 indicates a likely event.

7.SP.6

Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency, and predict the approximate relative frequency given the probability. *For example, when rolling a number cube 600 times, predict that a 3 or 6 would be rolled roughly 200 times, but probably not exactly 200 times.*

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 7

Lesson 33

Use Sample Statistics to Compare Populations—pp. 290–297

Lesson 34

Understand Probability of a Chance Event—pp. 298–305

Lesson 35

Relate Relative Frequency and Probability—pp. 306–313

2.4 Measurement, Data, and Probability

(B) Statistics and Probability

PA COMMON CORE STANDARDS FOR MATHEMATICS, GRADE 7

Intentionally Blank

CC.2.4.7.B.3

Investigate chance processes and develop, use, and evaluate probability models.

COMMON CORE STATE STANDARDS FOR MATHEMATICS, GRADE 7

7.SP.7

Develop a probability model and use it to find probabilities of events. Compare probabilities from a model to observed frequencies; if the agreement is not good, explain possible sources of the discrepancy.

- a. Develop a uniform probability model by assigning equal probability to all outcomes, and use the model to determine probabilities of events. *For example, if a student is selected at random from a class, find the probability that Jane will be selected and the probability that a girl will be selected.*
- b. Develop a probability model (which may not be uniform) by observing frequencies in data generated from a chance process. *For example, find the approximate probability that a spinning penny will land heads up or that a tossed paper cup will land open-end down. Do the outcomes for the spinning penny appear to be equally likely based on the observed frequencies?*

7.SP.8

Find probabilities of compound events using organized lists, tables, tree diagrams, and simulation.

- a. Understand that, just as with simple events, the probability of a compound event is the fraction of outcomes in the sample space for which the compound event occurs.

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 7

Lesson 36

Develop a Uniform Probability Model—pp. 314–321

Lesson 37

Use a Chance Process to Develop a Probability Model—pp. 322–329

Lesson 38

Find Probabilities of Compound Events—pp. 330–337

2.4 Measurement, Data, and Probability

(B) Statistics and Probability

PA COMMON CORE STANDARDS FOR MATHEMATICS, GRADE 7

COMMON CORE STATE STANDARDS FOR MATHEMATICS, GRADE 7

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 7

- b. Represent sample spaces for compound events using methods such as organized lists, tables and tree diagrams. For an event described in everyday language (e.g., “rolling double sixes”), identify the outcomes in the sample space which compose the event.
-
- c. Design and use a simulation to generate frequencies for compound events. *For example, use random digits as a simulation tool to approximate the answer to the question: If 40% of donors have type A blood, what is the probability that it will take at least 4 donors to find one with type A blood?*

Lesson 39

Represent Sample Spaces for Compound Events—pp. 338–345

Lesson 40

Simulate Compound Events—pp. 346–353