

SADLIER

Common Core Progress Mathematics

Aligned to the
North Carolina
Common Core
State Standards for
Mathematics

Grade 5

Contents

- 2 Operations and Algebraic Thinking
- 2 Number and Operations in Base Ten
- 4 Number and Operations—Fractions
- 6 Measurement and Data
- 8 Geometry



Sadler

William H. Sadler, Inc.
www.sadlerschool.com
800-221-5175

Operations and Algebraic Thinking

5.OA

GRADE 5 STANDARDS / DESCRIPTION

Write and interpret numerical expressions.

5.OA.A.1 Use parentheses, brackets, or braces in numerical expressions, and evaluate expressions with these symbols.

5.OA.A.2 Write simple expressions that record calculations with numbers, and interpret numerical expressions without evaluating them.

For example, express the calculation “add 8 and 7, then multiply by 2” as $2 \times (8 + 7)$. Recognize that $3 \times (18932 + 921)$ is three times as large as $18932 + 921$, without having to calculate the indicated sum or product.

Analyze patterns and relationships.

5.OA.B.3 Generate two numerical patterns using two given rules. Identify apparent relationships between corresponding terms. Form ordered pairs consisting of corresponding terms from the two patterns, and graph the ordered pairs on a coordinate plane.

For example, given the rule “Add 3” and the starting number 0, and given the rule “Add 6” and the starting number 0, generate terms in the resulting sequences, and observe that the terms in one sequence are twice the corresponding terms in the other sequence. Explain informally why this is so.

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 5

Lesson 1 Use Grouping Symbols and Evaluate Numerical Expressions—pp. 10–17

Lesson 2 Write and Interpret Numerical Expressions—pp. 18–25

Lesson 3 Analyze Numerical Patterns—pp. 26–33

Number and Operations in Base Ten

5.NBT

GRADE 5 STANDARDS / DESCRIPTION

Understand the place value system.

5.NBT.A.1 Recognize that in a multi-digit number, a digit in one place represents 10 times as much as it represents in the place to its right and 1/10 of what it represents in the place to its left.

5.NBT.A.2 Explain patterns in the number of zeros of the product when multiplying a number by powers of 10, and explain patterns in the placement of the decimal point when a decimal is multiplied or divided by a power of 10. Use whole-number exponents to denote powers of 10.

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 5

Lesson 4 Understand Place Value—pp. 40–47

Lesson 5 Powers of 10: Use Patterns and Whole-Number Exponents—pp. 48–55

Number and Operations in Base Ten

5.NBT

GRADE 5 STANDARDS / DESCRIPTION

5.NBT.A.3 Read, write, and compare decimals to thousandths.

■ **5.NBT.A.3a** Read and write decimals to thousandths using base-ten numerals, number names, and expanded form, e.g., $347.392 = 3 \times 100 + 4 \times 10 + 7 \times 1 + 3 \times (1/10) + 9 \times (1/100) + 2 \times (1/1000)$.

■ **5.NBT.A.3b** Compare two decimals to thousandths based on meanings of the digits in each place, using $>$, $=$, and $<$ symbols to record the results of comparisons.

5.NBT.A.4 Use place value understanding to round decimals to any place.

Perform operations with multi-digit whole numbers and with decimals to hundredths.

5.NBT.B.5 Fluently multiply multi-digit whole numbers using the standard algorithm.

5.NBT.B.6 Find whole-number quotients of whole numbers with up to four-digit dividends and two-digit divisors, using strategies based on place value, the properties of operations, and/or the relationship between multiplication and division. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models.

5.NBT.B.7 Add, subtract, multiply, and divide decimals to hundredths, using concrete models or drawings and strategies based on place value, properties of operations, and/or the relationship between addition and subtraction; relate the strategy to a written method and explain the reasoning used.

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 5

Lesson 6 **Read and Write Decimals to Thousandths**—pp. 56–63

Lesson 7 **Compare Decimals to Thousandths**—pp. 64–71

Lesson 8 **Round Decimals: Use Place Value**—pp. 72–79

Lesson 9 **Multiply Fluently with Multi-Digit Numbers**—pp. 80–87

Lesson 10 **Divide Whole Numbers: Use Place Value Strategies**—pp. 88–95

Lesson 11 **Divide Whole Numbers: Use Properties of Operations**—pp. 96–103

Lesson 12 **Add and Subtract Decimals to Hundredths**—pp. 104–111

Lesson 13 **Multiply Decimals to Hundredths**—pp. 112–119

Lesson 14 **Divide Decimals to Hundredths**—pp. 120–127

Number and Operations—Fractions

5.NF

GRADE 5 STANDARDS / DESCRIPTION

Use equivalent fractions as a strategy to add and subtract fractions.

5.NF.A.1 Add and subtract fractions with unlike denominators (including mixed numbers) by replacing given fractions with equivalent fractions in such a way as to produce an equivalent sum or difference of fractions with like denominators.

For example, $2/3 + 5/4 = 8/12 + 15/12 = 23/12$. (In general, $a/b + c/d = (ad + bc)/bd$.)

5.NF.A.2 Solve word problems involving addition and subtraction of fractions referring to the same whole, including cases of unlike denominators, e.g., by using visual fraction models or equations to represent the problem. Use benchmark fractions and number sense of fractions to estimate mentally and assess the reasonableness of answers.

For example, recognize an incorrect result $2/5 + 1/2 = 3/7$, by observing that $3/7 < 1/2$.

Apply and extend previous understandings of multiplication and division to multiply and divide fractions.

5.NF.B.3 Interpret a fraction as division of the numerator by the denominator ($a/b = a \div b$). Solve word problems involving division of whole numbers leading to answers in the form of fractions or mixed numbers, e.g., by using visual fraction models or equations to represent the problem.

For example, interpret $3/4$ as the result of dividing 3 by 4, noting that $3/4$ multiplied by 4 equals 3, and that when 3 wholes are shared equally among 4 people each person has a share of size $3/4$. If 9 people want to share a 50-pound sack of rice equally by weight, how many pounds of rice should each person get? Between what two whole numbers does your answer lie?

5.NF.B.4 Apply and extend previous understandings of multiplication to multiply a fraction or whole number by a fraction.

■ **5.NF.B.4a** Interpret the product $(a/b) \times q$ as a parts of a partition of q into b equal parts;

– continued on next page –

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 5

Lesson 15 **Add and Subtract Fractions with Unlike Denominators**—pp. 134–141

Lesson 16 **Problem Solving: Add and Subtract Fractions**—pp. 142–149

Lesson 17 **Interpret Fractions as Division**—pp. 150–157

Lesson 18 **Interpret Products of Fractions**—pp. 158–165

Number and Operations—Fractions

5.NF

GRADE 5 STANDARDS / DESCRIPTION

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 5

– continued from previous page –

equivalently, as the result of a sequence of operations $a \times q \div b$.

For example, use a visual fraction model to show $(2/3) \times 4 = 8/3$, and create a story context for this equation. Do the same with $(2/3) \times (4/5) = 8/15$. (In general, $(a/b) \times (c/d) = ac/bd$.)

- **5.NF.B.4b** Find the area of a rectangle with fractional side lengths by tiling it with unit squares of the appropriate unit fraction side lengths, and show that the area is the same as would be found by multiplying the side lengths. Multiply fractional side lengths to find areas of rectangles, and represent fraction products as rectangular areas.

Lesson 19 Find Areas of Rectangles: Tile and Multiply—
pp. 166–173

5.NF.B.5 Interpret multiplication as scaling (resizing), by:

- **5.NF.B.5a** Comparing the size of a product to the size of one factor on the basis of the size of the other factor, without performing the indicated multiplication.

Lesson 20 Interpret Multiplication of Fractions as Scaling—pp. 174–181

- **5.NF.B.5b** Explaining why multiplying a given number by a fraction greater than 1 results in a product greater than the given number (recognizing multiplication by whole numbers greater than 1 as a familiar case); explaining why multiplying a given number by a fraction less than 1 results in a product smaller than the given number; and relating the principle of fraction equivalence $a/b = (n \times a)/(n \times b)$ to the effect of multiplying a/b by 1.

Lesson 20 Interpret Multiplication of Fractions as Scaling—pp. 174–181

5.NF.B.6 Solve real world problems involving multiplication of fractions and mixed numbers, e.g., by using visual fraction models or equations to represent the problem.

Lesson 21 Problem Solving: Multiply Fractions and Mixed Numbers—pp. 182–189

5.NF.B.7 Apply and extend previous understandings of division to divide unit fractions by whole numbers and whole numbers by unit fractions.

- **5.NF.B.7a** Interpret division of a unit fraction by a non-zero whole number, and compute such quotients.

Lesson 22 Divide Unit Fractions by Whole Numbers—
pp. 190–197

For example, create a story context for $(1/3) \div 4$, and use a visual fraction model to show the

– continued on next page –

Number and Operations—Fractions

5.NF

GRADE 5 STANDARDS / DESCRIPTION

– continued from previous page –

quotient. Use the relationship between multiplication and division to explain that $(1/3) \div 4 = 1/12$ because $(1/12) \times 4 = 1/3$.

- 5.NF.B.7b Interpret division of a whole number by a unit fraction, and compute such quotients.

For example, create a story context for $4 \div (1/5)$, and use a visual fraction model to show the quotient. Use the relationship between multiplication and division to explain that $4 \div (1/5) = 20$ because $20 \times (1/5) = 4$.

- 5.NF.B.7c Solve real world problems involving division of unit fractions by non-zero whole numbers and division of whole numbers by unit fractions, e.g., by using visual fraction models and equations to represent the problem.

For example, how much chocolate will each person get if 3 people share $1/2$ lb of chocolate equally? How many $1/3$ -cup servings are in 2 cups of raisins?

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 5

- Lesson 23 **Divide Whole Numbers by Unit Fractions**—pp. 198–205

- Lesson 24 **Problem Solving: Divide Unit Fractions and Whole Numbers**—pp. 206–213

Measurement and Data

5.MD

GRADE 5 STANDARDS / DESCRIPTION

Convert like measurement units within a given measurement system.

- 5.MD.A.1 Convert among different-sized standard measurement units within a given measurement system (e.g., convert 5 cm to 0.05 m), and use these conversions in solving multi-step, real world problems.

Represent and interpret data.

- 5.MD.B.2 Make a line plot to display a data set of measurements in fractions of a unit ($1/2$, $1/4$, $1/8$). Use operations on fractions for this grade to solve problems involving information presented in line plots.

For example, given different measurements of liquid in identical beakers, find the amount of liquid each beaker would contain if the total amount in all the beakers were redistributed equally.

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 5

- Lesson 25 **Convert Customary Measurement Units**—pp. 226–233

- Lesson 26 **Convert Metric Measurement Units**—pp. 234–241

- Lesson 27 **Problem Solving: Use Line Plots**—pp. 242–249

Measurement and Data

5.MD

GRADE 5 STANDARDS / DESCRIPTION

Geometric measurement: understand concepts of volume and relate volume to multiplication and to addition.

5.MD.C.3 Recognize volume as an attribute of solid figures and understand concepts of volume measurement.

■ **5.MD.C.3a** A cube with side length 1 unit, called a “unit cube,” is said to have “one cubic unit” of volume, and can be used to measure volume.

■ **5.MD.C.3b** A solid figure which can be packed without gaps or overlaps using n unit cubes is said to have a volume of n cubic units.

5.MD.C.4 Measure volumes by counting unit cubes, using cubic cm, cubic in, cubic ft, and improvised units.

5.MD.C.5 Relate volume to the operations of multiplication and addition and solve real world and mathematical problems involving volume.

■ **5.MD.C.5a** Find the volume of a right rectangular prism with whole-number side lengths by packing it with unit cubes, and show that the volume is the same as would be found by multiplying the edge lengths, equivalently by multiplying the height by the area of the base. Represent threefold whole-number products as volumes, e.g., to represent the associative property of multiplication.

■ **5.MD.C.5b** Apply the formulas $V = l \times w \times h$ and $V = b \times h$ for rectangular prisms to find volumes of right rectangular prisms with whole-number edge lengths in the context of solving real world and mathematical problems.

■ **5.MD.C.5c** Recognize volume as additive. Find volumes of solid figures composed of two non-overlapping right rectangular prisms by adding the volumes of the non-overlapping parts, applying this technique to solve real world problems.

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 5

Lesson 28 **Understand Concepts of Volume Measurement**—pp. 250–257

Lesson 28 **Understand Concepts of Volume Measurement**—pp. 250–257

Lesson 29 **Measure Volume**—pp. 258–265

Lesson 30 **Find Volume: Relate Packing of Unit Cubes to Multiplying**—pp. 266–273

Lesson 31 **Find Volume: Use the Associate Property**—pp. 274–281

Lesson 32 **Problem Solving: Apply Volume Formulas for Prisms**—pp. 282–289

Lesson 33 **Problem Solving: Decompose Figures to Find Volume**—pp. 290–297

Geometry

5.G

GRADE 5 STANDARDS / DESCRIPTION

Graph points on the coordinate plane to solve real-world and mathematical problems.

5.G.A.1 Use a pair of perpendicular number lines, called axes, to define a coordinate system, with the intersection of the lines (the origin) arranged to coincide with the 0 on each line and a given point in the plane located by using an ordered pair of numbers, called its coordinates. Understand that the first number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel in the direction of the second axis, with the convention that the names of the two axes and the coordinates correspond (e.g., x -axis and x -coordinate, y -axis and y -coordinate).

5.G.A.2 Represent real world and mathematical problems by graphing points in the first quadrant of the coordinate plane, and interpret coordinate values of points in the context of the situation.

Classify two-dimensional figures into categories based on their properties.

5.G.B.3 Understand that attributes belonging to a category of two-dimensional figures also belong to all subcategories of that category.
For example, all rectangles have four right angles and squares are rectangles, so all squares have four right angles.

5.G.B.4 Classify two-dimensional figures in a hierarchy based on properties

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 5

Lesson 34 **Understand Points on the Coordinate Plane**—pp. 304–311

Lesson 35 **Graph Points to Represent Problem Situations**—pp. 312–319

Lesson 36 **Analyze Properties to Classify Two-Dimensional Figures**—pp. 320–327

Lesson 36 **Analyze Properties to Classify Two-Dimensional Figures**—pp. 320–327