

Pennsylvania Common Core Standards for Mathematics [JAN. 2013]

Common Core State Standards for Mathematics

SADLIER


Common Core Progress Mathematics

Crosswalk

Grade 3

Contents

- 2 2.1 Numbers and Operations
- 4 2.2 Algebraic Concepts
- 7 2.3 Geometry
- 7 2.4 Measurement, Data, and Probability

 **Sadlier**
William H. Sadlier, Inc.
www.sadlierschool.com
800-221-5175

2.1 Numbers and Operations

(B) Numbers & Operations in Base Ten

PA COMMON CORE STANDARDS FOR MATHEMATICS, GRADE 3

CC.2.1.3.B.1

Apply place value understanding and properties of operations to perform multi-digit arithmetic.

COMMON CORE STATE STANDARDS FOR MATHEMATICS, GRADE 3

3.NBT.1

Use place value understanding to round whole numbers to the nearest 10 or 100.

3.NBT.2

Fluently add and subtract within 1000 using strategies and algorithms based on place value, properties of operations, and/or the relationship between addition and subtraction.

3.NBT.3

Multiply one-digit whole numbers by multiples of 10 in the range 10–90 (e.g., 9×80 , 5×60) using strategies based on place value and properties of operations.

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 3

Lesson 13

Round Whole Numbers to the Nearest 10 or 100—pp. 112–119

Lesson 14

Add and Subtract Fluently within 1000—pp. 120–127

Lesson 15

Multiply One-Digit Whole Numbers by Multiples of 10—pp. 128–135

2.1 Numbers and Operations

(C) Numbers & Operations—Fractions

PA COMMON CORE STANDARDS FOR MATHEMATICS, GRADE 3

CC.2.1.3.C.1

Explore and develop an understanding of fractions as numbers.

COMMON CORE STATE STANDARDS FOR MATHEMATICS, GRADE 3

3.NF.1

Understand a fraction $1/b$ as the quantity formed by 1 part when a whole is partitioned into b equal parts; understand a fraction a/b as the quantity formed by a parts of size $1/b$.

3.NF.2

Understand a fraction as a number on the number line; represent fractions on a number line diagram.

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 3

Lesson 16

Understand Unit Fractions as Quantities—pp. 142–149

Lesson 17

Understand Fractions as Quantities—pp. 150–157

2.1 Numbers and Operations

(C) Numbers & Operations—Fractions

PA COMMON CORE STANDARDS FOR MATHEMATICS, GRADE 3

COMMON CORE STATE STANDARDS FOR MATHEMATICS, GRADE 3

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 3

- a. Represent a fraction $1/b$ on a number line diagram by defining the interval from 0 to 1 as the whole and partitioning it into b equal parts. Recognize that each part has size $1/b$ and that the endpoint of the part based at 0 locates the number $1/b$ on the number line.

- b. Represent a fraction a/b on a number line diagram by marking off a lengths $1/b$ from 0. Recognize that the resulting interval has size a/b and that its endpoint locates the number a/b on the number line.

3.NF.3

Explain equivalence of fractions in special cases, and compare fractions by reasoning about their size.

- a. Understand two fractions as equivalent (equal) if they are the same size, or the same point on a number line.
- b. Recognize and generate simple equivalent fractions, e.g., $1/2 = 2/4$, $4/6 = 2/3$. Explain why the fractions are equivalent, e.g., by using a visual fraction model.
- c. Express whole numbers as fractions, and recognize fractions that are equivalent to whole numbers.
Examples: Express 3 in the form $3 = 3/1$; recognize that $6/1 = 6$; locate $4/4$ and 1 at the same point of a number line diagram.

Lesson 18

Understand Fractions on the Number Line—pp. 158–165

Lesson 18

Understand Fractions on the Number Line—pp. 158–165

Lesson 19

Understand Equivalent Fractions—pp. 166–173

Lesson 20

Write Equivalent Fractions—pp. 174–181

Lesson 21

Relate Whole Numbers and Fractions—pp. 182–189

2.1 Numbers and Operations

(C) Numbers & Operations—Fractions

PA COMMON CORE STANDARDS FOR MATHEMATICS, GRADE 3

COMMON CORE STATE STANDARDS FOR MATHEMATICS, GRADE 3

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 3

- d. Compare two fractions with the same numerator or the same denominator by reasoning about their size. Recognize that comparisons are valid only when the two fractions refer to the same whole. Record the results of comparisons with the symbols $>$, $=$, or $<$, and justify the conclusions, e.g., by using a visual fraction model.

Lesson 22

Compare Fractions: Same Denominator—pp. 190–197

Lesson 23

Compare Fractions: Same Numerator—pp. 198–205

2.2 Algebraic Concepts

(A) Operations and Algebraic Thinking

PA COMMON CORE STANDARDS FOR MATHEMATICS, GRADE 3

CC.2.2.3.A.1

Represent and solve problems involving multiplication and division.

COMMON CORE STATE STANDARDS FOR MATHEMATICS, GRADE 3

3.OA.1

Interpret products of whole numbers, e.g., interpret 5×7 as the total number of objects in 5 groups of 7 objects each. *For example, describe a context in which a total number of objects can be expressed as 5×7 .*

3.OA.2

Interpret whole-number quotients of whole numbers, e.g., interpret $56 \div 8$ as the number of objects in each share when 56 objects are partitioned equally into 8 shares, or as a number of shares when 56 objects are partitioned into equal shares of 8 objects each. *For example, describe a context in which a number of shares or a number of groups can be expressed as $56 \div 8$.*

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 3

Lesson 1

Interpret Products of Whole Numbers—pp. 10–17

Lesson 2

Interpret Quotients of Whole Numbers—pp. 18–26

2.2 Algebraic Concepts

(A) Operations and Algebraic Thinking

PA COMMON CORE STANDARDS FOR MATHEMATICS, GRADE 3

CC.2.2.3.A.2

Understand properties of multiplication and the relationship between multiplication and division.

COMMON CORE STATE STANDARDS FOR MATHEMATICS, GRADE 3

3.OA.3

Use multiplication and division within 100 to solve word problems in situations involving equal groups, arrays, and measurement quantities, e.g., by using drawings and equations with a symbol for the unknown number to represent the problem.

3.OA.4

Determine the unknown whole number in a multiplication or division equation relating three whole numbers. *For example, determine the unknown number that makes the equation true in each of the equations $8 \times ? = 48$, $5 = \bullet \div 3$, $6 \times 6 = ?$.*

3.OA.5

Apply properties of operations as strategies to multiply and divide. *Examples: If $6 \times 4 = 24$ is known, then $4 \times 6 = 24$ is also known. (Commutative property of multiplication.) $3 \times 5 \times 2$ can be found by $3 \times 5 = 15$, then $15 \times 2 = 30$, or by $5 \times 2 = 10$, then $3 \times 10 = 30$. (Associative property of multiplication.) Knowing that $8 \times 5 = 40$ and $8 \times 2 = 16$, one can find 8×7 as $8 \times (5 + 2) = (8 \times 5) + (8 \times 2) = 40 + 16 = 56$. (Distributive property.)*

3.OA.6

Understand division as an unknown-factor problem. *For example, find $32 \div 8$ by finding the number that makes 32 when multiplied by 8. Multiply and divide within 100.*

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 3

Lesson 3

Problem Solving: Multiplication/Division and Equal Groups—pp. 26–33

Lesson 4

Problem Solving: Multiplication/Division and Arrays—pp. 34–41

Lesson 32

Problem Solving: Measurement—pp. 288–295

Lesson 5

Find Unknown Numbers in Multiplication and Division Equations—pp. 42–49

Lesson 6

Apply Commutative and Associative Properties to Multiply—pp. 50–57

Lesson 7

Apply the Distributive Property to Multiply—pp. 58–65

Lesson 8

Divide by Finding an Unknown Factor—pp. 66–73

2.2 Algebraic Concepts

(A) Operations and Algebraic Thinking

PA COMMON CORE STANDARDS FOR MATHEMATICS, GRADE 3

CC.2.2.3.A.3

Demonstrate multiplication and division fluency.

CC.2.2.3.A.4

Solve problems involving the four operations, and identify and explain patterns in arithmetic.

COMMON CORE STATE STANDARDS FOR MATHEMATICS, GRADE 3

3.OA.7

Fluently multiply and divide within 100, using strategies such as the relationship between multiplication and division (e.g., knowing that $8 \times 5 = 40$, one knows $40 \div 5 = 8$) or properties of operations. By the end of Grade 3, know from memory all products of two one-digit numbers.

3.OA.8

Solve two-step word problems using the four operations. Represent these problems using equations with a letter standing for the unknown quantity. Assess the reasonableness of answers using mental computation and estimation strategies including rounding.³

³This standard is limited to problems posed with whole numbers and having whole-number answers; students should know how to perform operations in the conventional order when there are no parentheses to specify a particular order (Order of Operations).

3.OA.9

Identify arithmetic patterns (including patterns in the addition table or multiplication table), and explain them using properties of operations. *For example, observe that 4 times a number is always even, and explain why 4 times a number can be decomposed into two equal addends.*

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 3

Lesson 9

Multiply and Divide Fluently within 100—pp. 80–87

Lesson 10

Problem Solving: Two-Step Problems—pp. 88–95

Lesson 11

Problem Solving: Use Equations—pp. 96–103

Lesson 12

Identify and Explain Arithmetic Patterns—pp. 104–111

2.3 Geometry

(A) Geometry

PA COMMON CORE STANDARDS FOR MATHEMATICS, GRADE 3

CC.2.3.3.A.1

Identify, compare, and classify shapes and their attributes

CC.2.3.3.A.2

Use the understanding of fractions to partition shapes into parts with equal areas and express the area of each part as a unit fraction of the whole.

COMMON CORE STATE STANDARDS FOR MATHEMATICS, GRADE 3

3.G.1

Understand that shapes in different categories (e.g., rhombuses, rectangles, and others) may share attributes (e.g., having four sides), and that the shared attributes can define a larger category (e.g., quadrilaterals). Recognize rhombuses, rectangles, and squares as examples of quadrilaterals, and draw examples of quadrilaterals that do not belong to any of these subcategories.

3.G.2

Partition shapes into parts with equal areas. Express the area of each part as a unit fraction of the whole. For example, partition a shape into 4 parts with equal area, and describe the area of each part as $\frac{1}{4}$ of the area of the shape.

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 3

Lesson 35

Understand Shapes and Attributes—pp. 312–319

Lesson 36

Partition Shapes to Make Equal Areas—pp. 320–327

2.4 Measurement, Data, and Probability

(A) Measurement and Data

PA COMMON CORE STANDARDS FOR MATHEMATICS, GRADE 3

CC.2.4.3.A.1

Solve problems involving measurement and estimation of temperature, liquid volume, mass or length.

COMMON CORE STATE STANDARDS FOR MATHEMATICS, GRADE 3

3.MD.2

Measure and estimate liquid volumes and masses of objects using standard units of grams (g), kilograms (kg), and liters (l). Add, subtract, multiply, or divide to solve one-step word problems involving masses or volumes that are given in the same units, e.g., by using drawings (such as a beaker with a measurement scale) to represent the problem.

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 3

Lesson 25

Problem Solving: Volumes and Masses—pp. 226–233

Lesson 32

Problem Solving: Measurement—pp. 288–295

2.4 Measurement, Data, and Probability

(A) Measurement and Data

PA COMMON CORE STANDARDS FOR MATHEMATICS, GRADE 3

CC.2.4.3.A.2

Tell and write time to the nearest minute and solve problems by calculating time intervals.

CC.2.4.3.A.3

Solve problems involving money using a combination of coins and bills.

CC.2.4.3.A.4

Represent and interpret data using tally charts, tables, pictographs, line plots, and bar graphs.

CC.2.4.3.A.5

Determine the area of a rectangle and apply the concept to multiplication and to addition.

COMMON CORE STATE STANDARDS FOR MATHEMATICS, GRADE 3

3.MD.1

Tell and write time to the nearest minute and measure time intervals in minutes. Solve word problems involving addition and subtraction of time intervals in minutes, e.g., by representing the problem on a number line diagram.

Intentionally Blank

3.MD.3

Draw a scaled picture graph and a scaled bar graph to represent a data set with several categories. Solve one- and two-step “how many more” and “how many less” problems using information presented in scaled bar graphs.

3.MD.4

Generate measurement data by measuring lengths using rulers marked with halves and fourths of an inch. Show the data by making a line plot, where the horizontal scale is marked off in appropriate units—whole numbers, halves, or quarters.

3.MD.6

Measure areas by counting unit squares (square cm, square m, square in, square ft., and improvised units).

3.MD.7

Relate area to the operations of multiplication and addition.

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 3

Lesson 24

Problem Solving: Time—pp. 218–225

Problem-Solving Model

A Spending Problem—p. 345

Lesson 26

Draw Graphs to Represent Categorical Data—pp. 234–241

Lesson 27

Generate and Graph Measurement Data—pp. 242–249

Lesson 28

Understand Concepts of Area Measurement—pp. 256–263

2.4 Measurement, Data, and Probability

(A) Measurement and Data

PA COMMON CORE STANDARDS FOR MATHEMATICS, GRADE 3

CC.2.4.3.A.6

Solve problems involving perimeters of polygons and distinguish between linear and area measures.

COMMON CORE STATE STANDARDS FOR MATHEMATICS, GRADE 3

- b. Multiply side lengths to find areas of rectangles with whole-number side lengths in the context of solving real world and mathematical problems, and represent whole-number products as rectangular areas in mathematical reasoning.

3.MD.8

Solve real world and mathematical problems involving perimeters of polygons, including finding the perimeter given the side lengths, finding an unknown side length, and exhibiting rectangles with the same perimeter and different areas or with the same area and different perimeters.

3.MD.5

Recognize area as an attribute of plane figures and understand concepts of area measurement.

- a. A square with side length 1 unit, called “a unit square,” is said to have “one square unit” of area, and can be used to measure area.
- b. A plane figure which can be covered without gaps or overlaps by n unit squares is said to have an area of n square units.

3.MD.7

Relate area to the operations of multiplication and addition.

- a. Find the area of a rectangle with whole-number side lengths by tiling it, and show that the area is the same as would be found by multiplying the side lengths.

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 3

Lesson 29

Find Areas of Rectangles: Tile and Multiply—pp. 264–271

Lesson 33

Problem Solving: Perimeter—pp. 296–303

Lesson 34

Problem Solving: Compare Perimeter and Area—pp. 304–311

Lesson 28

Understand Concepts of Area Measurement—pp. 256–263

Lesson 28

Understand Concepts of Area Measurement—pp. 256–263

Lesson 29

Find Areas of Rectangles: Tile and Multiply—pp. 264–271

2.4 Measurement, Data, and Probability

(A) Measurement and Data

PA COMMON CORE STANDARDS FOR MATHEMATICS, GRADE 3

COMMON CORE STATE STANDARDS FOR MATHEMATICS, GRADE 3

SADLIER COMMON CORE PROGRESS MATHEMATICS, GRADE 3

- c. Use tiling to show in a concrete case that the area of a rectangle with whole-number side lengths a and $b + c$ is the sum of $a \times b$ and $a \times c$. Use area models to represent the distributive property in mathematical reasoning.
-
- d. Recognize area as additive. Find areas of rectilinear figures by decomposing them into non-overlapping rectangles and adding the areas of the non-overlapping parts, applying this technique to solve real world problems.

Lesson 29

Find Areas of Rectangles: Tile and Multiply—pp. 264–271

Lesson 32

Problem Solving: Measurement—pp. 288–295

Lesson 31

Find Areas: Decompose Figures into Rectangles—pp. 280–287

Lesson 32

Problem Solving: Measurement—pp. 288–295