

Fenwal Engineered Fire Suppression System

Effective March 2005

F-44-2130


Designed for use with 3M™ Novec™ 1230 Fire Protection Fluid

Manifold EI-Check Component Sheet

FENWAL®

FEATURES

- For use with UL Listed, ULC Listed FM Approvals Systems



MATERIALS

- Valve Body: Zinc Plated Steel
- Check: Stainless Steel
- Seat: Nitrile Rubber

ORDERING INFORMATION

Part Number	Size	A*	B*	C*
877690	2 in.	3.93 in.	4.88 in.	2 in. 11½ in. NPT
878743	2½ in.	4.69 in.	5.76 in.	2½ in. 8 in. NPT

Notes: EI-Checks are to be installed at system manifold in vertical direction as shown.

Do not use as a main/reserve check valve with more than one main/reserve cylinder.

Fenwal is a registered trademark of Kidde-Fenwal, Inc.
3M and Novec are trademarks of 3M.
All other trademarks are property of their respective owners.



FENWAL®

Protection Systems

KIDDE-FENWAL, INC.
400 MAIN STREET, ASHLAND, MA 01721
TEL: (508)881-2000 FAX: (508) 881-8920
www.fenwalfire.com

This literature is provided for informational purposes only. KIDDE-FENWAL, INC. assumes no responsibility for the product's suitability for a particular application. The product must be properly applied to perform as described herein.
If you need more information on this product, or if you have a question, contact KIDDE-FENWAL, INC., Ashland, MA 01721; Telephone (508) 881-2000