





SHARPNESS & DURABILITY

STRENGTH & DURABILITY

Our best-in-class MAX TOOLS with extensive replacement parts program are crafted using higher-grade materials that meet or exceed the rigorous demands of the **pro and passionate homeowner** who require heavy-duty durability and lasting performance, Season after Season®.

FORGED SHARPNESS & DURABILITY FORGED STRENGTH & DURABILITY

High-grade, heavy-duty steel is fire-heated and hammerforged to form exceptionally strong and durable **pro-grade** tools that are guaranteed to provide their owners many years of Superior Performance.

RED

Known to many as our RED line, these CORONA® tools are designed for general use by casual gardeners and landscaping enthusiasts who demand a feature-rich tool for their gardening projects. CORONA tools and accessories combine lightweight control and comfort with trusted reliability, value and performance, Season after Season®.

PLANTING, CULTIVATING & TURNING SOIL

8-19

Hoes Cultivators **Forks** Small Hand Tools Garden Tools Lawn & Garden Tools



RAKING, CLEANUP & HAULING

20-29

Level Head Rakes Landscape Rakes **Bow Rakes** Leaf Rakes Brooms Wheelbarrows



SHOVELING & TRENCHING 30-45

All-Steel Shovels **MAXForged Shovels** Closed-Back Shovels Standard Shovels Lightweight Shovels **DIY Shovels DIY Spades** Trench Shovels Scoop Shovels Post Hole Digger **Snow Shovels**



DEMOLITION, SPLITTING & DIGGING

46-49

Hammers Axes Picks & Mattocks Heavy Bars



SHAPING & SHARPENING

50-57



COMMERCIAL & MUNICIPAL MAINTENANCE

58-63

Cutting Tools Valve Keys Wrenches Probes Tamps & Post Drivers Scrapers Weed Cutters & Edgers



STEM, BRANCH & LIMB PRUNING

64-83

Hand Pruners Hedge Shears **Grass Shears** Loppers **Pruning Saws** Machetes Tree Pruners Tree Pruner Components Tree Pruner Saw Blades



THINNING, SHEARING & HARVESTING

84-89

Shears & Snips Floral Shears Hydroponic Tools Fruit Picker



ACCESSORIES 90-91




SALES SUPPORT & MERCHANDISING 92-97

BURGON & BALLTM 98-99

Knee Pads Kneelers Hip-Trug™











NEW PRODUCTS


















MARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DMHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov





Classic CUT.

Experience the performance and durability of forged tools with classic, simple designs that withstand the test of time. The ClassicCUT® family of tools is preferred by agricultural and landscaping professionals.



DualCUT

DualCUT tools pack a two-in-one punch for those needing control while trimming small stems or power while cutting large branches – all with the lasting forged sharpness that pros demand.



DualLINK...

Boosted power and reduced effort unite through

DualLINK™ tools, that utilize a power-compoundinglink feature that appeals to both engaged gardeners
and landscapers searching for ease-of-cut.






MAX HOES

MAXFORGED | DRAW HOE

FH 70000 | 60 IN ASH HANDLE





- Sharpened 6 $\frac{1}{4}$ in blade edge penetrates ground easily, slices through weeds easily
- Single-piece, solid-socket design prevents moisture from weakening handle, gives greater strength
- Extra-long handle lets you work upright and reduced back strain
- Limited Lifetime Warranty

MAXFORGED EYE HOE

FH 71000 | 7 IN BLADE | 60 IN ASH HANDLE FH 71002 | 7 2 /3 In Blade | 60 In ASH Handle FH 71003 | 5 1 /4 In Blade | 60 In ASH Handle



- Sharpened-blade edges penetrate ground easily, slice through weeds easily
- 60 in wood handle withstand heavy weed chopping
- Ox-eye connections for extra-thick handles
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE
 - 71000-4 Handle
- 71000-8 7 in head
- 71002-8 7 ²/₃ in head

MAX GARDEN HOE

SH 60060 | 6 IN BLADE | 60 IN ALUMINUM HANDLE

- Tempered steel head for strength and long life
- Gooseneck design ideal for working around plants
- 6 in wide blade most popular size for general maintenance tasks
- Lightweight aluminum, non-slip oval-shaped handle
- · Limited Lifetime Warranty

MAX OSCILLATING HOE

SH 60000 | 4 IN BLADE | 60 IN ASH HANDLE SH 60001 | 5 IN BLADE | 60 IN ASH HANDLE

- Heavy-duty blade design for long service life
- Heads automatically angle to slice weeds just below surface on both forward and back stroke
- Concave blades sharpen during use
- Extra-long handle lets you work upright and reduces back strain
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE
 - 60100-4 handle
 - 60101-8 head, 5 in
 - 60100-8 head, 4 in

MAX OSCILLATING HOE

SH 60061 | 6 IN BLADE | 60 IN ALUMINUM HANDLE

- Heavy-duty, double-edged blade for push/pull weed cutting
- Slice weeds just below the surface with automatically angling blade
- 60 in lightweight aluminum, non-slip, 2X bolt-thru handle
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE
 - 60061-8 Head

MAX DIAMOND HOE

SH 61000 | 8 IN BLADE | 60 IN ASH HANDLE

- 8 in diamond-shaped head with four sharpened edges cuts weeds on both forward and back strokes
- Points of diamond-shaped blade can nick even small weeds from hard to reach areas
- Easily sharpened carbon steel blade
- Extra-long handle lets you work upright and reduces back strain
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE
 - 60001-4 handle

MAX | HEAVY-DUTY WEEDING HOE SH 63000 | 7 In Blade | 60 In Ash Handle

Tough, tempered, abrasion-resistant 7 in steel blade holds edge

- Notched and sharpened blade cuts on both push and pull stroke, slices easily through fibrous, overgrown weeds such as thistles, bindweed, wild mustard and clumping grasses
- Extra-long handle lets you work upright and reduces back strain
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE
 - 60001-4 handle

MAX MCLEOD HOE

SH 65000 | 48 IN ASH HANDLE SH 65000KD | KNOCKED-DOWN

- Tempered steel tines for superior strength and long service life
- Very versatile, used for raking, scraping, grubbing and tamping
- 10 $\frac{4}{5}$ x 8 $\frac{4}{5}$ in head with 9 in sharpened edge and 3 $\frac{3}{5}$ in tines
- SH65000KD- Knocked-down version of SH 65000 for shipping purposes assembly required
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE
- 65001-8 Head
- 65000-4 Handle



HOES



GARDEN HOE

SH 20000 | 6 IN BLADE | 54 IN WOOD HANDLE

- Swan-shaped neck keeps soil from building up on the tool
- Strong socket joint bolstered with a screw
- 6 in wide blade most popular size for general maintenance tasks
- Limited Warranty

VALUE HOES All Value Tools carry a 1-year limited warranty

LIGHT-DUTY GARDEN HOE SH 10000 | 51 IN WOOD HANDLE

• 6 in wide blade

OSCILLATING HOE SH 15000 | 54 IN WOOD HANDLE

- · Lightweight tool for weeding
- Heat-treated carbon steel head
- 6 in concave blade stays sharp with use

WARREN HOE SH 22000 | 54 IN WOOD HANDLE

- Tempered steel, 5x6 in V-shaped head has sharpened edges for furrowing and digging
- 54 in wood handle

MAX CULTIVATORS

MAX 1 PRONG CULTIVATOR

CV 60061 | 60 IN ALUMINUM HANDLE

MAX | 3 PRONG CULTIVATOR

CV 60063 | 60 IN ALUMINUM HANDLE



MAX 4 PRONG CULTIVATOR

CV 60064 | 60 IN ALUMINUM HANDLE





- Lightweight aluminum, non-slip, oval-shaped handles
- Limited Lifetime Warranty

CULTIVATORS


4 PRONG CULTIVATOR

CV 20004 | 54 IN ASH HANDLE

- Tempered steel head for long service life
- Welded tines have oval cross-section for reduced pulling effort
- Weeding and cultivating in one stroke
- Limited Warranty

DANDELION WEEDER

CV 22000 | 36 IN WOOD HANDLE



- 36 in wood handle for weeding without stooping
- Limited Warranty





MAX FORKS

MAXFORGED DIGGING FORKS

FK 70000 | 4 TINES | 48 IN ASH HANDLE



- Forged, tempered tines for maximum strength and long service life
- Tines are narrow and tapered for easier soil penetration, yet extra thick to prevent splaying
- Riveted steel tang for maximum strength head-to-handle connection
- Durable Ash wood handles, 2X varnished for weather resistance
- Limited Lifetime Warranty

MAXFORGED HAY FORKS

FK 71004 | 4 TINES | 54 IN ASH HANDLE





- Heavy-duty forks for moving loose hay, mulches, tree trimmings, landscape waste
- Oval tines for greater lifting strength
- Durable Ash wood handles, 2X varnished for weather resistance
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE
- 71001-4 Handle (FK 71004)
- 71002-4 Handle (FK 71005)

MAXFORGED REFUSE FORK

FK 70004 | 4 TINES | 54 IN ASH HANDLE



- Use to drag refuse and harvest root vegetables
- Heavy-duty forged steel head for maximum durability
- Steel ferrule design for stronger connection
- Durable Ash wood tapered handle, 2X varnished for weather resistance
- Limited Lifetime Warranty

MAXFORGED | ENSILAGE FORKS

FK 74000 | 10 TINES | 54 IN ASH HANDLE



FK 74010 | 10 TINES | 30 IN D-GRIP ASH HANDLE



- Heavy-duty forks for lifting ensilage, construction debris, mulch or other loose materials
- Forged, tempered steel heads for maximum strength, long service life
- Closely spaced oval tines for maximum lifting capacity
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE
 - 74010-4 D-Grip Handle
 - 71002-4 Handle

MAXFORGED | MANURE FORKS

FK 72004 | 4 TINES | 54 IN ASH HANDLE



FK 72005 | 5 TINES | 54 IN ASH HANDLE



- Forged, tempered steel heads for maximum strength and long service life
- Heavy-duty forks for moving manure, compost, planting mix and other dense, damp material
- Oval tines for greater lifting strength
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE
 - 71001-4 Handle (FK 72004)
 - 71002-4 Handle (FK 72005)

MAXFORGED | MANURE FORK

FK 72065 | 5 TINES | 54 IN ALUMINUM HANDLE



- Tempered steel head for superior strength and long service life
- 5-tine configuration is ideal for lifting and transferring materials
- Oval tines for greater lifting strength
- Lightweight aluminum, non-slip, oval-shaped handle
- Limited Lifetime Warranty

FORKS



DIGGING FORK

FK 42000 | 4 TINES | 29 IN D-GRIP ASH HANDLE



- Tempered steel tines for long service life
- 10 in tapered tines for easier soil penetration
- 29 in D-grip handle is easy to use in tight spaces
- Limited Warranty

ENSILAGE FORK

FK 44010 | 10 TINES | 30 IN D-GRIP ASH HANDLE



- Tempered welded steel head to lift ensilage, construction debris, mulch or other loose materials
- Durable Ash wood handle, 2X varnished for weather resistance
- Limited Warranty

MANURE FORK

FK 42010 | 10 TINES | 48 IN ASH HANDLE



- Tempered steel head to lift manure, compost or dense materials
- Durable Ash wood tapered handle, 2X varnished for weather resistance
- Long steel ferrule provides strength and durability
- Limited Warranty



MAX SMALL HAND TOOLS

Heavy-Duty Mattocks

- 14-gauge welded steel construction withstands repeated use and exposure to the elements
- 14-in handles with non-slip grips reduce hand strain, absorb vibration and make for easy work in close quarters.





TROWEL CT 3314 | ComfortGEL GRIP Integrated bag ripper Flat-ended tamper handle/grip Finger guard protects hand during digging

Depth gauge for precise holesLimited warranty

TRANSPLANTER CT 3324 | ComfortGEL GRIP Depth gauge for precise holes Finger guard protects hand during digging Ideal for transplanting smaller plants Limited warranty



Premium Grade Stainless**STEEL**

ComfortGEL. Garden Tools

Our new line of stainless steel hand tools is built to work as hard as you do for the long haul. This fully featured line comes with ComfortGEL® grips, large diameter reinforced square tangs, welded joints and robust tool heads and blades.











Stainless STEEL

ComfortGEL. Garden Tools

- Tactile gel grips with anti-slip thumb risers and finger guards deliver comfort to gardeners who seek an easier, more therapeutic gardening experience.
- Lightweight, one-piece construction and stainless steel alloy heads will not bend, break or rust.





CT 3244 | ComfortGEL GRIP

• Convenient 2-in-1 tool for weeding and cultivating

Limited Warranty

HOE/CULTIVATOR



TRANSPLANTER

CT 3224 | ComfortGEL GRIP

- Serrated 2 ½ in wide blade with



WEEDER

CT 3254 | ComfortGEL GRIP

- Easier weeding with 6 in serrated blade and forked tip
- Limited Warranty



CULTIVATOR

CT 3234 | ComfortGEL GRIP



SCOOP CT 3264 | ComfortGEL GRIP • Large capacity scoop • Limited Warranty

ErgoGRIP Garden Tools

- Die-cast aluminum alloy heads are lightweight and will not corrode
- Anti-slip thumb rises and finger guards for greater stability and control
- Ergonomic poly grips minimize hand stress

TROWEL

CT 3710 | ErgoGRIP

- Graduated 2 ½ in wide blade with bag ripper
- Limited Warranty



TRANSPLANTER

CT 3720 | ErgoGRIP

- Serrated 2 % in wide blade with bag ripper
- Limited Warranty



CULTIVATOR

CT 3730 | ErgoGRIP

- Penetrate soil easily with tapered cast aluminum tines
- Limited Warranty

U.S. Patent D582,227

HOE/CULTIVATOR

CT 3740 | ErgoGRIP

- Convenient 2-in-1 tool for weeding and cultivating
- Limited Warranty

U.S. Patent D581,752

WEEDER

CT 3750 | ErgoGRIP

- Easier weeding with 6 in serrated blade and forked tip
- Limited Warranty



Garden Tools

- Basic hand tools for a broad range of applications
- One-piece aluminum alloy heads are lightweight and durable
- Cushioned non-slip grips for comfort



TROWEL

CT 3010i

- Easily dig, plant, pot and more with a sharpened 3 in wide blade
- Limited Warranty



TRANSPLANTER

CT 3020i

- Insert new plants at proper depth with a 2 1/8 in wide marked and graduated blade
- Limited Warranty



CULTIVATOR

CT 3030i

- 3 angled tines set 1 ¼ in apart to break and mix up soil while avoiding damage to plants
- Limited Warranty



FORK

CT 3040i

- 3 straight tines set 1½ in apart to break and mix up soil while avoiding damage to plants
- Limited Warranty



WEEDER

CT 3050i

- Get at weeds' roots with a tapered 7 ¼ in long blade
- Limited Warranty

WEEDING TOOL

WD 2200DC

- Ideal for weeding flower & vegetable beds, cracks in paved walkways and walls
- Simple hook design cuts weeds with a push, removes with a pull
- Easy taproot removal with beveled edge simply dig in and pop out
- Quickly remove moss and grass from cracks with pointed end
- Limited Warranty







EXTENDED REACH

ComfortGEL. Garden Tools

- Designed for gardeners working on raised-bed gardens, small gardens and tight access locations
- Optimal length for long reach and balance ideal for gardeners who have physical strength limitations that make large tools hard to manage.
- Unique, trapezoid shaped handles add comfort and control
- ComfortGEL® grips deliver comfort to gardeners who seek an easier, more therapeutic gardening experience







Extenda**HANDLE Garden Tools**

- Lightweight steel handles extend from 18 in to 34 in for extra reach
- Heads are fully heat-treated for enhanced durability
- Protective coatings resist chipping and rust
- Comfortable non-slip grips
- Convenient hanging rings for easy storage
- Limited Warranty





GT 3090 - 3 TINE HOE

LAWN & GARDEN TOOLS



LAWN & SOIL AERATOR



Yard**BREATHER**

with **ComfortGEL**® grip **LG 3604**

- Penetrates and breaks up grass and compact soil to allow air, water and nutrients to reach the roots, promoting growth
- Designed to automatically eject 3.5-in. long soil plugs with each step
- Slip-resistant, traction groves on the footplate add safety and stability
- Heat-treated steel on footplate and spikes for lasting durability
- Limited warranty

GARDEN TILLER



SoilRIPPER.

with **ComfortGEL**® grip **LG 3624**

- Used for tilling soil and the development of seed-rows
- in gardensA substitute for rototillers in small developed gardens
- or raised-bed gardens

 Durable, heat-treated high carbon steel tines versus cast aluminum
- Self-sharpening, large 9-in. wide x 6-in. long steel tines
- All metal footplate will withstand high-load bearing pressure
- Quick release plunger to push out dirt and mud clots from tool between submersions into soil
- Limited warranty

U.S Patent D838,150

Comfort**GEL**. Lawn and Garden Tools

Introducing Corona's newest line of lawn and garden tools with ComfortGEL® grips for exceptional comfort and control. We've engineered and developed this range of tools to provide you with hand-held solutions to cultivate, weed, till and maintain your property. Repair your lawn, edge a border or prepare a garden bed with comfort and innovative features.

GARDEN & SOIL CULTIVATOR



Disc**CULTIVATOR**

with **ComfortGEL**® grip **LG 3634**

- 3 tine-configurations for different uses: weed, aerate and till soil
- Three, easy to adjust sets of detachable rotational tines
- Large steel tines quickly break up soil and are self-cleaning
- All metal footplate versus plastic for added durability
- 60-in. long angled handle for enhanced leverage and reduced back strain
- Limited warranty

U.S Patent D845,093 and D868,552



WEEDING TOOL



Weed**DESTROYER**®

with **ComfortGEL**® grip **LG 3654**

- Removes tough weeds without the use of chemicals
- All steel footplate with slip-resistant traction groves for added control
- Fully heat-treated, high carbon steel blades for extra strength when driving into the soil
- Quick release plunger for removing weed from tool
- Limited warranty

U.S Patent D843,799





LAWN & GARDEN TOOLS





SIDEWALK & BORDER EDGER



EdgeMASTER_M

with **ComfortGEL**® grip **LG 3684**

- Quick clean cuts in grass, sod or soil
- Trim sidewalks or create borders for gardens or flower heds
- Ribbed blade that's self-sharpening, durable, fully heat-treated and made from high carbon steel.
- Double-traction grooved footplate supports additional load bearing pressure
- Limited warranty





GROUND CLEARING TOOL



Quick**COLLECTOR**®

with **ComfortGEL**® grip **LG 3694**

- Reduces time and effort in collecting tree nuts and seed pods
- Simple rolling action easily picks up and gathers nuts
- Flexible spring-steel cage makes emptying quick and easy
- 48-in. carbon steel handle for a comfortable, long reach
- Limited warranty



TREE & SHRUB IRRIGATOR



RootIRRIGATOR

with **ComfortGEL**® grip **LG 3710**

- Provides water or irrigation directly to the roots for healthy growth
- Prompts trees to grow roots deeper and further from trunk for longevity
- Eliminates water runoff and evaporation
- Detachable, universal, 3-in. shut off brass valve makes it easy to control water flow
- Depth markers of 12-in., 18-in. and 24-in. for precise watering of tree roots
- Limited warranty



SOD & LAWN TRANSPLANTER



SodPLUGGER® with ComfortGEL® grip

LG 3720

- Fill grassless areas without the expense of buying and installing sod
- Creates properly sized holes to accept standard 3-in. grass and sod plugs
- The quick release plunger efficiently removes sod plugs
- Heat-treated, high carbon steel construction for lasting durability
- Slip-resistant traction groves designed into the footplate
- Limited warranty









MAX BOW RAKES

MAXFORGED BOW HEAD RAKES

RK 65001 | 14 IN | 14 TINES | 60 IN ASH HANDLE RK 65002 | 16 IN | 16 TINES | 60 IN ASH HANDLE

- Tempered, single-piece heads for maximum durability
- Curved tines efficiently gather and move soil
- Bows serve as spring for better control of tine depth
- Extra-long 60 in handles lets you work upright, reduce back strain
- Limited Lifetime Warranty

,,,,,,,,,,,

minimi

MAX BOW HEAD RAKES

RK 65061 | 14 IN | 14 TINES | 60 IN ALUMINUM HANDLE

- 14 in bow-head design acts as spring for better control of tine depth, small head is ideal for working in close quarters
- Extra-thick, tempered steel tines for greater strength and long life
- Curved tines efficiently gather and move soil
- Lightweight aluminum, non-slip oval-shaped handle
- Limited Lifetime Warranty



MAXFORGED | BOW HEAD RAKES

RK 65021 | 14 IN | 14 TINES | 60 IN FIBERGLASS HANDLE RK 65022 | 16 IN | 16 TINES | 60 IN FIBERGLASS HANDLE

- Tempered, single-piece heads for maximum durability
- Curved tines efficiently gather and move soil
- Bows serve as spring for better control of tine depth
- Extra-long 60 in handle with poly jacket lets you work upright, reduce back strain
- Limited Lifetime Warranty

BOW RAKES

BOW HEAD RAKE

RK 20002 | 16 IN | 16 TINES | 60 IN ASH HANDLE **RK 20022** | 16 IN | 16 TINES |

60 IN FIBERGLASS HANDLE*

- Tempered heads for long service life
- Curved tines efficiently gather and move soil
- Bows serve as spring for better control of tine depth
- Extra-long 60 in handles let you work upright, reduce back strain
- Limited Warranty



* with cushion grip

MAX LEVEL HEAD RAKES

MAXFORGED | LEVEL HEAD RAKE

RK 64002 | 16 IN | 14 TINES | 60 IN ASH HANDLE

- Wide head for rapid tilling and leveling
- Extra-thick, tempered, single-piece head for greater durability and long service life
- Flat-head design for smooth tamping of seed beds
- Extra-long 60 in handle lets you work upright, reduces back strain
- Limited Lifetime Warranty
- REPLACEMENT PART AVAILABLE
 - 64000-4 Handle

MAX LEVEL HEAD RAKE

RK 64060 | 14 IN | 4 TINES | 60 IN ALUMINUM HANDLE

- Level-head design for efficient tilling and leveling of landscape materials, in close quarters
- Extra-thick, tempered steel tines for greater strength and long service life
- Flat head with straight tines for smooth tamping of seed beds
- Lightweight aluminum, non-slip, oval-shaped handle
- Limited Lifetime Warranty

minimi



MAX DIRT/ASPHALT RAKE

RK 66000 | 16 IN | 14 TINES | 60 IN ASH HANDLE

- Wide head for rapid tilling and leveling
- Extra-thick, tempered steel head for greater durability and long service life
- Extra-long 60 in handle lets you work upright, reduces back strain
- Long. ½ in thick shank reduces need for downward pressure when moving rock and heavy soil
- Flat-head design for efficient moving and leveling of landscape and road beds
- Limited Lifetime Warranty







MAX LANDSCAPE RAKES

CORONA. SEASON AFTER SEASON

MAX | ALUMINUM LANDSCAPE RAKES

- All-aluminum construction combines durability with ease of use during finish grading process
- Angled, extra-thick tine tips for long service life
- 66 in lightweight aluminum handles with non-slip vinyl sleeves for gripping comfort in extreme heat or cold
- Wrap-around brace supports and heavy-duty heads
- Assembly required
- Limited Lifetime Warranty
- REPLACEMENT PART AVAILABLE
 - 64000-4 Handle*
- * Product availability and packaging specifications are subject to change without notice. Please contact Corona® Customer Service for the Jatest information



LAWN RAKE



THATCH/GROOM RAKE

RK 42000 | 16 IN HEAD | 54 IN WOOD HANDLE

- Head adjusts up or down to suit the height of the users
- 15 in head width works push and pull for easier removal of thatch and dead grass
- 54 in wood handle lets you work in an upright position, reduces back strain
- Limited Warranty

MAX SPRING BRACE RAKES



MAX | SPRING BRACE RAKE

RK 24061 | 24 IN | 24 TINES | 54 IN ALUMINUM HANDLE

- 54 in long aluminum handle with anti-slip vinyl sleeve for gripping comfort
- A-shaped head combines flexible tines with durability of metal for raking power
- Bolt-thru head to handle connection for added durability
- Stress distribution bar prevents the 24 tines from twisting or breaking
- Tines and spring are made of high carbon steel, providing long-lasting performance
- Powder-coated frame and tines resist rust
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE
- 62060-4 Handle
- 24003-8 Head

SPRING BRACE RAKES

SPRING BRACE RAKES

RK 24002 | 22 IN | 22 TINES | 54 IN WOOD HANDLE **RK 24003** | 24 IN | 24 TINES | 54 IN WOOD HANDLE

- Fan-shaped heads combine flexible tines with durability of metal
- Stress distribution bars that prevent tines from twisting or breaking when pressed on
- Coated frames and tines resist rust
- Limited Warranty
- REPLACEMENT PARTS AVAILABLE
 - 24003-4 Handle
 - 24003-8 Head, 24 in/24 Tines

SPRING BRACE RAKE REPLACEMENT HEAD

24003-8 | 24 IN | 24 TINES

• Easy to replace this fan-shaped replacement head for RK 24061 and RK 24003



MAX FIXED TINE RAKES



- Tempered spring steel for greater durability and long service life
- Bi-curved bows give even pressure to all tines for maximum raking efficiency
- 3 Rivets hold heads to handles
- 25 extra-wide tines
- Double crimps hold tines in place
- 19 in/25 Tines
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE
 - 62000-4 Wood Handle
 - 62060-4 Aluminum Handle
 - 62001-8 Head

MAX | FIXED TINE SHRUB RAKES **RK 62000** | 8 IN | 11 TINES | 54 IN WOOD HANDLE RK 62060 | 8 IN | 11 TINES | 54 IN ALUMINUM HANDLE

- Tempered spring steel for greater durability and long service
- Bi-curved bows give even pressure to all tines for maximum raking efficiency
- Tines apply light pressure for debris removal without damage to plant feeder roots
- Narrow heads for working between closely spaced plants
- 2 Rivets hold heads to handles
- Double crimps hold tines in place
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE
 - 62000-4 Wood Handle
 - 62060-4 Aluminum Handle
 - 62000-8 Head

POLY LEAF RAKES

Big**LOAD**™ LEAF RAKE

RK 45030 | 30 IN | 30 TINES | 63 IN ALUMINUM HANDLE

- Oversize head rakes up to 2X faster than standard leaf rakes
- Unique head design maximizes load capacity
- 30 in poly head is both lightweight and durable
- 63 in aluminum handle with anti-slip vinyl grip for gripping comfort in extreme heat or cold
- Limited Warranty
- REPLACEMENT PART AVAILABLE
 - 45030-4 Handle

Big**LOAD**™JR LEAF RAKE

RK 45026 | 26 IN | 26 TINES | 63 IN ALUMINUM HANDLE

- Rake up to 2X faster than standard leaf rakes
- Unique head design maximizes load capacity
- 26 in poly head is both lightweight and durable
- 63 in aluminum handle with anti-slip vinyl grip for gripping comfort in extreme heat or cold
- Limited Warranty
- REPLACEMENT PART AVAILABLE
 - 45030-4 Handle

POLY LEAF RAKES



LittleLOAD[™] LEAF RAKE

RK 45008 | 8 IN | 11 TINES | 63 IN ALUMINUM HANDLE

- Rake up to 2X faster than standard leaf rakes
- Unique head design maximizes load capacity
- 8 in poly head is both lightweight and durable
- 63 in aluminum handle with anti-slip vinyl grip for gripping comfort in extreme heat or cold
- Limited Warranty
- REPLACEMENT PART AVAILABLE
 - 45030-4 Handle



POLY LEAF RAKES

RK 25024 | 24 IN | 26 TINES | 48 IN WOOD HANDLE RK 25030 | 30 IN | 30 TINES | 48 IN WOOD HANDLE

- Gather large amounts of leaves with closely spaced tines
- Extra-thick polypropylene construction with weatherresistant UV inhibitor
- Hardwood handles 2X varnished for weather resistance
- Assembly required
- Limited Warranty
- REPLACEMENT PARTS AVAILABLE



POLY SHRUB RAKE

RK 25008 | 8 IN | 14 TINES | 42 IN WOOD HANDLE

- Polypropylene heads for collecting and carrying lightweight, moderate-sized clippings or leaves
- 42 in wood handle
- Assembly required
- 8 in poly head for easy raking between closely spaced plants
- Limited Warranty



VALUE RAKES All Value Tools carry a 1-year limited warranty

LIGHT-DUTY BOW HEAD RAKE RK 10000 | 48 IN WOOD HANDLE

- Tempered head with 14 tines for greater durability and long-lasting performance
- Curved tines for easy penetration and gathering of soil

POLY LEAF RAKE

RK 25017 | 18 IN/20 TINES | 47 IN WOOD HANDLE

- Lightweight 18 in black poly head for light raking of leaves and plants
- Assembly required
- Formerly RK 25018



MAX BROOMS

MAX | LANDSCAPE BROOM

BM 60001 | 3 BRISTLES | 18 IN HEAD

60 IN BAMBOO HANDLE

- Heavy-duty replaceable hardwood head
- Scraper blade for removing congealed dirt, gum and other residues
- Cast-metal socket with bolted connection and wrap-around braces
- Tough bamboo handle for improved strengthto-weight ratio
- Assembly required
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE



3 IN x 3 BRISTLES MEDIUM POLY **COARSE STEEL** FINE POLY



MAX STREET BROOM

BM 62001 | 1 BRISTLE | 18 IN HEAD

60 IN BAMBOO HANDLE

- Heavy-duty replaceable hardwood head
- Scraper blade for removing congealed dirt, gum and other
- Cast-metal socket with bolted connection and wrap-around braces
- Tough bamboo handle for improved strength-to-weight ratio
- Assembly required
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE



3 IN MEDIUM-COARSE **POLY BRISTLES**



MAX PUSH BROOM

BM 61002 | 2 BRISTLES | 24 IN HEAD

60 IN BAMBOO HANDLE

- Heavy-duty replaceable hardwood head
- Scraper blade for removing congealed dirt, gum and other residues
- Cast-metal socket with bolted connection and wrap-around braces
- Tough bamboo handle for improved strength-to-weight ratio
- Assembly required
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE




3 IN x 2 BRISTLES **COARSE POLY FINE POLY**



MAX PUSH BROOM

BM 62060 | 1 BRISTLES | 24 IN HEAD **60 IN ALUMINUM HANDLE**

- Heavy-duty replaceable hardwood head
- Cast-metal socket with bolted connection and wrap-around braces
- Oval-shaped aluminum handle is sturdy and lightweight
- Assembly required
- Limited Lifetime Warranty



3 ¹/₄ IN MEDIUM-FINE **POLY BRISTLES**



BROOMS

STREET BROOM

BM 43001 | 18 IN HEAD | 60 IN HARDWOOD HANDLE

- 5 in stiff orange poly bristles for rough surfaces will not absorb odors, mildew or water
- Hardwood block head is varnished for durability
- Metal handle-to-head connectors for strength easy to assemble
- · Assembly required
- Limited Warranty





PUSH BROOM

BM 41002 | 24 IN HEAD | 60 IN BAMBOO HANDLE

- Poly socket with bolted connection and wrap-around braces
- Tough bamboo handle for improved strength-to-weight ratio
- Assembly required
- Limited Warranty



3IN x 2 BRISTLES **COARSE POLY FINE POLY**







EasyLIFTER



MAX | EASYLIFTER® WHEELBARROWS

WB 2806 | STEEL HANDLES | PNEUMATIC TIRE WB 2806FF | STEEL HANDLES | FLAT-FREE TIRE

- Heavy-duty all-steel frames and 6 cubic foot powder-coated trays for durability
- Lift with less effort by aligning wheel with center of gravity
- Effortless dumping with built-in fulcrum action
- Steel reinforcing plate under tray reduces puncture risk
- Two handle configurations: removable for easy transport and storage or 4-bolt semi-permanent connection*
- Heavy-Duty Wheel Options
- Smooth operation with 16 inch wheels featuring solid steel bushings and grease fittings
- For typical applications: WB 2806 with pneumatic 4-ply tire
- For the toughest jobs: WB 2806FF with flat-free tire
- Optional Dual Wheel Kit sold separately for heavier loads and increased stability
- Assembly required
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE



MAX | EASYLIFTER® DUAL WHEEL KITS

AC 2806 | 16 IN PNEUMATIC 4-PLY TIRE AC 2806FF | 16 IN SOLID FLAT-FREE TIRE

- Increase capacity and stability to make short work of the toughest jobs
- Kits include 1 wheel, 1 axle and hardware
- Includes steel bushings and grease fitting
- Work in conjunction with single wheel on WB 2806 or WB 2806FF (sold separately)



All CORONA® Wheelbarrows come with self-retaining washers for easier and faster tub-to-handle assembly. (Does not apply to WB 2506 and WB 2606 models due to Quick-connect design)

MAX WHEELBARROWS

6 Cubic Foot Wheelbarrows

 All Corona® MAX Wheelbarrows feature 6 cu ft class trays, optimizing carrying capacity with typical worker's lifting ability.



MAX HEAVY-DUTY CONTRACTOR WHEELBARROWS

WB 2706S | 60 IN STEEL HANDLES | 16 IN PNEUMATIC TIRE WB 2706SFF | 60 IN STEEL HANDLES | 16 IN FLAT-FREE KNOBBY TIRE

- 1.4 mm wrinkle-free, extra-heavy-duty, powder-coated steel tray for durability
- Squared holes in tray make tightening easier, helps avoid loosening during heavy work
- Bolt-through design helps legs sustain loads better than with tabbed cross-braces
- Handles feature 10% larger cross-section than standard pro wheelbarrows
- 6 cu ft class tray balances carrying capacity with typical worker's lifting ability
- Assembly required
- Limited Lifetime Warranty

U.S. Patent D677,852

• REPLACEMENT PARTS AVAILABLE

Replacement parts fit WB 2706, WB 2706FF, WB 2706S, WB 2706SF



MAX | HEAVY-DUTY STEEL WHEELBARROWS

WB 2506K | 60 IN WOOD HANDLES | 16 IN PNEUMATIC TIRE WB 2506KFF | 60 IN WOOD HANDLES | 16 IN FLAT-FREE KNOBBY TIRE

- 1.4 mm wrinkle-free, extra-heavy-duty, powder-coated steel tray for durability
- Reinforced steel front tray braces for added support and stability
- Steel wheel bushings for years of smooth performance and grease fittings for easy lubricating
- Contractor-grade hardwood handles
- Quick-connect system for faster assembly and a leak-proof tray
- With no bolts exposed on the inside of the tray, it creates a smooth finish for easier shoveling
- · Assembly required
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE

Replacement parts fit WB 2506K, WB 2506KFF



MAX HEAVY-DUTY CONTRACTOR WHEELBARROWS

WB 2706 | 60 IN WOOD HANDLES | 16 IN PNEUMATIC TIRE WB 2706FF | 60 IN WOOD HANDLES | 16 IN FLAT-FREE KNOBBY TIRE

- 1.4 mm wrinkle-free, extra-heavy-duty, powder-coated steel tray for durability
- Squared holes in tray make tightening easier, helps avoid loosening during heavy work
- Handles feature 10% larger cross-section than standard pro wheelbarrows
- Bolt-through design helps legs sustain loads better than with tabbed cross-braces
- Wheel with steel bushings and grease fitting
- Assembly required
- Limited Lifetime Warranty

U.S. Patent D677,852

• REPLACEMENT PARTS AVAILABLE

Replacement parts fit WB 2706, WB 2706FF, WB 2706S, WB 2706SF U.S. Patent D677,852



MAX | HEAVY-DUTY STEEL WHEELBARROWS

WB 2606K | 60 IN STEEL HANDLES | 16 IN PNEUMATIC TIRE WB 2606KFF | 60 IN STEEL HANDLES | 16 IN FLAT-FREE KNOBBY TIRE

- 1.4 mm wrinkle-free, extra-heavy-duty, powder-coated steel tray for durability
- Reinforced steel front tray braces for added support and stability
- Steel wheel bushings for years of smooth performance and grease fittings for easy lubricating
- Steel handles with comfort grips
- Quick-connect system for faster assembly and a leak-proof tray
- With no bolts exposed on the inside of the tray, it creates a smooth finish for easier shoveling
- · Assembly required
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE

Replacement parts fit WB 2606K, WB 2606KFF

MAX WHEELBARROWS

ORONI

Flat Free Tires

• Fit all Corona models with a 16 in tire or axles that are 5/8 in diameter.

MAX FLAT-FREE TIRE AC 2500 | KNOBBY

• 16 in solid flat-free tire with steel bushings and grease fitting



MAX | FLAT-FREE TIRE AC 2600 | RIBBED

• 16 in solid flat-free tire with steel bushings and grease fitting



WHEELBARROWS



6 CU FT STEEL WHEELBARROW

WB 2006 | 60 IN HARDWOOD HANDLES | 15 IN 2-PLY PNEUMATIC TIRE WB 2006FF | 60 IN HARDWOOD HANDLES | 16 IN FLAT-FREE TIRE

- 1.0 mm wrinkle-free steel tray
- Reinforced steel front tray braces for added support and stability
- 15 in hub with ball bearings for years of smooth performance
- Steel bushings and grease fitting ball bearings for years of smooth performance
- Assembly required
- Limited Warranty
- REPLACEMENT PARTS AVAILABLE



WB 1006 | 60 IN HARDWOOD HANDLES | 15 IN 2-PLY PNEUMATIC TIRE WB 1006FF | 60 IN HARDWOOD HANDLES | 16 IN FLAT-FREE TIRE

- Corrosion-proof poly tray with UV protection
- Reinforced steel front tray braces for added support and stability
- Steel bushings and grease fitting ball bearings for years of smooth performance
- Assembly required
- Limited Warranty
- REPLACEMENT PARTS AVAILABLE



10 CU FT POLY WHEELBARROW

WB 1010 | 60 IN HARDWOOD HANDLES | DUAL 15.5 IN 2-PLY PNEUMATIC KNOBBY TIRE

- Heavy-duty, corrosion-proof poly tray with UV protection
- Reinforced steel front tray braces for added support and stability
- 2-ply knobby tires provide added control and stability when carrying heavy loads
- Steel hub bushings for years of smooth performance
- Contractor-grade hardwood handles
- Assembly required
- Limited Warranty
- REPLACEMENT PARTS AVAILABLE

VALUE WHEELBARROW All Value Tools carry a 1-year limited warranty

STEEL WHEELBARROW

WB 2004 | 4 CU FT | 57 IN WOOD HANDLES

- Great for light-duty jobs around the house
- Steel tray
- · Assembly required
- 15 in pneumatic 2-ply tire with ball bearings




All CORONA® Wheelbarrows come with self-retaining washers for easier and faster tub-to-handle assembly. (Does not apply to WB 2506 and WB 2606 models due to Quick-connect design)





CHOOSE THE RIGHT SHOVEL














MAX ALL-STEEL SHOVELS







FOOTPAD

• One FREE with all models, except sharpshooters

STEEL THICKNESS: The LARGER the gauge number, the THINNER and lighter the blade.












MAX ALL-STEEL SHOVELS





FOOTPAD

One FREE with AS 90340 and AS 90300































MAX CLOSED-BACK SHOVELS

closed-back Drain Spades Sharpened blades for easy ground penetration and slicing through roots Tapered, round nose and slightly cupped blades for efficient digging of deep, round-bottom drains and trenches Blade is enamel-finished to protect against rust **Limited Lifetime Warranty** REPLACEMENT PARTS AVAILABLE SS 62000 **SS 62010** SS 62020 **SS 62030 SS 62100** SS 62110 SS 62120 SS 62130 Efficient Penetration in Dense Soils/Cutting Roots Digging Trenches and Smaller Holes **HEAD & BLADE 14 GAUGE** Tempered Steel Drain Spade 16 in 16 in 16 in 16 in 14 in 14 in 14 in 14 in **HANDLE** Straight 48 in 48 in Ash Wood Straight 48 in 48 in **Solid-core Fiberglass D**-Handle 30 in 27 in Steel / Ash Wood **D**-Handle 30 in 27 in **Solid-core Fiberglass**













MAX STANDARD SHOVELS



#2 Round Point Roofer's Spade **#2 Irrigation Shovel Shovels** Sharpened blades for easy ground penetration and slicing through roots Large, forward-turned steps prevent material from spilling off rear of blade Extended widow's peak sockets with double rivets for stronger, secure connections Blade is enamel finished to protect against rust Limited Lifetime Warranty **SS 66000 SS 66010** SS 66020 SS 65000 SS 65010 SS 65020 SS 65500 SS 39000 Efficient Penetration in Dense Soils/Cutting Roots Lifting and Moving Loose Materials Efficient Removal of Shingles **HEAD & BLADE 14 GAUGE** Tempered Steel **14 GAUGE** Textured Epoxy Finish Heavy-Duty Fulcrum Welded to Back for Added Leverage Notched Blade **HANDLE** Straight 48 in 48 in 48 in 48 in Ash Wood Straight 48 in 48 in **Solid-core Fiberglass**



D-Handle

Steel / Ash Wood



30 in







30 in



LIGHTWEIGHT SHOVELS

















0.06"

1/16"












DIY SPADES



VALUE SHOVELS All Value Tools carry a 1-year limited warranty

LIGHT-DUTY #2 ROUND POINT SHOVEL SS 10000 | 46 IN WOOD HANDLE

- 16-gauge tempered steel blade
- Round point allows easy penetration of a variety of materials

LIGHT-DUTY #2 SQUARE POINT SHOVEL SS 11000 | 46 IN WOOD HANDLE

- 16-gauge tempered steel blade
- Square-head design for efficient lifting and moving of loose material

LIGHT-DUTY FLORAL SHOVEL SS 47000 | 42 IN HARDWOOD HANDLE

- 16-gauge tempered steel blade
- Small 6 in x 8 in round point head design for easier use in gardens and tight spaces

STEEL THICKNESS: The LARGER the gauge number, the THINNER and lighter the blade.











MAX TRENCH SHOVELS




Sole Saver Step

REDUCES BOOT WEAR WITH ROUNDED CORNERS

CORONA® offers industry correct, color-coded trenchers for digging new trenches & cleaning them out.

- Finish your job faster with heavy-duty 12-gauge tempered steel blades that outperform some lower gauge blades
- Quickly find the right-sized tool for the job with industry-standard head sizes and colors
- Work more efficiently with dual handle angles optimized for digging or clean-out. Choose from 35° and 28°





35 degree is our most popular blade type; its sharper angle makes it easier to pick up loose soil and debris. Ash replacement handles are available.





MAX SCOOP SHOVELS








0.06"

1/16"









Hercules Patteri POST HOLE DIGGER PD 60000

- Extra-heavy-duty, 10 gauge tempered steel head for superior strength and long service life
- Sharpened blade edges easily penetrate ground, slice through small roots
- 48 in extra-thick Ash handles for durability and longer service life
- Square-to-round connection between handles and head prevents twisting
- Pivot point between blades optimally positioned to allow wider opening
- Lifetime Limited Warranty
- REPLACEMENT HANDLES AVAILABLE





6in





PD 40020

POST HOLE DIGGER

48 IN FIBERGLASS HANDLE

- · Fiberglass handles for best combination of weight and durability
- Heavy-duty 12 gauge tempered steel heads for greater strength and long service life
- Sharpened blade edges for easy ground penetration and slicing through small roots
- Ruler markings make gauging depth of hole an easy task
- Limited Warranty



- · Heavy-duty 12 gauge tempered steel heads for greater strength and long service life
- Sharpened blade edges for easy ground penetration and slicing through small roots
- · Limited Warranty



Square-to-round connections between head and handles prevent twisting



4 3/4 in

PD 20000 **POST HOLE DIGGER**

48 IN HARDWOOD HANDLE

- 14 gauge tempered steel head
- · Limited Warranty






SNOW SHOVELS



- CORONA® lightweight blades minimize strain, yet resist impact and harsh weather.
- The tough poly blades are less likely to catch on surface edges or damage patios, decks and roofs.
- The weather-resistant hardwood handles are 45 1/2 in long and 2X varnished with oversized D-grips for easy use, with or without gloves.









MAX AXES

MAXFORGED | MICHIGAN AXE

AX 70020 | 34 IN SOLID-CORE FIBERGLASS HANDLE

- Forged, 3 ½ lb tempered steel head hardened for maximum strength
- Sharpened and polished blade edge, cuts cleaner and with less effort
- Maximum-strength solid-core fiberglass handle with thick, molded poly jacket dampens vibration from overstrikes to prevent breakage
- Limited Lifetime Warranty



AX 71020 | 34 IN SOLID-CORE FIBERGLASS HANDLE

- \bullet Sharpened 3 $\mbox{$\frac{1}{2}$}$ lb axe blade with steep bevel holds edge while cutting roots in soil
- Triangular-shaped mattock blade for excavating around large roots
- Maximum-strength solid-core fiberglass handle with thick, molded poly jacket dampens vibration from overstrikes to prevent breakage
- 34 in solid-core fiberglass handle
- Limited Lifetime Warranty



MAX HAMMERS

- Break through concrete, asphalt, masonry or drywall... virtually any material, with durable forged, tempered steel heads
- Minimize deflections and finish your work faster with dual ground and polished convex striking faces
- Limited Lifetime Warranty



MAXFORGED | SLEDGEHAMMERS
WITH SOLID-CORE FIBERGLASS HANDLES

ST 70020 | 4 LB HEAD | 15 IN HANDLE ST 70022 | 6 LB HEAD | 32 IN HANDLE ST 70021 | 8 LB HEAD | 32 IN HANDLE ST 70023 | 10 LB HEAD | 32 IN HANDLE ST 70024 | 12 LB HEAD | 34 IN HANDLE ST 70025 | 16 LB HEAD | 34 IN HANDLE

MAXFORGED | DRILLING HAMMERS ST 73003 | 3 LB HEAD

10 IN SOLID-CORE FIBERGLASS HANDLE

- Minimize deflections and finish your work faster with dual ground polished convex striking faces
- Limited Lifetime Warranty



MAX PICKS & MATTOCKS



Pick & Mattock Heads are hardened for maximum strength

- Heads connected through eve holes allowing easy replacement
- Your choice of Hickory wood handle with shock-absorbing Poly Guards or maximum strength solid-core fiberglass handle
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE



MAXFORGED | RAILROAD PICK

PM 40000 | 36 IN POLY GUARD HICKORY HANDLE PM 73020 | 36 IN SOLID-CORE FIBERGLASS HANDLE

- Points for fracturing rock and concrete
- Chisels for smoothing of rough edges and light prying

MAXFORGED | PICK MATTOCK

PM 41000 | 36 IN POLY GUARD HICKORY HANDLE PM 74020 | 36 IN SOLID-CORE FIBERGLASS HANDLE

- Extra-wide mattock blades for more efficient breaking of dense heavy soils
- Points for fracturing, prying rock



PM 75020 | 36 IN SOLID-CORE FIBERGLASS HANDLE PM 42000 | 36 IN POLY GUARD HICKORY HANDLE

- Extra-wide mattock blades for more efficient breaking of dense heavy soils
- Extra-sharp cutter blades for severing roots



Replacement Parts

MAX 10 IN HICKORY HANDLE

43003-4 | FITS 3 LB DRILLING HAMMERS

MAX | 14 IN HICKORY HANDLE

40004-4 | FITS 4 LB SLEDGEHAMMERS

MAX | 36 IN HICKORY HANDLE

40001-4 | FITS 6-16 LB SLEDGEHAMMERS

MAXFORGED | RAILROAD PICK HEAD 40000-8



41000-8

MAXFORGED | CUTTER MATTOCK HEAD 42000-8

MAX | 36 IN SOLID-CORE FIBERGLASS HANDLE

73020-4

MAX | 36 IN POLYGUARD HICKORY HANDLE

41000-4

MAX | 36 IN HICKORY HANDLE

40000-4

MAX HEAVY BARS



MAXFORGED | SAN ANGELO BAR Br 70090 | 14 lb | 60 in

- Point for fracturing rock and concrete
- 2 in wide chisel edge for straight line concrete breaking, smoothing of rough edges and prying
- Limited Lifetime Warranty



MAXFORGED | WEDGE POINT BAR BR 72090 | 18 LB | 60 IN

- 1¼ in wide head for better leverage and greater impact
- Limited Lifetime Warranty



MAXFORGED | PINCH POINT CROW BAR

BR 73090 | 18 LB | 60 IN

- 1¼ in wide pinch-point design places fulcrum close to object to be lifted, gives maximum leverage and enables lifting of objects from flat surfaces
- Limited Lifetime Warranty



MAXFORGED DIGGING BAR

BR 71090 | 17 LB | 70 IN

- 2 % in wide, thick blade for efficient digging in dense, heavy and rocky soils
- Tamp for compacting soils around fence posts, forms, etc.
- Limited Lifetime Warranty



MAXFORGED | LANDSCAPE BAR

BR 74090 | 32 LB | 69 IN

- \bullet Heavy-duty welded 2 $^{7}\!/_{\!8}$ in wide blade enables moving of large rocks and other extremely heavy landscape elements
- Large tamp, combined with weight of bar, enables maximum compaction of postholes and other landscape elements
- Limited Lifetime Warranty







MAX FILES

SINGLE CUT PATTERN

With a single set of parallel, diagonal rows of teeth, single-cut files are often used with light pressure to produce a smooth surface finish or to put a keen edge on loppers, knives, shears or saws.

DOUBLE CUT PATTERN

The overcut and the finer upcut teeth are arranged diagonally in 2 opposing directions so material is removed on both the push and pull strokes.

A DOUBLE CUT file is used with heavier pressure than a SINGLE CUT and removes material faster from the workpiece.

Mill Files



General purpose files for shaping steel or restoring sharp edges and where a smooth finish is important. Ideal for sharpening tools such as loppers, hedge shears, pruners, knives, spades, shovels, hoes, scrapers, etc. Good for polishing and deburring work on lathes.

BASTARD CUT SMOOTH CUT ROUGH FINISH FINE FINISH LENGTH | ERGO HANDLE LENGTH ERGO HANDLE CARDED SKU# **BOXED SKU#** FE405504BC0BX 6 in 4 in 6 in FE405506BC0CD FE405506BC0BX 8 in 6 in • FE405506BC1CD 10 in FE405508BC0CD FE405508BC0BX 8 in 8 in FE405508BC1CD 10 in FE405510BC0CD FE405510BC0BX 10 in FE405510BC1CD 12 in FE405512BC0CD FE405512BC0BX

OPTIONAL ERGO HANDLE



CARDED SKU#

FE405506SCOCD

FE405508SC0CD

FE405510SC0CD

- Surfaces and edges single cut
- Choice of packaging: individual hang cards for peg display or boxed in bulk

• **Shape:** rectangular cross-section with parallel surfaces and tapered edges towards the tip

Limited Lifetime Warranty

Flat Files



General purpose files for rapid removal or shaping of steel. High removal rate file for filing flat surfaces, sharp corners and shoulders as well as for deburring.

- Shape: rectangular cross-section with parallel surfaces and tapered edges towards the tip
- Surfaces double cut and edges single cut
- Choice of packaging: individual hang cards for peg display or boxed in bulk
- Limited Lifetime Warranty

OI HOURE EROO HANDE



BASTARD CUT **ROUGH FINISH** CARDED SKU# LENGTH | ERGO HANDLE BOXED SKU# FE400106BC0CD 6 in 8 in FE400108BC0CD 8 in • FE400108BC1CD 10 in FE400110BC0CD FE400110BC0BX 10 in • FE400110BC1CD 12 in FE400112BC0CD

OPTIONAL ERGO HANDLE



INTERCHANGEABLE ERGONOMIC FILE HANDLE - FA0001CD





Round Files

General purpose files for filing holes, large fillets and concave surfaces. For rapid removal or shaping of steel on concave surfaces

- **Shape:** round cross-section tapered towards the point
- Choice of packaging: individual hang cards for peg display or boxed in bulk
- Limited Lifetime Warranty

BASTAR Roug	D CUT H FINISH			
LENGTH	ERGO HANDLE	CARDED SKU#	BOXED SKU#	
6 in		FE400406BC0CD		
6 in	•	FE400406BC1CD		
8 in		FE400408BCOCD		
8 in	•			
10 in		FE400410BC0CD	FE400110BC0BX	
10 in	•	FE400410BC1CD		
12 in		FE400412BC0CD		





Half Round Files



General purpose files for rapid removal or shaping of steel on concave, flat surfaces and large holes. Suitable for deburring work.

BASTAR Roug	RD CUT SH FINISH			SMOOTI FINE I	H CUT Finish	
LENGTH	ERGO HANDLE	CARDED SKU#	BOXED SKU#	LENGTH	ERGO HANDLE	CARDED SKU#
6 in		FE400306BC0CD		6 in		FE400306SCOCD
6 in	•	FE400306BC1CD		8 in		FE400308SCOCD
8 in		FE400308BC0CD		10 in		
8 in	•	FE400308BC1CD				
10 in		FE400310BC0CD				
10 in	•	FE400310BC1CD				

OPTIONAL ERGO HANDLE



INTERCHANGEABLE ERGONOMIC FILE HANDLE - FA0001CD

- Shape: half-round cross-section with edges and surfaces tapered towards the tip
- Double cut
- Choice of packaging: individual hang cards for peg display or boxed in bulk
- Limited Lifetime Warranty

Pipeliner File

For deburring and filing down welds in large pipes, other concave, convex and flat surfaces.

- Extra-long: convenient when working with tubes and pipes
- Shape: half-round cross-section with parallel edges
- Double cut
- Choice of packaging: boxed in bulk
- Limited Lifetime Warranty



PF400314BC0BX

14 in



Slim Taper Files



SMOOTH CUT Fine Finish					
LENGTH	ERGO HANDLE	CARDED SKU#			
6 in		FE404106SLOCD			
6 in	•	FE404106SL1CD			

OPTIONAL ERGO HANDLE



INTERCHANGEABLE ERGONOMIC FILE HANDLE - FA0001CD

For sharpening conventional saws blades with fine universal toothing. Ideal for sharpening saws with 60° angle saw teeth. Tapered point to file tight angles.

- Shape: triangular, with edges tapering towards the tip
- Surfaces and edges single cut
- Choice of packaging: individual hang cards for peg display
- Limited Lifetime Warranty

Extra-Slim Taper Files



For sharpening conventional saws blades with fine universal toothing. Ideal for sharpening saws with 60° angle saw teeth. Tapered point to file tight angles.

- Shape: triangular, with edges tapering towards the tip
- Surfaces and edges single cut
- Choice of packaging: individual hang cards for peg display
- Limited Lifetime Warranty

SMOOTH CUT FINE FINISH			
LENGTH	ERGO HANDLE	CARDED SKU#	BOXED SKU#
5 in		FE404005XS0CD	
6 in		FE404006XSOCD	
6 in	•	FE404006XS1CD	
7 in		FE404007XSOCD	
8 in			FE404008XS0BX

OPTIONAL ERGO HANDLE



INTERCHANGEABLE ERGONOMIC FILE HANDLE - FA0001CD

Double Extra Slim Taper File

42% smaller cross-section than 6 in Extra Slim Taper Files

It is NOT recommended to use a file on Corona® RazorTOOTH Saw® or QuickSAW® blades.





CORONE

Cantsaw Files



For sharpening crosscut saws, circular saws and saw teeth with less than 60° angle.

BASTARD CUT Rough Finish			
LENGTH	ERGO HANDLE	CARDED SKU#	BOXED SKU#
6 in			FE404506BC0BX
8 in			FE404508BC0BX
10 in			FF404510RCORX

- Shape: triangular cross-section with parallel edges
- Surfaces and edges single cut
- Choice of packaging: boxed in bulk
- Limited Lifetime Warranty

Round Chainsaw Files



For sharpening cutters of saw chain.

- Shape: round and straight towards the tip
- Surfaces and edges single cut
- Choice of packaging: individual hang cards for peg display, bagged or boxed in bulk
- Limited Lifetime Warranty

SMOOTH CUT FINE FINISH	1		
LENGTH	CARDED SKU#	BOXED SKU#	BAGGED SKU#
6 x ¹ / ₈ in	CF425018SC0CD		
6 x ⁵ / ₃₂ in	CF4250532SC0CD		
8 x ⁵ / ₃₂ in	CF4050532SC0CD	CF4050532SC0BX	
8 x ³ / ₁₆ in	CF4050316SC0CD	CF4050316SC0BX	CF4050316SC0BG
8 x ¹³ / ₆₄ in	CF405002SC0CD	CF405002SC0BX	
8 x ⁷ / ₃₂ in	CF4050732SC0CD		CF4050732SC0BG
8 x 1/4 in	CF405014SCOCD	CF405014SC0BX	

E mm	E in	E/2 = Pitch	Ø suitable file in in	Ø suitable file in mm	
12,70	0.5 in	¹/ ₄ in	5/ ₃₂ in	4,0	
16,50	0.65 in	0.325 in	11/ ₆₄ in - 3/ ₁₆ in	4,5 - 4,8	
18,64	0.75 in	3/ ₈ in	¹³ / ₆₄ in - ⁷ / ₃₂ in	5,2 - 5,5	
20,52	0.808 in	0.404 in	7/ ₃₂ in	5,5	
25,40	1 in	¹/₂ in	1/4 in	6,35	
38,10	1.5 in	3/ ₄ in	5/ ₁₆ in	7,9	

Handy File



Versatile general purpose file.

- Single cut: for fine filing of flat surfaces and for fine sharpening of tools and implements
- Double cut: for filing flat surfaces and for rough sharpening of edges on spades, hoes, mower blades, etc
- Shape: rectangular cross-section with parallel edges, one edge uncut

- **BASTARD CUTS ROUGH FINISH** CARDED SKU# 8 in | HF106108STOCD
 - Surfaces and edges: one side double-cut bastard, the other side single cut bastard. One edge single-cut, one edge uncut
 - Integral handle with hanging hole
 - Choice of packaging: individual hang cards for peg display
 - Limited Lifetime Warranty

MAX RASPS

Farmer File



General purpose file for shaping metal or restoring sharp edges.

- Ideal for sharpening tools such as spades, shovels, hoes, scrapers, etc.
- Shape: rectangular cross-section with parallel edges
- Surfaces and edges: both sides single cut and both edges uncut
- Integral handle with hanging hole
- Limited Lifetime Warranty



Half-Round Wood Rasp



For work in soft materials like wood, plywood, wallboard, plastics and other soft materials. Ideal for concave and flat surfaces and large holes.

- **Shape:** half-round cross-section with edges and surfaces tapered towards the tip
- Type of cut: medium
- Securely mounted ergonomic handle
- Individual hang card packaging for peg display
- Limited Lifetime Warranty



ACCESSORIES



UNIVERSAL FILE CARD

FA0002CD

- · Single-sided file cleaner
- The fine wire bristles of this tool help to remove filings and other gunk from the teeth of the file to insure longer life and efficiency



INTERCHANGEABLE ERGONOMIC FILE HANDLE

FA0001CI

Our file handles are ergonomically designed, following the Corona® process
to reduce muscle tension and the risk of injury. The hard polypropylene core,
covered with a thermoplastic elastomer, provides a comfortable non-slip grip
and the handle's smooth contours fit into the hand naturally. Includes a set of
inserts to fit most Corona files.



MAX FILES & RASPS

Convenience Sets

A complete selection of different sets of files to cover most needs.

Sets in Pouches



ALL PURPOSE 3-PIECE QUALITY FILE SET

FS0004PP

- Three 6 in files
 Round (Bastard Cut)
 Mill (Bastard Cut)
 Slim Taper
- Limited Lifetime Warranty



ALL PURPOSE 5-PIECE QUALITY FILE SET

FS0005PP

- Three 6 in bastard cut files Mill Half Round Round
- Additional files Slim Taper - 6 in 4 in 1 - 8 in
- Limited Lifetime Warranty

MAX FILES & RASPS

SEASON AFTER SEASON

Sets in Blister Packs



VERSATILE QUALITY FILE SET

FS0002CS

- Includes four files Mill - 8 in, Bastard Cut Round - 6 in, Bastard Cut Slim Taper - 6 in 4 in 1 - 8 in
- One ergonomic handle and four handle inserts included
- Limited Lifetime Warranty



COMPLETE SET OF QUALITY FILES

FS0003CS

- Eight 8 in files, total 9 pieces
- Bastard cut and smooth cut versions of three files Mill (2) Round (2) Half-Round (2)
- Additional files Slim Taper (1) Extra Slim Taper (1)
- One ergonomic handle and four handle inserts included
- Limited Lifetime Warranty

Assortments

Increase add-on sales now: popular file assortments with re-stockable displays



SHARPENING FILES WITH COUNTER DISPLAY

FE0003SA

- Includes four file types, six units each Mill, Bastard Cut - 6 in Mill, Bastard Cut - 8 in
- Mill, Bastard Cut 8 in Mill, Smooth Cut - 6 in Mill, Smooth Cut - 8 in
- Compact display fits small spaces: 12 x 5 x 17 ½ in

These assortments are only available to dealers and distributors.



BEST SELLING FILES WITH WALL DISPLAY

FE0004SA

• Includes fifteen file types, six units each Mill, Bastard Cut - 6, 8, 10 and 12 in Extra Slim Taper - 6, 7, and 8 in 4 in 1 File and Rasp - 8 in Farmer File - 6 in Handy File - 8 in Round Chainsaw - 8 in, five diameters

13/64 in 7/32 in 1/4 in 5/32 in 3/66 in

• Also includes Interchangeable Ergonomic File Handle (6 units)

Display mounts onto pegboard or slat wall





MAX PVC CUTTING TOOLS

MAX PVC PIPE CUTTER

UT 65050

- Easy one-hand cutting with ratchet-action blade
- Replace the blade quickly by flipping up the tab, turning to release the blade
- Ergonomic handles with rubberized non-slip grips
- Use left- or right-handed
- Cuts schedule 40 PVC pipe
- Limited Lifetime Warrantv
- REPLACEMENT PARTS AVAILABLE
- 65050-1C Replacement blade
- 65050-3C Pivot bolt, spring, washer



Change the blade quickly by flipping up the tab, turning to release the blade.

MAX PVC HAND SAW

UT 65040

- Fine teeth cut PVC, plastics, laminates, wood and more
- High-carbon steel blade 14 in long, 15 TPI, 16 PPI
- Oversized ergonomic handle with soft-touch grip for comfort



MAX HACKSAW

UT 65030 | CUTS UP TO 4 1/2 IN

- ullet 25% larger cutting capacity cuts PVC pipes up to 4 $\frac{1}{4}$ in
- Two cutting angles 90° and 55°
- High-speed steel blade 12 in long, 24 TPI
- Large ergonomic handle
- Storage for 8 blades in the top bar
- Limited Lifetime Warranty
- REPLACEMENT PART AVAILABLE
 - 65030-1 Replacement hacksaw blade (2 per card)




MAX EZ OUT TOOLS

MAX 90° EZ OUTS

UT 65010 | 1 IN & 1 1/4 IN UT 65020 | 1/2 IN & 3/4 IN

• Extractors to remove broken plastic riser stubs in irrigation systems



- Non-painted serrated zinc tips for a better grip
- Tapered tips fit two sizes for convenience
- Comfortable T-loop handles
- High-quality durable steel
- Limited Lifetime Warranty

U.S. Patent D540,632



MAX EZ OUTS

UT 65001 | 1 IN & 1 1/4 IN UT 65002 | 1/2 IN & 3/4 IN

- Extractors to remove broken plastic riser stubs in irrigation systems
- Non-painted serrated zinc tips for a better grip
- Tapered tips fit two sizes for convenience
- Comfortable T-loop handles
- High-quality durable steel
- Limited Lifetime Warranty

U.S. Patent D540,632



MAX VALVE KEYS

MAX | METER KEY

UT 62055 | 11/8 IN KEY SLOT | 30 IN SHAFT

- Opens and shuts standard meter valves
- High-quality welded steel construction for long service life
- Cushioned, non-slip T-bar handle for better leverage
- Limited Lifetime Warranty



MAX | METER KEYS

UT 62050 | ½ IN KEY SLOT | 29 ¾ IN SHAFT UT 62051 | ¾ IN KEY SLOT | 31 ¾ IN SHAFT

- For standard sprinkler and residential shut-off valves
- Heavy-duty all-steel construction for superior strength
- T-bar handles provide maximum leverage
- Limited Lifetime Warranty



UT 62050



UT 62051

MAX VALVE KEYS

VALVE KEYS





MAX | HEAVY-DUTY SPRINKLER & VALVE KEY UT 61000 | 3/8 IN DIAMETER PRONGS

- WITH 1½ IN OFFSET 48 IN SHAFT
- 2-Prong head opens and shuts valves with cross and wheel handles
 High-quality welded steel construction
- for long service life


 Cushioned, non-slip T-bar handle for better leverage
- Limited Lifetime Warranty



SPRINKLER KEY

UT 60054 | 54 IN OVERALL LENGTH UT 60030 | 30 IN OVERALL LENGTH UT 60007 | 7 IN OVERALL LENGTH

- Use to turn sprinkler control valves on or off with ease
- Steel construction with triangular heads for better leverage
- Sturdy 0.28 in diameter rods
- Two-prong heads are 1.1 in wide
- Limited Warranty



MAX WRENCHES

MAX | OPERATING WRENCH 3-IN-1

UT 69000

- Multifunctional; used to open gate valves, extends from 3 to 5 ft easily by releasing a snap button
- Includes 3 interchangeable heads with snap button lock store on the tool 1, 1 $\frac{1}{8}$ and 2 in
- 2 in square key operates gate valves with a 2 in square operating nut
- T-bar handle design for better leverage, solid steel construction for durability
- Red color so it's easier to find on the job
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE



1/2 IN SQUARE
METER KEY HEAD





1 IN VALVE KEY HEAD

69000-100



1 1/8 IN METER KEY HEAD 69000-118



2 IN SQUARE METER KEY HEAD 69000-200



83 ½ IN SQUARE TUBING EXTENDER BAR

69000-835

• Converts UT 69000 to easily adjust deep valves. Snap button locks at 7, 8 or 9 ft depths.

MAX OPERATING WRENCH

UT 62052 | 2 1/4 IN SQUARED KEY | 60 IN SHAFT

- Large squared key opens and shuts high-capacity gate valves
- Extra-long shaft reaches deeply set lines on commercial construction sites
- Heavy-duty all-steel construction for superior strength
- T-bar handle provides maximum leverage
- Limited Lifetime Warranty




MAX SOIL PROBES

- Locate underground utilities and pipelines before digging
- Cushioned, non-slip T-bar handle for best control
- Limited Lifetime Warranty

MAX | STEEL SOIL PROBE

UT 64050 | 48 IN STEEL SHAFT

• High-quality welded steel construction for greater strength



MAX | FIBERGLASS SOIL PROBE

UT 64020 | 50 IN FIBERGLASS SHAFT

- Fiberglass for best combination of strength and weight
- Replaceable steel tip for long service life
- REPLACEMENT PART AVAILABLE
 - 64020-64 Replacement tip



MAX DIRT TAMPS

- Heavy-duty steel construction for long service life
- 1/4 in steel plate and gussets for maximum strength and even tamping
- Limited Lifetime Warranty

MAX DIRT TAMP

UT 60053 | 10 IN X 10 IN | 58 IN ASH HANDLE

• 56% larger plate helps you finish your job faster than with standard 8 in squared plate

UT 60050 | 8 IN X 8 IN | 43 IN ASH HANDLE

- Ideal for efficient tamping of trenches, specimen tree holes and base materials
- REPLACEMENT PARTS AVAILABLE
- 60050-4 Wood handle and wedges

MAX | DIRT TAMP | ALL-STEEL

UT 60057 | 8 IN X 8 IN | 58 IN STEEL HANDLE

• Ideal for efficient tamping of trenches, specimen tree holes and base materials

UT 60055 | 3 1/2 IN X 12 IN | 58 IN STEEL HANDLE

• Ideal for tamping in trenches and tight spaces

MAX POST DRIVERS

- Easily drive standard-sized square wooden stakes and steel posts into the ground
- Standard models feature two angled handles for best gripping position and control
- Long-reach model features one extended handle for driving posts close to ground level
- High-quality welded steel construction for long service life
- Limited Lifetime Warranty



MAX | POST DRIVER

UT 67002 | 27 LB

• 3 1/2 in squared hollow section



MAX POST DRIVER

UT 67001 | 21 LB

• 2 1/2 in squared hollow section

MAX POST DRIVER

UT 67003 | 22 LB | 65 IN HANDLE

- Long-reach 65 in handle so no ladder is needed for installing taller posts
- 2 1/2 in squared hollow section



MAX SCRAPERS





UT 71000 | 54 IN ASH HANDLE

- Heavy-duty steel head scrapes encrusted materials from hard surfaces
- Sharpened blade is 4 in wide for efficient digging, edging and root cutting
- Durable Ash wood handle 2X varnished for weather resistance
- Limited Lifetime Warranty



MAXFORGED | SIDEWALK SCRAPER

UT 70000 | 48 IN ASH HANDLE

- Heavy-duty steel head scrapes encrusted materials from hard surfaces
- Sharpened blade is 7 in wide for efficient edging of sidewalks and ice chipping
- Durable Ash wood handle 2X varnished for weather resistance
- Limited Lifetime Warranty

MAX VALUE EDGERS & WEED CUTTERS



UT 66004 | 4 IN DIAMETER | 29 IN SHAFT UT 66006 | 6 IN DIAMETER | 29 IN SHAFT

- Easily trims around sprinkler heads with serrated edges
- Two sizes cover a complete range of heads
- High-quality welded steel construction for long service life
- Cushioned, non-slip T-bar handles for better leverage
- Limited Lifetime Warranty

VALUE EDGERS & WEED CUTTERS All Value Tools carry a 1-year limited warranty

HALF-MOON EDGER

UT 20000 | 48 IN WOOD HANDLE

- Semi-circular edging knife for straight, even edges and borders
- Tempered steel blade
- Large forward-turned steps for firmer footing

DUAL WHEEL GRASS EDGER UT 21000 | 6 IN BLADE | 48 IN WOOD HANDLE

- 6 in self-sharpening blade with an adjustable depth gauge
- Wide, dual treads for traction and easier handling on concrete

WEED CUTTER UT 24000 | 14 IN BLADE | 30 IN WOOD HANDLE


- Used to trim tall grass and weeds around yards
- 14 in blade has serrations on each edge and cuts in either direction
- Blade is connected to handle with two bolts





MAX HAND PRUNERS

How to Pick the Right Size Pruner for Your Hand



FORGED STRENGTH & DURABILITY

Forged tough. Proven performance. Season after season. Experience the performance and durability of **MAXFORGED** tools with classic, simple designs that

withstand the test of time. Agricultural and Landscaping Professionals' tool family of choice.







MAXFORGED BYPASS PRUNERS

Dual**CUT**

BP 7100D

- The PrecisionZONE area of hook & blade is for quick, repetitive cuts on stems and smaller branches
- The **PowerZONE**® area of hook & blade is for maximum-leverage cuts on branches up to 1 in
- Maximum strength forged technology
- No blade crossover with fully forged steel construction for strength
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE

Patents U.S. D660.104, 8.910.386 Canada 2 775 512



MAXFORGED BYPASS PRUNERS

Pro**CUT**

• Replaceable, resharpenable Dual Arc™ blade

LARGE HANDS Wide: more than 4 inch Height: more than 8 inch

- Advanced blade technology and high-performance blade coating reduce cutting effort by 25% when compared to titanium-coated or non-coated blades
- Comfortable handle with contoured soft grip
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE

U.S. Patents D660,104



MAX HAND PRUNERS





MAXFORGED | BYPASS PRUNERS



Classic CUT.

BP15180

- Resharpenable, replaceable high-carbon steel blades
- High-precision pivot bolt and locking nut keep blade and hook aligned
- Fully forged steel construction for maximum strength
- Comfortable handle with contoured non slip grips fit various hand sizes
- One handed lock operation
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE



MAXFORGED BYPASS PRUNERS

Ergo**ACTION**



BP 3670

- Built-in sprinkler adjuster fits common nozzles
- Resharpenable, replaceable bypass blade
- Maximum strength forged technology
- Ergonomic handles for added comfort
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE
 - 3670-1C Replacement blade
 - 3670-91C Hardware kit Pivot holt and nut, spring, lock with screw and washer

U.S. Patent D652,272



MAXFORGED BYPASS PRUNERS

Classic**CUT**

BP 3180D

- Resharpenable, replaceable high-carbon steel blades
- High-precision pivot bolt and locking nut keep blade and hook aligned
- Fully forged steel construction for maximum strength
- Non-slip grips for greater control
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE



MAXFORGED BYPASS PRUNERS

ErgoACTION

BP 3640

- Resharpenable bypass blade
- Maximum strength forged technology
- Ergonomic handles for added comfort
- Limited Lifetime Warranty

U.S. Patent D585,251



MAXFORGED | BYPASS PRUNERS

Classic CUT

BP 3160 | CUTS UP TO 3/4 IN BP 3130 | CUTS UP TO 1/2 IN

- Resharpenable high-carbon steel blades
- High-precision pivot bolts and locking nuts keep blades and hooks aligned
- Fully forged steel construction for maximum strength
- Non-slip grips for greater control
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE



MAXFORGED | PRUNER + LOPPER

Convertible

BP 7450

- Ease of a pruner with power of a lopper all in one tool
- Easily converts for two-handed operation
- No blade crossover with fully forged steel construction for
- Right- or left-hand activation with center lock
- Comfortable handle with contoured grip
- Limited Lifetime Warranty

U.S. Patent D698,618



MAXFORGED | TWO-HANDED PRUNER

Classic CUT.

BP 3225D

- Lightweight, two-handed operation for easier cutting
- Forged, resharpenable bypass blade and hook
- Oval aluminum handles for greater comfort
- Handle length 111/4 in
- Limited Lifetime Warranty



MAX HAND PRUNERS



MAXFORGED ALUMINUM Bypass Pruners

- Lightweight forged aluminum handles with non-slip grips
- High-carbon steel blades for lasting performance
- Easy access to tight areas with narrow profile hooks
- Geared pivot nuts permit precise blade adjustments
- Built-in wire cutters and sap grooves
- Volute springs resist clogging and maintain smooth cutting action
- Rubber bumpers absorb shocks
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE



MAXFORGED BYPASS PRUNERS

ALUMINUM

BP 6250

- Straight, non-angled head
- Blade and spring are interchangeable with Felco® 2*



MAXFORGED | BYPASS PRUNERS

ALUMINUM

BP 6310

- Compact, great for smaller hands
- Ergonomically angled head for less bending of the wrist
- Blade and spring are interchangeable with Felco[®] 6*



MAXFORGED | BYPASS PRUNERS

ALUMINUM

BP 4250

- More affordable, heavier version of BP 6250
- Separate steel hook instead of one-piece aluminum hook
- Blade and spring fit Felco® 11*



MAXFORGED BYPASS PRUNERS

ALUMINUM

BP 6340

- For left handed users
- Ergonomically angled head for less bending of the wrist
- Blade and spring are interchangeable with Felco® 9*



MAXFORGED | BYPASS PRUNERS

ALUMINUM

BP 4840

- Unique rolling handle designed to reduce cutting effort and hand fatigue
- Blade interchangeable with Felco® 7*



MAXFORGED | BYPASS PRUNERS

ALUMINUM

BP 6360

- Ergonomically angled head for less bending of the wrist
- Blade and spring are interchangeable with Felco® 8*



HAND PRUNERS





BYPASS PRUNER

Dual**LINK**,

with **ComfortGEL**® grip



BP 4314D

- Dual compound lever provides added power with reducing cutting effort
- Specially coated non-stick blades provide smooth cutting performance
- Limited Warranty

Patents: U.S. D802,381, Canada 172122





BYPASS PRUNER

FlexDIAL

with **ComfortGEL**® grip

- Adjustable grip fits to hand size and reduces fatigue during repetitive cuts
- Anodized aluminum dial ranges from 1 for smaller hands to 8 for large hands
- Maximize comfort and control with soft, ergonomically shaped grips
- Specially coated non-stick blades provide smooth cutting performance
- Limited Warranty

Patents: U.S. D802,382, Canada 172123, 10,022,881



RATCHET PRUNER

Ratchet**CU**1

with **ComfortGEL**® grip **RP 4224D**

- Ratchet action for easier, more comfortable multi-cuts through tough, thick branches
- 4-gear ratchet system
- Maximize comfort and control with soft, ergonomically shaped grips
- · Specially coated non-stick blades provide smooth cutting performance
- Limited Warranty

Patents: U.S. D802,383, Canada 172120





Comfort**GEL**® Hand Pruners

- Maximize comfort and control with soft, ergonomically shaped grips
- Specially coated non-stick blades provide smooth cutting performance
- Reduce hand fatigue with ShockGUARD® bumper system on some models



ANVIL PRUNER NEW

Comfort**GEL**



AP 3334

- For pruning dead and dry woody growth.
- Brand & stem pruner with ComfortGEL® grips for superior comfort and less hand fatigue
- Reduce hand fatigue with Shock Guard® bumper system
- Limited Warranty



BYPASS PRUNER

Comfort**GEL**

BP 3324

- Bypass design for pruning live green growth and fruits and veggie vines
- Suitable for right- and left-hand use
- Build in thorn stripper for stems up to 3/8 in diameter
- Full Steel construction
- Limited Warranty



BYPASS PRUNER

Comfort**GEL**

BP 3214D

- Bypass design for pruning live, green growth
- Suitable for right- and left-hand use
- Reduced hand fatigue with ShockGUARD® bumper system
- Limited Warranty

HAND PRUNERS



BYPASS PRUNER

BP 3140 | CUTS UP TO 5/8 IN

- Bypass design for pruning live, green growth
- Steel body with non-stick coated steel blade
- Enclosed spring is protected from debris
- Lightweight, well-balanced design for extended use
- Textured grips for non-slip cutting comfort
- Limited Warranty



ANVIL PRUNER

AP 3110 | CUTS UP TO 3/4 IN

- Anvil design for pruning dry and woody growth
- Steel body with non-stick coated steel blade
- Enclosed spring is protected from debris
- Lightweight, well-balanced design for extended use
- Textured grips for non-slip cutting comfort
- Limited Warranty



RATCHET PRUNER

RP 3230 | CUTS UP TO 3/4 IN

- Power-multiplying ratchet action for easy cutting
- Non-stick coated blade for smooth cutting and easy cleaning
- Suitable for right- and left-hand use
- Limited Warranty



SMALL/MEDIUM HAND PRUNER

Comfort**GEL**

BP 3224

- Ideal for cutting fruit and veggie vines such as tomatoes, cucumbers and more
- Suitable for right- and left-hand use
- Built-in thorn stripper for stems up to 3/8 in diameter
- Limited Warranty



ERGONOMIC BYPASS PRUNER

BP 4180 | CUTS UP TO 3/4 IN

- Lightweight pruner for general-purpose pruning
- Ergonomic, reinforced nylon handles
- Resharpenable, high-carbon steel blade
- Limited Warranty
- REPLACEMENT PARTS AVAILABLE



BYPASS PRUNER

Cut'n'HOLD



Long**REACH**

LR 3460

- High-carbon steel blade and hook are fully heat-treated
- Overall length of 46 in allows reach to otherwise inaccessible areas
- Non-stick coated blade for easier cutting
- Adjustable foam grip provides balance and ease of use
- Cut 'n' hold feature holds stem until you release the grip
- Ergonomic grip for comfort
- Limited Warranty



LONG REACH PRUNER

Swivel**CUT**



with **PowerGLIDE**, grip

TP 3206 | REACHES UP TO 62 IN

- Head rotates 360°, tilts and swivels for unlimited cutting positions
- Overall length of 62 in is ideal for pruning high or low, without bending or straining
- Lightweight: weighs only 2.5 lb so you can prune trees, shrubs and roses all day
- PowerGLIDE™ comfort grip eliminates tangled ropes
- Limited Warranty

MAX ACCESSORIES



MAX | LEATHER SCABBARD

AC 7220 | 5 IN

- Universal design fits most hand pruners and folding saws up to 8 in
- Top-grain leather construction
- Stitched and riveted for durability
- Belt clip and loops included
- Pouch depth: 5 in
- · Limited Lifetime Warranty

ACCESSORIES



1/2 in

UNIVERSAL TOOL POUCH

AC 4510 | 5 IN

- Universal design fits hand pruners and folding saws up to 8 in
- Durable nylon construction
- Easy to carry using metal clip or belt loops
- Front pocket for sharpener storage
- Pouch depth: 5 in Limited Warranty



SHARPENING TOOL

AC 8300

- Ideal for sharpening all blades (excludes saw blades)
- Easy to use instructions are on back of the packaging
- 5 in super carbide file
- Easy to fit in pocket
- Non-slip grip for easy use
- Limited Warranty

MAX HEDGE SHEARS







Classic**CUT**.

HS15150 | 10 IN BLADES | 12 $\frac{1}{2}$ In Steel Handles

- Enhanced performance with large cuts due to patented blade and hook design - includes limb notch
- Resharpenable, forged alloy steel blades
- Comfortable steel handles with contoured soft grips fits various hand sizes
- Shock-absorbing integrated bumper
- No-fail metal end cap
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE



MAXFORGED | HEDGE SHEARS

Serrated**BLADE**

HS 6920 $| 8 \frac{1}{2}$ in blades $| 9 \frac{1}{2}$ in hardwood handles HS 6930 $| 8 \frac{1}{2}$ in blades | 20 in hardwood handles

- Resharpenable, forged steel alloy blades
- Fully heat-treated for strength
- Serrated top blade and limb notch in lower blade
- Shock Stop® bumper
- Bolted-on hardwood handles with non-slip grips
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE



MAXFORGED | HEDGE SHEARS

Serrated**BLADE**

AH 6940 | 8 ½ IN BLADES | 13 IN ALUMINUM HANDLES AH 6950 | 8 ½ IN BLADES | 21 IN ALUMINUM HANDLES

- Resharpenable, forged steel alloy blades
- Fully heat-treated for strength
- Serrated top blade and limb notch in lower blade
- Dual forged-in bumper cups with elastomer bumpers
- Lightweight, high-strength elliptical aluminum handles
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE



MAXFORGED | HEDGE SHEARS

Resharpenable**BLADE**

HS 6960 | 10 IN BLADES | 9 1/4 IN HARDWOOD HANDLES

- Resharpenable, forged steel alloy blades
- Fully heat-treated for strength
- Limb notch
- Shock Stop® bumper
- Bolted-on hardwood handles, comfortable non-slip grips
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE



MAXFORGED | HEDGE SHEARS

Limb**NOTCH** Blade

AH 6970 | 10 ½ IN BLADES | 12 ½ IN ALUMINUM HANDLES

- Resharpenable, forged steel alloy blades
- Fully heat-treated for strength
- Limb notch in lower blade
- Dual forged-in bumper cups with elastomer bumpers
- Lightweight, high-strength elliptical aluminum handles
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE



MAXFORGED | HEDGE SHEARS

Extendable REACH

HS 3950 | 10 IN BLADES | 13 IN - 20 IN STEEL HANDLES

- Lightweight steel handles with comfort grips extend from 13 in to 20 in
- Forged, high-carbon steel blades for durability and strength
- Precision-made pivot bolt provides smooth cutting action
- Shock Stop® bumper reduces arm and shoulder fatigue
- Limited Lifetime Warranty



MAXFORGED | HEDGE SHEAR

Dual**CUT**

HS 7140 | 10 IN BLADES | 12 ½ IN STEEL HANDLES

- Enhanced performance with large cuts due to patented design includes limb notch
- Easy to resharpen
- Comfortable steel handles with contoured soft grips fits various hand sizes
- Shock-absorbing integrated bumper
- No-fail metal end cap
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE

Patents U.S. D664,406, 8,910,386, Canada 2,775,512

HEDGE SHEARS

DualLINK...

Boosted power and reduced effort unite through **DualLINK™** tools, that utilize a dual compound lever designed for both engaged gardeners and landscapers searching for ease-of-cut.







HEDGE SHEAR

DualLINK,

with **ComfortGEL**® grip **HS 4244** | 9 ³/₄ IN BLADES | 14 IN HANDLES

- Minimize cutting effort with DualLINK linkage open handles less to cut more
- Steel handle
- Less fatigue with ShockGUARD® bumper system
- Limited Warranty

U.S. Patent D703,498



EXTENDABLE HEDGE SHEAR

DualLINK...

with **ComfortGEL**® grip

HS 4344 | 9 3/4 IN BLADES | 16 3/4 IN - 24 5/8 IN HANDLES

- Minimize cutting effort with DualLINK linkage open handles less to cut more
- Less fatique with ShockGUARD® bumper system
- Aluminum outer handle steel inner handle ComfortGEL® Hedge Shear
- Extendable handles with innovative locking mechanism
- Limited Warranty

U.S. Patent D703,498 and D712,230



EXTENDABLE HEDGE SHEAR



Comfort**GEL**

HS 3344 | 9 IN BLADES | 16 3/4 IN - 24 5/8 IN HANDLES

- Extendable handles with innovative locking mechanism
- Lightweight steel handles with ComfortGEL® grips
- Specially coated non-stick blades provide maximum cutting performance
- Reduced hand and shoulder fatigue with Shock Guard® bumper system
- Limited Warranty



HEDGE SHEAR

Comfort**GEL**

HS 3244 | 9 IN BLADES | 13 IN HANDLES

- Lightweight steel handles with comfort grip
- Specially coated non-stick blades provide maximum cutting
- Reduced hand fatigue with ShockGUARD® bumper system
- Maximize comfort and control with soft, ergonomically shaped grips
- Limited Warranty



HEDGE SHEAR

HS 3911 $\mid 8^{1}/_{2}$ in blades $\mid 9^{1}/_{2}$ in hardwood handles

- Resharpenable steel alloy blades
- Fully heat-treated for strength
- Limb notch for larger branches
- Top-grade hardwood handles
- Comfortable non-slip grips
- Limited Warranty
- REPLACEMENT PARTS AVAILABLE

VALUE HEDGE SHEAR All Value Tools carry a 1-year limited warranty

HEDGE SHEARS

AH 4220 | COMPOUND ACTION | 9 IN BLADES | 11 1/2 IN HANDLES

- Compound cutting action
- Steel blades one serrated, one non-stick coated
- Aluminum handles with plastic grip

MAX GRASS SHEARS



Classic**CUT**。

GS 6750D

- Cuts tough sod and ground cover
- Professional cutting action
- Resharpenable, forged steel alloy blades
- Fully heat-treated for strength
- Comfortable, non-slip grip
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE

PUMP-ACTION GRASS SHEAR

GRASS SHEARS

GS 3760

- Hard, chrome-plated, high-carbon steel blades are fully heat-treated
- Adjustable tension control for maximum shearing
- Steel body construction
- Foam grip for comfortable use
- Limited Warranty



SWIVEL GRASS SHEAR GS 3750D

- Versatile three-position blade - vertical for edging, horizontal for trimming, angled for hard-to-reach areas
- Precision-ground, high-carbon steel blades
- Durable chrome plating
- Easy-to-set thumb lock
- Limited Warranty





Choose Your Lopper	MAXFORGED		
olloose loni robbei	PRO/Master Gardener	DIY	Value
	MAX FORGED LOPPERS	LOPPERS	VALUE LOPPER
PRICE LEVELS	\$\$\$	\$\$	\$
KEY ADVANTAGE	Durability and Performance	Ease-of-Cut	Cost
MAX CUT CAPACITY	11/4 in to 3 in	11/4 in to 13/4 in	1½ in
INTENSITY OF USE	High	Average	Low
FREQUENCY OF USE	Daily	Weekly	Monthly or Less
			1.VEAD

WARRANTY

LIMITED LIFETIME WARRANTY

LIMITED WARRANTY

WARRANTY

- · What is the largest diameter you are considering cutting?
- · Not every branch is suitable for cutting with a lopper
- Consider the hardness of the branch

 - Bypass loppers are best for cutting green, live branches A High-Torque Bypass Lopper can cut hard or frozen branches
- Anvil loppers are best for cutting dry or hard branches · Consider your own physical condition, ability and experience
- Be safe: use a saw if a branch is too big or too hard to cut



2 in



SL 8180 | 31 IN | STEEL HANDLES

- Boosted power and reduced effort unite through DualLINK™ tools, that utilize a power-compounding link feature that appeals to both engaged gardeners and landscapers searching for ease-of-cut.
- Fully forged steel construction for strength
- Easy to resharpen
- Comfortable handle with contoured soft grip, fits various hand sizes
- Less fatigue with ShockGUARD® bumper system
- No-fail metal end cap
- Limited Lifetime Warranty

Patents U.S. D802,384, Canada 172120

MAXFORGED | BYPASS LOPPER



DualCUT

- Enhanced performance with large cuts due to patented blade and hook design
- Fully forged steel construction for strength
- Easy to resharpen
- Shock-absorbing integrated bumper

SL 7180 | 31 IN | STEEL HANDLES

- Comfortable handle with contoured soft grip, fits various hand sizes
- No-fail metal end cap
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE

Patents U.S. D664,406, 8,910,386, Canada 2,775,512

- **letermine Intensity and Frequency of Use**Professionals can continuously make thousands of large cuts a week: all Corona® MAXFORGED loppers offer Limited Lifetime Warranties and most offer extensive replacement parts to get the job done, season after season
- Landscaping enthusiasts, casual gardeners and homeowners can make hundreds of moderate-sized cuts a month maintaining their yards and gardens: Corona® RED loppers feature design innovations that can make cutting easier and more comfortable

MAXFORGED | BYPASS LOPPER

Classic CUT

SL15167 | 31 IN | STEEL HANDLES

- Fully forged steel construction for strength
- Easy to resharpen
- Shock-absorbing integrated bumper
- Comfortable handle with contoured soft grip, fits various hand sizes
- No-fail metal end cap
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE

MAXFORGED | BYPASS LOPPER


Pro**CUT**.

SL 7280 | 31 IN | STEEL HANDLES

- Fully forged steel construction for strength
- Easy to resharpen
- Shock-absorbing integrated bumper
- Comfortable handle with contoured soft grip, fits various hand sizes
- No-fail metal end cap
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE

U.S. Patents D664,406

*Blade technology and high-performance coating reduce cutting effort by 25% when compared to titanium or non-coated blades



MAX LOPPERS





Classic CUT.

AL15149 | 36 IN | ALUMINUM HANDLES

AL15148 | 32 IN | ALUMINUM HANDLES AL15147 | 26 IN | ALUMINUM HANDLES

- Resharpenable forged Radial Arc® bypass blade
- Fully heat-treated steel alloy
- Forged slant-ground hook with self-cleaning sap groove
- Precision-made, self-aligning bolt
- Lightweight, high-strength elliptical aluminum handles
- Shock Stop® bumper
- REPLACEMENT PARTS AVAILABLE

MAXFORGED | VINE LOPPER

Classic CUT.

• Fully heat-treated forged steel alloy

• Precision-made, self-aligning pivot bolt

AL 8350 | 20 IN | ALUMINUM HANDLES

• Resharpenable, replaceable Radial Arc® bypass blade

• Forged slant-ground hook with self-cleaning sap groove

• Lightweight, high-strength, elliptical aluminum handles



MAXFORGED | HIGH-PERFORMANCE **ORCHARD LOPPERS**

Dual ARC THE



AL 8442 | 26 IN | ALUMINUM HANDLES AL 8462 | 32 IN | ALUMINUM HANDLES AL 8482 | 36 IN | ALUMINUM HANDLES

- Resharpenable forged steel blades
- Dual Arc™ blade designs reduce cutting effort
- Forged steel hooks with self-cleaning sap grooves
- Lightweight, high-strength elliptical aluminum handles
- Shock absorbing system with dual elastomer bumpers
- Extensive replacement parts
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE

MAXFORGED | HIGH-TOROUE BYPASS LOPPER

Radial ARC.

2 in

AL 6512 | 26 IN | ALUMINUM HANDLES

- Resharpenable forged steel Radial Arc® blade
- Forged steel hook with self-cleaning sap groove
- Prune frozen branches and dead wood with high-torque cutting action
- Lightweight, high-strength aluminum handles
- Shock absorbing system with dual bumpers
- Extensive replacement parts
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE

MAXFORGED | VINE LOPPER

• Overall length 20 in

Shock Stop® bumper

• Limited Lifetime Warranty

REPLACEMENT PARTS AVAILABLE

Classic CUT.





- Resharpenable, replaceable Radial Arc® bypass blade
- Fully heat-treated forged steel alloy
- Forged slant-ground hook with self-cleaning sap groove
- Precision-made, self-aligning pivot bolt
- Lightweight, high-strength, elliptical aluminum handles
- Overall length 20 inches
- Shock Stop® bumper
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE



MAXFORGED BYPASS LOPPERS

Classic CUT.



WL 6420 | 26 IN | HICKORY HANDLES WL 6450 | 32 IN | HICKORY HANDLES WL 6470 | 36 IN | HICKORY HANDLES

- Resharpenable, replaceable Radial Arc® bypass blades of fully heat-treated forged steel alloy
- Precision-made, self-aligning pivot bolt
- Shock Stop® bumpers
- Tapered, bolt-on Hickory wood handles
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE



MAXFORGED | HIGH-PERFORMANCE VINE LOPPERS

AL 8311 | 16 IN | ALUMINUM HANDLES AL 8321 | 19 IN | ALUMINUM HANDLES

- Resharpenable forged steel blades
- Dual Arc™ blade designs reduce cutting effort
- Forged steel hooks with self-cleaning sap grooves
- Lightweight, high-strength aluminum handles
- Shock absorbing system with dual elastomer bumpers
- Extensive replacement parts
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE



MAXFORGED | BYPASS LOPPERS

Classic CUT.

WL 6320 | 20 IN | HICKORY HANDLES WL 6330 | 22 IN | HICKORY HANDLES WL 6350 | 26 IN | HICKORY HANDLES

WL 6370 | 30 IN | HICKORY HANDLES

- Resharpenable, replaceable Radial Arc® bypass blades of fully heat-treated forged steel alloy
- Precision-made, self-aligning pivot bolt
- Shock Stop® bumpers
- Tapered, bolt-on Hickory wood handles
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE

MAX LOPPERS





MAXFORGED BYPASS LOPPER

Classic**CUT**.

11/4 in

WL 6310 | 20 IN | HICKORY HANDLES

- Resharpenable, replaceable Radial Arc® bypass blades of fully heat-treated forged steel alloy
- Precision-made, self-aligning pivot bolt
- Shock Stop® bumpers
- Tapered, bolt-on Hickory wood handles
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE



MAXFORGED | BYPASS LOPPERS

Super**DUTY**



WL 6490 | 37 IN | HICKORY HANDLES

- Corona's largest-capacity loppers
- Resharpenable, self-cleaning forged steel blades
- Precision-made, self-aligning pivot bolt
- Fatique-reducing bumper system
- Tapered Hickory wood handles
- Evelet for shoulder harness attachment
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE



MAXFORGED BYPASS LOPPERS

Super**DUTY**

3 in

13/4 ir

SL 6500 | 32 IN | STEEL HANDLES

- Corona's largest-capacity loppers
- Resharpenable, self-cleaning forged steel blades
- Precision-made, self-aligning pivot bolt
- Fatigue-reducing bumper system
- Comfortable grips
- Limited Lifetime Warranty



MAXFORGED BYPASS LOPPERS

Heavy**DUTY**



WL 6341 | 22 IN | HICKORY HANDLES

- Resharpenable, replaceable Radial Arc® bypass blades of fully heat-treated forged steel alloy
- Precision-made, self-aligning pivot bolt
- Dual forged-in bumper cups with elastomer bumpers
- Tapered, bolt-on Hickory wood handles
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE

Last chance - Limited quantities available

LOPPERS



DualLINK

Boosted power and reduced effort unite through DualLINK™ tools, that utilize a dual compound lever designed for both engaged gardeners and landscapers searching for ease-of-cut.





BYPASS LOPPER

Dual**LINK**...



SL 4264 | 31 IN | STEEL HANDLES

- Minimize cutting effort with DualLINK™ linkage open handles less to cut more
- Less fatigue with ShockGUARD® bumper system
- Strong and lightweight metal handles
- Extreme comfort grips
- Limited Warranty

U.S. Patents D726,523



EXTENDABLE BYPASS LOPPER

DualLINK.





SL 4364 | 29 ½ - 37 ½ IN | STEEL HANDLES

- Extendable handles with innovative locking mechanism
- Aluminum outer handle, steel inner handle ComfortGEL® Bypass Lopper
- Specially coated non-stick blade provides maximum cutting performance
- Reduced hand and shoulder fatigue with ShockGUARD® bumper system
- Maximize comfort and control with soft, ergonomicallyshaped grips
- Limited Warranty

U.S. Patents D726,523 & D712,230

LOPPERS



BYPASS LOPPER



Comfort**GEL**



SL 3364 | | 29 - 37 ½ IN | STEEL HANDLES

- Extendable handles with innovative locking mechanism. Extend from 29 to 37 $\frac{1}{2}$ in.
- Lightweight steel handles with ComfortGEL® grips
- Specially coated non-stick blades provide maximum cutting performance
- Reduced hand and shoulder fatigue with Shock GUARD® bumper system
- Limited Warranty



BYPASS LOPPER

Comfort**GEL**



SL 3264 | 30 IN | STEEL HANDLES

- Specially coated non-stick blade provides maximum cutting performance
- Reduced hand and shoulder fatigue with ShockGUARD® bumper system
- Maximize comfort and control with soft, ergonomicallyshaped grips
- Limited Warranty



BYPASS LOPPER

EasyCUT



FL 3460 | 32 IN | FIBERGLASS HANDLES

- Resharpenable, non-stick coated, steel blade
- 24-in fiberglass handles
- Extra-long foam grips for comfort 8 in
- Limited Warranty



EXTENDABLE BYPASS LOPPER

Easy**CUT**



FL 3470 | 25 1/2 - 28 1/2 IN **FIBERGLASS HANDLES**

- Resharpenable, non-stick coated, steel blade
- 24-in fiberglass handles
- Extra-long foam grips for comfort 6 in
- Limited Warranty



BYPASS LOPPER

Easy**CUT**



AL 4110 | 28 IN | ALUMINUM HANDLES

- Resharpenable, non-stick coated steel blade
- Lightweight, aluminum handles
- Ergonomic, non-slip grips
- Limited Warranty



BYPASS LOPPER

Resharpenable



SL 4150 | 29 IN | ALUMINUM HANDLES

- Resharpenable steel blade
- Lightweight aluminum handles with non-slip grips
- Shock Stop® bumper
- Limited Warranty



ANVIL LOPPER

EasyCUT



FL 3420 | 31 IN | FIBERGLASS HANDLES

- Resharpenable, non-stick coated steel blade for cutting dead wood
- Replaceable blade and anvil
- 24-in fiberglass handles
- Extra-long foam grips for comfort 6 in
- Limited Warranty



BYPASS LOPPER

Resharpenable



WL 3351 | 26 IN | HARDWOOD HANDLE

- Resharpenable steel blade
- Hardwood handles
- Limited Warranty

VALUE LOPPERS All Value Tools carry a 1-year limited warranty

BYPASS LOPPER

SL 3310 | 9 1/2 IN | STEEL HANDLES | CUTS UP TO 1 1/2 IN

- Resharpenable steel blade
- Tubular steel handles
- Bumper

MAX PRUNING SAWS





Quick**SAW**®

- Exert less force with QuickSAW's tapered, friction-minimizing blade that cuts up to 2.5X faster than conventional saws
- Maintain sharpness and eliminate tooth snaps with electromagnetically hardened tips
- Stays sharp over thousands of strokes thanks to the same superior grade steel as advanced tactical knives
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE



Quick**SAW**

QS 7900 | 13 IN BLADE 7900-1 | REPLACEMENT BLADE

- For large branches
- QuickSaw® GRIPS dampen vibrations, providing superior control when wet or dry, and with or without gloves
- Secure, well-controlled cuts thanks to a unitary blade design with a full tang that extends through the entire handle
- Limited Lifetime Warranty



MAX FOLDING SAW

QuickSAW.

QS 7800 | 7 IN BLADE 7800-1 | REPLACEMENT BLADE

- For small to medium branches
- QuickSaw® GRIPS dampen vibrations, providing superior control when wet or dry, and with or without gloves
- Lightweight, high-strength aluminum handle and release button
- Limited Lifetime Warranty



Razor**TOOTH** Saw_®

- Each RazorTOOTH Saw® blade goes through 4 manufacturing processes for maximum durability and hardness, friction reduction, and making extremely fast and efficient cutting.
- Saw blade with triple-ground impulse-hardened teeth for 2x more material removed per stroke.
- SK5 steel blade contains more carbon which means harder steel, allowing blade to stay sharper longer.
- Chrome-plated blade reduces friction and improves efficiency.
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE



- For small to medium branches
- Cushioned, pistol-grip handle
- Positive open/close blade lock
- Convenient hanging hole



RS 7245 | 7 IN BLADE 7245-1 | REPLACEMENT BLADE

RS 7255 | 8 IN BLADE 7255-1 | REPLACEMENT BLADE

R\$16150 | 10 IN BLADE 16150-1 | REPLACEMENT BLADE

- For small to medium branches
- Ergonomic non-slip handles

U.S. Patent D513,956

MAX PRUNING SAWS



Razor**TOOTH** Saw.

RS 7120 | 13 IN BLADE 7100-1 | REPLACEMENT BLADE

- For medium to large branches
- Co-molded pistol-grip with fnger hook
- Replaceable blade



Razor**TOOTH** Saw.

RS 7510D | 18 IN BLADE

- For large branches and limbs
- Ergonomic, non-slip D-handle designed for gloved or 2-handed operation

U.S. Patents D823.661



RS16020 | 14 IN BLADE 16020-1 | REPLACEMENT BLADE

- For large branches
- Replaceable blade
- Ergonomic non-slip handle



MAX | RAKER SAW

Razor**TOOTH** Saw

RS16290 | 21 IN BLADE 7160-4 | REPLACEMENT HANDLE

- For large branches
- Self-cleaning raker tooth pattern
- Ergonomic non-slip handle

PRUNING SAWS





- For medium to large roots and small branches
- Cuts on both the push and pull stroke
- Aggressive tooth design for fast cuts
- Hard, chrome-plated blade
- Ergonomic poly handle
- Limited Warranty

VALUE PRUNING SAWS All Value Tools carry a 1-year limited warranty

FOLDING SAWS
PS 4040 | 8 IN BLADES
PS 4050 | 10 1/2 IN BLADES

- For small to medium branches
- Conventional curved-steel blades
- Wood handles

MAX MACHETES







ErgoHANDLE

MA 60062 | 22 IN

- For quick and powerful cleaning of tangled, dense brush
- Tough tempered steel blade retains max sharpness
- Easy to resharpen
- Lanyard attachment hole
- Features ergonomically balanced handle with built-in hand stop
- Limited Lifetime Warranty

U.S. Patent D798,988



MAX | CORN KNIFE

ErgoHANDL

MA 62060 | 18 IN

- Swift clearing of corn stalks and brush
- Tough tempered steel blade retains max sharpness
- Easy to resharpen
- Ergonomically balanced handle with built-in hand stop
- Lanyard attachment hole
- Features ergonomically balanced handle with built-in hand stop
- Limited Lifetime Warranty

U.S. Patent D798,988



MAX MACHETES

ErgoHANDLE

MA 60061 | 18 IN

- Tough tempered steel retains sharpness
- Easy to resharpen
- Ergonomically balanced with blade length
- Lanyard attachment hole
- Built-in hand stop
- Limited Lifetime Warranty

U.S. Patent D798,988



MAX | CANE KNIFE



ErgoHANDLE

MA 61060 | 14 IN

- Quickly cuts cane and similar plants' stalks
- Tough tempered steel blade retains max sharpness
- Easy to resharpen
- Ergonomically balanced handle with built-in hand stop
- Lanvard attachment hole
- Features ergonomically balanced handle with built-in hand stop
- Limited Lifetime Warranty

U.S. Patent D798,988

MAX ACCESSORIES



MAX LEATHER SCABBARD

AC 7300 | 14 IN

- For use with QS 7900, RS 7395 and other 13 to 14 in curved saws
- Top-grain leather construction
- Stitched and riveted for durability
- Limited Lifetime Warranty



MAX | LEATHER SCABBARD

AC 7220 | 5 IN

- Universal design fits most hand pruners and folding saws up to 8 in
- Top-grain leather construction
- Stitched and riveted for durability
- Belt clip and loops included
- Pouch depth: 5 in
- Limited Lifetime Warranty

ACCESSORIES



MACHETE SHEATHS

- Durable reinforced nylon construction
- Belt loops and leg straps for a secure fit
- Built-in button snap holds tool safely in place
- Limited Warranty

AC 7310 | 18 IN

• Fits MA 60061, MA 62060 and other machetes up to 18 in

AC 7330 | 22 IN

• Fits MA 60062 and other machetes up to 22 in



PLASTIC SCABBARD

AC 7400

- Fits curved pruning saws with blades up to 14 in such as CORONA® RS 7395. RS 7120 and other brands
- Lightweight and high-strength reinforced poly construction
- Protects saw blade when not in use
- Waistband clip and belt loop option
- Easy carrying with hinged belt loop and reinforced carábiner hole
- Limited Warranty U.S. Patent D518,952



UNIVERSAL TOOL POUCH

AC 4510 | 5 IN

- Universal design fits hand pruners and folding saws up to 8 in
- Durable nylon construction
- Easy to carry using metal clip or belt loops
- Front pocket for sharpener storage
- Pouch depth: 5 in
- Limited Warranty



SHARPENING TOOL

AC 8300

- Ideal for sharpening all blades (excludes saw blades)
- Easy to use instructions are on back of the packaging
- 5 in super carbide file
- Easy to fit in pocket
- Non-slip grip for easy use
- Limited Warranty

MAX TREE PRUNERS

Razor TOOTH Saw_® Tree Pruners

- Saw blade with triple-ground impulse-hardened teeth for 2.5x more material removed per stroke.
- Chrome-plated blade reduces friction and improves efficiency.
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE

MAX DUAL COMPOUND ACTION ARBORIST TREE-PRUNING SYSTEM

RazorTOOTH Saw.

TP 6881 | 16 IN BLADE | REACHES UP TO 12 FT

- 16 in RazorTOOTH Saw® blade and quick-connect ferrule
- Heavy-duty forged steel hook and Radial Arc™ blade with 1½ in diameter cutting capacity
- Compound action, dual pulley system triples your cutting power
- Two six-ft high-strength fiberglass pole sections can be combined or used separately with saw and pruning head
- System includes two noles, saw blade and pruning head as shown below





MAX DUAL COMPOUND ACTION TREE PRUNER

Razor**TOOTH** Saw.

TP 6870 | 13 IN BLADE | REACHES UP TO 14 FT

- RazorTOOTH Saw® blade with 3-sided teeth cuts 2X faster than conventional saws
- Pruning head with 3X cutting power features a compound action pulley system and heavy-duty chain drive
- Heavy-duty zinc alloy pruning head with non-stick tempered steel blade cuts up to 11/4 in
- Exclusive Powerglide™ rope pull system for smooth action
- Overall length extends up to 14 ft with twist-lock adjustment
- Comfortable 28 in foam grip





MAX TREE PRUNERS



MAX | DUAL COMPOUND ACTION TREE PRUNER

Razor**TOOTH** Saw.

TP 6830 | 13 IN BLADE | REACHES UP TO 12 FT

- Razor Tooth Saw® blade with 3-sided teeth cuts 2X faster than conventional saws
- Pruning head with 3X cutting power features a compound action pulley system and heavy-duty rope drive
- Heavy-duty zinc alloy pruning head with non-stick tempered steel blade cuts up to 1¼ in
- Exclusive Powerglide™ rope pull system for smooth action
- Overall length extends up to 12 ft with twist-lock adjustment
- Comfortable 28 in foam grip
- REPLACEMENT PARTS AVAILABLE



TREE PRUNERS



TREE SAW AND COMPOUND ACTION PRUNER WITH ROPE DRIVE

DualLINK

TP 4210 | 12 IN BLADE | REACHES UP TO 10 FT TP 4212 | 12 IN BLADE | REACHES UP TO 12 FT TP 4214 | 12 IN BLADE | REACHES UP TO 14 FT TP 4216 | 12 IN BLADE | REACHES UP TO 16 FT

- Pruning head with DualLINK™ and non-stick blade for cuts up to 1 in
- Tempered steel triple-ground saw blade
- Overall length extends with twist-lock adjustment
- Rope drive activation
- Tree pruner with 12 in conventional saw blade
- Limited Warranty
- REPLACEMENT PARTS AVAILABLE



DUAL COMPOUND ACTION TREE PRUNER WITH ROPE DRIVE

TP 3841 | 15 IN BLADE | REACHES UP TO 12 FT

- Tempered steel conventional saw blade
- Pruning head with 3X cutting power features a compound action pulley system and rope drive
- Die-cast zinc alloy pruning head with non-stick tempered steel blade cuts up to 1 in
- Overall length extends up to 12 ft with twist-lock adjustment
- Limited Warranty
- REPLACEMENT PARTS AVAILABLE



COMPOUND ACTION TREE PRUNER WITH ROPE DRIVE

TP 3714 | 15 IN BLADE | REACHES UP TO 14 FT

- Die-cast zinc alloy pruning head with non-stick blade and rope drive cuts up to 1 in
- Compound-action pulley system triples your cutting power
- Tempered steel conventional saw blade
- Overall length extends up to 14 ft with twist-lock adjustment
- Limited Warranty
- REPLACEMENT PARTS AVAILABLE



LONG REACH PRUNER

Swivel**CUT**

with **PowerGLIDE**™ grip

TP 3206 | REACHES UP TO 62 IN

- Head rotates 360°, tilts and swivels for unlimited cutting positions
- Overall length of 62 in is ideal for pruning high or low, without bending or straining
- Lightweight: weighs only 2.5 lb so you can prune trees, shrubs and roses all day
- PowerGLIDE™ comfort grip eliminates tangled ropes
- Limited Warranty

MAX TREE PRUNER COMPONENTS



MAXFORGED | PROFESSIONAL TREE PRUNER HEAD

6880-8

- Compound action, dual rope-pull system triples your cutting power
- Heavy-duty forged steel hook and Radial Arc® blade with 1½ in diameter cutting capacity
- Thickest, most weather-resistant polypropylene pull rope and wood grip
- Built-in ferrule fits TP 6881 poles snap-button
- Can also be attached to other 1¼ in diameter poles by drilling holes in pole and adding fasteners (not included)
- Limited Lifetime Warranty



MAX | ARBORIST TREE PRUNER HEAD

AC 9300

- Strong and lightweight aluminum casting for rugged, all-day tree care services
- Large cutting capacity cuts limbs up to 11/4 in diameter
- Heat-treated alloy steel blade for maximum strength and durability
- Resharpenable steel blade maintains optimum performance and extends life
- Non-binding swivel pulley for more leverage and less pressure on the pulley arm
- Built-in ferrule fits 1¼ in diameter arborist head poles by adding fasteners (not included)*
- Can also be attached to other 1¼ in diameter poles by drilling holes in pole and adding fasteners (not included)
- Requires an eye bolt on pole to anchor rope (not included)
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE



MAX | TREE PRUNER SAW HEAD

AC 9100

- Strong and lightweight aluminum casting for rugged, all-day tree care service
- Double-curved hook design optimized for pulling branches, raising lines and guiding tree fall
- Built-in utility loop for attaching ropes, carabiners and for easy storage
- Blade-mounting system fits popular tree pruner blades by Corona® and other brands, such as Razor Tooth Saw® AC 7240 and QuickSaw® AC series blades (sold separately, see page 83)
- Can be attached to 1 ¼ in diameter poles by drilling holes in pole and adding fasteners (not included)
- Limited Lifetime Warranty

MAX TREE PRUNER SAW BLADES



Quick SAW® Replacement Blades

- Cut 2.5X faster than conventional saws
- Stay sharp over thousands of strokes thanks to the same superior-grade steel as advanced tactical knives
- Cut faster and exert less force with friction-minimizing tapered blade
- Fits CORONA® AC 9100 and standard tree pruner saw heads for arborists
- Limited Lifetime Warranty

MAX | TREE PRUNER BLADE AC 7990 | 13 IN BLADE

• Fits most standard tree pruner heads



MAX TREE PRUNER BLADE

AC 7991 | 13 IN BLADE | 1 HOOK

 Save time with a sharpened front hook that avoids blade pull-out, keeps it inside the cut channel



MAX | TREE PRUNER BLADE

AC 7992 | 13 IN BLADE | 2 HOOKS

 Minimize exposure to disease-causing bacteria with rear hook for undercuts that prevent peeling bark



Razor**TOOTH** Saw_®

Replacement Blades

- 2X faster cut with RazorTOOTH Saw[®] technology
- 3-sided impulse-hardened teeth stay sharp longer
- Chrome-plated blades reduce friction and improves efficiency
- SK5 steel blade contains higher carbon which means harder steel, allowing blade to stay sharper longer
- Limited Lifetime Warranty

MAX | TREE PRUNER BLADE

AC 7242 | 12 IN BLADE

Fits Corona® TP 3714 and other tree pruners



MAX | TREE PRUNER BLADE

AC 7240 | 13 IN BLADE

 Fits Corona® TP 3714 and standard tree pruner saw heads for arborists



MAX | TREE PRUNER BLADE

AC 7241D | 15 IN BLADE

• Fits Corona® TP 6870, TP 6830



MAX | TREE PRUNER BLADE

AC 7610 | 16 IN BLADE

Tang design fits Corona® TP 6881 and AC 9200



MAX | BLADE AND MOUNTING FERRULE

AC 7672 | 16 IN BLADE

- Built-in ferrule fits TP 6881 poles snap-button system
- Can also be attached to other 1 ¼ in diameter poles by drilling holes in pole and adding fasteners (not included)



MAX TREE PRUNER BLADE

AC 9020 | 17 IN BLADE

- Tang design fits Corona® AC 9200
- Integral hook shape for pulling branches from trees

Last chance - Limited quantities available



VALUE REPLACEMENT BLADES

All Value Tools carry a 1-year limited warranty

CONVENTIONAL SAW TREE PRUNER BLADE AC 9010 | 17 IN BLADE

- Tang design fits Corona® AC 9200
- Curved, tempered steel saw blade

Last chance - Limited quantities available





MAX SHEARS & SNIPS



Since the early 1920s, when other manufacturers were settling for stamped or cast tools, CORONA® has been forging high-quality, classically designed agricultural shears and snips that deliver superior performance and reliability. Generations later, these same tools are shearing California grape vines, pruning lemon, orange and avocado trees in the Southwest, apples in the Northwest, Midwest and East, while clipping, plucking and shaping landscapes around the world.

MAXFORGED | CITRUS SHEARS | BYPASS

AG 5020

• Designed for rapid, high-volume lemon and citrus harvesting

• Drop-forged steel alloy construction with resharpenable blades

• Rounded tips help prevent damaged fruit

• 2 blade design for less interference during harvesting

Non-slip grips

AG 5060

- Includes synthetic strap
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE
- 5000-42 AG Leather Strap



MAXFORGED | ORANGE SHEAR | BYPASS

Designed for rapid, high-volume orange, grapefruit and apple harvesting

• Specially designed to sever fruit cleanly from fruiting spur

• Drop-forged steel alloy construction with resharpenable blades

- Custom-ground cutting edges and balanced spring design for fast, precise action
- Includes synthetic strap
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE
 - **5060-42** Synthetic Strap



MAXFORGED | ORANGE SHEAR | ANVIL

AG 5050

Designed for rapid, high-volume orange, grapefruit and apple harvesting

 Specially designed to sever fruit cleanly from fruiting spur • Drop-forged steel alloy construction with resharpenable blades

 Custom-ground cutting edges and balanced spring design for fast, precisé action

- Includes leather strap
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE
- 5000-42 AG Leather Strap



MAXFORGED GRAPE SHEAR

AG 5030 | 2 1/5 IN BLADES

- Designed for rapid, high-volume grape harvesting and thinning
- Rounded tips help prevent damaged fruit
- Drop-forged steel alloy construction with resharpenable blades
- Special curved blades cut hard-to-reach stems
- Non-slip grips
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE

MAXFORGED | AVOCADO SHEAR

AG 5040

- Designed for rapid, high-volume harvesting of avocados, mangos, persimmons, tomatoes and other delicate fruits
- Rounded tips help prevent damaged fruit
- Drop-forged steel alloy construction with resharpenable blades
- Non-slip grips
- Includes leather strap
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE
- 5000-42 AG Leather Strap

MAXFORGED LEMON SHEAR

AG 5010

• Designed for rapid, high-volume lemon and lime harvesting

- Rounded tips help prevent damaged fruit
- Drop-forged steel alloy construction with resharpenable blades
- Rounded tips help prevent damaged fruit
- Close-tolerance pivot bolt
- Includes leather strap
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE
 - 5000-42 AG Leather Strap



5000-42

• Use with AG 5050, AG 5040 or AG 5010



SYNTHETIC STRAP

5060-42

Use with AG 5060, AG 5050, AG 5040 or AG 5010

MAX SHEARS & SNIPS



MAX | STAINLESS STEEL SHORT STRAIGHT SNIPS

AG 4910SS | 1 IN BLADES

Short, straight, blunt-nosed blade for a wide range of applications

 Corrosion-resistant stainless steel blades prevent rusting, are easier to clean and reduce germ build-up

• Unobtrusive leather strap lock

• Limited Lifetime Warranty





MAX STAINLESS STEEL LONG CURVED SNIPS

AG 4940SS | 1 3/4 IN BLADES

• Designed for picking and field-dressing grape bunches

 Corrosion-resistant stainless steel blades prevent rusting, are easier to clean and reduce germ build-up

• Unobtrusive leather strap lock

• Limited Lifetime Warranty





MAX | STAINLESS STEEL LONG STRAIGHT SNIPS

AG 4930SS | 1 3/4 IN BLADES

Long, straight, pointed blade for a wide range of applications

• Corrosion-resistant stainless steel blades prevent rusting, are easier to clean and reduce germ build-up

• Unobtrusive leather strap lock

Limited Lifetime Warranty





MAX | STAINLESS STEEL SHORT CURVED SNIPS

AG 4920SS | 1 IN BLADES

• For use in harvesting apples, pitted fruits and berries

 Corrosion-resistant stainless steel blades prevent rusting, are easier to clean and reduce germ build-up

• Unobtrusive leather strap lock

• Limited Lifetime Warranty





MAX | CURVED GRAPE SNIPS

AG 4980SS | 2 IN BLADES

- Designed primarily for harvesting table grapes
- Heat-treated stainless steel curved blades
 - Corrosion-resistant for better durability and performance
 - Can be sterilized or disinfected to prevent cross contamination
- Sap release prevents blades from sticking
- Speed up harvesting production
- Non-slip grips for better control
- Double-sided thumb lock for left- or right-hand use
- · Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE





SHEARS & SNIPS

SHORT STRAIGHT SNIPS

AG 4910 | 1 IN BLADES

• Short, straight, blunt-nosed blade for a wide range of applications

• Fully heat-treated steel blades for strength

• Blades, spring and handle coated to prevent rust

• Unobtrusive leather strap lock

Limited Warranty





SHORT CURVED SNIPS

AG 4920 | 1 IN BLADES

• For use in harvesting apples, pitted fruits and berries

• Fully heat-treated steel blades for strength

• Blades, spring and handle coated to prevent rust

• Unobtrusive leather strap lock

Limited Warranty





LONG STRAIGHT SNIPS

AG 4930 | 1 3/4 IN BLADES

• Long, straight, pointed blade for a wide range of applications

• Fully heat-treated steel blades for strength

• Blades, spring and handle coated to prevent rust

• Unobtrusive leather strap lock

• Limited Warranty





LONG CURVED SNIPS

AG 4940 | 1 3/4 IN BLADES

• Designed for picking and field-dressing grape bunches

• Fully heat-treated steel blades for strength

• Blades, spring and handle coated to prevent rust

• Unobtrusive leather strap lock

Limited Warranty





HYDROPONIC TOOLS

HYDROPONIC FINGER MICRO SNIPS

FS 4110 | 1 1/4 IN BLADES

- Sharp stainless steel blades and tip allows for precision cutting
- Handle and blade can be sterilized to limit cross contamination
- Spring in the handle helps to open the blades after each cut
- Durable ABS-plastic handle for lightweight comfort and performance
- Large finger hole in the handle for comfort with push-button thumb lock for safety
- Limited Warranty



HYDROPONIC MICRO SNIPS

FS 4120 | 2 5/16 IN BLADES

• Compact, sharp stainless steel blades with double-beveled tapered tips for precision cuts

 Handle and blades can be sterilized with alcohol to limit cross contamination and to remove sap

- Heavy-duty spring for reliable performance
- Durable handle with soft-touch feel for lightweight comfort and performance
- Double-sided lock for left- or right-hand use
- Adjustable pivot bolt for personal comfort
- Limited Warranty





HYDROPONIC SCISSORS

FS 4130 | 2 IN BLADES

- Stainless steel blades with double beveled tapered tips for precision cuts
- Durable handle offers lightweight comfort and performance
- Handle and blades can be sterilized to limit cross contamination
- Limited Warranty



MAX FLORAL SHEARS

ORONP

MAXFORGED THINNING SHEAR

FS 4350 | 1 3/4 IN BLADES

• Resharpenable, straight, narrow blades for tight spaces

• Forged steel alloy construction

- Scissor-cutting action
- Suitable for left- and right-hand use
- Non-slip grips
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE



MAXFORGED HOUSEPLANT SHEAR

FS 4310 | 1 1/4 IN BLADES

- Resharpenable, narrow blades for delicate plants
- Forged steel alloy construction
- Compact design for smaller hands
- Suitable for left- and right-hand use
- Non-slip grips
- Limited Lifetime Warranty
- REPLACEMENT PARTS AVAILABLE



FLORAL SHEARS

MICRO SNIPS

Comfort**GEL**

FS 3214D | 1 3/4 IN BLADES

- Compact, sharp stainless steel blades with double-beveled tapered tips for precision cuts
- Handle and blades can be sterilized with alcohol to limit cross contamination and to remove sap
- Heavy-duty spring for reliable performance
- Full stainless steel core
- Maximize comfort and control with soft. ergonomically shaped grips
- Built-in lock
- Limited Warranty



FLORAL SNIPS

Comfort**GEL**

FS 3204 | 1 3/4 IN BLADES

- Fully heat-treated blades maintain sharpness
- Volute spring resists dirt build-up and clogging
- Thorn stripper for stems up to 3/8 in diameter
- Maximize comfort and control with soft, ergonomically shaped grip
- Limited Warranty



FLORAL SCISSORS

Comfort**GEL**

FS 3394 | 3 IN BLADES

- ComfortGEL® ergonomic grips for superior comfort
- Wavy, serrated 3 in edges hold stems while cutting
- Resharpenable stainless steel blades won't rust
- Blades separate for ease of cleaning
- Limited Warranty



FLORAL SCISSORS

FS 4000 | 3 IN BLADES

- Great for cutting an assortment of plants and flowers
- Stainless steel blades are resharpenable
- Serrated blade for easy, clean cuts
- Ergonomic grips for comfort
- Limited Warranty



FRUIT PICKER

EXTENDABLE FRUIT PICKER

FP 2312 | REACHES UP TO 12 FT

- Hook the fruit between the prongs and gently pull to pick
- Foam cushion in basket reduces fruit bruising
- Catch the fruit in a 5 ½ in deep basket
- Powder-coated basket resists rust and corrosion
- Twist pole to extend upper pole to desired length
- Aluminum pole extends to 12 ft
- Limited Warranty





MAX ACCESSORIES





MAX | LEATHER SCABBARD

AC 7300 | 14 IN

- For use with QS 7900. RS 7395 and other 13 to 14 in curved saws
- Top-grain leather construction
- Stitched and riveted for durability
- Limited Lifetime Warranty



MAX LEATHER SCABBARD

AC 7220 | 5 IN

- Universal design fits most hand pruners and folding saws up to 8 in
- Top-grain leather construction
- Stitched and riveted for durability
- Belt clip and loops included
- Pouch depth: 5 in
- Limited Lifetime Warranty

ACCESSORIES



MACHETE SHEATHS

- Durable reinforced nylon construction
- Belt loops and leg straps for a secure fit
- Built-in button snap holds tool safely in place
- Limited Warranty

AC 7310 | 18 IN

 Fits MA 60061, MA 62060 and other machetes up to 18 in

AC 7330 | 22 IN

• Fits MA 60062 and other machetes up to 22 in





• Front pocket for sharpener storage

- Limited Warranty

Sharpener not included





PLASTIC SCABBARD

AC 7400

- Fits curved pruning saws with blades up to 14 in such as CORONA® RS 7395, RS 7120 and other brands
- Lightweight and high-strength reinforced poly construction
- Protects saw blade when not in use
- Waistband clip and belt loop option
- Easy carrying with hinged belt loop and reinforced carabiner hole
- Limited Warranty U.S. Patent D518,952



SHARPENING TOOL

AC 8300

- Ideal for sharpening all blades (excludes saw blades)
- Easy to use instructions are on back of the packaging
- 5 in super carbide file
- Easy to fit in pocket
- Non-slip grip for easy use
- Limited Warranty



LEAF AND GRASS CATCHER

AC 8350

- Used to manually pick up grass, leaves and yard debris
- Thick, heavy-duty galvanized steel pan
- Heavy-duty steel wire frame
- · Canvas is water- and mildew-resistant
- Limited Warranty

LASTING PERFORMANCE SINCE 1928

SALES SUPPORT



PRINCIPLES OF PLANTING

CC 9313

- Bilingual
- English and Spanish
- 8 ½ in X 5 ½ in



PRINCIPLES OF PRUNING

CC 9312

- Bilingual
- English and Spanish
- 8 ½ in X 5 ½ in



BIN TAGS

MH 9226

- Excellent for identifying position for each product at the shelf and reorder when inventory is depleted.
- 25 sheets per pad
- 2 ¾ in X 3 ¾ in



CORONA® VINYL BANNER

MH 9213

- Fence or store flag
- 3 ft x 5 ft, 6 grommets
- Place indoors or outdoors





4 FT DISPLAY POG HEADER

CORONI SEASON AFTER SEASON

MH 9240

• 48 in x 7 ½ in






MH 9149

- Corona logo on front
- Spanish "Born in the orange groves of Southern California in the 1920s" on back

HEADER SIGN | CORONA LOGO 2-SIDED



3 IN "L" STYLE SIGN HOLDERS

MH 9229

- For vertical surfaces
- Six per bag
- Recommend 1 bag per sign



3 IN "T" STYLE SIGN HOLDERS

MH 9228

- For horizontal surfaces
- Six per bag
- Recommend 1 bag per sign

MERCHANDISING



- Corona® not only produces classically designed tools that deliver superior performance, but also racks that help you display tools in a way that ensures an attractive, attention-getting, point-of-purchase look.
- Please refer to the following pages for those racks that will best fit your needs.
- If you would like to take it one step further and make sure your tools are well organized, we also offer labels to specify which tools will be kept on that rack.
- Contact your local Corona® representative or Corona® Customer Service for details.





WHEELBARROW RACK

MR 9192

- Display two fully-assembled wheelbarrows
- Display rack only, does not include tools









HEAVY BAR RACK

MR 9157

Used for displaying heavy bars



LONG HANDLE TOOL ROLLING RACK

MR 9161

• Tools not included

MERCHANDISING



TRENCH SHOVEL RACK MR 9154



BROOM RACK MR 9155



RAKE RACK MR 9156



LONG TOOL Waterfall Rack MR 9162



LONG HANDLE TOOL HANGING MULTI-TOOL DISPLAY MR 9163



WALL MOUNTING RACK BOW/LEVEL RAKE MR 9168



LOPPER RACK MR 9111



TREE PRUNER RACK MR 9112



HEDGE SHEAR/ LOPPER RACK MR 9114





HEDGE SHEAR RACK MR 9116B




HEDGE SHEAR/ LOPPER RACK MR 9123B



LOPPER RACK MR 9125B



LOPPER RACK MR 9126



ALL-STEEL FOOTPAD RACK MR 9182

Only displays long-handled All-Steel Shovel and Spade models with footpads, head-up



FILE/RASP WALL DISPLAY

MR 9185


• Display rack with header sign only, does not include tools

FILE/RASP WALL DISPLAY WITH TOOLS FE0004SA

• Includes MR 9185 and 6 units each of 15 file types - see page 57



FOLDING RACK MR 9180



MR 9178



STRIKING TOOL RACK MR 9179

MERCHANDISING RACKS BY MODEL

MARKET	D 1 01/	MARKI	D 1 01/		D 4 01/
MODEL	RACK	MODEL	RACK	MODEL	RACK
NUMBER	NUMBER	NUMBER	NUMBER	NUMBER	NUMBER
ALL-STEEL SHOVELS		SS 27010	MR 9162	RK 61063	MD 0156
AS 90210	MR 9182	SS 27020		RK 61062	
AS 90010		SS 27030		RK 61061	
AS 90220		SS 28000		KK 01001	WIN 2130
AS 90020		SS 28010		LEVEL HEAD RAKES	
AS 90230		SS 28020		RK 64060	MD 0160
AS 90030		SS 28030		RK 64002	
AS 90240		SS 29000		KK 04002	WIN 7100
AS 90040		SS 29010		LEAF RAKES	
AS 90310		SS 29020		RK 63003	MD 0112
AS 90320		SS 29030		RK 62061	
AS 90340		33 29030	WIN 7102	RK 62060	
AS 90300		VALUE SHOVELS		RK 62000	
AS 90400		SS 47000	MD 0142		
A3 90400	WIN 9102	SS 10000		RK 62001	
FORGED SHOVELS		SS 11000		RK 25030	
SF 80020	MD 0162	33 11000	MIK 9102		
SF 80000		TRENCH SHOVELS		RK 25018	
		SS 64103	MD 01E 4 MD 01E7	RK 25008	
SF 79000	MK 9162			RK 24061	
CLOSED BACK SHOVELS		SS 64104		RK 24003	
CLOSED-BACK SHOVELS SS 60000	MD 0163	SS 64105		RK 24002	
55 60000	MR 9162	SS 64106		RK 12030	
SS 60020		SS 64123		RK 12024	
SS 61000		SS 64124		RK 12010	MR 9162
SS 61020		SS 64125		DOW HEAD DAVES	
SS 62000		SS 64126		BOW HEAD RAKES	MD 0160
SS 62010		SS 64223		RK 65061	
SS 62020		SS 64224		RK 65022	
SS 62030		SS 64225		RK 65021	
SS 62100		SS 64303		RK 65002	
		SS 64304		RK 65001	
SS 62120		SS 64305		RK 20022	
SS 62130		SS 64306		RK 20002	
SS 63010	MIK 9102	SS 64323		RK 10000	MK 9168
STANDARD SHOVELS		SS 64325		SPECIALTY RAKES	
SS 65000	MD 0162	SS 64326		RK 66000	MD 0160
SS 65010		SS 64333		RK 42000	
SS 65020		SS 64334		KK 42000	WIR 9112
				HOES	
SS 66000		SS 64335	WIN 9134, IVIN 9131	SH 10000	MR 9163
SS 66020		SCOOD SHOVELS		SH 15000	
SS 39000		SCOOP SHOVELS SS 42001	MD 0142	SH 20000	
33 39000	WIN 9102	SS 42011		SH 60000	
LIGHTWEIGHT SHOVELS		SS 48248		SH 60001	
SS 30020	MD 0162	SS 49100		SH 60060	
SS 30030		SS 49234		SH 60061	
SS 31020		SS 68000		SH 61000	
SS 31030		SS 68010		SH 63000	
SS 39000		SS 68030		SH 65000	
33 37000	WIN 710Z	SS 68231		FH 70000	
DIY SHOVELS		SS 69010		HOES (CONT.)	
	MD 0162	LANDSCAPE RAKES	WIK 7102	FH 71000	MR 9163
SS 26000			MD 0100	FH 71002	
SS 26010		PD 60000		FH 71003	
SS 26020		PD 40020			
SS 26030		PD 40000		CULTIVATORS	
SS 27000	WIK 7162	PD 20000		CV 20004	MR 9163
DIT SHOVELS (CONT.)		MN 01004	סכול חואו		

MERCHANDISING RACKS BY MODEL



MODEL RACK	MODEL RACK	MODEL
NUMBER NUMBER	NUMBER NUMBE	R NUMBER
CV 22000 MR 9163	UT 60054 MR 916	63 WL 6370
CV 60061 MR 9163	UT 60030 MR 916	63 WL 6361 MR 9126
CV 60063 MR 9163	UT 60007 MR 910	63 WL 6350
CV 60064 MR 9163	UT 24000 MR 910	
	UT 21000 MR 910	
FORKS	UT 20000 MR 910	
FK 74010 MR 9162		WL 6310
FK 74000 MR 9162	BROOMS	WL 3351 MR 9116B
FK 72065 MR 9162	BM 43001 MR 918	
FK 72005 MR 9162	BM 41002 MR 918	
FK 72004 MR 9162	BM 62060 MR 918	
FK 71005	BM 62001 MR 915	
FK 71004 MR 9162	BM 61002 MR 915	
FK 70010 MR 9162	BM 60001 MR 91	
FK 70004 MR 9163	DM 00001	TP 6870
FK 70000 MR 9162	HEDGE SHEARS	11 0010
FK 60000 MR 9162	AH 6970 MR 9116	SB TREE PRUNERS
FK 44010 MR 9162	AH 6950 MR 9116	
FK 42010 MR 9162	AH 6940 MR 9116	
FK 42000 MR 9162	HS 7140 MR 9116	
1 K 42000	HS 6960	
AXES	HS 6930 MR 9116	-
AX 71020 MR 9180	HS 6920 MR 9116	
AX 70020 MR 9180	HS 3950 MR 9116	
AX 10020	HS 3911	
SLEDGEHAMMERS	AH 4220	
ST 400XX MR 9179	HS 3070	
ST 700XX MR 9179	AH 4250	
ST 73003 MR 9179	HS 4244 MR 9116	
31 13003	HS 4344	
PICKS AND MATTOCKS	HS 3244	
PM 40000 MR 9180	110 SETT	WB 2606K MR 9192
PM 41000 MR 9180	LOPPERS	WB 2506KFF
PM 42000 MR 9180	AL 8482 MR 91	
PM 73020 MR 9180	AL 8462 MR 917	
PM 74020 MR 9180	AL 8442 MR 91	
PM 75020 MR 9180	AL 8321 MR 91	
	AL 8311 MR 91	
HEAVY BARS	AL 4110 MR 91	
BR 70090 MR 9157	FL 3470	
BR 71090 MR 9157	FL 3460	
BR 72090 MR 9157	FL 3420	
BR 73090 MR 9157	SL 7280	
BR 74090 MR 9157	SL 7180	
	RL 3560 MR 91	
UTILITY TOOLS	SL 3264 MR 917	
UT 71000 MR 9163	SL 6500 MR 917	
UT 70000 MR 9163	SL 4150	
UT 69000 MR 9163	SL 3310	
UT 62055 MR 9162	LOPPERS (CONT.)	
UTILITY TOOLS (CONT.)	SL 4264 MR 917	26
UT 61000 MR 9162	SL 4364 MR 917	
UT 64050 MR 9162	SL 8181 MR 917	
UT 62052 MR 9162	WL 6490 MR 91	
UT 62050 MR 9162	WL 6470	
UT 62051 MR 9162	WL 6450	
UT 63050 MR 9162	WL 6420	
UT 64020 MR 9162	WL 6381 MR 912	



Burgon⊗Ball™



ULTRA-CUSHION KNEE PADS

with memory foam technology

- Ultra-cushion memory foam technology
- Deep core of shocking absorbing EVA foam
 - Outer layer of water-resistant durable neoprene
- Adjustable hook & loop straps
- Quick-dry, wipe clean nylon cover
 - Unique design prevents digging in at key points

Case Qty: 6



Cobalt

GKN/KPADCOB





Moss Plum
GKN/KPADMOSS GKN/KPADPLUM

GKN/KPADPOP







Gooseberry Berry
GKN/KPADGOO GKN/KPADBERRY



Emerald GKN/KPADEMER



Eucalyptus GKN/KPADEUC









ULTRA-CUSHION KNEELER

with memory foam technology

- Generously sized with contoured foam edges
- Deep core of shocking absorbing EVA foam
- Outer layer of water-resistant durable neoprene
- Lightweight and easy-grip for carrying
- Quick-dry, wipe clean nylon cover

Case Qty: 5



GKN/NAVY

Cobalt

GKN/COBALT



GKN/MOSS



Poppy GKN/POP



GKN/PLUM

Emerald

GKN/EMERALD



Gooseberry GKN/GOO



GKN/BERRY

Eucalyptus GKN/EUC







- Designed to leave both hands free for working, reducing damage to plants
- Eliminates bending down to a basket on the ground
- Clips easily to belt, pocket or waistband
- Rugged construction and durable neoprene holster
- Container is food safe, suitable for microwave and dishwasher
- Easy to empty; slip container out of holster





Navv GKN/LGTRUGNAVY




GKN/LGTRUGMOSS



Poppy GKN/LGTRUGPOP







INDEX

16020-1 78	71001-4 12	AG 4930SS 87	BP 3180D 67
16150-1 77	71001-4 12	AG 494088	BP 3214D 69
24003-4 24	71002-4 12	AG 4940SS 87	BP 3224 70
24003-824	71002-4 12	AG 4980SS 87	BP 3225D 67
24003-8 24	71002-4 12	AG 5010 86	BP 3324 69
24003-8 23	71002-8 10	AG 502086	BP 364067
3670-1C 67	7160-4 78	AG 503086	BP 3670 67
3670-91C 67	7245-1 77	AG 504086	BP 4180 70
40000-4 49	7255-1 77	AG 505086	BP 4214D 69
40000-8 49	73020-4 49	AG 506086	BP 425068
40001-4 49	74010-4 12	AH 422072	BP 4314D 69
40004-4 49	7800-1 77	AH 6940 71	BP 484068
41000-4 49	7900-1 77	AH 6950 71	BP 6250 68
41000-8 49	AC 2500 29	AH 6970 71	BP 6310 68
42000-8 49	AC 260029	AL 4110 76	BP 634068
43003-4 49	AC 280627	AL 6512 74	BP 6360 68
45030-4 24	AC 2806FF27	AL 8311 74	BP 7100D 66
45030-4 24	AC 4510 80	AL 8321 74	BP 7200 66
45030-4 25	AC 4510 70	AL 8350 74	BP 7450 67
5000-4286	AC 4510 91	AL 8360 74	BP15180 67
5000-42 86	AC 7041 77	AL 844274	BR 70090 49
5060-4286	AC 7220 70	AL 846274	BR 71090 49
5060-42 86	AC 7220 79	AL 848274	BR 72090 49
60001-4 10	AC 7220 91	AL15147 74	BR 73090 49
60001-4 10	AC 7240 83	AL15148 74	BR 74090 49
60050-4 62	AC 7241D 83	AL15149 74	CC 9312 92
60061-8 10	AC 7242 83	AP 3110 70	CC 9313 92
60100-4 10	AC 7300 79	AP 3334 69	CF405002SC0BX55
60100-8 10	AC 7300 91	AS 90010 33	CF405002SCOCD55
60101-8 10	AC 7310 80	AS 90020 33	CF405014SC0BX 55
62000-4 24	AC 7310 91	AS 90030 33	CF405014SC0CD 55
62000-4 24	AC 7330 80	AS 90040 33	CF4050316SC0BG 55
62000-8 24	AC 7330 91	AS 90100	CF4050316SC0BX 55
62001-8 24	AC 7400 80	AS 9011033	CF4050316SC0CD 55
62060-4 23	AC 7400 91	AS 90210	CF4050532SC0BX 55
62060-4 24	AC 7610 83	AS 90220 33	CF4050532SC0CD 55
62060-4 24	AC 7672 83	AS 90230	CF4050732SC0BG 55
64000-4	AC 7990 83	AS 90240 33	CF4050732SC0CD 55
64000-4	AC 7991 83	AS 90300 34	CF425018SCOCD 55
64020-64 62	AC 7992 83	AS 90310 34	CF4250163C0CD 55
65000-4 10	AC 830070	AS 90320 34	CT 3010i 16
65001-8 10	AC 830080	AS 90340 34	CT 3020i 16
65030-1 60	AC 8300 91	AS 90400 34	CT 3030i 16
		AX 70020 48	CT 3040i 16
65050-1C 60	AC 8350 91		
65050-3C 60	AC 90000 34	AX 71020 48	CT 3050i 16
6880-8 82	AC 9010 83	BM 41002 26	CT 3214 15
69000-050 61	AC 902083	BM 43001 26	CT 3224 15
69000-100 61	AC 9100 82	BM 60001 26	CT 3234 15
69000-118 61	AC 9300 82	BM 61002 26	CT 3244 15
69000-200 61	AG 4910	BM 62001 26	CT 3254 15
69000-835 61	AG 4910SS 87	BM 62060 26	CT 3264 15
7100-1 78	AG 4920 88	BP 3130 67	CT 3314 14
71000-4 10	AG 4920SS 87	BP 3140 70	CT 3324 14
71000-8 10	AG 493088	BP 3160 67	CT 3334 14





CT 3344 14	FE405506BC0CD52	GKN/KPADEMER99	MA 61060 79
CT 3354 14	FE405506BC1CD 52	GKN/KPADEUC 99	MA 6206079
CT 3364 14	FE405506SCOCD52	GKN/KPADGOO 99	MH 9149 92
CT 3374 14	FE405508BC0BX52	GKN/KPADMOSS 99	MH 9213 92
CT 3710 16	FE405508BC0CD52	GKN/KPADNAVY 99	MH 922692
CT 3720 16	FE405508BC1CD 52	GKN/KPADPLUM 99	MH 9228 92
CT 3730 16	FE405508SCOCD52	GKN/KPADPOP 99	MH 922992
CT 3740 16	FE405510BC0BX 52	GKN/KPADSLA 99	MR 9111 94
CT 3750 16	FE405510BC0CD 52	GKN/LGTRUGMOSS99	MR 9112 94
CV 20004	FE405510BC1CD 52	GKN/LGTRUGNAVY 99	MR 9114 94
CV 22000	FE405510SC0CD 52	GKN/MOSS 99	MR 9115 93
CV 60061	FE405512BC0BX 52	GKN/NAVY99	MR 9116B 95
CV 60063	FE405512BC0CD 52	GKN/PLUM 99	MR 9123B 95
CV 60064	FF408206CD 56	GKN/POP 99	MR 9125B 95
FA0001CD 56	FH 70000 10	GMM/RETROHIP 95	MR 9126 95
FA0002CD56	FH 71000 10	GMM/RETROHIP 99	MR 9154 94
FE0003SA57	FH 71002 10	GS 3750D 72	MR 9155 94
FE0004SA	FH 71003 10	GS 3760 72	MR 9156 94
FE0004SA95	FK 42000 13	GS 6750D 72	MR 9157 93
FE400106BC0CD 52	FK 42010 13	GT 3040 17	MR 9161 93
FE400108BC0CD 52	FK 44010 13	GT 3050 17	MR 9162 94
FE400108BC1CD 52	FK 70000 12	GT 3060 17	MR 9163 94
FE400110BC0BX 52	FK 70004 12	GT 3070 17	MR 9168 94
FE400110BC0BX 53	FK 70010 12	GT 3080 17	MR 9178 95
FE400110BC0CD 52	FK 71004 12	GT 3090 17	MR 9179 95
FE400110BC1CD52	FK 71005 12	GT 3234 17	MR 9180 95
FE400112BC0CD 52	FK 72004 12	GT 3244 17	MR 9182 95
FE400306BC0CD53	FK 72005 12	GT 3254 17	MR 9185 95
FE400306BC1CD 53	FK 72065 12	HF106108STOCD55	MR 9192 93
FE400306SCOCD53	FK 74000 12	HS 3244 72	PD 20000 44
FE400308BC0CD53	FK 74010 12	HS 3344 72	PD 40000 44
FE400308BC1CD 53	FL 3420 76	HS 3911 72	PD 40020 44
FE400308SCOCD53	FL 3460 76	HS 3950 71	PD 60000 44
FE400310BC0CD 53	FL 3470 76	HS 4244 72	PF400314BC0BX 53
FE400310BC1CD 53	FP 2312 89	HS 434472	PM 4000049
FE400406BC0CD53	FR410108BC1CD56	HS 6920 71	PM 41000 49
FE400406BC1CD 53	FS 3204 89	HS 6930 71	PM 4200049
FE400408BC0CD 53	FS 3214D89	HS 6960 71	PM 73020 49
FE400410BC0CD 53	FS 3394 89	HS 7140 71	PM 74020 49
FE400410BC1CD 53	FS 4000 89	HS15150 71	PM 75020 49
FE400412BC0CD 53	FS 411088	HT 69100 13	PS 10020 45
FE404005XSOCD54	FS 4120 88	HT 69200 13	PS 1002545
FE404006XS0CD54	FS 4130 88	HT 69300 13	PS 404078
FE404006XS1CD 54	FS 4310 89	LG 3604 18	PS 405078
FE404006XX0CD54	FS 4350 89	LG 3624 18	QS 7800 77
FE404007XSOCD54	FS0004PP56	LG 3634 18	QS 7900 77
FE404008XS0BX54	FS0005PP56	LG 3654 18	RK 10000 25
FE404106SL0CD 54	GKN/BERRY99	LG 3684 19	RK 20002 22
FE404106SL1CD 54	GKN/COBALT99	LG 3694 19	RK 20022 22
FE404506BC0BX55	GKN/EMERALD 99	LG 3710 19	RK 24002 24
FE404508BC0BX55	GKN/EUC99	LG 3720 19	RK 24003 24
FE404510BC0BX 55	GKN/G00 99	LR 3460 70	RK 24061 23
FE405504BC0BX52	GKN/KPADBERRY99	MA 60061 79	RK 25008 25
FE405506BC0BX52	GKN/KPADCOB 99	MA 6006279	RK 25017 25

INDEX

DV 25024	CL 4264	66.64222	UT 60055 63
RK 25024 25	SL 4364	SS 64223 41	UT 60055 62
RK 25030 25	SL 6500	SS 64224 41	UT 60057 62
RK 42000 23	SL 7180 73	SS 64225 41	UT 61000 61
RK 45008 25	SL 7280 73	SS 64303 41	UT 62050 60
RK 45026 24	SL 8180 73	SS 64304 41	UT 62050 60
RK 45030 24	SL15167 73	SS 64305 41	UT 62051 60
RK 61061 23	SS 25010 39	SS 64306 41	UT 62051 60
RK 61062 23	SS 26000 39	SS 64323 41	UT 62052 61
RK 61063 23	SS 26010 39	SS 64324 41	UT 62055 60
RK 61064 23	SS 26020 39	SS 64325 41	UT 64020 62
RK 62000 24	SS 26030 39	SS 64326 41	UT 64050 62
RK 62001 24	SS 27000 39	SS 64333 41	UT 65001 60
RK 62060 24	SS 27010 39	SS 64334 41	UT 65002 60
RK 62061 24	SS 27020 39	SS 64335 41	UT 65010 60
RK 64002 22	SS 27030 39	SS 64714 41	UT 65020 60
RK 64060 22	SS 28000 40	SS 64715 41	UT 65030 60
RK 65001 22	SS 2801040	SS 65000 37	UT 65040 60
RK 65002 22	SS 28020 40	SS 6501037	UT 65050 60
RK 65021 22	SS 28030 40	SS 65020 37	UT 66004 63
RK 65022 22	SS 29000 40	SS 65500 37	UT 66006 63
RK 65061 22	SS 29010 40	SS 66000 37	UT 67001 62
RK 66000 22	SS 29020 40	SS 66010 37	UT 67002 62
RP 3230 70	SS 29030 40	SS 66020 37	UT 67003 62
RP 4224D 69	SS 30020 38	SS 68000 42	UT 69000 61
RS 4040 78	SS 30030 38	SS 68010 42	UT 70000 63
RS 4060 78	SS 31020 38	SS 68030 42	UT 71000 63
RS 7041 77	SS 31030 38	SS 68231 42	WB 1006 29
RS 7120 78	SS 39000 37	SS 69010 42	WB 1006FF 29
RS 7245 77	SS 42001 43	ST 70020 48	WB 1010 29
RS 7255 77	SS 42011 43	ST 70021 48	WB 2004 29
RS 7510D 78	SS 48248 43	ST 70022 48	WB 2006 29
RS16020 78	SS 49100 43	ST 70023 48	WB 2006FF 29
RS16150	SS 49234 43	ST 70024 48	WB 2506K 28
RS16290 78	SS 60000 35	ST 70025 48	WB 2506KFF 28
SF 79000 35	SS 60020 35	ST 73003 48	WB 2606K 28
SF 80000	SS 61000	TP 3206 70	WB 2606KFF 28
SF 80020 35	SS 61020	TP 3206 81	WB 2706 28
SH 10000	SS 62000 36	TP 3714 81	WB 2706FF 28
SH 15000	SS 62010 36	TP 3841 81	WB 2706S 28
SH 20000	SS 62020 36	TP 4210 81	WB 2706SFF 28
SH 22000	SS 62030 36	TP 4212 81	WB 2806 27
SH 60000 10	SS 62100 36	TP 4214 81	WB 2806FF 27
SH 60000 10	SS 62110	TP 4216 81	WD 2200DC 16
SH 60060 10	SS 62120	TP 6830 81	WL 3351 76
SH 60060 10			
	SS 62130	TP 6870 80	WL 6310 75 WL 6320 74
SH 61000 10	SS 63010	TP 6881 80	
SH 63000 10	SS 64103 41	UT 20000 63	WL 6330 74
SH 65000 10	SS 64104 41	UT 21000 63	WL 6341
SH 65000KD 10	SS 64105 41	UT 24000 63	WL 6350 74
SL 3264 76	SS 64106 41	UT 60007 61	WL 6370 74
SL 3310 76	SS 64123 41	UT 60050 61	WL 6420 74
SL 3364 76	SS 64124 41	UT 60050 62	WL 6450 74
SL 4150	SS 64125 41	UT 60053 62	WL 6470 74
SL 4264 75	SS 64126 41	UT 60054 61	WL 649075

WARRANTY INFORMATION




the CORONA® Promise

The lifespan of a tool is dependent upon frequency of use, as well as, the conditions and environment in which it is used.

Tools used by professionals, everyday, on every job, will more likely wear out long before tools used by occasional or infrequent users. Typically, any defects in materials or workmanship will emerge early in the life of the tool.

CORONA° tools are designed, engineered and manufactured to perform their intended purpose, **Season after Season**°.

Customer Satisfaction is at the top of our priority list, so in the event our tool fails to perform as intended due to materials and/or workmanship, **CORONA**° promises to provide a solution based on our three product lines and associated warranties.



CORONA® MAX TOOLS represent our best-in-class and have been specifically designed, engineered and manufactured for PROFESSIONALS and PASSIONATE GARDENERS that demand maximum durability and lasting performance.

MAX AND MAX FORGED TOOLS CARRY A LIMITED LIFETIME WARRANTY

CORONA® MAX TOOLS are guaranteed to be free of defects in materials and workmanship for the life of the tool.

If a **CORONA**° **MAX TOOL** is found to be defective, **CORONA**° will either replace or repair it free of charge once the tool has been returned along with the original customers' proof of purchase.

WHAT'S NOT COVERED

CORONA° is dependable and trustworthy and we rely on our customers to be the same. We do not and cannot cover normal wear, lost or stripped parts, altered or modified products, or product damage due to negligence, misuse, or abuse. **OUR DEFINITION OF ABUSE**- Using a tool in a manner for which it was not designed.



corona® RED TOOLS are designed for CASUAL GARDENERS who want control and comfort, but not the maximum durability expectations designed and built into our CORONA® MAX line of tools.

CORONA® RED TOOLS CARRY A LIMITED WARRANTY

Corona® warrants RED tools to be free of defects in materials and workmanship. If your tool is found to be defective within ten (10) years from date of purchase, **CORONA®** will either replace or repair it free of charge once the tool has been returned along with the original customers' proof of purchase.

MAKING WARRANTY CLAIMS OUTSIDE THE U.S.

The warranties outlined here apply specifically to products purchased in the United States. If you purchased your product outside of the U.S., your local **CORONA*** distributor's standard product warranty will apply. Outside the U.S., warranty claims can be made by returning the tool to where you bought it within the relevant timeframe, along with its packaging and original proof of purchase.

Corona reserves the right to ask Dealers and Distributors to send in product photo and contact information for a warranty claim. In some cases, a Return Merchandise Authorization (RMA) number may be required for product returns.

Value Tools

for performing basic tasks.

CORONA® Value Tools are covered by a standard manufacturer's

One-Year Limited Warranty against defects in materials or workmanship.

If your Value Tool is found to be defective within one (1) year from date of purchase,

CORONA® will either replace or repair it free of charge once the tool has been returned along with the original customers' proof of purchase.

Budget-friendly Value Tools are designed

PRODUCT SUBSTITUTION

CORONA° will make an effort to either repair or replace any defective tool with one that is similar. If, for any reason, this is not possible, **CORONA**° may choose to satisfy your claim by substituting a different product.

GENUINE REPLACEMENT PARTS

All CORONA® tools are built to last, but certain components will wear out after heavy or repeated use. That's why we offer genuine replacement parts for most MAX products.

Visit coronatoolsusa.com to see available replacement parts by item number, or contact the CORONA® Customer Experience Team for more information at the number noted below.

CORONA® Customer Experience Team:

Corona Clipper, Inc Attn: Warranty 22440 Temescal Canyon Rd. Corona, CA 92883 (800) 234-2547 sales@corona.bellota.com



SEASON AFTER SEASON

Corona, Inc. 22440 Temescal Canyon Road • Corona, CA 92883 (951) 737-6515 | (800) 847-7863 | sales@corona.bellota.com

coronatoolusa.com



Connect with Corona Tools!

© Copyright 2020 Corona, Inc.



CC 9930 - 12/19 - 10,000