
MAXIMUM PRECISION CUT AFTER CUT

GET THE BEST RESULTS WITH THE HIGHEST QUALITY TOOLS







BELLOTA: A REPUTATION BUILT ON THE TRUST OF CONTRACTORS.


Contractors worldwide recognize BELLOTA as the leader in quality tools. As their trusted partner for more than 100 years, we have continued to innovate and create new tools specific to specialized jobs within the ever-changing construction industry.


Today, we take another step forward by introducing our new line of manual ceramic tile cutters developed in tight collaboration with contractors.

NEW Manual Tile Cutters

- Durable
- Sturdy
- Easy-to-useAttractive









A NEW GENERATION OF TILE CUTTING TOOLS THAT WILL REVOLUTIONIZE THE MARKET

ADVANTAGES WITH BELLOTA

DURABILITY

- Designed for maximum strength and stability:
 - Reinforced bases and rail supports
 - Large bearing surfaces
 - Extra-wide rail bars
 - Greater breaking power
- Long-lasting, wear-resistant professional grade materials

PRECISION


- Consistently clean, reliable cuts from precision-made, compact designs
- Unique slide assembly design eliminates parts that can mar guide bars and interfere with cuts
- Improved cutting visibility with dual rail bars and multiple sizes of cutting wheels for a variety of materials and textures

EASE OF USE

- Completely integrated ceramic tile-cutting solutions in convenient carrying cases
- Perfectly smooth operation
- Intuitive, compact and very easy to use
- Scoring wheel adaptors interchangeable with competition

DESIGN AND MANUFACTURING

- Made in Spain with 100% European materials
- Three advanced, patented designs



TECH TILE

Maximum precision cut after cut

FOR HEAVY-DUTY USE

- Sturdy, precise and light-weight machine designed to cut large formats tiles
- Maximum cut up to 125 cm / 49.2 inches (Tech 125)
- Equipped with replaceable #10 tungsten carbide cutting wheels
- Available in two model sizes

The essential tile cutter for the most demanding professional tile installers.

| ITEM | Max. cutting length mm / in. | Max. diagonal cut mm / in. | Max. Thickness mm / in. | Weight * kg / lbs |
|----------|------------------------------------|----------------------------------|-------------------------------|----------------------|
| TECH 100 | 39.3 in./ 1000 mm | 27.5 x 27.5 in./ 700 x 700 mm | | 39.5 lbs/ 17,9 kg |
| TECH 125 | 49.2 in./ 1250 mm | 33.4 x 33.4 in./ 880 x 880 mm | 25/32 in./ 20 mm | 46.3 lbs/ 21 kg |

One-piece design philosophy:

Designed to work as a single piece to guarantee a tool that is precise, sturdy and durable. **TECH** is designed to work with precision, day after day and cut after cut.

Sturdiness:

Built with high-performance materials, **TECH** has a patented assembly system and its design has been optimized, piece by piece, resulting in a longer-lasting machine. We use the best materials and structural designs to maximize rigidity and eliminate twisting and bending. The patented assembly results in the highest transmission of tile-breaking force and enhanced durability.

Precision:

The solidity and rigidity of the core structure help ensure a clean and straight cut, even with large tiles. A force of only 5 kg / 11 lbs is necessary to properly score the tile.










PRO TILE CUTTERS

| Box or | Cutting | Diagonal | Max. |
|--------|------------------------------|--|--|
| Case | Length | Cut | Thickness |
| Hard | 22 inches / | 16 inches / | 0.6 inch / |
| Case | 580 mm | 400 mm | 15 mm |
| Hard | 28 inches / | 20 inches / | 0.6 inch / |
| Case | 720 mm | 500 mm | 15 mm |
| | Case Hard Case Hard | Case Length Hard 22 inches / Case 580 mm Hard 28 inches / | Case Length Cut Hard 22 inches / 16 inches / Case 580 mm 400 mm Hard 28 inches / 20 inches / |

FOR HEAVY-DUTY USE

- Cut any ceramic and porcelain tile
- Maximum tile length: 28 inches (PRO65)
- Maximum tile thickness: 0.6 inch
- Reinforced aluminum rail bar supports
- Built-in cutting guide
- Equipped with replaceable #6 and #10 tungsten carbide cutting wheels
- Available in two sizes










RELIABLE



EASY TO USE



10



POP TILE CUTTERS

FOR GENERAL USE

- Cut common ceramic of moderate hardness and mosaic glass
- Maximum tile length: 25 inches (POP60)
- Maximum tile thickness: 1/2 inch
- Available in five models

POP

Designed with fiberglass-reinforced polyamide rail bar supports

Equipped with replaceable #6 tungsten carbide cutting wheel

| ITEM# | Box or | Cutting | Diagonal | Max. | | | | |
|--------|--------|----------------------|-----------------------|---------------------|--|--|--|--|
| | Case | Length | Cut | Thickness | | | | |
| POP50B | Box | 21 inches/ 530 mm | 15 inches / 380 mm | 0.5 inch / 12 mm | | | | |

POP-R

Designed with case aluminum rail bar supports

Includes adjustable U.S. standard and metric measuring quide for accurate, repetitive cuts

Equipped with replaceable #6 tungsten carbide cutting wheel

| ITEM# | Box or | Cutting | Diagonal | Max. |
|---------|--------|-----------------------|-----------------------|---------------------|
| | Case | Length | Cut | Thickness |
| POP50RB | Box | 21 inches/ 530 mm | 15 inches / 380 mm | 0.5 inch / 12 mm |
| POP50RC | Hard | 21 inches / | 15 inches / | 0.5 inch / |
| | Case | 530 mm | 380 mm | 12 mm |
| POP60RB | Box | 25 inches / 630 mm | 18 inches / 450 mm | 0.5 inch / 12 mm |
| POP60RC | Hard | 25 inches / | 18 inches / | 0.5 inch / |
| | Case | 630 mm | 450 mm | 12 mm |







LIGHT


VERSATILE

EASY TO USE



BELLOTA® UNIVERSAL SCORING WHEELS: NOW EVERYONE CAN ENJOY A BETTER CUT

Building on our extensive experience in cutting tools, BELLOTA has developed a range of scoring wheels that can cut all kinds of materials, shapes, and thicknesses.



MAXIMUM STRENGTH AND DURABILITY

- FORGED STEEL shaft with octagonal cross-sections based on proven chisel and pointer designs
- High-quality tungsten carbide cutting wheels, up to 25% LONGER LASTING than the competition





YOUR CHOICE OF SIZES



Scoring wheels are available in #6, #8, #10, and #18 diameters.

OVERSIZE DESIGN – #18 scoring wheel assembly features proportions that lower cutting effort, improve stability, and prolong wheel life.

UNIVERSAL XL FORGED STEEL SCORING WHEELS FOR TECH

Bellota **Universal XL** scoring wheels are perfectly suited for the **TECH** tile cutters and also compatible with other manufacturers' cutters.







Forged steel:

Just like Bellota chisels, Bellota cutting tools' octagonal forged steel shafts guarantee maximum rigidity and sturdiness for straight and precise scoring.

High-quality cutting wheels:

Our high-quality scoring wheels use hardened tungsten carbide blades that last up to 25% longer than the competition.

Universal:

16

Bellota scoring wheels are compatible with all of our tile cutters as well as competitors' thanks to a unique adapter.



Universal XL scoring wheels are available in diameters of #8, #10 and #18.

The #18 AUREA scoring wheel features an oversized blade design for higher blade stability and superior control. This unique feature contributes to more precision, less cutting effort and an increased lifespan. Patent pending.

UNIVERSAL XL SCORING WHEELS



| ITEM # | Item description | |
|------------|---|--|
| RODELXL8U | #8 Universal XL Scoring Wheel | Cutting porcelain tiles, wall and floor tiles |
| RODELXL10U | #10 Universal XL Scoring Wheel | Cutting floor tiles |
| RODELXL18U | #18 Universal XL AUREA Scoring Wheel | Cutting rough or difficult to cut tiles |

UNIVERSAL SCORING WHEELS



Fit BELLOTA POP and PRO manual tile cutters

Adaptor suitable for Cortag, Irwin, Toolkraft and Rubi (Pocket, Star, Speed, TS and TR) manual tile cutters.*

17



| ITEM# | Item description | Recommended Use |
|----------|--------------------------------|--|
| RODEL6U | #6 Universal Scoring Wheel | Cutting wall tiles |
| RODEL8U | #8 Universal Scoring Wheel | Cutting porcelain tiles, wall and floor tiles |
| RODEL10U | #10 Universal Scoring Wheel | Cutting floor tiles |
| RODEL18U | #18 Universal Scoring Wheel | Cutting rough or difficult to cut tiles |

are related to Corporación Patricio Echeverría

^{*} Cortag is a trademark of Cortag Indústria e Comércio Ltda, Brazil. * Irwin' is a registered trademark of Irwin Industrial Tool Company, USA. * Rubi* is a registered trademark of the Germans Boada Group S.A., Spain. • Neither the brands nor the companies listed above are related to these brands, nor the companies,


UNIVERSAL SCORING WHEELS


Now, any manual tile cutter can benefit from BELLOTA'S exceptional cutting performance. That's because we include a handy adaptor with every BELLOTA scoring wheel, making it compatible with nearly every other brand.







How to install BELLOTA scoring wheels in competitive, tile cutter brands
















TECHNOLOGY MEETS ART

Transform plain into a work of art with Bellota manual tile cutters. From mosaic glass to oversized ceramic tiles and virtually anything in between, Bellota engineers our tile cutters with advanced features to make cleaner cuts with less breakage.

| POP50 POP60 | Small renovation jobs, standard sized tiles, Cutting mosaic glass | 0.47 inch / 12 mm | <21 inches / 530 mm (POP50) <25 inches / 630 mm (POP60) | <15 inches / 380 mm (POP50) <18 inches / 450 mm (POP60) | Yes Yes Yes | One-piece aluminum cast base with central beam Extra wide aluminum cast rail supports (Ruler with 'R' model only) | Solid hard chrome plated rounded bars reinforced with aluminum profiles | Mobile - 200 Kg | Ruler 'R' model only | | Yes | • | • | | • | • | • | Yes | • | Hard case or Box | POP50 - 9.9 lbs, 4.5 Kg POP60 - 10.8 lbs, 4.9 Kg | 3 years |
|-----------------|--|-----------------------|--|--|---|---|--|---------------------------|------------------------------|--|-----------------------------|----------------------------|------------------------------|----------------------------|-------------------------------|---------------------------------|-------------------------------|------------------------------|---|------------------|--|----------|
| PROSS PRO65 | Intensive tiling jobs, moderately sized tiles | 0.59 inch / 15 mm | <22 inches / 580 mm (PRO55) <28 inches / 720 mm (PRO65) | < 16 inches / 400 mm (PRO55) < 20 inches / 500 mm (PRO65) | Yes Yes No (fixed breaking system) | Twin lateral aluminum beams with flush scoring area Heavy-duty aluminum cast rail supports | Solid hard chrome plated rounded bars | Fixed - 500 Kg | Yes | | Yes | | Yes | | | | | Yes | Ambidextrous breaking system (left or right-handed) | Hard case or box | PRO55 - 24.3 lbs, 11 Kg PRO65 - 27.1 lbs, 12.3 Kg | 5 years |
| TECH100 TECH125 | Large format professional tiling jobs | 0.78 inch / 20 mm | <39.3 inches / 1000 mm (TECH100) <49.2 inches / 1250 mm (TECH125) | <27.5 inches / 700 mm (TECH100) <33.4 inches / 880 mm (TECH125) | Yes Yes Yes | Modular assembly design with 3 aluminum beams Floating bases Full width, heavy-duty aluminum cast reinforced rail supports | Solid hard chrome plated rounded bars | Mobile - 1000 Kg | Yes | | | | | | TECH75 | TECH100/TECH125 | | Yes | Design assembly (construction) Twin rotating protractors | Wheelie bag | TECH75 - 34.0 lbs, 15.4 Kg TECH100 - 39.5 lbs, 17.9 Kg TECH125 - 46.3 lbs, 21.0 Kg | 5 years |
| | Recommended use | Tile thickness (max.) | Cutting length capacity (max.) | Diagonal cutting length capacity (max.) | Type of material cut: Ceramic Porcelain Mosaic glass | Construction | Scoring guide system | Breaking system and power | Ruler/Square system included | Scoring wheel included (with adaptor): | Universal 15/64 inch / 6 mm | Universal 5/16 inch / 8 mm | Universal 13/32 inch / 10 mm | Universal 3/4 inch / 18 mm | Universal XL 5/16 inch / 8 mm | Universal XL 13/32 inch / 10 mm | Universal XL 3/4 inch / 18 mm | Registered industrial design | Utility Patents | Packaging option | Weight (machine only) | Warranty |

| | UNIVERSAL XL (TECH only) |
|---|--|
| Blade Diameter: | |
| #6 mm | - |
| #8 mm | Yes |
| #10 mm | Yes |
| #18 mm | Yes |
| Forged steel shaft | Yes |
| High density tungsten carbide blade (25% increased life over competition) | Yes |
| With adaptor | Yes |
| Recommended material use: | |
| #6 mm | - |
| #8 mm | Gloss to Matte surfaces Ceramic or Porcelain |
| #10 mm | Matte to Textured surfaces Ceramic or Porcelain |
| #18 mm | Textured to Rough surfaces Ceramic, Porcelain Large format tiles |
| Utility patents | |
| Registered industrial design | Yes |
| Packaging option | Clamshell - 10/carton |


| | UNIVERSAL (POP, PRO only) |
|---|--|
| Blade Diameter: | |
| #6 mm | Yes |
| #8 mm | Yes |
| #10 mm | Yes |
| #18 mm | Yes |
| Forged steel shaft | Yes |
| High density tungsten carbide blade (25% increased life over competition) | Yes |
| With adaptor | Yes |
| Recommended material use: | |
| #6 mm | High Gloss surface Ceramic, Porcelain or Mosaic glass |
| #8 mm | Gloss to Matte surfaces Ceramic or Porcelain |
| #10 mm | Matte to Textured surfaces Ceramic or Porcelain |
| #18 mm | Textured to Rough surfaces Ceramic, Porcelain Large format tiles |
| Utility patents | |
| Registered industrial design | Yes |
| Packaging option | Clamshell - 10/carton |



| POP Tile Cutters Spare Parts | | | | | | | | | | |
|------------------------------|------------|------------------------------|---------------|--|--|--|--|--|--|--|
| Item# Item Description UPC | | | | | | | | | | |
| Α | POPHANDLE | POP HANDLE | 8414299636093 | | | | | | | |
| В | POPRKIT | POPRKIT POPRKIT | | | | | | | | |
| С | POPPITCHER | POP BREAKING PAD W/ PIN | 8414299636130 | | | | | | | |
| D | POP60PCASE | POP 60 PLASTIC CASE W/LABELS | 8414299636031 | | | | | | | |
| E | POP50PCASE | POP 50 PLASTIC CASE W/LABELS | 8414299635966 | | | | | | | |



| ı | PRO Tile Cutters Spare Parts | | | | | | | | |
|---|------------------------------|-----------------------------|---------------|--|--|--|--|--|--|
| | Item# | Item Description | UPC | | | | | | |
| Α | PROSNAPHANDLE | PRO SNAP HANDLE | 8414299636277 | | | | | | |
| В | PROHANDLE | PRO HANDLE | 8414299636239 | | | | | | |
| C | PROBREAKMECH | PRO BREAKING MECHANISM | 8414299636437 | | | | | | |
| D | PROJAWCOVERS | PRO BREAKING JAW COVERS - 2 | 8414299636390 | | | | | | |
| E | PROGUIDESCR | PRO GUIDE SCREW | 8414299636352 | | | | | | |
| F | PROGUIDESQU | PRO GUIDE SQUARE | 8414299636314 | | | | | | |
| G | PROPCASE | PRO PLASTIC CASE W/LABELS | 8414299636215 | | | | | | |



BELLOTA AROUND THE WORLD





Illinois-USA



California-USA



MEXICO



COLOMBIA



RUSSIA

POLAND UKRAINE

OROCCO

Zumárraga -SPAIN



Olloki-SPAIN



DENMARK



INDIA



BRAZIL



www.bellota.com

Marketed by Corona Clipper, Inc. 22440 Temescal Canyon Road, Corona, CA 92883 Tel (951) 737-6515 | Toll Free (800) 234-2547 Fax (951) 737-8657 | E-mail sales@corona.bellota.com © Copyright 2015 Corona Clipper, Inc.



CC 397 - 07/15 - 7,500