Garage Door



The Genuine. The Original.



Table of content:

Choosing a Door	3
Signature [®] Carriage Wood	4-5
Traditional Wood Collection	
Rail and stile wood garage doors	6-7
Flush panel wood garage doors	8-9
Modern Aluminum Collection	10-11
Impression Collection [®]	12-13
Carriage House Collection	14-15
Courtyard Collection [®]	16-17
Courtyard Collection® WindStorm	18-19
Thermacore® Collection	20-21
Thermacore [®] Collection WindStorm	22-23
Durafirm Collection [™]	24-25
Traditional Steel Collection	26-27
WindStorm [™] wind load-rated system2	28-29
Windows for Signature [®] Carriage Wood	30
Windows for Thermacore® Collection	31
Windows for Thermacore® WindStorm	32
Windows for Traditional Steel Collection	33
Decorative hardware	34
Openers	35

Call 1-800-929-3667 (DOOR) to contact an Overhead Door Distributor near you.

www.OverheadDoor.com

Choosing a Door

What to consider when selecting a door



Style

Whether your home is classic or contemporary, Overhead Door offers styles to best complement your home's architecture. For a distinctive, custom look, choose insulated doors from our elegant Courtyard Collection®, Thermacore® Collection, Impression Collection® or the custom fine wood doors of the Signature® Carriage Collection.

Safety

Our Impression Collection[®] doors provide peace of mind with pinch-resistant panels that help protect fingers. If you live in an area that is prone to high winds, our Wind-Storm[™] doors provide reliable protection against high wind damage and offer fine craftsmanship, durability and style.

Comfort

If you live in a climate with extreme hot or cold temperatures, we recommend a well-insulated, thermallyefficient door to ensure your comfort. Some of our insulated doors, including the Courtyard Collection® and Thermacore® Collection, also feature a steel backing that lends a finished, clean look to your garage's interior.

Signature[®] Carriage Wood

Premium wood garage doors

Signature® Carriage Wood doors combine the classic swingopen appearance and detailing of carriage house wood doors with the convenience of sectional garage doors.

Panel styles

Doors provided in unfinished, stain-grade or paint-grade wood. Models are available with or without windows and with square or arched tops. Square tops are shown.

Parson Collection



(i) - insulated R-va

R-value 4.75

Wood options

Contact your Overhead Door Distributor for specific information.

Window styles

For the full selection of windows please see page 30.



Multiple designs and wood species options let you choose the perfect complement to your home with our style, window and glass options.

World class construction of rail and stile frame adds strength.

Polystyrene insulation can help diminish street noise and provide quieter door operation. R-value* of 4.75 available for select models.

*Overhead Door Corporation uses a calculated door section R-value for our insulated doors.



Full custom door

Design your own beautiful wood garage door built to match the architectural style of your home.



Traditional Wood Collection

Rail and stile wood garage doors

Traditional Wood rail and stile garage doors deliver timeless elegance. The traditional look of rail and stile wood doors adds richness, depth and lasting design.

Panel styles

Framed panel designs Models 450, 453

4-2	

4-4

1 car design shown. Both panels are also available for 2 car designs.

Raised panel designs Model 454



1 car design shown. Both panels are also available for 2 car designs. Decorative carved Raised panel designs available. Consult your Overhead Door Distributor for details.

Window styles

Framed panel windows









*Molded designs with plastic inserts may not fit all panel sizes. Consult your distributor for availability.



**Optional molded designs with plastic inserts may not fit all panel sizes. Consult your distributor for availability.

Clear glass comes standard with this product. Additional glass options are available, including 1/8" tempered and 1/8" double strength (DSB). Contact your local Overhead Door Distributor for more details.

Clear



1

Raised panel



- 1 Door Sections are constructed of 1-3/8" thick finger-jointed wood rails and stiles; with solid stain-grade rails and stiles as an option
- 2 Raised Panels are constructed of 3/4" solid wood; edgeglued panels

Framed panel



- 1 Framed Panels are constructed of 1 3/8" high quality West Coast Hemlock
- 3 Center of Framed Panel is constructed of durable, ¼" exterior-grade hardboard

Mortise and tenon joints are glued and steel-pinned for increased strength and durability

Shiplap section design provides weather-tight fit and smooth operation Rust resistant track and hardware are constructed of hot-dipped galvanized steel

Backed by one year limited warranty

Model 450 Framed panel	Model 453 Framed panel	Model 454 Raised panel (Paint grade)	Model 454 Raised panel (Stain grade)
Features hardbord flat panels, thin rails and stiles	Features hardbord flat panels, thick rails and stiles	Features Hemlock panels, stiles and rails (finger-jointed)	Features Hemlock panels stiles and rails (solid, one piece)
West Coast Hemlock	West Coast Hemlock	Hardboard raised panel (decatrim)	Meranti Mahogany and Cedar panel options available

Model 450 and 453 panels pictured above are custom painted.

Traditional Wood Collection

Flush panel wood garage doors

Traditional Wood flush panel garage doors offer modern simplicity. The smoothness of the flush panel design suits a variety of architectural styles, from traditional to modern. For a contemporary or minimalist look, the flush panel garage doors are an ideal fit.

2 car

Panel styles

Model 444

1 car		

Natural wood





Solid arched top is optional.

All model panels have a total thickness of 1-3/8". Doors over 10' wide will have a vertical center seam.



Windows shown for 1 car panel designs. Not all window will fit all door sizes. Factory will advise if there is a problem with fitting.

* Molded designs with plastic inserts may not fit all panel sizes. Consult your distributor for availability.

Glass types



Clear

Clear glass comes standard with this product. Additional glass options are available, including 1/8" tempered and 1/8" double strength (DSB). Contact your local Overhead Door Distributor for more details.





- 1 Section thickness is 1-3/8"
- 2 Polystyrene insulated core provides a 4.75 R-Value*
- **3 External panels** are pressure-bonded to framework with high-strength, waterproof adhesive
- 4 Primed painted finish available option

Rust resistant track and hardware are constructed of hot-dipped galvanized steel.

*Overhead Door Corporation uses a calculated door section R-value for our insulated doors.

	Model 444
Exterior wood/finish	Smooth plywood; priming option available; stained grade
Interior	Smooth plywood
Insulation	4.75 R-Value, polystyrene

-YEAR

Sleek, sophisticated garage doors

The Modern Aluminum Collection combines glass and aluminum for unparalleled visual appeal, strength and light infiltration. It's a unique solution for your extraordinary home.

Frame options

Model 511 Standard frame

511 Series frame features a narrow width and offers an array of frame finishes and special custom options in door sizes up to 16′0″ wide.

Model 521 Heavy duty frame

521 Series frame features a wider, heavy-duty frame and it offers an array of frame finishes and special custom options in door sizes up to 26' wide. The 521 Series can also be fitted to meet wind load building requirements.

Ι	
Ι	
	Model 51

1

Model 521

Glass types

Double Strength (DSB) glass comes standard. In addition we offer an array of choices to complement your home. Insulated glass available.



Double Strength (DSB) *

Specialty Glass

- Laminated White
- Low E Glass*
- Tempered Glass
- Tinted Glass*



Obscure*



Satin Etched*

Glass alternatives

- Clear Lexan[®] Polycarbonate*
- Multi-wall Polycarbonate
- Plexiglas[®] Acrylic*
- * Insulated options available

Colors

Anodized finishes

Clear anodized finish comes standard. Dark Bronze anodized finish is also available. To add further distinction, solid aluminum panels are available.



Clear



Dark Bronze

Powder coat finishes

Select from 197 color options to best match your home.



Between section seals Offer additional weather-resistance.

Commercial-grade aluminum frame Low-maintenance and corrosion resistant.

Design flexibility

Available in a variety of vertical rail widths and horizontal stile widths to complement the style of your home.

Stylish hardware

Hinges and fixtures are galvanized to maintain a contemporary look.



Up to a limited 1-year warranty



Impression Collection®

Beautiful exterior. Durable interior.

Impression Collection® doors have been magnificently engineered with an artfully molded wood grain fiberglass surface concealing durable steel construction. This door's unique fiberglass exterior offers you a low maintenance option with the beauty of wood to enhance the curb appeal of your home.

Panel styles

Three-section styling on 7' high doors gives a custom design look. Our 8' high doors have four-section styling. All panels have white finished interiors with matching, low-profile hinges. 7' high doors shown below.

Model 981 Vertical Raised

Model 982 Horizontal Raised

	ПП
	ПП

Model 983 Vertical Slat

Model 984

Horizontal V-groove

_
-
_
_
_
_
_
-
_
_
_

Colors

Stain colors shown below on oak wood grain pattern. Actual door colors may vary slightly from brochure photos due to fluctuations in staining or the printing process.



16 Window

Window styles

Insulated windows are available.

For Horizontal Raised and Horizontal V-groove panels

For Vertical Slat panel

12 Window



For Vertical Raised and

Horizontal V-groove panels

20 Window

12



Foamed-in-place polyurethane insulation R-value* of 7.6 helps control costly heat loss and gain. This type of insulation can diminish street noise and provides for quieter door operation.

Designed with award-winning safety and technology features including pinch-resistant door panels.

Bulb-type bottom weatherseal Guards against wind and rain while providing a cushion when closing.



Fiberglass exterior utilizes Therma-Tru™ AccuGrain™ technology for the beauty of wood without the maintenance.

*Overhead Door Corporation uses a calculated door section R-value for our insulated doors.



Factory installed powder-coated hardware ensures proper alignment and smoother operation with a clean interior appearance.





Up to a limited 3-year warranty on fiberglass exterior



Carriage House Collection

Design, thermal performance and durability

The look of wood carriage style swing doors with varied design options, thermal performance and the durability of steel.

Panel styles

Three-section styling on 7' high doors (shown below) gives a custom design look. Our 8' high doors have four-section styling. Models are available with or without windows and with square or arched tops. 7' high doors with square tops are shown.

Model 301

Model 302



Model 306



Ľ	U		_	
M	lo	del	30)
	1			
Ĺ	Γ			
IE				

Model 3	03

Model 308

Model 304

Model 309



Model 305

Finishes

Actual door colors may vary slightly from brochure photos due to fluctuations in staining or the printing process.

Painted finishes







White color is standard. All other colors are an optional upgrade.

White







Two-toned painted finishes





Clay/White



Green/White



The trim boards are white (standard).

Stained finishes



Mahogany



Clay



Walnut



Honduran Mahogany



Oak



Red Oak



Green



Gray



Durable finish Hot-dipped galvanized steel with two coats of baked-on polyester paint.



Polyurethane insulation Provides thermal efficiency with an R-value* of 10.



Bulb seal Protects against the elements.



Embossed wood grain texture Adds beauty, sophistication and durability.



Up to a limited lifetime warranty

*Overhead Door Corporation uses a calculated door section R-value for our insulated doors.

Window styles

Arched windows are also available.

Plain Window Square
Plain Window Square
Plain Window Square
12 Window Square
24 Window Square
Plain Window Arched
Plain Window Arched
Plain Window Arched
12 Window Arched
12 Window Arched
24 Window Arched
24 Window Arched



6 Window Square 12 Window Square



32 Window Square



6 Window Arched 12 Window Arched

8 Window Square 16 Window Square



8 Window Arched 16 Window Arched

16 Window Arched 32 Window Arched

1 – Windows for single car doors.

2 – Windows for double car doors.

Option of single or double arch for double car doors.

Models are also available in solid arched top panels (no windows).

Courtyard Collection[®]

Custom steel garage doors

Our Courtyard Collection® doors give you the beauty of wood with the durability of steel.

Panel styles



Colors

Brown

Actual door colors may vary slightly from brochure photos due to fluctuations in printing process.



Hunter Green





Gray (160 Series only) Black (160 Series only)



Terra Bronze



Insulated windows are available.





Wyndbridge Arch



Foamed-in-place polyurethane insulation provides an R-value of up to 12.76 and U-factor up to 0.24.





In-between-section thermal seals With an air infiltration rating as low as .08 cfm, these seals help to provide superior resistance to the elements.



Weather resistant Wood grain textured trim boards are resistant to dents and the elements.

⁴ R-value: The higher the R-value, the greater the insulating properties.

⁵ U-factor: A tested value of actual energy loss of an installed door, wall, or window assembly.

	370 Series	160 Series
Wood grain trim	•	•
Color matched trim		•
Warranty	20-year limited	Limited lifetime
Polyurethane insulation	•	•
R-value⁴	9.3	12.76
U-factor⁵	0.24	0.24
Overlay thickness	3⁄8"	3⁄4"
Door thickness	1"	1 ¾"
Commercial track	optional	•
Residential track	•	
Ball bearing rollers with nylon wheels	•	•

Courtyard Collection[®]

WindStorm[™] wind load-rated series 5565

Beautiful carriage house designs and durable construction protecting your home from nature's fury.

Panel styles

Panels below shown in square top. Also available in arched top.



Colors

Actual door colors may vary slightly from brochure photos due to fluctuations in printing process.

Overlay texture options



Window styles

Contact your Overhead Door Distributor to determine window availability and your local building official for code requirements.

Non-impact windows

Clear Long	
Stockton A	rch
Impact wi	indows
Impact wi	indows
Clear Long	

Stockton Arch Impact

Stockbridge	
Somerton	
Stockbridge I	

Somerton Impact

Stockton	





Wyndbridge Impact



Stringently tested to meet wind load requirements

Available with impact rated options

Reinforced hardware throughout the door

Designed to meet local building codes – when ordered with proper wind load options – including Miami-Dade County

Foamed-in-place polyurethane insulation – with an R-value of 12.12* can improve the thermal efficiency of your garage space, reduce street noise and make the door operate more quietly.

Durable overlays are specially treated to resist termites, weather and fungal decay.

Joint seals – snug-fitting tongue-and-groove section joints reduces wind and weather from entering the garage.

* R-value: The higher the R-value, the greater the insulating properties.

For specific wind load information please see page 28.

	7565 Series
Wood grain trim	•
Polyurethane insulation	•
R-value⁴	12.12
Overlay thickness	3⁄8"
Door thickness	1 3⁄8″
Commercial track	Optional
Residential track	•
Ball bearing rollers with nylon wheels	•
Warranty	Limited lifetime

7565 Series



Up to a limited lifetime warranty

Thermacore[®] Collection

Premium insulated garage doors

For premium construction and maximum thermal efficiency, Thermacore® Collection insulated steel doors are the ideal choice.

Panel styles

Our Thermacore® doors feature wood grain embossment to enhance the appearance of your door. Doors are available in 7' or 8' height.

Models 297, 194, 494 Standard (S)

295, 198, 496 Long (L)



192 V10





Colors

Colors may vary slightly from these shown and may not be available on all models. To custom paint your door, see painting instructions in the owner's manual.

Standard painted finishes

White	Almond	Desert Tan	Sandstone	Terra
				Bronze*
Brown**	Hunter Green*	Gray*	Black*	
Optional te	xtured wood	grain finishes		
			*Available in 190 ** Available in 190 *** Available in 194, 199 Models only	and 490 Series only. 198 and
Golden Oak***	Walnut***	Mission Oak*	**	

Window styles

For the full selection of windows for Thermacore® Collection doors please see page 31.



Thermacore[®] construction

Provides a continuous layer of foamed-in-place, CFC-free polyurethane insulation sandwiched between two layers of corrosion-resistant steel, for maximum thermal efficiency.



In-between section thermal seals

With an air infiltration rating of up to 0.08 cfm, these seals help to provide superior resistance to the elements.



Durable finish Hot-dipped galvanized steel with two coats of baked-on polyester paint.



Bulb-type bottom weatherseal Guards against wind and rain while providing a cushion when closing.

Series	Thickness	Polyurethane insulation	R- value³	U-factor ⁴	Steel backing⁵	Warranty
290	1″	•	9.31	0.24	•	20-year limited
190	1 3/8″	•	12.76	0.24	•	Limited lifetime
490	2″	•	17.5	0.16	•	Limited lifetime

³ R-value: The higher the R-value, the greater the insulating properties.

⁴ U-factor: A tested value of actual energy loss of an installed door, wall, or window assembly.

⁵ Backing: Steel – Interior-side steel backing for strength and finished appearance.



Up to a limited lifetime warranty

Thermacore[®] Collection

WindStorm[™] wind load-rated series 5745-5765

Premium insulated garage doors for protection against hurricanes, high wind damage, pressure changes and wind-borne debris.

Panel styles

Our Thermacore[®] doors feature wood grain embossment to enhance the appearance of your door. Doors are available in 7' or 8' height.

Models 901, 906

Standard (S)

\Box	
\Box	
\Box	

902, 907 Long (L)



904 V10	





Colors

Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your Overhead Door Distributor for accurate color matching.

Standard painted finishes







Taupe



Brown

Black (5745 Series only)

Optional textured wood grain finishes (903 and 904 models only)



Walnut

Almond



Mission Oak

Window styles

For the full selection of windows please see page 32.

5745 Series (Impact glazing available).

For V5 Panels with windows a full row of windows are required. For Standard , V5, Long Panels with windows a full row of impact windows are required.

5765 Series (Impact glazing not available).

For V5 Panels with windows a full row of windows are required.



Stringently tested to meet wind load requirements

Impact resistant

Reinforced hardware throughout the door

Designed to meet local building codes – when ordered with proper wind load options – including Miami-Dade County.

Thermacore® construction – a continuous layer of foamed-in-place, CFC-free polyurethane insulation between two layers of corrosion-resistant steel.

In-between section thermal seals – snug-fitting tongueand-groove section joints reduces wind and weather from entering the garage.

Heavy gauge steel end caps for better appearance, improved strength and to protect the insulation from damage.

Bulb-type bottom weatherseal guards against wind and rain while providing a cushion when closing.

For specific wind load information please see page 28.

Models	Series	Thickness	Polyurethane insulation	R- value*	Steel backing**	Warranty
901 905	5745	1 ³⁄8"	•	12.12	•	Limited lifetime
906 909	5765	1 7⁄8"	•	16.22	•	Limited lifetime

* R-value: Overhead Door Corporation uses a calculated door section R-value for our insulated doors. The higher the R-value, the greater the insulating properties.

** Backing: Steel – Interior-side steel backing for strength and finished appearance.



Up to a limited lifetime warranty

Durafirm Collection[™]

Rugged garage doors

With their rugged, thick vinyl skin, Durafirm Collection® 870 Series doors provide incredible strength and durability.

Panel styles

Doors are available in 7' or 8' height. Shown in 7'.

Model 870 Standard (S)

Model 872 V5 (V)



Colors

Doors are available in four standard colors.









Glacier White

Cape Cod Gray

Monterey Sand

Adobe Cream

Window styles

Insulated windows are available.



Sunburst 8





Clear Double Strength (DSB)



Obscure



Satin Etched



Bonded steel, polyurethane and vinyl

They provide incredible strength, impressive sound absorption and energy efficiency with an R-value* of up to 11.75.

Deep raised panels

Rich wood grain texture for the timeless look of freshly painted hardwood. Available in standard panel style only.

Through-and-through color PVC construction

The color goes all the way through the exterior vinyl skin so scratches are minimized.

UV-resistant resin

Contains special polymers that protect your door from the sun's harmful ultraviolet rays.

Twin structural struts

22-gauge steel C-channels run the full length of each panel and are anchored to interior steel stiles for strength.

*Overhead Door Corporation uses a calculated door section R-value for our insulated doors.



Traditional Steel Collection

Essential garage doors

Our Traditional Steel Collection garage doors offer three model options to choose from, each uniquely designed to provide lasting performance and durability.

Panel styles

Our Traditional Steel Collection doors feature a simulated wood grain embossment to enhance the appearance of your door. Choose from standard, long or V5 panel

Models 170/173/180/183 Standard (S)

Model 391

Standard (S)

Models 171/174/181/184 Long (L)

	Ц
	Ц
	Ц
	Ц

Model 399 Long (L)

	Ц
	Ц
	Ц

Models 175/176/185/186 V5 (V)*

*Uses Standard panel (SP) windows.

Colors

All doors are available in the colors shown or can be painted to match your home's décor.**











**Colors may vary slightly from these shown and may not be available on all individual models. See painting instructions for details.

†Called sandstone on Models 391 and 399.

Window styles

For the full selection of windows for Traditional Steel doors please see page 33.

Glass types



Clear



Obscure

Clear glass is standard.

Optional glass include:

- Solar Bronze (model 391)
- High velocity glass (170/180 Series and model 391)
- Insulated glass (model 391)
- Obscure glass



Embossed wood grain texture Adds beauty, sophistication and durability.

Reinforced door construction

For maximum strength, durability and minimal weight.





Durable finish Hot-dipped galvanized steel with two coats of baked-on polyester paint.



Bulb-type bottom weatherseal Guards against wind and rain while providing a cushion when closing.

Models	Thickness	Polystyrene insulation⁴	R-value⁵	Heavy- duty steel ⁶	Backing ⁷	Warranty
170 S 171 L 175 V	2″					15-year limited
173 S 174 L 176 V	2″			•		Limited lifetime
180 S 181 L 185 V	2″	•	7.4		Vinyl	20-year limited
183 S 184 L 186 V	2″	•	7.4	•	Vinyl	Limited lifetime
391 S 399 L	2″	•	9.8		Steel	Limited lifetime

S - Standard panel, L - Long panel, V - V5 panel

⁴ Polystyrene insulation: Refers to insulation for improved energy efficiency and sound reduction.

⁵ R-value: The higher the R-value, the greater the insulating properties.

⁶ Heavy-duty steel: A thicker, more durable and dent-resistant option, designed to withstand additional knocks and bumps from outdoor activity.

⁷ Backing: Vinyl – For a clean, more finished look and added sound absorption. Steel – Interior-side steel backing for strength and finished appearance.

WindStorm™

Wind load-rated system for garage doors

Reliable protection against high winds and wind-borne debris

As the largest point of entry, your garage door offers the largest opportunity for high-pressure destruction. That's why when high winds hit, a reinforced garage door is one of your home's – and your family's – most important safeguards against nature's fury. Only WindStorm[™] rated doors from Overhead Door not only provide reliable protection against high wind damage, but also deliver door products that feature fine craftsmanship, trouble-free performance, lasting durability and eyecatching curb appeal.



	Traditional Steel Collection		acore® ection WindStorm
	Appr	oval ag	encies
International Building Code (IBC) & International Residential Code (IRC)	•	•	•
Florida Building Code (FBC)	•	•	•
Florida Building Code (FBC) — Impact Rated	•	•	•
Texas Department of Insurance (TDI)	•		•
Texas Department of Insurance (TDI) — Impact Rated	•		•
Miami-Dade County	•		•



Designed for strength and stability

- Stringently tested to meet wind load requirements*
- Optional impact rating on select door models
- Reinforced hardware throughout door
- Additional horizontal bracing for further reinforcement
- Optional impact rated glass for additional safety and protection
- Insulated door system designs provide energy efficiencies
- Various door system designs to meet door size requirements, wind zone, exposure categories as well as aesthetics

*Refer to wind load design standards chart below for door model and applicable code requirements. Wind load and impact resistance requirements vary by region. Please contact your local Overhead Door Distributor for more information.

Cour Colle Regular	r tyard ection® WindStorm	Carriage House Collection	Durafirm Collection®	Impression Collection®	Modern Aluminum Collection	Signature® Carriage Collection	
/ buil	/ building codes						
•	•	•	•	•	•	•	
•	•	•	•	•	•		
•	•						
	•	•		•			
	•						
	•						

Signature Carriage[®] Wood



12A- Six over Six Pane Arched Top 12A- Six over Six Pane Arched Top

Double door - double arched windows are available on some models. Not all window options available for all models. Consult your Overhead Door Distributor for additional options that may be available.

Thermacore[©] Collection

Available on Standard, Flush and V5 panels

Clear Short	Ashton 1	Cascade 1
Cathedral 1	Madison 1	Ruston 1
~~~		
Sherwood 1	Stockford 1	Stockton 1
	- 1 2 1	
Waterton 1	Williamsburg 4	Winston 1
Williamsburg 8	23 L	
Carriage style window	<b>/ trim</b> available on mod	els 194 and 195 only
Stockbridge	Stockton	Stockton Arch
Somerton	Wyndbridge Arch	
Somerton	Wyhabhage / treff	
	ush, V5 and V10 panels	
	, ,	
	, ,	Cascade 2
Available on Long, Flu	ush, V5 and V10 panels	
Available on Long, Flu	ush, V5 and V10 panels	
Available on Long, Flu Clear Long	Ashton 2	Cascade 2
Available on Long, Flu Clear Long	Ashton 2	Cascade 2
Available on Long, Flu Clear Long Cathedral 2 Cathedral 2	Ashton 2	Cascade 2 Cascade 2 Sherwood 2
Available on Long, Flu Clear Long Cathedral 2 Cathedral 2 Somerton 2	Ashton 2	Cascade 2 Cascade 2 Sherwood 2
Available on Long, Flu Clear Long Cathedral 2 Somerton 2	Ashton 2 Ashton 2 Ashton 2 Stockbridge 2 3-Lite	Cascade 2 Sherwood 2 Stockbridge 2 4-Lite
Available on Long, Flu Clear Long Cathedral 2 Somerton 2	Ashton 2 Ashton 2 Autor 2 A	Cascade 2 Sherwood 2 Stockbridge 2 4-Lite
Available on Long, Flu Clear Long Clear Long Cathedral 2 Somerton 2 Stockford 2	Ashton 2 Ashton 2 Auston 2 Stockbridge 2 3-Lite Stockton 2 4-Lite	Cascade 2
Available on Long, Flu Clear Long Clear Long Cathedral 2 Cathedral 2 Somerton 2 Stockford 2 Stockton 2 8-Lite	Ashton 2 Ashton 2 Auston 2 Stockbridge 2 3-Lite Stockton 2 4-Lite	Cascade 2
Available on Long, Flu Clear Long Cathedral 2 Cathedral 2 Somerton 2 Stockford 2 Stockton 2 8-Lite	Ashton 2 Ashton	Cascade 2

Williamsburg 2 (4 pc)

Insulated obscure glass available on 190 and 490 Series.

# Thermacore[©] 5745 & 5765 Series

A 命

> 1 1

**A A** 

A 14

Sherwood 1

Stockbridge*

Cascade 1

#### Available on Standard and Flush panels



Arched Stockton*

#### Available on V5 panels







**Also available on Flush panel.

Waterton 1

Waterton 3** Choice of single or double arch is available for arched top double car windows.

 $\sim \sim \sim$ 

#### Available on V10 panels



#### Available on Long panels







Williamsburg 2

# **Traditional Steel Collection**

#### Available on Standard panel and V5 panel



Winston 1

#### Available on Long panel

Long panel window option and trim not available on Model 391.

Clear Long*	Ashton 2*	Cascade 2
Cathedral 2	Madison 2 170/180 Series only	Prairie 2
Ruston 2	Sherwood 2	Somerton 2*
Stockbridge 2 (3-Lite)	Stockford 2*	Stockton 2 (8-Lite Arch)*
Stockton 2 (4-Lite)	Stockton 2 (10-Lite)	Stockton 2 (12-Lite)
170/180 Series only	170/180 Series only	Model 399 only
Waterton 2	Williamsburg 2 (2 piece)	Wyndbridge 2*

Williamsburg 2 (4 piece)

*Limited availability depending on door size.

# Hardware

Accents for style

# **Decorative hardware**

Further individualize your garage door with our distinctive decorative exterior handles and hinges. Available as optional accessories on our door collections. Not all hardware will fit all door sizes. Consult your local distributor for more information.

# **Premium Collection**









Iron Studs 410094-0004



Bean Design Handle 410094-0009



Large Hammered Iron Handle 410094-0005

# Value Collection

Traditional Hammertone Hinge

410094-0001

Spear Hinge (16" and 18" available) 16"-410094-0015/18"-410094-0016

Bean Hinge (16" only) 410094-0014



Small Spear Handle 410094-0013



Large Bean Handle 410094-0011



Large Spear Handle 410094-0012

# **Openers**

## Designed for performance













#### Destiny[®] 1500 screw drive

- The ultimate in power, speed and convenience 1¼ HPc**** motor operates almost any garage door guickly and smoothly
- Opening speed of 12 inches per second
- Door Detect[™] monitoring system improves overall safety
- Motion detection activates lights
- Soft start and soft stop for less wear and tear on door system

# Odyssey[®] 1200 screw drive

- More power, speed and convenience 1 HPc*** motor operates almost and garage door quickly and smoothly
- Opening speed of 10 inches per second
- Door Detect[™] monitoring system improves overall safety
- Motion detection activates lights
- Soft start and soft stop for less wear and tear on door system

# Destiny[®] 1200 belt or chain drive

Power, speed and convenience

- 1 HPc*** motor operates almost any garage door quickly and smoothly
- Opening speed of 9 inches per second
- Door Detect[™] monitoring system improves overall safety
- Motion detection activates lights
- Soft start and soft stop for less wear and tear on door system

#### Odyssey® 1000 belt or chain drive Power and speed

- 3/4 HPc** motor operates almost any garage door quickly and smoothly
- Opening speed of 7.5 inches per second
- Door Detect[™] monitoring system improves overall safety
- Soft start and soft stop for less wear and tear on door system

#### Legacy[®] 850 belt or chain

- Durable performance, quiet and flexibility
- 1/2 HPc⁺⁺ Power Plus motor
- DC motor for quiet operation •
- Belt or chain drive

#### Standard Drive[®] 650 belt or chain

Durable performance, quiet and flexibility 1/2 HPc[†] motor

- DC motor and C-channel rail for quiet operation
- Belt or chain drive

 ^{1/2} Horsepower comparable (HPc) designates that this garage door opener meets Overhead Door's lifting force specifications for 1/2 horsepower garage door openers.
 1/2 Horsepower comparable (HPc) OverPlus designates that this garage door opener exceeds Overhead Door's lifting force specifications for 1/2 horsepower garage door openers
 4 Horsepower comparable (HPc) designates that this garage door openers.
 1/2 Horsepower comparable (HPC) designates that this garage door openers.
 1/2 Horsepower comparable (HPC) designates that this garage door opener meets Overhead Door's lifting force specifications for 4 HP garage door openers.
 1/2 Horsepower comparable (HPC) designates that this garage door openers.
 1/2 Horsepower comparable (HPC) designates that this garage door openers.
 1/2 Horsepower comparable (HPC) designates that this garage door openers.
 1/2 Horsepower comparable (HPC) designates that this garage door openers.
 1/2 Horsepower comparable (HPC) designates that this garage door openers.
 1/2 Horsepower comparable (HPC) designates that this garage door openers.
 1/2 Horsepower comparable (HPC) designates that this garage door openers.
 1/2 Horsepower comparable (HPC) designates that this garage door openers.

# Nationwide distributor network



Transform Your Home with the DoorView[®] visualization tool.



Go to **overheaddoor.com** to try our on-line interactive software tool that lets you visualize what your home would look like with a garage door from Overhead Door. Contact your local Overhead Door Distributor for more information and to receive a quote.

# 🏏 🖪 🛄 🚻 👰

# The Genuine. The Original.



2501 S. State Hwy. 121 Bus., Suite 200, Lewisville, TX 75067 1-800-929-DOOR • sales@overheaddoor.com www.OverheadDoor.com

©2016 Overhead Door Corporation. Overhead Door and the Ribbon logo are registered trademarks of Overhead Door Corporation. All other trademarks are the property of their rightful owners. Consistent with our policy of continuing product improvements, we reserve the right to change product specification without notice or obligations. R900-231 15M 11/15 JAR

#### SOLD AND DISTRIBUTED BY: