FACILITY RECREATION SAFE WORK PLAYBOOK

The Mountain Rec Safe Work Playbook aligns with the Centers for Disease Control (CDC) and World Health Organization (WHO) recommendations to the greatest extent possible.

The Safe Work Playbook provides general recommendations for use in facilities. All facilities must comply with all applicable laws meaning that if there is a conflict between the recommendations in the Safe Work Playbook and the applicable law, the facility must follow the applicable law.

| No | Торіс | Task(s) |
|----|--|---|
| 1 | Preventative Material Inventory | Confirm operation has an adequate supply of soap, disinfectant, hand sanitizer, paper towels and tissues Confirm stock of face masks, face shields, gloves, and glasses on site and on order with lead time. |
| 2 | Personal Protective Equipment | Review and understand protocol |
| 3 | Disinfection Measures | Disinfect facilities prior to anyone returning to work Implement the Disinfection Measures |
| 4 | Packages | Manage incoming supplies in accordance with the company's playbook standards |
| 5 | Transportation | Ensure district vehicles are sanitized before and after use. |
| 6 | Social Distancing Protocol | Review and understand protocol Complete and continue to adhere to the Social Distancing check-list |
| 7 | On-Site Health Screening | Ensure protocol for pre-shift screening All employees must self-screen their symptoms prior to entering the facility. |
| 8 | Daily Self-Screening Protocol | Daily Self-Screening protocol is distributed to all employees for voluntary, home self-screening HR team prepared to receive inquiries or reports of symptomatic employees prior to shift |
| 9 | Self-Quarantining and Return to Work Protocol | Review and understand protocol |
| 10 | Isolation Protocol | Review and understand protocol Protocol in place to isolate employees if symptomatic on site Print out forms and protocol to be available as needed |
| 11 | Business Social Distancing Protocol | Review and understand protocolPrint and post protocol at Facilities |

PREVENTIVE MATERIAL INVENTORY



<u>Tasks</u>

- Confirm facilities has an adequate supply of soap, disinfectant, hand sanitizer, paper towels and tissues
- Confirm stock of face masks, face shields, gloves, and glasses on site and on order with lead time.

Disinfectant Supplies:

- Confirm facility has an adequate supply of soap, disinfection spray, hand gel and paper towels and tissues
- Facilities should keep a minimum quantity of 30-day supply

PPE:

- Confirm stock of face masks, gloves, and glasses on site and on order with lead time.
- Facilities should keep a minimum quantity of 60-day supply.
- All employees are required to wear masks.

| No | Item | Image | Spec | Quantity |
|----|--------------------------------|--------------|---|----------------------|
| 1 | Mask | | Disposable masks (1-day) | Min 60 Day Supply |
| 2 | Nitrile Gloves | W-W- | Surgical Nitrile Glove | Min 60 Day Supply |
| 3 | Disinfectant | | Hospital-grade disinfectant | Min 60 Day Supply |
| 4 | Spray Bottles | 2 | 1 liter plastic spray containers | Min 5 Bottles |
| 5 | Hand Sanitizer (Refills) | 2 | Sanitizer with Alcohol 70% / Local Brand "Sanitizer" | Min 60 Day Supply |
| 6 | Hand Soap | | Hand soap | Min 60 Day Supply |
| 7 | Paper Towels | | Paper Towels | Min 60 Day Supply |
| 8 | Glasses & Plexiglass | \mathbf{i} | Safety glasses and plexiglass | Min 60 Day Supply |

PERSONAL PROTECTIVE EQUIPMENT (PPE)



• Review and understand protocol for PPE

About:

To protect our employees, we follow the top 3 protective measures as recommended by the CDC and WHO.

- 1. Personal hygiene
- 2. Social distancing
- 3. Frequent disinfection of common surfaces

Facility Supervisors and Superintendents are responsible for ensuring there are enough supplies.

| Pers | onal Protective Equipment Protocol |
|--------|--|
| Masks | Face masks are required PPE for all employees within the facilities. You could spread COVID-19 to others even if you do not feel sick. Every employee should wear a cloth face cover when at work. (You are welcome to bring your own mask or use a mask provided by the district.) The cloth face cover is meant to protect other people in case you are infected. Continue to keep 6 feet between yourself and others. The cloth face cover is not a substitute for social distancing. |
| Gloves | Our top priority is protecting our people. Based on CDC findings, our company does not require or recommend that our employees wear gloves except for: Front Desk Attendants Housekeeping Note: Gloves, actually put employees at higher risk. They are not recommended for general protective use for the following reasons: The COVID-19 virus does not harm your hands, so gloves provide no protection, and touching your face with contaminated hands, whether gloved or not, poses a significant risk of infection. Gloves often create a false sense of security for the individuals wearing them; people are more likely to touch contaminated surfaces because they feel they are protected from the virus because of the gloves when in reality, they are not. When wearing gloves, people are less inclined to wash their hands; this is counterproductive and puts others at higher risk; we want people to wash their hands because it is the number-one defense against any virus. Proper removal of gloves takes training; if contaminated gloves are not removed properly, our employees are exposed to greater risk. |

DISINFECTION MEASURES



- Disinfect facilities prior to anyone returning to work.
- Implement the Disinfection Measures (protocol on this page); the cleaning steps outlined should be taken routinely, based on frequency mentioned to disinfect workplace surfaces, chairs, tables, etc. and protect employees.

The goal is to establish a sanitary baseline before the facility opens and to ensure employees feel safe.

Employees should sanitize and disinfect all areas of the facility with special attention to:

- Workstations and equipment
- Tables
- Chairs
- Restrooms
- Doors & Door Handles

- Break RoomLockers
- Common surface areas
- Computer screens and keyboards



Disinfection Measures Protocol

Disinfection Measures:

- This checklist should be implemented in facilities to reduce the risk of spread of infection
- Employees are not to perform disinfection unless trained on the specific chemicals used and provided appropriate PPE; employees will be provided specific instructions regarding disinfection processes they are allowed to perform, and how to safely use the chemical(s) selected for this use
- The cleaning steps outlined below should be taken routinely, based on frequency mentioned to disinfect workplace surfaces, chairs, tables, etc. and protect employees
- Along with these workplace disinfection activities, proper personal sanitary practices including washing hands after bathroom use are also necessary

| # | Area | Disinfection Content | Disinfectant | Disinfection Method | Frequency |
|---|--|---|--------------------------------|---|---|
| 1 | Offices, Desk and Birthday Party rooms | Table and chair surfaces | Hospital grade disinfectant | Spray with hand held sprayer or wipe | After each program and end of day |
| 2 | General objects often used or touched | Doors and windows, handles, faucets, sinks, and bathrooms | Hospital grade disinfectant | Spray with hand held sprayer or wipe | At least four times per day |
| 4 | Transport vehicles | Common surfaces (e.g. seat surfaces rails, belts, door and window controls) | Hospital grade disinfectant | Spray with sprayer | Before and after each use |
| 5 | All floors and walls | All general floors and walls at site | Hospital grade disinfectant | Мор | Daily |

PACKAGES



<u>Tasks</u>

• Manage incoming supplies in accordance with company playbook standards



Management of Inbound Parts and Packages Protocol

The World Health Organization advises it is safe to receive packages from areas where COVID-19 has been reported, advising that,

"The likelihood of an infected person contaminating commercial goods is low, and the risk of catching the virus that causes COVID-19 from a package that has been moved, travelled, and exposed to different conditions and temperature is also low."

The virus does not survive for long on surfaces and the length of shipment time and other environmental factors should inactivate the virus.

If you receive an expedited package from an area where COVID-19 is present and are concerned about possible surface contamination, consider these steps:

- Wash your hands frequently with soap and water
- Use hand sanitizer when soap and water are not available
- Avoiding touching your face, eyes, nose or mouth.

TRANSPORTATION



<u>Tasks</u>

- Review Transportation Protocol
- Ensure District vehicles are sanitized before and after use.



Transportation Protocol

For the time being, please use your own personal vehicle for district travel. Do not transport others in your vehicle for work purposes. If you need to transport a passenger, please ensure they are 6-feet apart, the windows are open for ventilation and everyone is wearing a mask.

If use of a company vehicle is necessary, at a minimum, clean and disinfect commonly touched surfaces in the vehicle at the beginning and end of each shift and between transporting passengers. Ensure that cleaning and disinfection procedures are followed consistently and correctly, including the provision of adequate ventilation when chemicals are in use. Doors and windows should remain open when cleaning the vehicle. When cleaning and disinfecting, individuals should wear disposable gloves compatible with the products being used as well as any other PPE required according to the product manufacturer's instructions.

Gloves and any other disposable PPE used for cleaning and disinfecting the vehicle should be removed and disposed of after cleaning; wash hands immediately after removal of gloves and PPE with soap and water for at least 20 seconds, or use an alcohol-based hand sanitizer with at least 60% alcohol if soap and water are not available.

If you are using your personal vehicle for work purposes, please report your mileage to accounting for reimbursement. If you are scheduled to work at a facility, you will not be reimbursed for travel to and from work. Mileage will only be reimbursed should you need to perform duties outside of your scheduled shift.

SOCIAL DISTANCING PROTOCOL



<u>Tasks</u>

- Review and understand the Social Distancing Protocol
- Complete and continue to adhere to the Social Distancing check-list



Social Distancing Protocol

Social distancing is a simple yet very effective mechanism to prevent potential infection, that relies on simple distance to avoid infection.

In practice this means:

- Staying 6-feet away from others as a normal practice
- Eliminating contact with others, such as handshakes or embracing coworkers, visitors, or friends
- Avoiding touching surfaces touched by others to the extent feasible
- Avoiding anyone that appears to be sick, or is coughing or sneezing

Note: The company does not allow any meeting of greater than 10 persons to occur until further notice, even when the meeting area is large enough to accommodate appropriate social distancing.

1. Meetings

- Avoid meeting people face-to-face. Employees are encouraged to use the telephone, online conferencing, e-mail or instant messaging to conduct business as much as possible, even when participants are in the same building.
- If a face-to-face meeting is unavoidable, minimize the meeting time, go outside or choose a large meeting room and sit at least 6 feet away from each other if possible; avoid person-to-person contact such as shaking hands.
- Avoid any unnecessary travel and cancel or postpone nonessential meetings, gatherings, workshops and training sessions.
- Do not congregate in work rooms, pantries, copier rooms or other areas where people socialize.
- Encourage members and others to request information and orders via phone and e-mail in order to minimize person-to-person contact. Have the orders, materials and information ready for fast pick-up or delivery.

2. Social Distancing during Breaks

Management of employee breaks to provide social spacing and proper hygiene is necessary. Start and end times should be staggered.

- Bring your lunch in a cooler and eat at your desk or away from others. Refrigerators will not be available for use.
- Break times Separate times by 10 minutes to have enough time to wipe tables, seats, all surfaces, refrigerator, vending machines and microwave ovens after each use.

3. Bathroom usage during the work day and at break times

Adhere to minimum cleaning intervals as specified in this protocol to ensure clean environment at all times and ensure social distancing is maintained

Recommended

- Establish maximum capacity for the facility that allows for social distancing
- Visibly mark non-use urinal and sink stations so that the distance between usable urinal and sink stations is at least 6 feet.
- Post the maximum capacity
- Cleanliness & Sanitation

4. Social Distancing in Common Areas

Guideline

• Ensure social distancing is maintained and avoid non-essential gatherings

Recommended

- Social distancing is a simple yet very effective mechanism to prevent potential infection, that relies on simple distance to avoid infection. In practice this means:
 - Staying a minimum of 6 feet from others as a normal practice.
 - Eliminating contact with others, such as handshakes or embracing coworkers, visitors, or friends
 - Avoiding touching surfaces touched by others to the extent feasible
 - Avoiding anyone that appears to be sick, or is coughing or sneezing

5. Social Distancing in Offices

Guideline

- Telecommuting should be continued whenever possible for staff.
- Office work should be organized to ensure social distancing to keep separation of employees of 6 feet.
- Avoid shared office spaces. We must avoid our shared offices. If you need to go into the office, please talk with your office mates to create a schedule to avoid sharing the space.

Recommended

- Arrange meetings to help reduce the number of people in a room at any given point in time.
- Interaction to exchange information or quick meetings should respect the Social Distancing of at least 6 feet.
- Self-cleaning of the workspace is encouraged multiple times during a shift with special attention
 of the most used surfaces such keyboards, monitors, arm rests, desks, counter tops, phones,
 pens, etc.

6. Use of Tools and Work Orders

Guideline

- Staff should contact Maintenance should something break or need to fixed.
- All maintenance will have a dedicated set of tools that are assigned to them as to not cross contaminate. All tools will be disinfected at the end of the day.

Recommended

• Staff should not take or use any tools and should reach out to Maintenance staff for direction.

ON-SITE HEALTH SCREENING



- Ensure protocol for pre-shift screening
- All employees must self-screen their symptoms prior to entering the facility.

Overview of Health Screening Procedure

- 1. Observation for overt symptoms
- 2. Verbal/Non-Verbal Confirmation of daily self-screening

Details

- This is a pre-shift screening only; screening does not need to be completed between shift beginning to end.
- Reference the <u>Self-Quarantine and Return to Work Protocol</u> for employees that are confirmed positive for COVID-19 by a medical professional.



Preventing the Spread of Infection in the Workplace

Mountain Recreation will ensure a clean workplace, including the regular cleaning of objects and areas that are frequently used, such as common areas, front desks, bathrooms, breakrooms, conference rooms, door handles and railings.

We ask all employees to cooperate in taking steps to reduce the transmission of infectious disease in the workplace. The best strategy remains the most obvious—frequent hand washing with warm, soapy water; covering your mouth whenever you sneeze or cough; and discarding used tissues in wastebaskets. We will also provide alcohol-based hand sanitizers throughout the workplace and in common areas.

Unless otherwise notified, our normal attendance and leave policies will remain in place. Individuals who do not feel comfortable coming to work, please contact your supervisor.

DAILY SELF-SCREENING PROTOCOL



<u>Tasks</u>

- Daily Self-Screening protocol is distributed to all employees for voluntary, home self-screening
- HR is prepared to receive inquiries or reports of symptomatic employees

The Daily Self-Screening Protocol is in place to try and prevent sick or symptomatic employees from leaving their homes and increasing the likelihood of spreading the infection.

- If the employee does not recognize symptoms in their Daily Self-Screening and
 - If the employee is deemed symptomatic upon reporting to work, reference the <u>On-Site</u> <u>Health Screening Protocol.</u>
 - If the employee is deemed symptomatic during their shift or after they have spent any time in the facility (after the On-Site Health Screening), reference the <u>Isolation Protocol.</u>
- Reference the <u>Self-Quarantine and Return to Work Protocol</u> for employees that are confirmed positive or presumed positive for COVID-19 by a medical professional.



Daily Self-Screening Protocol

The following self-screening protocol must be distributed to all employees for voluntary, home self-screening:

The District is concerned for your safety and the safety of your co-workers. We are monitoring the development of Coronavirus. In the interest of ensuring a safe and healthy work environment, we recommend that you voluntary monitor your health status by carefully completing this self-assessment each day before coming to work.

Survey to be completed daily by active employees before coming to work:

1. Have you had physical exposure to a person suffering from Coronavirus symptoms as noted below.

If you answered Yes, please contact Human Resources prior to coming to work so that a determination can be made whether you should remain offsite from the facility for 14 days following the last potential exposure to the COVID-19.

2. If you have been asked to perform daily checks due to COVID-19 becoming more prevalent in your area, or believe you have been exposed to COVID-19: Do one or more of the following common COVID-19 symptoms below currently apply to you?

- Fever
- Cough

•

• Shortness of breath or difficulty breathing

Repeated shaking with chills

- Muscle PainHeadache
- Gera throat
- Sore throat
- New loss of taste or smell

If the answer to question 2 is **YES**, <u>you may have symptoms of COVID-19</u>. We ask you to please contact your Human Resources, seek medical attention, be tested within 48 hours of symptoms, and remain off company property for 14 days following cessation of symptoms. Please keep in continuous contact with HR.

If the answer to all the above questions is NO:

Please adhere to local HR guidance regarding your work schedule and any special precautions to be taken.

ISOLATION PROTOCOL



<u>Tasks</u>

- Review and understand protocol
- Protocol in place to isolate employees if symptomatic on site
- Print out forms and protocol to be available as needed



Isolation Protocol

Isolation Protocol for employees who become ill at work:

Many times, with the best of intentions, employees report to work even though they feel ill. We provide paid sick time and other benefits to compensate all employees who are unable to work due to pandemic illness. Please see human resources to ask about paid sick time.

During an infectious disease outbreak, it is critical that employees do not report to work while they are ill and/or experiencing the following symptoms: Fever, cough, sore throat, runny or stuffy nose, body aches, headache, chills, repeated shaking with chills, muscle pain, new loss of taste or smell and fatigue. Currently, the Centers for Disease Control and Prevention recommends that people with an infectious illness such as the flu remain at home until at least 72 hours after they are free of fever (100 degrees F or 37.8 degrees C) or signs of a fever without the use of fever-reducing medications.

If staff develop a fever, cough, or shortness of breath while at work, have them immediately put on a face mask (if available), isolate them, and have them return home from the facility as soon as possible.

Please see human resources for other symptoms of other communicable diseases.

Employees who report to work ill will be sent home in accordance with these health guidelines.

| Name: | Date: |
|---|--|
| Job title: | Facility: |
| Location of Isolation: | _ |
| Symptoms noticed: Fever Cough Shortness of breath or difficulty breat | Muscle Pain Headache Sore throat |
| Repeated shaking with chills Time of fever on-set: Time of isol Symptoms and isolation periods will be update | New loss of taste or smell ation: d periodically as information becomes available |
| | New loss of taste or smell ation: d periodically as information becomes availabrain. |
| Repeated shaking with chills Time of fever on-set: Time of isol Symptoms and isolation periods will be update following the emergence of a pandemic virus s Where referred to: Notes: | New loss of taste or smell ation: d periodically as information becomes availabrain. |
| Repeated shaking with chills Time of fever on-set: Time of isol Symptoms and isolation periods will be update following the emergence of a pandemic virus s Where referred to: Notes: | New loss of taste or smell ation: d periodically as information becomes availabrain |
| Repeated shaking with chills Time of fever on-set: Time of isol Symptoms and isolation periods will be update following the emergence of a pandemic virus s Where referred to: Notes: | New loss of taste or smell ation: d periodically as information becomes availabrain |

SELF-QUARANTINING AND RETURN TO WORK PROTOCOL



<u>Tasks</u>

Review and understand protocol



Guidance for Self-Quarantining and Return to Work: COVID-19

Employees are requested to remain off the property for 14 days if COVID-19 symptoms are present (see the COVID-19 Self-Screening Information), directly exposed to COVID-19 or if a test shows positive results. Employees should avoid leaving the home if possible. Work while at home is expected to continue where possible.

Additional Guidance

- Stay away from other people in your home as much as possible, staying in a separate room and using a separate bathroom if available.
- Call your medical provider if you need medical attention.
- Wear a face mask if you must be around other people, such as during a drive to the doctor's office.
- When you cough/sneeze: cover your mouth and nose with a tissue; immediately throw tissues in garbage; wash your hands with soap and water for at least 20 seconds.
- Avoid sharing household items, including drinking cups, eating utensils, towels or even bedding. Wash these items thoroughly after using.
- Clean high-touch surfaces daily using a household cleaner or wipe.
- Clean surfaces that may be contaminated with blood, stool or bodily fluids.
- Shared spaces in the home should have good airflow-use an air conditioner or open windows.
- Continue monitoring for any symptoms. If they worsen, such as you if you begin to have difficulty breathing, call your health care provider.

Returning to Work After Home Isolation

People with COVID-19 themselves, presumed or tested, or have been directly exposed to others with COVID-19 who have been under home isolation/quarantine can return to work under the following conditions, consistent with WHO/CDC guidelines:

If you will not have a test to determine if you are still contagious, you can leave home after these three things have happened:

- You have had no fever for at least 72 hours (that is three full days of no fever without the use medicine that reduces fevers) AND
- other symptoms have improved (for example, when your cough or shortness of breath have improved) AND
- at least 7 days have passed since your symptoms first appeared

If you will be tested to determine if you are still contagious, you can leave home after these three things have happened:

- You no longer have a fever (without the use medicine that reduces fevers) AND
- other symptoms have improved (for example, when your cough or shortness of breath have improved) AND you received two negative tests in a row, 24 hours apart. Your doctor will follow local health authority or CDC guidelines.

Please contact your Human Resources prior to returning to work to advise you have met one of the above criterion for your return, and to discuss documentation that may be required prior to return to company premises.

BUSINESS SOCIAL DISTANCING PROTOCOL



<u>Tasks</u>

- Review and understand protocol
- Print and post protocol at Facilities



Guidance for Eagle County Business Social Distancing Protocol

<u>Signage</u>

☑ Signs have been placed at each public entrance of the facility or work site to inform all employees and customers that they should: avoid entering the facility or location if they have a cough or fever; maintain a minimum six-foot distance from one another; sneeze and cough into a cloth or tissue or, if not available, into one's elbow; and not shake hands or engage in any unnecessary physical contact. [sign template here, also attached]

☑ A copy of this Social Distancing Protocol has been placed at each public entrance to the work site. <u>Measures To Protect Employee Health</u> (check all that apply to the facility or work site)

- \boxtimes Everyone who can carry out their work duties from home has been directed to do so.
- ☑ Individual discussions have taken place with employees about the fact that older adults and those with chronic medical conditions may be at higher risk for serious illness. Options have been explained to high risk employees, including ways to minimize face-to-face interactions, maintaining six feet of distance from other people, remote work if possible, and leave policies for employees who choose not to come to work.
- All employees have been told not to come to work if sick (including any of the following: headache, sore throat, fever, dry cough, recent inability to taste and smell, shortness of breath, ear aches, body aches, diarrhea, fatigue, vomiting, and abdominal pain).
- Symptom checks are being conducted before employees may enter the work site. [template attached]
- ☑ Copies of this Protocol have been distributed to all employees.
- \boxtimes Optional Describe other measures:

Staff will be required to wear masks. Gloves will be provided and used as appropriate. Individual workstations will be wiped down every hour by the employee. Individual work stations will not be shared, including offices.

Measures To Keep People At Least Six Feet Apart (check all that apply to the facility or work site)

- All employees have been instructed to maintain at least six feet of distance from customers and each other (employees may momentarily come closer when needed to accept payment, deliver goods or services, or when otherwise unavoidable).
- All desks, individual work stations, or work areas are separated by at least six feet.
- ☑ Tape or other markings have been placed at least six feet apart in customer line areas inside the store and on sidewalks to public entrances with signs directing customers to use the markings to maintain distance.
- I Order areas are separated from delivery areas to prevent customers from gathering.
- □ Optional Describe other measures:

Measures To Prevent Crowds From Gathering: (check all that apply to the facility or work site)

- \boxtimes The number of customers in the store at any one time is limited to <u>60</u>, which allows for customers and employees to easily maintain at least six-foot distance from one another at all practicable times.
- An employee is monitoring the door to ensure that the maximum number of customers in the facility set forth above is not exceeded.
- Optional—Describe other measures:

6 ft distancing markers will be placed at the entrance of the facility. Guests will enter and exit maintaining 6 ft distancing. Three distinct areas have been marked off on the fitness floor: Cardio area, free weight area, and selectorized area. Guests cannot co-mingle and must stay is their reserved area for the duration of their reservation. Child care will social distance in the community room and birthday party room.

Measures To Increase Sanitization (check all that apply to the facility or work site)

☑ Hand sanitizer, soap and water, or effective disinfectant is available to the public and employees at or near the entrance of the facility or work site, at checkout counters, workstations, and anywhere else where people have direct interactions. Location(s) include:

Sanitizer will be made available at the entrance and exit points.

Disinfecting wipes or spray that is effective against COVID-19 are available near workstations and all highcontact surfaces (including payment portals, carts, baskets, pens, shared tools, heavy equipment, etc.). Location(s) include:

Disinfecting spray will be used by staff only. Throughout the day, during the mid-day closure, and evening closure staff will disinfect the following touch point areas, but is not limited to: door knobs, hand railings, soap dispensers, hand dryers, additional bathroom receptacles, fitness equipment, light switches, window sills, counter tops, key boards, monitors, deposit bags, child care toys and games, athletic supplies, furniture, and other areas as necessary.

I Break rooms, bathrooms, and other common areas are being disinfected on the following schedule:

- \Box Break Rooms N/A staff will bring their own coolers as necessary
- During midday closure and evening closure / throughout the day
- General Other Fitness floor, community room and front desk area

☑ Optional — Describe other measures:

Restrooms will be sanitized on the hour, during the midday closure, and at the end of the night.

Measures To Prevent Unnecessary Contact (check all that apply to the facility or work site)

Contactless payment systems have been provided or, if not feasible, payment systems are sanitized regularly. Describe:

Staff will sanitize their work stations on the hour.

- □ Curb-side drop-off/pick-up of products is available.
- People are prevented from self-serving any items that are food-related (including bulk food, plates, cups, lids, etc.).
- Optional—Describe other measures (e.g. providing senior-only hours):Only 30 fitness guests will be allowed at a time in a one hour allocation.

Measures To Reduce Exposures in Employee Transportation (check all that apply to the facility or work site)

- \boxtimes Hand sanitizer is used by each passenger when entering the vehicle.
- ☑ The number of passengers has been reduced by 50% of the vehicle's occupancy, and passengers sit in locations to maximize the distance between one another.
- I Passengers will wear a non-medical, cloth face-covering when in a vehicle containing more than 1 person.
- ☑ Windows will remain open and ventilation is increased.
- All high-contact surfaces of the vehicle are disinfected at the end of each day.

This business is complying with Colorado and Eagle County Public Health Orders

Please observe the following rules:



Avoid this area if you have a cough or fever or are otherwise experiencing symptoms of the virus



Sneeze or cough into a tissue, or into your elbow; place used tissue in the trash



Maintain a minimum six-foot distance between you and others



Do not shake hands or engage in unnecessary physical contact with others

Thank you for respecting these rules to protect everyone's health.

Este negocio cumple con las órdenes de Salud Pública de Colorado y del condado de Eagle.

Por favor observe las siguientes reglas:



Evite esta área si tiene tos o fiebre o si experimenta síntomas del virus.



Estornude o tosa. en un pañuelo de papel o en el codo; coloque los pañuelos usados en la basura



Mantenga una distancia mínima de seis pies entre usted y otras personas.



No dé la mano a otros ni participe en contacto físico innecesario con otras personas

Gracias por respetar estas reglas para proteger la salud de todos.



www.eaglecounty.us/covid19 | CovidQuestions@eaglecounty.us 970-328-9750

Daily Symptom Check-In

If symptoms are reported, <u>please stay home</u>, isolate yourself from other family members, and call your medical provider

Employer Name:

Date:

| Name | Do you have any of the following symptoms today (y/n)? COVID-19 symptoms include Headache, sore throat, fever, dry cough, recent inability to taste or smell, shortness of breath, body aches, fatigue, diarrhea, vomiting, abdominal pain. |
|------|---|
| | |
| | |
| | |
| | |
| | |
| | |