

ORION® ARKOGRAF electrical pen

Engraving metal, steel and non-metal materials using oscillating electrode

Application:

No. 78010: For marking metal and steel with oscillating electrode.

No. 78025: For marking metal, steel and non-metallic materials with oscillating electrode.

Execution:

- Frequency 50-60 Hz
- Not suitable for anodised parts
- Suitable for thicker writing
- For 6 writing widths
- Operates with an oscillating electrode according to the electric arc short circuit principle

- Consisting of special transformer for 1-8 V secondary voltage, with on/off switch, indicator lamp, approx. 1 m connection cable with Schuko plug, writing pencil, 3 electrodes each for 1.2 x 25 mm and 1.5 x 25 mm, for steel and metals, baseplate and wooden box.
- Surface must be grease free, without rust, scale or other contamination!

Advantage:

- No. 78025:** With intensity controller, branding pencil and 3 electrodes (hot loops)



Suitable for		Steel Metal	Steel Metal Nonferrous
Power input (W)		50	50
78010...	Ident. No.	010	-
78025...	Ident. No.	-	010

Prod. Gr. 794

Accessories for		78010 010	78025 010
78025... Writing pencil For steel and metals	Ident. No.	100	100
78025... Electrodes For steel and metals 1.2 x 25 mm	Ident. No.	112	112
	Price/pack, €	99.50	99.50
78025... Electrodes For steel and metals 1.5 x 25 mm	Ident. No.	122	122
	Price/pack, €	110.00	110.00
78025... Branding pencil For non-metallic materials	Ident. No.	-	200
78025... Electrodes (hot loops) For non-metallic materials	Ident. No.	-	211

Rotoscriber labeller

Transformer-operated

Application:

For varied labelling tasks, such as labelling metal, plastic, glass, object carriers and much more.

Execution:

- Automatic adjustment as soon as it is brought into the writing position
- Shuts down when released from hand
- No tools necessary to replace the rotating writing tips
- To change tools, the worn-out tip is pulled out and the new one is attached with slight pressure

Delivery:

With transformer and writing tip for metal

Technical data:

- Operating voltage: 12 V/AC
- Current consumption: 400 mA
- Max. idle speed: 20000 U/min(rpm)
- Material of the housing: Aluminium
- Surface: Anodised
- Length: 125 mm
- Diameter of housing: 20 mm
- Weight: 0.07 kg



78035...	Ident. No.	010
-----------------	------------	------------

Prod. Gr. 780

Accessories for		78035 010
78035... Replacement writing tips For metal	Ident. No.	030
78035... Replacement writing tips For glass and similar hard materials	Ident. No.	040

VIBROSCRIPT engraving device

Suitable for nearly all surfaces

Application:

For engraving iron, steel, non-ferrous metals, stone, ceramics, plastic, glass and much more.

Execution:

- Frequency 50/60 Hz

Power input (W)	9
Nominal voltage (V/AC)	230
78042...	Ident. No. 011

Prod. Gr. 780

Accessories for		78042 011
78042... Diamond tip	Ident. No.	020
78042... Replacement tips	Ident. No.	030
78042... Spare cable	Ident. No.	036

- Double-insulated
- Maintenance-free
- With adjusting screw for regulating the engraving depth and for matching the mode of operation to the hardness of the object to be engraved
- Graver oscillations 6000/min



