

ATORN® tool trolley with metal shutters

Width 625 mm, with 4 drawers that extend on both sides

Execution:

- Sturdy sheet steel construction with large table top made of plastic with integrated storage compartments and spacious base container
- 4 drawers which can be extended on both sides, protected against falling out and with smooth-running ball bearing guides
- Securely welded partitions in the drawers
- Drawer 1 + 2 = 3 longitudinal partitions each, drawer 3 = 1 cross-partition, drawer 4 = no partitions
- Lockable with metal shutters, central locking with padlock possible (not included in scope of delivery, see padlock with shackle diameter 6.5, no. 50025 010 or 040)
- 4 ball-bearing wheels, 1 lockable steering roller
- Tool assortments, see from no. 52561 010-030, 38170 013, 52560 010-020, 50276 032-035

measurements: Width 466 mm, depth 310 mm

Technical data:

- Pullout type: Pull-out to both sides
- With single pull-out safety brake: No
- With single-locking drawers: No
- With SOFT-CLOSE closing function: No
- Load-carrying capacity: 300 kg
- Central locking: Yes
- Lock type: Padlock
- Punched-hole, sidewall: No
- With edge protection: No
- With sliding handle: No
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Material of the worktop: Plastic
- Material: Sheet steel
- Surface: Powder-coated



Notes:

To order customised hard foam inserts suitable for these drawers, please use the following clear inside

Number of drawers (PCS)			4	
Drawer front height			4 x 75 mm	
Draw width (inner dimension) (mm)			476	
Drawer depth (inner dimension) (mm)			320	
Load-carrying capacity per drawer (kg)			20	
Height (mm)			930	
Width (mm)			625	
Depth (mm)			400	
50278...	Body colour	Colour of front	Ident. No.	500
	Light grey RAL 7035	Light grey RAL 7035		

Prod. Gr. 5BA

ATORN® Tool trolleys

Width 605 mm, with 6 drawers that extend on both sides

Execution:

- Sturdy sheet steel construction with large table top made of plastic with integrated storage compartments
- 6 drawers which can be extended on both sides, protected against falling out
- Drawers with slotted strips for partitioning with separating plates, see accessories no. 50278 515 or with non-slip mats, no. 50278 512
- 4 ball-bearing wheels, 1 lockable steering roller
- Lockable with padlock (not included in scope of delivery, see padlock with shackle diameter 6.5 no. 50025 010 or 040)
- Additional accessories: Padlock with shackle diameter 6.5, see no. 50025 010 or 040, AQUARADO textured mat for drawer, see no. 50540 610
- Tool assortments, see from no. 52561 010-030, 38170 013, 52560 010-020, 50276 032-035

measurements: Width 472 mm, depth 302 mm

Technical data:

- Pullout type: Pull-out to both sides
- With single pull-out safety brake: No
- With single-locking drawers: No
- With SOFT-CLOSE closing function: No
- Load-carrying capacity: 300 kg
- Central locking: Yes
- Lock type: Padlock
- Punched-hole, sidewall: No
- With edge protection: No
- With sliding handle: No
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Material of the worktop: Plastic
- Material: Sheet steel
- Surface: Powder-coated



Notes:

To order customised hard foam inserts suitable for these drawers, please use the following clear inside

Number of drawers (PCS)			6	
Drawer front height			4 x 45 mm 1 x 120 mm 1 x 210 mm	
Draw width (inner dimension) (mm)			480	
Drawer depth (inner dimension) (mm)			325	
Load-carrying capacity per drawer (kg)			25	
Height (mm)			930	
Width (mm)			605	
Depth (mm)			375	
50278...	Body colour	Colour of front	Ident. No.	510 ●
	Light grey RAL 7035	Light grey RAL 7035		

Prod. Gr. 5BA

ATORN® Tool trolleys

Width 650 mm, with swing columns, lowerable intermediate boxes

Execution:

- Sturdy sheet-steel construction with large floor tray, table surface with rubber mat
- 2 intermediate boxes each with 4 sheet metal dividers for versatile partitioning
- Useful area of intermediate boxes W x D 480 x 315 mm, load capacity per intermediate box 15 kg
- With swivel columns for space-saving transport, can be folded down to the lowest height of the tool trolley in order to save space and act as handles
- The intermediate boxes can be lowered using the fold-down columns, total lowered height 500 mm
- Table top and intermediate boxes with rubber protection strips to protect against damage
- Lockable with padlock (not included in scope of delivery, see padlock with shackle diameter 6.5 no. 50025 010 or 040)
- Tool assortments, see from no. 52561 010-030, 38170 013, 52560 010-020, 50276 032-035

Technical data:




- With SOFT-CLOSE closing function: No
- Load-carrying capacity: 300 kg
- Central locking: No
- Lock type: Padlock
- Punched-hole, sidewall: No
- With edge protection: No
- With sliding handle: No
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Material of the worktop: Plastic
- Material: Sheet steel
- Surface: Powder-coated



With tilting poles for space-saving transport



Without tools



Number of drawers (PCS)				0
Height (mm)				965
Width (mm)				650
Depth (mm)				415
	Body colour	Colour of front		
50277...	Light grey RAL 7035	Light grey RAL 7035	Ident. No.	001

Prod. Gr. 5BA

ATORN® Tool trolleys

Width 778 mm, with fully extending drawers

Execution:

- Sturdy sheet steel construction with solvent-resistant plastic worktop and 2 integrated storage compartments
- Plastic-coated metal sliding handle attached directly to the frame
- Central locking with cylinder lock secures all drawers, incl. 2 keys
- 4 abrasion-proof transport wheels, 100 mm diameter, 2 of which can be steered, 1 lockable steering roller
- For accessories such as can holder, document holder, suspended bins, waste basket see no. 50278 578-590, holder for cable box, see no. 50278 813, retaining frame incl. 12 transparent tilting containers, see no. 50278 815, tool hooks for attachment to rectangular hole grid on sidewalls, see no. 50638 300-650
- Our ATORN hard foam inserts with tool assortments are suitable for equipping drawers, see no. 50537 505-591 or AQUARADO textured mat for drawers see no. 50540 620, boxes from no. 50540 150

Advantage:

- Indented side walls protect additional add-on parts from damage since they are located within the overall trolley dimensions
- Rectangular hole grid on the sidewalls for individual attachment options using e.g. hooks for tools or other add-on parts, e.g. can holder, waste basket etc.

Delivery:

Incl. 1 sheet metal divider per drawer

Notes:

To order customised hard foam inserts suitable for these drawers, please use the following clear inside measurements: Width 520 mm, depth 345 mm.

Technical data:

- Pullout type: Full extension
- With single pull-out safety brake: No
- With single-locking drawers: Yes
- With SOFT-CLOSE closing function: No
- Load-carrying capacity: 300 kg
- Central locking: Yes
- Lock type: Cylinder lock
- Punched-hole, sidewall: Yes
- Punched-hole: 10 x 10 mm
- With edge protection: No
- With sliding handle: Yes
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Wheel diameter: 100 mm
- Material of the worktop: Plastic
- Material: Sheet steel
- Surface: Powder-coated



Ident. No. 560



Ident. No. 570-571



Individual locking of drawers



4 rubber-coated wheels, Ø 100 mm



Central locking with cylinder lock, incl. 2 keys



Fully extending drawers

Number of drawers (PCS)	6	7	8
Drawer front height	4 x 80 mm 2 x 165 mm	6 x 80 mm 1 x 165 mm	8 x 80 mm
Draw width (inner dimension) (mm)	527	527	527
Drawer depth (inner dimension) (mm)	348	348	348
Load-carrying capacity per drawer (kg)	20	20	20
Height (mm)	915	915	915
Width (mm)	778	778	778
Depth (mm)	496	496	496

	Body colour	Colour of front	Ident. No.
50278...	Light grey RAL 7035	Gentian blue RAL 5010	
			560 570 571

Prod. Gr. 5BA

ATORN® tool trolley incl. 151 pcs Tool assortment in 7 hard foam inserts

Width 778 mm, with 7 fully extending drawers

Execution:

- Sturdy sheet steel construction with solvent-resistant plastic worktop and 2 integrated storage compartments
- Plastic-coated metal sliding handle attached directly to the frame
- Central locking with cylinder lock secures all drawers, incl. 2 keys
- 4 abrasion-proof transport wheels, 100 mm diameter, 2 of which can be steered, 1 lockable steering roller
- 7 ATORN hard foam inserts fitted with 151 ATORN tools fill 4 drawers of the tool trolley
- Additional ATORN hard foam inserts equipped with tools for the versatile equipping of drawers, see no. 50537 505-591, additional accessories such as can holders, document holders, suspended boxes, waste baskets, see no. 50278 578-590, cable box holders, see no. 50278 813, holder frame incl. 12 transparent tilting bins, see no. 50278 815

Advantage:

- Clearly-arranged and safe storage of tools in the drawers
- Precisely dimensioned cut-outs in the inserts and the use of a contrast colour (blue) means that missing tools can be detected at a glance
- Expensive tools can be stored securely and safely in the insert
- Indented side walls protect additional add-on parts from damage since they are located within the overall trolley dimensions
- Rectangular hole grid on the sidewalls for individual attachment options using e.g. hooks for tools or other add-on parts, e.g. can holder, waste basket etc.

Delivery:

Incl. 1 sheet metal divider per drawer, incl. 7 ATORN hard foam inserts equipped with 151 ATORN tools

Notes:

To order customised hard foam inserts suitable for these drawers, please use the following clear internal dimensions: Width 520 mm, depth 345 mm.

Technical data:

- Pullout type: Full extension
- With single pull-out safety brake: No
- With single-locking drawers: Yes
- With SOFT-CLOSE closing function: No
- Load-carrying capacity: 300 kg
- Central locking: Yes
- Lock type: Cylinder lock
- Punched-hole, sidewall: Yes
- Punched-hole: 10 x 10 mm
- With edge protection: No
- With sliding handle: Yes
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Wheel diameter: 100 mm
- Material of the worktop: Plastic
- Material: Sheet steel
- Surface: Powder-coated



Trolley incl. 7 hard foam inserts equipped with 151-piece tool assortment:




For contents, see nos. 50537 530 and 509



For contents, see nos. 50537 516 and 515



For contents, see nos. 50537 526 and 517



For contents, see no. 50537 591

Number of drawers (PCS)	7
Drawer front height	6 x 80 mm 1 x 165 mm
Draw width (inner dimension) (mm)	527
Drawer depth (inner dimension) (mm)	348
Load-carrying capacity per drawer (kg)	20
Height (mm)	913
Width (mm)	778
Depth (mm)	496

	Body colour	Colour of front	Ident. No.
50278...	Light grey RAL 7035	Gentian blue RAL 5010	
			575

Prod. Gr. 586

ATORN® Tool trolley with individual drawer extension lock

Width 786 mm, with fully extending drawers

Execution:

- Extremely robust design due to double-walled construction, completely welded construction of the entire body for daily rigorous use in the workshop
- Plastic worktop, solvent-resistant, with integrated storage compartments
- drawers with integrated self-closing mechanism and SOFT-CLOSE
- Impact protection at all four corners of the vehicle
- 2-stage locking concept:
- Central locking via cylinder lock locked with 2 hinged keys
- individual locking of the drawers, integrated into the drawer front plate
- mutual drawer lock, minimises the risk of overturning
- 4 ball-bearing wheels, diameter 125 mm, 2 of which are steering rollers with brakes; all wheels with thread guards which protect the bearings from dirt and threads

Advantage:

- High-quality chassis

- inserted side walls protect the additionally attached add-on parts from damages, since they are within the carriage dimensions
- Individual fastening options thanks to rectangular hole grid on the side walls, e. g. with hooks for tools or other attachments (can holder, paper roll holder, waste basket, etc.)

Technical data:

- Pullout type: Full extension
- With single pull-out safety brake: Yes
- With single-locking drawers: Yes
- With SOFT-CLOSE closing function: Yes
- Load-carrying capacity: 540 kg
- Central locking: Yes
- Lock type: Cylinder lock
- Punched-hole, sidewall: Yes
- Punched-hole: 10 x 10 mm
- With edge protection: Yes
- With sliding handle: Yes
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Wheel diameter: 125 mm
- Material of the worktop: Plastic
- Material: Sheet steel
- Surface: Powder-coated



Ident. No. 673

Number of drawers (PCS)				6	7	8
Drawer front height				3 x 80 mm 3 x 165 mm	5 x 80 mm 2 x 165 mm	7 x 80 mm 1 x 165 mm
Draw width (inner dimension) (mm)				522	522	522
Drawer depth (inner dimension) (mm)				398	398	398
Load-carrying capacity per drawer (kg)				25	25	25
Height (mm)				1020	1020	1020
Width (mm)				785	785	785
Depth (mm)				518	518	518
	Body colour	Colour of front				
50278...	Light grey RAL 7035	Gentian blue RAL 5010	Ident. No.	672	673	674

Prod. Gr. 5BA

ATORN® Tool trolley with individual drawer extension lock

Width 959 mm, with fully extending drawers

Execution:

- Extremely robust design due to double-walled construction, completely welded construction of the entire body for daily rigorous use in the workshop
- Plastic worktop, solvent-resistant, with integrated storage compartments
- drawers with integrated self-closing mechanism and SOFT-CLOSE
- Impact protection at all four corners of the vehicle
- 2-stage locking concept:
- Central locking via cylinder lock locked with 2 hinged keys
- individual locking of the drawers, integrated into the drawer front plate
- mutual drawer lock, minimises the risk of overturning
- 4 ball-bearing wheels, diameter 125 mm, 2 of which are steering rollers with brakes; all wheels with thread guards which protect the bearings from dirt and threads

Advantage:

- High-quality chassis

- inserted side walls protect the additionally attached add-on parts from damages, since they are within the carriage dimensions
- Individual fastening options thanks to rectangular hole grid on the side walls, e. g. with hooks for tools or other attachments (can holder, paper roll holder, waste basket, etc.)

Technical data:

- Pullout type: Full extension
- With single pull-out safety brake: Yes
- With single-locking drawers: Yes
- With SOFT-CLOSE closing function: Yes
- Load-carrying capacity: 1000 kg
- Central locking: Yes
- Lock type: Cylinder lock
- Punched-hole, sidewall: Yes
- Punched-hole: 10 x 10 mm
- With edge protection: Yes
- With sliding handle: Yes
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Wheel diameter: 125 mm
- Material of the worktop: Stainless steel
- Material: Sheet steel
- Surface: Powder-coated



Number of drawers (PCS)				7	8
Drawer front height				5 x 80 mm 2 x 165 mm	7 x 80 mm 1 x 165 mm
Draw width (inner dimension) (mm)				696	696
Drawer depth (inner dimension) (mm)				398	398
Load-carrying capacity per drawer (kg)				40	40
Width (mm)				959	959
Depth (mm)				518	518
50278...	Ident. No.			657	658

Prod. Gr. 5BA

ATORN® Tool trolley with individual drawer extension lock

Width 1133 mm, with fully extending drawers

Execution:

- Extremely robust design due to double-walled construction, completely welded construction of the entire body for daily rigorous use in the workshop
- Plastic worktop, solvent-resistant, with integrated storage compartments
- drawers with integrated self-closing mechanism and SOFT-CLOSE
- Impact protection at all four corners of the vehicle
- 2-stage locking concept:
- Central locking via cylinder lock locked with 2 hinged keys
- individual locking of the drawers, integrated into the drawer front plate
- mutual drawer lock, minimises the risk of overturning
- 4 ball-bearing wheels, diameter 125 mm, 2 of which are steering rollers with brakes; all wheels with thread guards which protect the bearings from dirt and threads

Advantage:

- High-quality chassis

- inserted side walls protect the additionally attached add-on parts from damages, since they are within the carriage dimensions
- Individual fastening options thanks to rectangular hole grid on the side walls, e. g. with hooks for tools or other attachments (can holder, paper roll holder, waste basket, etc.)

Technical data:

- Pullout type: Full extension
- With single pull-out safety brake: Yes
- With single-locking drawers: Yes
- With SOFT-CLOSE closing function: Yes
- Load-carrying capacity: 1000 kg
- Central locking: Yes
- Lock type: Cylinder lock
- Punched-hole, sidewall: Yes
- Punched-hole: 10 x 10 mm
- With edge protection: Yes
- With sliding handle: Yes
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Wheel diameter: 125 mm
- Material of the worktop: Stainless steel
- Material: Sheet steel
- Surface: Powder-coated



Number of drawers (PCS)	7	8
Drawer front height	5 x 80 mm 2 x 165 mm	7 x 80 mm 1 x 165 mm
Draw width (inner dimension) (mm)	871	871
Drawer depth (inner dimension) (mm)	398	398
Load-carrying capacity per drawer (kg)	40	40
Width (mm)	1133	1133
Depth (mm)	518	518
50278...	Ident. No.	
	●	●

Prod. Gr. 5BA

ATORN® tool trolley incl. 136 pcs Tool assortment, with single-drawer pull-out block

Tools in 4 hard foam inserts, + bit box + bit holder

Execution:

- Sturdy sheet steel construction with solvent-resistant plastic worktop, 2 integrated storage compartments and 2 can holders
- Full-height edge protection on all 4 corners of the trolley, plastic-coated metal sliding handle attached directly to the frame
- Drawers with labelling space for individual identification with pictogram stickers
- individual fastening possibilities thanks to rectangular hole grid on the side walls, e. g. with hooks for tools or other add-on parts, e. g. can holder, waste basket etc.
- Central locking with cylinder lock secures all drawers, incl. 2 articulated wrenches
- Transportable thanks to 2 ball-bearing fixed wheels and 2 guide rollers, diameter 125 mm, with locking brake
- 4 ATORN hard foam inserts fitted with 74 ATORN tools fill 2 drawers of the tool trolley
- with ATORN bit box (52841030) + bit holder (52841220)
- additional ATORN hard foam inserts equipped with tools for versatile equipping of drawers, see no. 50537 505-591, AQUARADO textured mat for drawers, see no. 50540 620, additional accessories such as can holder, document holder, suspended boxes, waste basket, see no. 50278 578-590, cable box holder, see no. 50278 813, holder frame incl. 12 transparent tilting bins, see no. 50278

Advantage:

- With individual drawer pull-out locking which means that only one drawer can be opened, protecting the trolley against tipping
- Clearly-arranged and safe storage of tools in the drawers

- Precisely dimensioned cut-outs in the inserts and the use of a contrast colour (blue) means that missing tools can be detected at a glance
- indented sidewalls protect additional add-on parts from damage since they are located within the overall trolley dimensions

Delivery:

incl. with 4 ATORN hard foam inserts no. 50537 509/515/517/530, made from black/blue two-tone polyethylene (PE), resistant to most oils and chemicals thanks to closed-cell structure, equipped with 74 ATORN tools, ATORN bit box (52841030), bit holder (52841220), 1 sheet metal separating plate per drawer and pictogram label for drawer marking

Notes:

To order customised hard foam inserts suitable for these drawers, please use the following clear internal dimensions: Width 520 mm, depth 345 mm.

Technical data:

- Pullout type: Full extension
- With single pull-out safety brake: Yes
- With single-locking drawers: Yes
- With SOFT-CLOSE closing function: No
- Load-carrying capacity: 440 kg
- Central locking: Yes
- Lock type: Cylinder lock
- Punched-hole, sidewall: Yes
- Punched-hole: 10 x 10 mm
- With edge protection: Yes
- With sliding handle: Yes
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Wheel diameter: 125 mm
- Material of the worktop: Plastic
- Material: Sheet steel
- Surface: Powder-coated



Number of drawers (PCS)				6
Drawer front height				3 x 75 mm 3 x 160 mm
Draw width (inner dimension) (mm)				527
Drawer depth (inner dimension) (mm)				348
Load-carrying capacity per drawer (kg)				25
Height (mm)				1042
Width (mm)				817
Depth (mm)				502
50278...	Body colour	Colour of front	Ident. No.	594
	Light grey RAL 7035	Gentian blue RAL 5010		●

Prod. Gr. 586

ATORN® accessories for ATORN tool trolley

Application:

Ident. No. 584: For A4 documents and work papers, for inserting in the 10 x 10 mm perforated sidewall of the trolley

Ident. No. 586: For holding 3 cans, holder for inserting in the 10 x 10 mm perforated sidewall of the trolley

Ident. No. 588: As a storage compartment, for inserting in the 10 x 10 mm perforated sidewall of the trolley

Ident. No. 590: For disposing of solid waste such as waste paper, for inserting in the 10 x 10 mm perforated sidewall of the trolley

Execution:

Ident. No. 578:

- Dimensions W x D x T 520 x 345 x 2 mm, colour black
- Reinforced fabric mat with textured structure made of adhesive plastic



Ident. No. 584


Ident. No. 586
(Without cans)

Ident. No. 588
(Without cans)


Ident. No. 590

Ident. No. 579:

- Dimensions W x D x T 520 x 345 x 3 mm, colour black
- Surface made of fine groove profile, grooved in longitudinal direction, oil-resistant

Ident. No. 580:

- For drawer front height 75/80 mm
- 5 pieces, sheet metal partitions, height x depth 60 x 347 mm

Ident. No. 582:

- For drawer front height 160/165 mm
- 5 pieces, sheet metal partitions, height x depth 120 x 347 mm

Ident. No. 586:

- Dimensions L x W x H 260 x 80 x 102 mm
- Incl. assembly kit

Ident. No. 588: Dimensions L x W x H 300 x 75 x 78 mm

50278...	Anti-slip mat for drawer	Ident. No.	578
50278...	Ribbed rubber mat for drawer	Ident. No.	579
50278...	Separating plates, 5 pieces for height 75/80 mm	Ident. No.	580
50278...	Separating plates, 5 pieces for height 160/165 mm	Ident. No.	582
50278...	Document holder	Ident. No.	584
50278...	Can holder	Ident. No.	586
50278...	Suspended box	Ident. No.	588
50278...	Waste paper basket	Ident. No.	590

Prod. Gr. 5BA

Tool trolley with individual drawer extension lock Width 645 mm, with fully extending drawers

Execution:

- Sturdy sheet steel construction with ABS plastic worktop with integrated small part trays
- Rubberised edge protection profiles on the corners protect the trolley against damage
- Individual fastening options thanks to rectangular perforated grid 10 x 10 mm, spacing between hole centres 38 mm on the sidewalls which can be used e.g. with hooks for tools or other add-on parts (can holder, waste basket etc.)
- Ergonomic steering handle made of aluminium
- Individual locking of drawers integrated into drawer fascia panel
- Central locking with cylinder lock incl. 2 articulated wrenches
- 2 large ball-bearing wheels, diameter 140 mm, 2 guide rollers, diameter 100 mm, one of which with parking brake
- ORION tool assortments fitted in hard foam suitable for drawers, see from no. 50535 845-885, AQUARADO textured mat for drawer, see no. 50540 610
- Additional accessories such as can holders, storage compartments, waste baskets, see no. 50278 810-818, document pocket, see no. 50654 760, holder frame incl. 12 transparent tilting containers, see no. 50278 815, cable box holder, see no. 75002 600

Advantage:

- Reciprocal drawer lock which means that only one drawer can be opened, protecting the trolley against tipping



Ident. No. 820



Notes:

To order customised hard foam inserts suitable for these drawers, please use the following clear internal dimensions: Width 468 mm, depth 333 mm.

Technical data:

- Pullout type: Full extension
- With single pull-out safety brake: Yes
- With single-locking drawers: Yes
- With SOFT-CLOSE closing function: No
- Load-carrying capacity: 300 kg
- Central locking: Yes
- Lock type: Cylinder lock
- Punched-hole, sidewall: Yes
- Punched-hole: 10 x 10 mm
- With edge protection: Yes
- With sliding handle: Yes
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Wheel diameter: 140/100 mm
- Material of the worktop: Plastic
- Material: Sheet steel
- Surface: Powder-coated

Number of drawers (PCS)	5		
Drawer front height	2 x 65 mm 2 x 140 mm 1 x 215 mm		
Draw width (inner dimension) (mm)	475		
Drawer depth (inner dimension) (mm)	345		
Load-carrying capacity per drawer (kg)	25		
Height (mm)	925		
Width (mm)	645		
Depth (mm)	425		
	Body colour	Colour of front	
50278...	Light grey RAL 7035	Gentian blue RAL 5010	Ident. No. 800 (○)*
50278...	Light grey RAL 7035	Anthracite grey RAL 7016	Ident. No. 820 ○

Prod. Gr. 5BA

HAZET Assistant tool trolley model 160 ST Width 590 mm, with reversible columns and lowerable boxes

Execution:

- Comprising table top, 2 intermediate boxes, lower box
- Intermediate boxes with 2 sheet metal partitions each
- The intermediate boxes can be lowered using the fold-down columns, total lowered height 435 mm
- 4 ball-bearing rollers, 2 of which can be steered and locked

Advantage:

- Particularly easy to use, lockable
- For versatile use as a tool trolley at work and as a portable tool case
- The columns can be folded using a special hinge and then used as carrying handles

- Table top and intermediate boxes can be pulled up to the table top using 2 finger holes on the side

Technical data:

- With SOFT-CLOSE closing function: No
- Central locking: No
- Lock type: Without lock
- Punched-hole, sidewall: No
- With edge protection: No
- With sliding handle: No
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Material of the worktop: Plastic
- Material: Sheet steel
- Surface: Powder-coated



Model 160 ST

Model	160 ST		
Number of drawers (PCS)	0		
Height (mm)	950		
Width (mm)	590		
Depth (mm)	345		
	Body colour	Colour of front	
50273...	Blue	Blue	Ident. No. 005 ●*

Prod. Gr. 506



HAZET Assistant tool trolley model 162 C

Width 725 mm, with rigid columns and lowerable boxes

Execution:

- Comprising table top, 2 intermediate boxes, lower box
- Table top made of plastic with integrated beech-wood panel
- Intermediate boxes with surrounding rubber profiles, including 2 sheet metal partitions for subdividing the boxes
- Wheels with dirt protection and thread guards
- The intermediate boxes can be lowered using the columns; total lowered height of intermediate boxes 639 mm
- Locked with a padlock, included in scope of delivery

Technical data:

- With SOFT-CLOSE closing function: No
- Central locking: No
- Lock type: Padlock
- Punched-hole, sidewall: No
- With edge protection: Yes
- With sliding handle: No
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Wheel diameter: 125/150 mm
- Material of the worktop: Plastic/wood
- Material: Sheet steel
- Surface: Powder-coated



Model 162 C

Advantage:

- Table top and intermediate trays can be raised

Model	162 C		
Number of drawers (PCS)	0		
Height (mm)	1099		
Width (mm)	725		
Depth (mm)	398		
	Body colour	Colour of front	
50273...	Blue	Blue	Ident. No. 015

Prod. Gr. 506



HAZET Assistant tool trolley model 166 C

Width 725 mm, with reversible columns and lowerable boxes

Execution:

- Comprising table top, 2 intermediate boxes, lower box
- Table top made of plastic with integrated beech-wood panel
- Intermediate boxes with surrounding rubber profiles, including 2 sheet metal partitions for subdividing the boxes
- Wheels with dirt protection and thread guards
- The intermediate boxes can be lowered using the fold-down columns, total lowered height 647 mm
- Locked with a padlock, included in scope of delivery

- Table top and intermediate trays can be raised

Technical data:

- With single-locking drawers: No
- With SOFT-CLOSE closing function: No
- Central locking: No
- Lock type: Padlock
- Punched-hole, sidewall: No
- With edge protection: Yes
- With sliding handle: No
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Wheel diameter: 125/150 mm
- Material of the worktop: Plastic/wood
- Material: Sheet steel
- Surface: Powder-coated



Model 166 C

Advantage:

- The columns can be folded using a special hinge and then used as carrying handles
- For versatile use as a tool trolley at work and as a portable tool case

Model	166 C		
Number of drawers (PCS)	0		
Height (mm)	1102		
Width (mm)	725		
Depth (mm)	398		
	Body colour	Colour of front	
50273...	Blue	Blue	Ident. No. 025

Prod. Gr. 506

GEDORE Tool trolley, model 2004

WERKZEUGE FÜR'S LEBEN

With fully extending drawers

Execution:

- Working platform made of ABS, with 3 shaped compartments for small parts and a raised wide edge, oil and acid-resistant
- Sturdy ergonomic steering handle for self-assembly
- All-round collision protection bumper with heel protection
- Lockable side storage space with 4 removable drawers for small parts, lockable via the central drawer locking system with a cylinder lock
- Load capacity of 60 kg with a drawer front height of 207 mm (evenly distributed load)
- The basic equipment includes 10 or 15 longitudinal and 2 or 3 cross-partitions, 4 removable drawers for small parts and 2 spacer boxes, 1500 ED-70K

Ident. No. 040:

- heavy-duty chassis on rollers, with 2 fixed castors, diameter 200 mm and steering rollers, diameter 125 mm, with complete stop
- storage compartment on the access side with perforated metal plate wall, 10 x 10 mm, for affixing accessories and tools

Ident. No. 045:

- Heavy-duty chassis on rollers, with 2 fixed wheels, diameter 200 mm and guide rollers, diameter 125 mm, 1 with complete stop
- Storage compartment on the access side with perforated metal plate wall 9 x 33 mm for affixing accessories and tools

- Safety lock ensures precise operation of drawer stopping mechanism when moving

Notes:

To order customised hard foam inserts suitable for these drawers, please use the following clear internal dimensions: Width 478 mm, depth 390 mm.

Technical data:

- Pullout type: Full extension
- With single pull-out safety brake: No
- With single-locking drawers: Yes
- With SOFT-CLOSE closing function: No
- Load-carrying capacity: 500 kg
- Central locking: Yes
- Lock type: Cylinder lock
- Punched-hole, sidewall: Yes
- With edge protection: Yes
- With sliding handle: Yes
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Wheel diameter: 200/125 mm
- Material of the worktop: Plastic
- Material: Sheet steel
- Surface: Powder-coated

Advantage:


- Stable, robust tool trolley with optimum ease of use (e.g. one-handed drawer opening)




Ident. No. 040




Ident. No. 045




Ident. No. 040



Ident. No. 045



Ident. No. 040



Ident. No. 045

Model	2004 0511	2004 0810
Number of drawers (PCS)	7	9
Drawer front height	5 x 67 mm 1 x 137 mm 1 x 207 mm	8 x 67 mm 1 x 137 mm
Draw width (inner dimension) (mm)	480	480
Drawer depth (inner dimension) (mm)	400	400
Load-carrying capacity per drawer (kg)	40	40
Height (mm)	985	985
Width (mm)	775	775
Depth (mm)	475	475
Punched-hole	10 x 10 mm	9 x 9 mm
Body colour	Traffic blue RAL 5017	Traffic blue RAL 5017
Colour of front	Traffic blue RAL 5017	Traffic blue RAL 5017
Ident. No.	040 (○)	045 (○)

Prod. Gr. 530

GEDORE Top-mounted tool box, model 2430

WERKZEUGE FÜR'S LEBEN

Width 775 mm, with 3 fully-extending drawers

Application:

As an attachment for tool trolley model 2002, 2002 SF, 2003, 2004 and 2005.

internal dimensions: Width 633 mm, depth 390 mm.

Execution:

- Cover made of ABS plastic
- Central locking with cylinder lock, incl. 2 keys

Delivery:


Incl. 6 longitudinal and 2 cross-partitions

Notes:

To order customised hard foam inserts suitable for these drawers, please use the following clear

Technical data:

- Pullout type: Full extension
- Load-carrying capacity per drawer: 40 kg
- Load-carrying capacity: 350 kg
- Central locking: Yes
- Lock type: Cylinder lock
- Material: Sheet steel
- Body colour: Traffic blue RAL 5017
- Colour of front: Traffic blue RAL 5017
- Surface: Powder-coated



Model	2430
Number of drawers (PCS)	3
Drawer front height	3 x 67 mm
Draw width (inner dimension) (mm)	640
Drawer depth (inner dimension) (mm)	400
Height (mm)	345
Width (mm)	775
Depth (mm)	475
50278...	Ident. No. 115 (O)

Prod. Gr. 530

Accessories for		50278 115
50278... Wooden panel For GEDORE tool trolley, model 2004/2005	Ident. No.	200 O

ATORN® Hard foam inserts, equipped with high-quality ATORN tools

Width 293 mm, depth 587 mm, for HK drawer cabinets System 700

Application:

For flexible and modular equipping of drawers from the HK drawer cabinet system 700 S and 700 B.

Execution:

- Two-tone polyethylene (PE) foam inserts equipped with tool assortments
- Closed-cell foam is resistant to most oils and chemicals
- The PE foam is lightweight, resistant, durable, odour-neutral and even food safe
- One tool insert fills half of the usable area of drawers with internal dimensions 600 x 600 mm
- Two tool inserts fill the entire usable area of drawers with internal dimensions 600 x 600 mm
- Three tool inserts fill the entire usable area of drawers with internal dimensions 900 x 600 mm

Advantage:

- Clearly arranged, organised and protected storage of tools in the drawers
- Accurately fitting cut-outs in contrasting blue make it easy to spot when tools are missing and help to prevent loss of tools
- Expensive tools can be stored securely and safely in the insert

Technical data:

- Depth: 587 mm
- Width: 293 mm
- Height: 30 mm
- Material: PE - Polyethylene
- Colour of top hard foam inlay: Black
- Colour of bottom hard foam inlay: Blue



Ident. No. 700



Ident. No. 701



Ident. No. 702



Ident. No. 703



Ident. No. 704



Ident. No. 705



Composition of set	Suitable for drawer	50537... Ident. No.	
1 each of ATORN combination spanner sizes 6/7/8/9/10/11/12/13/14/15/16/17/18/19/20/21/22/24/27/30 mm	90 mm	700	•
1 each of ATORN slotted screwdriver 5.5 x 100/6.5 x 125/8.0 x 150 mm, 1 each of ATORN Phillips screwdriver PH 1/PH 2/PZ 1/PZ 2, 1 each of ATORN screwdriver T 6/T 7/T 8/T 9/T 10/T 15/T 20/T 25/T 27/T 30	60 mm	701	•
1 each of ATORN slotted screwdriver VDE 2.5 x 75/3.5 x 100/4 x 100/5.5 x 125, 1 each of ATORN Phillips screwdriver VDE PH 0/PH 1/PH 2/PZ 0/PZ 1/PZ 2, ATORN wire-stripping tool, voltage tester 3x0.8 mm	60 mm	702	•
1 each of ATORN round-nose pliers 160 mm, ATORN tripe pliers 160 mm, ATORN side cutters 165 mm, ATORN combination pliers 180 mm, ATORN snipe nose pliers 200 mm, ATORN end cutting nippers 200 mm, ATORN water pump pliers VDE 250 mm	60 mm	703	•
1 each of ATORN round-nose pliers VDE 160 mm, ATORN snipe nose pliers VDE 200 mm straight and curved, ATORN combination pliers VDE 180 mm, ATORN side cutters VDE 160 mm, ATORN water pump pliers VDE 250 mm, ATORN wire stripping pliers VDE 160 mm	60 mm	704	•
1 each of ATORN circlip pliers J0/J1/J2/J11/J21/A0/A1/A2/A11/A21	60 mm	705	•

Prod. Gr. 547

ATORN® Hard foam inserts, equipped with high-quality ATORN tools Width 293 mm, depth 587 mm, for HK drawer cabinets System 700

Application:

For flexible and modular equipping of drawers from the HK drawer cabinet system 700 S and 700 B.

Execution:

- Two-tone polyethylene (PE) foam inserts equipped with tool assortments
- Closed-cell foam is resistant to most oils and chemicals
- The PE foam is lightweight, resistant, durable, odour-neutral and even food safe
- One tool insert fills half of the usable area of drawers with internal dimensions 600 x 600 mm
- Two tool inserts fill the entire usable area of drawers with internal dimensions 600 x 600 mm
- Three tool inserts fill the entire usable area of drawers with internal dimensions 900 x 600 mm

Advantage:

- Clearly arranged, organised and protected storage of tools in the drawers
- Accurately fitting cut-outs in contrasting blue make it easy to spot when tools are missing and help to prevent loss of tools
- Expensive tools can be stored securely and safely in the insert

Technical data:

- Depth: 587 mm
- Width: 293 mm
- Height: 30 mm
- Material: PE - Polyethylene
- Colour of top hard foam inlay: Black
- Colour of bottom hard foam inlay: Blue



Ident. No. 706



Ident. No. 707



Ident. No. 708




Ident. No. 709



Ident. No. 710



Ident. No. 711



Composition of set	Suitable for drawer	50537... Ident. No.	
ORION key files 100 mm cut 2, 6 pieces, DICK files 200 mm cut 2, 5 pieces, ORION file brush 115 x 40 mm	60 mm	706	•
1 each of: ATORN machinist's hammer 500 g, ATORN recoil-free soft-face hammer 30 mm, ORION 6-piece chisel in holder, ORION 6-piece pin punch set, ATORN cemented carbide scriber 150 mm, ATORN bow saw spare blades 300 mm 24 teeth, ATORN aluminium saw bow 300 mm, ORION knife with snap-off blade 9 mm	90 mm	707	•
1 each of ATORN vernier callipers 150 mm, ATORN pocket tape measure 3 m, ATORN light metal ruler 300 mm, ATORN try square 100 x 70 mm, 9 ATORN hexagonal screwdrivers, ATORN straight edge 125 mm, ORION knife 145 mm, ORION all-purpose shears 180 mm, TICOM white metal marker, Turbo LED hand-held lamp (not including batteries)	60 mm	708	•
1 each of ATORN pocket tape measure 3 m, ATORN triangular hollow-ground scraper 150 mm, ORION knife 165 mm, ORION all-purpose shears 180 mm, ORION saw bow 255 mm, 12 saw blades, TICOM white metal marker, telescopic mirror Ø 50 mm, telescopic pick-up magnet with 3 kg retention force, Turbo LED hand-held lamp (not including batteries)	60 mm	709	•
1 each of ATORN vernier callipers 150 mm, ATORN micrometer 0-25 mm, ATORN straight edge 125 mm, ATORN try square 100 x 70 mm, ATORN knife-edge square 75 x 50 mm, ATORN spirit level length 400 mm, ORION spring divider 125 mm, ORION feeler gauges 20 blades 0.05-1.00 mm, ORION spring steel ruler 300 mm, ORION protractor 120 x 150 mm, ORION scriber 160 x 5 mm	90 mm	710	•
ATORN 1/2" and 1/4" socket wrench set, 35 pieces, ATORN bit box, 32 pieces	60 mm	711	•

Prod. Gr. 547

CLIP-O-FLEX Wheeled workbenches with CLIP-O-FLEX hook-on system

Height 958 mm, including 12 or 14 CLIP-O-FLEX trays



Application:

Thanks to the flexible and modular CLIP-O-FLEX system, the wheeled workbench can be optimally designed and adapted to the individual work sequences in production, assembly, development, training and further education. CLIP-O-FLEX sets your work/storage area or your organisation system with one clip and at the same time gives the highest level of horizontal and vertical flexibility.

Execution:

- Solidly welded steel sheet construction
- Workbench panel with CLIP-O-FLEX support rails installed on the left, right and at the rear
- **Ident. No. 140–143:** With fixed support brackets on the inside for CLIP-O-FLEX trays
- **Ident. No. 144–147:** With convenient pull-out system for CLIP-O-FLEX trays

Advantage:

- Simply remove the trays from the cabinet and hang on the hook-in rails at the side
- Flexible hook-on system with only one hooking movement
- Ergonomic workplace design thanks to different inclines and can be relocated horizontally
- Quick access to work equipment, very clear overview
- Rapid conversion and replacement, highest possible level of mobility, less walking required, optimum use of space

Notes:

The spacing between the tray base and CLIP-O-FLEX mounting profiles is max. 52 mm. Please consider the amount of tool protrusion (max. 22 mm) when using trays equipped with ATORN tool inlays (height 30 mm). Trays of tools with greater

protrusion must be stored in the first storage level.

Technical data:

- Working height: 958 mm
- Plate length: 953 mm
- Panel depth: 405 mm
- Board thickness: 30 mm
- Draw width (inner dimension): 365 mm
- Drawer depth (inner dimension): 294 mm
- Pullout type: Full extension
- Load-carrying capacity per drawer: 35 kg
- With single pull-out safety brake: No
- With doors: Yes
- Number of doors: 2 PCS
- With sliding handle: Yes
- On castors: Yes
- Load-carrying capacity: 550 kg
- Dynamic load-carrying capacity: 225 kg
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Wheel diameter: 100 mm
- Central locking: Yes
- Lock type: Cylinder lock
- Material of the worktop: Multiplex beech
- Material: Sheet steel
- Surface: Powder-coated



Ident. No. 140–141,
144–145



Ident. No. 142–143,
146–147



Incl. CLIP-O-FLEX trays



The tray can be fixed into the rail with one hooking movement and detached again



Version with support angles



Version with convenient pull-out system

Version				With support brackets	With support brackets	With pull-out system	With pull-out system
Door height (mm)				540	540/720	540	540/720
Number of cabinets 260 x 345 x 30 mm (PCS)				12	14	12	14
Number of drawers (PCS)				4	2	4	2
Drawer front height				4 x 90 mm	2 x 90 mm	4 x 90 mm	2 x 90 mm
	Body colour	Colour of front					
50237...	White aluminium RAL 9006	Jet black RAL 9005	Ident. No.	140 (○)*	142 (○)*	144 (○)*	146 (○)*
50237...	Optional	Optional	Ident. No.	141 (○)*	143 (○)*	145 (○)*	147 (○)*

Prod. Gr. 586

for colours deliverable without a surcharge, see page 1434

ATORN® Hard foam inserts, equipped with high-quality ATORN tools

Width 490 mm, depth 265 mm for ANKE V series assembly workbenches

Application:

For flexible and modular equipping of drawers from the ANKE workbenches series V (no. 50201; 50202; 50203; 50236; 50284).

Execution:

- Two-tone foam inserts made of polyethylene (PE) equipped with tool assortments
- Closed cells provide resistance against most oils and chemicals
- The PE foam is lightweight, resistant, durable, odour-neutral and safe for foodstuffs
- One tool insert fills half of the useful area of a drawer with internal dimensions 500 x 540 mm
- Two tool inserts fill the entire useful area of a drawer with internal dimensions 500 x 540 mm

Advantage:

- For clear order and protected storage of tools in the drawers
- Precisely dimensioned cut-outs and a contrast colour (blue) means that missing tools can be spotted at a glance, avoiding any loss of tools
- Expensive tools will be kept safe and protected in the insert

Technical data:

- Depth: 265 mm
- Width: 490 mm
- Height: 30 mm
- Material: PE - Polyethylene
- Colour of top hard foam inlay: Black
- Colour of bottom hard foam inlay: Blue



Ident. No. 405



Ident. No. 420



Ident. No. 425



Ident. No. 430



Ident. No. 435



Ident. No. 440

Composition of set	Suitable for drawer	50537... Ident. No.	
1 ATORN combination spanner width a.f. 6/7/8/9/10/11/12/13/14/15/16/17/18/19/20/21/22/24 mm	90 mm	405	●
ATORN hexagonal angle screwdriver 9 pieces, 1 ATORN slotted screwdriver 5.5 x 100/6.5 x 125/8 x 150 mm, 1 ATORN Phillips screwdriver PH 1/PH 2/PH 3/PZ 1/PZ 2	60 mm	420	●
1 each of ATORN slotted screwdriver VDE 2.5 x 75/3.5 x 100/4 x 100/5.5 x 125, 1 each of ATORN Phillips screwdriver VDE PH 0/PH 1/PH 2/PZ 0/PZ 1/PZ 2, ATORN wire-stripping tool, voltage tester 3 x 0.8 mm	60 mm	425	●
1 ATORN TX screwdriver T 6/T 7/T 8/T 9/T 10/T 15/T 20/T 25/T 27/T 30/T 40, ATORN angled screwdriver 8 pieces T 9-T 40 with ball head	60 mm	430	●
1 ATORN round-nose pliers 160 mm ATORN triple pliers 160 mm, ATORN side-cutters 165 mm, ATORN combination pliers 180 mm, ATORN snipe nose pliers 200 mm, ATORN end cutting nippers 200 mm, ATORN water pump pliers VDE 250 mm	60 mm	435	●
1 ATORN round-nose pliers VDE 160 mm, ATORN snipe nose pliers VDE 200 mm straight and bent, ATORN combination pliers VDE 180 mm, ATORN side cutters VDE 160 mm, ATORN water pump pliers VDE 250 mm, ATORN wire stripping pliers VDE 160 mm	60 mm	440	●

Prod. Gr. 547

ATORN® Hard foam inserts, equipped with high-quality ATORN tools

Width 490 mm, depth 265 mm for ANKE V series assembly workbenches

Technical data:

- Depth: 265 mm
- Width: 490 mm

- Height: 30 mm
- Material: PE - Polyethylene
- Colour of top hard foam inlay: Black
- Colour of bottom hard foam inlay: Blue



Ident. No. 445



Ident. No. 450



Ident. No. 460



Ident. No. 470



Ident. No. 475



Ident. No. 490

Composition of set	Suitable for drawer	50537... Ident. No.	
1 ATORN circlip pliers J0/J1/J2/J11/J21/A0/A1/A2/A11/A21	60 mm	445	●
ORION key files 100 mm cut 2, 6 pieces, DICK files 200 mm cut 2, 5 pieces, ORION file brush 115 x 40 mm	60 mm	450	●
1 ATORN machinist's hammer 500 g, ATORN carbide marking needle 150 mm, ORION flat chisel 200 mm, ORION chisel set 6 pcs., ORION pin punch set 6 pcs., ORION drift punch 1-5 mm, ORION centre punch 120 x 10 mm, GEDORE protective cover for 0.5 kg hammer	90 mm	460	●
1 ATORN pocket tape measure 3 m, ATORN triangular hollow-ground scraper 150 mm, ORION knife 165 mm, ORION all-purpose shears 180 mm, ORION saw bow 255 mm, saw blades 12 pieces, TICOM metal marker white, telescopic mirror Ø 50 mm, telescopic pick-up magnet retention force 3 kg, LED hand-held lamp Turbo (without batteries)	60 mm	470	●
ATORN vernier calliper 150 mm, ATORN external micrometer 0-25 mm, ATORN straight edge 125 mm, ATORN back square 100 x 70 mm, ATORN knife-edge square 75 x 50 mm, ATORN spirit level length 400 mm, ORION spring divider 125 mm, ORION Feeler gauges 20 sheets 0.05-1.00 mm, ORION scale spring steel 300 mm, ORION protractor 120 x 150 mm, ORION marking needle 160 x 5 mm	90 mm	475	●
ATORN socket wrench set 1/2" and 1/4", 35 pieces, ATORN Bitbox 32 pieces	60 mm	490	●

Prod. Gr. 547

ATORN® Hard foam inserts equipped with high-quality ATORN tools

Width 260 mm, depth 345 mm, for ATORN tool trolley

Application:

Ident. No. 505-511, 513: For the flexible fitting of drawers of ATORN tool trolley no. 50278 560-595.

Ident. No. 512: For the flexible fitting of drawers of ATORN tool trolley no. 50278 560-595

Execution:

- Two-tone foam inserts made of polyethylene (PE) equipped with tool assortments
- Closed cells provide resistance against most oils and chemicals
- The PE foam is lightweight, resistant, durable, odour-neutral and safe for foodstuffs
- One tool insert fills half of the useful area of a drawer with internal dimensions 527 x 348 mm
- Two tool inserts fill the entire useful area of a drawer with internal dimensions 527 x 348 mm

Advantage:

- For clear order and protected storage of tools in the drawers
- Precisely dimensioned cut-outs and a contrast colour (blue) means that missing tools can be spotted at a glance, avoiding any loss of tools
- Expensive tools will be kept safe and protected in the insert

Technical data:

- Depth: 345 mm
- Width: 260 mm
- Height: 30 mm
- Material: PE - Polyethylene
- Colour of top hard foam inlay: Black
- Colour of bottom hard foam inlay: Blue
- Suitable for drawer: 60 mm



Ident. No. 505



Ident. No. 507



Ident. No. 509



Ident. No. 511



Ident. No. 512



Ident. No. 513

Composition of set

	50537... Ident. No.
1 ATORN double ring wrench width a.f. 6 x 7/8 x 9/10 x 11/12 x 13/14 x 15/16 x 17/18 x 19/20 x 22 mm	505
1 ATORN double open-end wrench width a.f. 6 x 7/8 x 9/10 x 11/12 x 13/14 x 15/16 x 17/18 x 19/20 x 22/21 x 23/24 x 27/30 x 32 mm	507
1 ATORN combination spanner width a.f. 6/7/8/9/10/11/12/13/14/15/16/17/18/19/21/22/24 mm	509
1 ATORN ratchet combination spanner width a.f. 8/9/10/11/12/13/14/15/16/17/18/19/21/22 mm, 1 ATORN adapter for 1/4" bits, for 1/4", 3/8", 1/2" square head	511
1 ATORN combination spanner, depressed centre design width a.f. 6/7/8/9/10/11/12/13/14/15/16/17/18/19/21/22/24 mm	512
1 ATORN electronic vernier calipers 150 mm, ATORN micrometer 0-25 mm, ORION spring divider 125 mm, ATORN pocket tape measure 3 m, ORION spring steel strip ruler 200 mm, ATORN straight edge 100 mm, ATORN flat square 100 x 70 mm, ORION protractor 120 x 150 mm	513

Prod. Gr. 547

ATORN® Hard foam inserts equipped with high-quality ATORN tools

Width 260 mm, depth 345 mm, for ATORN tool trolley


Technical data:

- Depth: 345 mm
- Width: 260 mm

- Height: 30 mm
- Material: PE - Polyethylene
- Colour of top hard foam inlay: Black
- Colour of bottom hard foam inlay: Blue
- Suitable for drawer: 60 mm



Ident. No. 514



Ident. No. 515



Ident. No. 516



Ident. No. 517



Ident. No. 518



Ident. No. 519

Composition of set

	50537... Ident. No.
1 ATORN hexagon head screwdriver width a.f. 2/2.5/3/4/5/6/8/10, ATORN angled screwdriver 13 pieces T5-T50 long design	514
ATORN hexagonal Allen key 9 pieces, 1 slotted screwdriver 5.5 x 100/6.5 x 125/8 x 150 mm, 1 ATORN Phillips screwdriver PH 1/PH 2/PH 3/PZ 1/PZ 2	515
1 ATORN TX screwdriver in each size T 6/T 7/T 8/T 9/T 10/T 15/T 20/T 25/T 27/T 30/T 40	516
1 ATORN flat-round pliers 200 mm, ATORN combination pliers 180 mm, ATORN water pump pliers 250 mm, ATORN side cutters 165 mm, ATORN round-nose pliers 160 mm	517
1 ATORN circlip pliers J1/J2/J11/J21/A1/A2/A11/A21	518
1 each of ATORN slotted screwdriver VDE 2.5/3.5/4/5.5, 1 each of ATORN Phillips screwdriver VDE PH 0/PH 1/PH 2/PZ 0/PZ 1/PZ 2, voltage tester 3 x 0.8 mm	519

Prod. Gr. 547

ATORN® Hard foam inserts equipped with high-quality ATORN tools

Width 260 mm, depth 345 mm, for ATORN tool trolley

Technical data:

- Depth: 345 mm
- Width: 260 mm

- Height: 30 mm
- Material: PE - Polyethylene
- Colour of top hard foam inlay: Black
- Colour of bottom hard foam inlay: Blue
- Suitable for drawer: 60 mm



Ident. No. 521



Ident. No. 522



Ident. No. 523



Ident. No. 524



Ident. No. 525



Ident. No. 526

Composition of set

	50537... Ident. No.	
1 ATORN round-nose pliers VDE 160 mm, ATORN snipe nose pliers VDE 200 mm straight and bent, ATORN combination pliers VDE 180 mm, ATORN side cutters VDE 160 mm, ATORN wire stripping pliers VDE 160 mm	521	●
1 ATORN hexagonal screwdriver with t-handle width a.f. 2/2.5/3/4/5/6/8/10 mm	522	●
1 ATORN TX screwdriver with t-handle in each size T 8/T 10/T 15/T 20/T 25/T 27/T 30/T 40/T 45	523	●
1 ATORN pocket tape measure 3 m, ATORN triangular hollow-ground scraper 150 mm, ORION all-purpose shears 180 mm, ORION knife 165 mm, telescopic mirror Ø 50 mm, telescopic pick-up magnet retention force 6 kg, LED hand-held lamp Turbo (without batteries)	524	●
1 ATORN vernier calipers 150 mm, ATORN micrometer 0-25 mm, ATORN knife-edge square 75 x 50 mm, ATORN straight edge 125 mm, ATORN try square 100 x 70 mm, ORION spring steel strip ruler 300 mm, ORION scriber 160 x 5 mm, ORION spring divider 125 mm, ORION feeler gauges 20-sheet 0.05-1.00 mm	525	●
1 ATORN vernier calipers 150 mm, ATORN pocket tape measure 3 m, ATORN try square 100 x 70 mm, ATORN bitbox 32 pieces, ORION knife 165 mm, ORION all-purpose shears 180 mm, ORION spring steel strip ruler 300 mm, LED hand-held lamp Turbo (without batteries)	526	●

Prod. Gr. 547

ATORN® Hard foam inserts equipped with high-quality ATORN tools

Width 260 mm, depth 345 mm, for ATORN tool trolley

Technical data:

- Depth: 345 mm
- Width: 260 mm

- Height: 30 mm
- Material: PE - Polyethylene
- Colour of top hard foam inlay: Black
- Colour of bottom hard foam inlay: Blue
- Suitable for drawer: 60 mm



Ident. No. 527



Ident. No. 529



Ident. No. 530



Ident. No. 531



Ident. No. 532



Ident. No. 534

Composition of set

	50537... Ident. No.	
1 ATORN machinist's hammer 500 g, ATORN carbide scribe 150 mm, ORION chisel set 6 pieces, ORION pin punch set 6 pieces, GEDORE protective cover for hammer	527	●
ORION key files 100 mm cut 2, 6 pieces, DICK files 200 mm cut 2, 5 pieces	529	●
ATORN socket wrench set 1/4" and 1/2", 35 pieces equipped in the same way as 101 (but without box)	530	●
ATORN socket wrench set 3/8", 49 pieces	531	●
ATORN socket wrench set 1/4", 45 pieces, ATORN bitbox 32 pieces	532	●
ATORN socket wrench set 1/2", 35 pieces	534	●

Prod. Gr. 547

ATORN® Hard foam inserts equipped with high-quality ATORN tools

Width 260 mm, depth 345 mm, for ATORN tool trolley

Technical data:

- Depth: 345 mm
- Width: 260 mm

- Height: 30 mm
- Material: PE - Polyethylene
- Colour of top hard foam inlay: Black
- Colour of bottom hard foam inlay: Blue
- Suitable for drawer: 60 mm



Ident. No. 550



Ident. No. 560



Ident. No. 565



Ident. No. 570



Ident. No. 580

Composition of set

	50537... Ident. No.	
1 ERDI ideal scissors 260 mm, ERDI ideal scissors straight 180 mm, weaver's scissors straight 110 mm, all-purpose shears 250 mm, revolving punch pliers length 220 mm, ATORN utility knife	550	●

Composition of set		50537... Ident. No.
1 ATORN electronic flat nose pliers 125 mm, ATORN electronic round-nose pliers 125 mm, ATORN electronic pointed pliers 125 mm bent and straight, ATORN electronic side cutters 112 mm with and without bevel, ATORN electronic end cutting nippers 112 mm without bevel, ATORN cable-end sleeve pliers 180 mm		560
1 ATORN cable cutters 160 mm, ATORN crimping tool, ATORN wire-stripping tool VDE, ATORN tripe pliers 160 mm, ATORN voltage tester, ORION cable knife		565
1 ATORN torque screwdriver 0.6-1.5/1.5-3/3-5.4 Nm, 1 ATORN socket wrench 1/4" 4/4.5/5/5.5/6/7/8/9/10/11/12/13/14, ATORN bit holder for blades 170 mm, 1/4" bit holder, ATORN bit adapter for cordless drill 1/4", ATORN Bitbox Collector Universal 61 pieces		570
METABO cordless drill screwdriver PowerMaxx BS Basic 10.8 V/1.5 Ah incl. 2 x batteries (10.8 V/1.5 Ah), 1 x charger, ATORN Bitbox 32 pieces		580

50537 550 = Prod. Gr. 547, 50537 560 = Prod. Gr. 547, 50537 565 = Prod. Gr. 547, 50537 570 = Prod. Gr. 547, 50537 580 = Prod. Gr. 745

ATORN® Hard foam insert equipped with tools, hammer, saw, chisel set

Width 520 mm, depth 345 mm, for ATORN tool trolley

Application:

For the flexible fitting of drawers of ATORN tool trolley no. 50278 560-595.

Execution:

- Two-tone foam inserts made of polyethylene (PE) equipped with tool assortments
- Closed cells provide resistance against most oils and chemicals
- The PE foam is lightweight, resistant, durable, odour-neutral and safe for foodstuffs
- The tool insert fills the entire useful area of a drawer with internal dimensions 527 x 348 mm

Advantage:

- For clear order and protected storage of tools in the drawers
- Precisely dimensioned cut-outs and a contrast colour (blue) means that missing tools can be spotted at a glance, avoiding any loss of tools

- Expensive tools will be kept safe and protected in the insert

Technical data:

- Composition of set: 1 ATORN machinist's hammer 500 g, ATORN aluminium saw bow 300 mm with blade, ATORN bow saw spare blades 300 mm, 10 pieces, ATORN carbide scriber 150 mm, ORION soft-face hammer diameter 30 mm, ORION chisel set 6 pieces, ORION pin punch set 6 pieces, ORION knife 145 mm
- Depth: 345 mm
- Width: 520 mm
- Height: 30 mm
- Material: PE - Polyethylene
- Colour of top hard foam inlay: Black
- Colour of bottom hard foam inlay: Blue
- Suitable for drawer: 60 mm



50537... Ident. No. 591

Prod. Gr. 547

ORION® Hard foam inserts equipped with ORION tools

Width 232 mm, depth 332 mm, for HK tool trolley

Application:

for the flexible and modular equipping of drawers in the HK tool trolley no. 50278 800.

Execution:

- two-tone foam inserts made of polyethylene (PE) equipped with tool assortments
- resistant against most oils and chemicals due to closed cells
- the PE foam is lightweight, resistant, durable, odour-neutral and even food safe
- one tool insert fills half of the useful area of a drawer with internal dimensions 475 x 345 mm

- two tool inserts fill the entire useful area of a drawer with internal dimensions 475 x 345 mm

Technical data:

- Depth: 332 mm
- Width: 232 mm
- Height: 31 mm
- Material: PE - Polyethylene
- Colour of top hard foam inlay: Black
- Colour of bottom hard foam inlay: Grey
- Suitable for drawer: 65 mm



Ident. No. 845



Ident. No. 849



Ident. No. 858



Ident. No. 872



Ident. No. 875



Ident. No. 878



Ident. No. 885

Composition of set		50537... Ident. No.
1 ORION slotted screwdriver 7 pieces 2.5/3/3.5/4/5.5/6.5/8		845
1 ORION Phillips screwdriver 8 pieces PH 0/PH 1/PH 2/PH 3/PZ 0/PZ 1/PZ 2/PZ 3		849
1 ORION combination spanner 17 pieces width a.f. 6/7/8/9/10/11/12/13/14/15/16/17/18/19/20/22/24 mm		858
ORION socket wrench set 3/8 inch 23 pcs		872
ORION socket wrench set 1/4 inch 31 pcs		875
ORION socket wrench set 1/2 inch 24 pcs		878
1 ORION vernier callipers 150 mm, ORION micrometer 0-25 mm, ORION spring divider 125 mm, ORION radius gauge R1-7 mm, ORION radius gauge R7.5-15 mm, ORION feeler gauge 13-sheet DIN 2275, ORION pocket tape measure 3 m, ORION spring steel strip ruler 300 mm		885

Prod. Gr. 547

ORION® Hard foam insert equipped with tools, hammer, saw set

Width 467 mm, depth 332 mm, for HK tool trolley

Application:

for the flexible and modular equipping of drawers in the HK tool trolley no. 50278 800.

Execution:

- two-tone foam inserts made of polyethylene (PE) equipped with tool assortments
- resistant against most oils and chemicals due to closed cells
- the PE foam is lightweight, resistant, durable, odour-neutral and even food safe
- the tool insert fills the entire useful area of a drawer with internal dimensions 475 x 345 mm

- Composition of set: 1 ORION soft-face hammer 30 mm, ORION machinist's hammer 0.5 kg, ORION flat chisel 150 mm, ORION flat chisel 200 mm, ORION parting chisel 125 x 10 x 2 mm, ORION pin punch 3 mm, ORION pin punch 5 mm, ORION pin punch 8 mm, ORION centre punch 120 x 10 mm, ORION metal saw bow with blade, ATORN handsaw blades 10 pieces
- Depth: 332 mm
- Width: 467 mm
- Height: 31 mm
- Material: PE - Polyethylene
- Colour of top hard foam inlay: Black
- Colour of bottom hard foam inlay: Grey
- Suitable for drawer: 65 mm



Technical data:

50537... | Ident. No. 895

Prod. Gr. 547

ORION® Tool assortment

Files and saws, 11-piece

Delivery:

1	flat blunt-end file 300 mm, cut 1	1	square files 250 mm, cut 2
1	flat blunt-end file 300 mm, cut 3	1	half-round file 250 mm, cut 2
1	triangular file 250 mm, cut 1	1	file brush
1	triangular file 250 mm, cut 3	1	saw bow 300 mm
1	round file 250 mm, cut 2	1	bi-metal saw blade
		1	chip brush

52561... | Ident. No. 010

Prod. Gr. 6AF



Tool assortment

Hammers, chisels and pliers, 20-piece

Delivery:

1	machinist's hammer, 300 g	1	pair of ear defenders
1	machinist's hammer, 500 g	1	triangular hollow scraper, 150 mm
1	chisel/drift/6-piece centre punch set	1	cutter knife with trapezoidal blade
1	dividing caulker 150 mm	1	recoil-free soft-face hammer, 40 mm
1	pair of safety goggles	1	pair of side-cutters, 165 mm, w. 2-C handle sleeve
1	slotted screwdriver, 6.5 mm	1	pair of water pump pliers, 250 mm
1	pair of leather work gloves	1	cross-head screwdriver PH 2
1	hand brush		

52561... | Ident. No. 020

Prod. Gr. 593



ATORN® Tool assortment

For electricians, 18-piece

Delivery:

1	VDE screwdriver, 6 pcs, slotted/PH	1	pair of automatic wire strippers
1	voltage tester screwdriver	1	electrician's knife
1	control cabinet key	1	pair of wire end ferrule pliers, 0.25-16 mm ²
1	pair of VDE combi pliers 180 mm	1	BENNING DUTEST continuity tester
1	pair of VDE snipe-nose pliers, 200 mm, curved	1	LED pen light with batteries
1	pair of VDE side-cutters, 160 mm	1	ERSA Multitip soldering iron C 25
		1	solder, 250 g

52561... | Ident. No. 030

Prod. Gr. 597



Tool assortment**For industrial electronic engineers, 92 pieces**

Delivery:	1	multi-purpose shears, 190 mm	
1	machinist's hammer, 0.4 kg	1	crimping pliers for insulated connections, 210 mm
1	plastic hammer D 32		
1	half-round file, 200 mm, cut 2	1	metal universal wrench, for control cabinet
1	hardwood file grip, 110 mm long		
6	key files, 100 mm, cut 2	1	comb. Contact screwdriver
1	mini universal saw, 240 mm	1	universal cable knife
8	combination wrench, 8-19 mm	1	cable stripper
6	hexagon screwdriver, 2-6 mm, in plastic pouch	1	pair of round pliers, 160 mm, chrome-plated VDE
1	socket wrench set; 1/4", 42 pieces	1	pair of side-cutters, 160 mm, chrome-plated VDE
7	VDE slotted screwdriver		
1	long-nose flat pliers, 160 mm, chrome-plated, VDE	1	pair of water pump pliers, 250 mm
		1	cable and assembly knife
1	flat-nose round pliers, 200 mm, chrome-plated, curved 45 G, VDE	1	pair of automatic wire strippers
		1	voltage tester
1	VDE combination pliers, 180 mm, chrome-plated	1	pair of wire strippers, 160 mm
		1	wooden folding rule, 2 m
1	VDE side-cutters, 140 mm		

52560... Ident. No. 010

Prod. Gr. 580

**Tool assortment****For industrial mechanics, 78-piece**

Delivery:	1	1½" pipe wrench, 425 mm	
1	spirit level, 500 mm	1	heavy-duty side-cutters, uncoated, 160 mm
1	machinist's hammer, 0.5 kg		
1	plastic hammer D 40	1	pair of combination pliers, uncoated, 180 mm
6	chisels, in sheet metal box		
1	pair of blind rivet pliers, NTS model, in assortment	1	pair of three-way pliers, chrome-plated, 160 mm
1	scriber with steel tip, 165 mm	1	pair of pliers for retaining rings, straight 19-60 mm Ø type J 2
1	flat blunt-end file, 200 mm, cut 2		
1	round file 200 mm, cut 2	1	pair of pliers for retaining rings, straight 19-60 mm Ø type A 2
1	half-round file, 200 mm, cut 2		
1	triangular file, 200 mm, cut 2	1	pair of stainless steel hole scissors, left, 250 mm
4	hard wood file grips, 110 mm		
1	triangular hollow scraper, chrome-van. 150 mm	1	pair of stainless steel hole scissors, right, 250 mm
1	metal saw bow for saw blade, 300 mm	1	½ „ square socket wrench set; in metal case; 13 pcs
10	handsaw blade, HSS-Bi.Flex. 300 mm, 24 teeth	1	pair of V-block gripping pliers, 250 mm
12	combination wrench, size 10-32 mm	1	pocket tape measure, 3 m
8	hexagon screwdrivers, 2-10 mm, in plastic pouch	1	precision pocket callipers, 150 mm
6	screwdrivers in box	1	pair of universal safety goggles
1	water pump pliers, 250 mm	1	safety knife with 3 trapezoidal blades
			pair of work gloves

52560... Ident. No. 020

Prod. Gr. 580





Tool assortment, universal, 117 pieces

In 4 soft foam inlays

Delivery:			
3	screwdriver socket wrench inserts for slotted screws 6.3 = 1/4" 0.6 x3.5 1x5.5 1.2x8	4	pin punches 150, Ø 3, 4, 5 and 6
		1	flat scraper 150
		1	plastic soft-face hammer Ø 35
2	screwdriver socket wrench inserts for cross-head screws PH1 and PH2	1	magnetic finder 545 Ø 15
2	screwdriver socket wrench inserts for Pozidriv screws PZ1 and PZ2	1	Allen key set 015, 02, 025, 03, 04, 05, 06, 08, 10
12	hex socket wrench inserts □ nominal drive size 6.3 = 1/4" 4-14	1	machinist's hammer, 500 g
		1	sensor gauge 0.05-1.0
5	screwdriver inserts for hex socket screws □ nominal drive size 6.3 = 1/4" 3-8	17	tape measure, 2 m
		9	combination wrenches 6-24
		1	double-end box wrenches 6 x 7 - 21 x 23
1	reversible ratchet 115/6.3 = 1/4"	1	screwdriver 1 x 5.5 x 25
1	T-handle 115/6.3 = 1/4"	1	screwdriver PH2, 25
1	drive handle 134/6.3 = 1/4"	1	screwdriver 0.4 x 2.5 x 75
2	extensions 55, 147/6.3 = 1/4"	1	screwdriver 0.5 x 3 x 160
1	universal joint 36.5/6.3 = 1/4"	1	screwdriver 0.6 x 3.5 x 100
21	socket wrench inserts □ nominal drive size 12.5 = 1/2" 10-34	1	screwdriver 0.8 x 4 x 100
		1	screwdriver 1.2 x 6.5 x 150
1	T-handle 298/12.5 = 1/2"	1	screwdriver 1.2 x 8 x 150
1	reversible wrench 275/12.5 = 1/2"	1	screwdriver PH1, 80
2	extensions 123, 248/12.5 = 1/2"	1	screwdriver PH2, 100
1	universal joint 70/12.5 = 1/2"	1	pair of universal pliers 260
2	flat chisels, 18 x 150, 24 x 200	1	pair of heavy-duty pliers 180
1	centre punch 10 x 120	1	pair of flat-nose round pliers 165

50276...

Ident. No.

032

Prod. Gr. 506



Tool assortment

For industrial use, 95 pieces

Delivery:			
5	screwdriver socket wrench inserts for hexagon socket screws 6.3 = 1/4" 3-8	1	screwdriver PH1, 80
		1	screwdriver PH2, 100
3	screwdriver socket wrench inserts for slotted screws 6.3 = 1/4" 0.6 x3.5 1x5.5 1.2x8	1	screwdriver PH3, 147
		1	screwdriver PZ1, 73
		1	screwdriver PZ2, 94.5
2	screwdriver socket wrench inserts for cross-head screws PH1 and PH2	13	hex socket wrench inserts □ nominal drive size 6.3 = 1/4" 4-14
2	screwdriver socket wrench inserts for Pozidriv screws PZ1 and PZ2	1	reversible ratchet 115/6.3 = 1/4"
2	adjustable open-end wrenches 158, 255	1	T-handle 115/6.3 = 1/4"
10	double open-end wrenches 6 x 7 - 30 x 32	1	drive handle 134/6.3 = 1/4"
		2	extensions 55, 147/6.3 = 1/4"
10	double open-end box wrenches 6 x 7 - 30 x 32	1	universal joint
		19	hex socket wrench inserts □ nominal drive size 12.5 = 1/2" 10-34
2	flat chisels 18 x 150, 24 x 200	1	T-handle 298/12.5 = 1/2"
1	cross-cut chisel 6 x 150	1	reversible ratchet 275/12.5 = 1/2"
2	drift punches 2 x 120, 4 x 120	1	extensions 123, 248/12.5 = 1/2"
1	centre punch 120	2	universal joint 12.5 = 1/2"
3	pair of universal pliers 180, 260, 310	1	pair of side-cutters 180
1	screwdriver 1.0 x 5.5 x 125	1	pair of flat-nose round pliers 200
1	screwdriver 1.2 x 8.0 x 150	1	plastic soft-face hammer Ø 35
1	screwdriver 1.6 x 10.0 x 175	1	metal saw 390 with blade
1	screwdriver 0.4 x 2.5 x 75	1	small metal saw 252 with blade
1	screwdriver 0.5 x 3.0 x 80	1	machinist's hammer, 500 g
1	screwdriver 0.6 x 3.5 x 100	1	tape measure, 2 m
1	screwdriver 0.8 x 4.0 x 100	1	folding knife 159.9 mm

50276...

Ident. No.

035

Prod. Gr. 506



Roller containers

With 2 shelves and 3 drawers

Execution:

- Welded sheet steel structure
- Shelves/deposit trays equipped with a ribbed rubber mat
- Tilt-proof due to built-in individual drawer pull-out lock
- 4 wheels with rubber tyres
- For suitable insert materials for drawers, see from no. 50485 060-265 and no. 50537 610-695
- Other equipment options available at extra cost: SOFT-CLOSE for drawers, see no. 50392 005, ELECTRONIC CODE combination lock, see no. 50392 010

Advantage:

- The roller container can be pushed under workbenches with a clearance height of 800 mm

Notes:

To order customised hard foam inserts suitable for these drawers, please use the following clear internal dimensions: Width 435 mm, depth 585 mm.

Technical data:

- With single pull-out safety brake: Yes
- Central locking: Yes
- Lock type: DOM® locking system
- With sliding handle: Yes
- Load-carrying capacity: 400 kg
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- Number of wheel adjusters: 2 PCS
- Material of the wheel: Solid rubber
- Wheel diameter: 100 mm
- Material: Sheet steel
- Surface: Powder-coated



Ident. No. 211, 213

Number of drawers (PCS)			3	3
Pullout type			Partial extension	Full extension
Drawer front height			1 x 90 mm 2 x 120 mm	1 x 90 mm 2 x 120 mm
Draw width (inner dimension) (mm)			450	450
Drawer depth (inner dimension) (mm)			600	600
Load-carrying capacity per drawer (kg)			100	70
Number of loading surfaces (PCS)			2	2
Height (mm)			790	790
Width (mm)			570	570
Depth (mm)			680	680
	Body colour	Colour of front		
50284...	Light grey RAL 7035	Gentian blue RAL 5010	Ident. No. 210 (○)*	212 (○)*
50284...	Light grey RAL 7035	Anthracite grey RAL 7016	Ident. No. 211 ○	213 ○

Prod. Gr. 501

for colours deliverable without a surcharge, see page 1434

Roller containers

With 1 shelf and drawers

Execution:

- Welded sheet steel structure
- Deposit tray equipped with a ribbed rubber mat
- Tilt-proof due to built-in individual drawer pull-out lock
- 4 wheels with rubber tyres
- For suitable insert materials for drawers, see from no. 50485 060-265 and no. 50537 610-695
- Other equipment options available at extra cost: SOFT-CLOSE for drawers, see no. 50392 005, ELECTRONIC CODE combination lock, see no. 50392 010

Advantage:

- The roller container can be pushed under workbenches with a clearance height of 800 mm

Notes:

To order customised hard foam inserts suitable for these drawers, please use the following clear internal dimensions: Width 435 mm, depth 585 mm.

Technical data:

- With single pull-out safety brake: Yes
- Central locking: Yes
- Lock type: DOM® locking system
- With sliding handle: Yes
- Load-carrying capacity: 400 kg
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- Number of wheel adjusters: 2 PCS
- Material of the wheel: Solid rubber
- Wheel diameter: 100 mm
- Material: Sheet steel
- Surface: Powder-coated



Ident. No. 221, 223



Ident. No. 231, 233

Number of drawers (PCS)			4	4	5	5
Pullout type			Partial extension	Full extension	Partial extension	Full extension
Drawer front height			1 x 60 mm 1 x 120 mm 2 x 180 mm	1 x 60 mm 1 x 120 mm 2 x 180 mm	1 x 60 mm 1 x 90 mm 2 x 120 mm 1 x 150 mm	1 x 60 mm 1 x 90 mm 2 x 120 mm 1 x 150 mm
Draw width (inner dimension) (mm)			450	450	450	450
Drawer depth (inner dimension) (mm)			600	600	600	600
Load-carrying capacity per drawer (kg)			100	70	100	70
Number of loading surfaces (PCS)			1	1	1	1
Height (mm)			790	790	790	790
Width (mm)			570	570	570	570
Depth (mm)			680	680	680	680
	Body colour	Colour of front				
50284...	Light grey RAL 7035	Gentian blue RAL 5010	Ident. No. 220 (○)*	222 (○)*	230 (○)*	232 (○)*
50284...	Light grey RAL 7035	Anthracite grey RAL 7016	Ident. No. 221 ○	223 ○	231 ○	233 ○

Prod. Gr. 501

for colours deliverable without a surcharge, see page 1434

ATORN® Parallel vice

With a rear opening action, made of grey cast iron

Execution:

- High-quality grey cast iron with pearlitic texture
- Changeable and reversible jaws with smooth and ribbed clamping surface
- Smooth-running spindle with trapezoidal thread
- Cast-on pipe clamping jaws
- Plain anvil face

Advantage:

- Excellent clamping precision thanks to long, prismatic precision guide

- Spindle protected from dirt and damage by covering

Technical data:

- Jaws width: 100 mm
- Min./max. clamping width: 0-140 mm
- Clamp in depth: 75 mm
- Weight: 13 kg
- Colour: Blue
- Material: Grey cast iron



51028... Ident. No. 001

Prod. Gr. 5HA

Accessories for		51028 001
51028...	Rotary base	Ident. No. 021
51028...	Steel jaws	Ident. No. 041

Workbench trolley

Working height 840 mm, with 4 drawers and 1 open compartment

Application:

The mobile workstation with versatile options for use.

Execution:

- Welded sheet steel construction equipped with one workbench top panel made of solid beechwood, 40 mm thick
- Suitable insert material for drawers, see from no. 50485 060-265 and from no. 50537 610-695
- Other equipment options available at extra cost: SOFT-CLOSE for drawers, see no. 50392 005, ELECTRONIC CODE combination lock, see no. 50392 010
- Material of the worktop: Solid beech
- Plate length: 1155 mm
- Panel depth: 700 mm
- Board thickness: 40 mm
- Working height: 840 mm
- With single pull-out safety brake: Yes
- With single-locking drawers: No
- On castors: Yes
- Moving device, can be lowered: No
- With sliding handle: Yes
- Load-carrying capacity: 820 kg
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Number of wheel adjusters: 2 PCS
- Material of the wheel: Solid rubber
- Wheel diameter: 200 mm
- Central locking: Yes
- Lock type: DOM® locking system
- Material: Sheet steel
- Surface: Powder-coated

Notes:

To order customised hard foam inserts suitable for these drawers, please use the following clear internal dimensions: Width 435 mm, depth 585 mm.

Technical data:

Number of drawers (PCS)		4	4
Pullout type		Partial extension	Full extension
Drawer front height		1 x 60 mm 1 x 90 mm 1 x 150 mm 1 x 180 mm	1 x 60 mm 1 x 90 mm 1 x 150 mm 1 x 180 mm
Load-carrying capacity per drawer (kg)		100	70
Draw width (inner dimension) (mm)		450	450
Drawer depth (inner dimension) (mm)		600	600
50285...	Body colour	Light grey RAL 7035	Light grey RAL 7035
	Colour of front	Gentian blue RAL 5010	Gentian blue RAL 5010
50285...	Body colour	Light grey RAL 7035	Light grey RAL 7035
	Colour of front	Anthracite grey RAL 7016	Anthracite grey RAL 7016

Prod. Gr. 501

for colours deliverable without a surcharge, see page 1434



Ident. No. 211, 213

**Workbench trolley****Working height 840 mm, with 4 drawers and 1 door****Application:**

The mobile workstation with versatile options for use.

Execution:

- Welded sheet steel construction equipped with one workbench top panel made of solid beechwood, 40 mm thick
- Suitable insert material for drawers, see from no. 50485 060-265 and from no. 50537 610-695
- Other equipment options available at extra cost: SOFT-CLOSE for drawers, see no. 50392 005, ELECTRONIC CODE combination lock, see no. 50392 010

Notes:

To order customised hard foam inserts suitable for these drawers, please use the following clear internal dimensions: Width 435 mm, depth 585 mm.

Technical data:

- Material of the worktop: Solid beech
- Plate length: 1155 mm
- Panel depth: 700 mm
- Board thickness: 40 mm
- Working height: 840 mm
- With single pull-out safety brake: Yes
- With single-locking drawers: No
- Number of doors: 1 PCS
- On castors: Yes
- Moving device, can be lowered: No
- With sliding handle: Yes
- Load-carrying capacity: 820 kg
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Number of wheel adjusters: 2 PCS
- Material of the wheel: Solid rubber
- Wheel diameter: 200 mm
- Central locking: Yes
- Lock type: DOM® locking system
- Material: Sheet steel
- Surface: Powder-coated



No. 50286 234

Number of drawers (PCS)				4	4
Pullout type				Partial extension	Full extension
Drawer front height				1 x 60 mm 1 x 90 mm 1 x 150 mm 1 x 180 mm	1 x 60 mm 1 x 90 mm 1 x 150 mm 1 x 180 mm
Load-carrying capacity per drawer (kg)				100	70
Draw width (inner dimension) (mm)				450	450
Drawer depth (inner dimension) (mm)				600	600
	Body colour	Colour of front			
50285...	Light grey RAL 7035	Gentian blue RAL 5010	Ident. No.	232 (○)*	234 (○)*
50286...	Light grey RAL 7035	Anthracite grey RAL 7016	Ident. No.	233 ○	234 ○

Prod. Gr. 501

for colours deliverable without a surcharge, see page 1434

Assortment of fittings for drawers**For HK assembly trolley, roll container, workbench trolley****Application:**

For customised fitting and partitioning of individual drawers.

Execution:


- Suitable for internal drawer dimensions: Width x depth 450 x 600 mm
- Ident. No. 210: Oil-resistant
- Ident. No. 250–265: with textured mat and boxes

Ident. No. 060
① Trough platesIdent. No. 090
② ContainerIdent. No. 095–100
③ Spare part boxesIdent. No. 110–130
④ Compartment divisionsIdent. No. 200
⑤ Anti-slip matIdent. No. 210
⑥ Ribbed rubber matIdent. No. 250
⑦ AQRADO set with textured mat and 10 boxes, 24/48 mm high (without tools)Ident. No. 260
⑧ AQRADO set with textured mat and 7 boxes, 48 mm high (without tools)Ident. No. 265
⑩ AQRADO set with textured mat and 14 boxes, 24 mm high (without tools)

For drawer cabinet height (mm)

				40	70	100
	50485...	① Trough trays	Ident. No.	060 ○	-	-
	50485...	② Containers	Ident. No.	090 ○	-	-
	50485...	③ Spare part boxes	Ident. No.	095 ○	100 ○	-
	50485...	④ Compartment dividers	Ident. No.	110 ○	120 ○	130 ○
	50485...	⑤ Non-slip mat	Ident. No.	200 ●	-	-

Installation \ Workbench trolley

For drawer cabinet height (mm)				40	70	100
	50485...	⑥ Ribbed rubber mat	Ident. No.	210	-	-
AQURADO	50485...	⑦ Set with textured mat and 10 boxes	Ident. No.	-	250	-
AQURADO	50485...	⑧ Set with textured mat and 7 boxes	Ident. No.	-	260	-
AQURADO	50485...	⑩ Set with textured mat and 14 boxes	Ident. No.	265	-	-

HK = Prod. Gr. 503

AQURADO = Prod. Gr. 581

Wheeled workbench, working height 790 mm, 850 mm and 970 mm With drawers, optionally with doors

Application:

The mobile workstation with versatile options for use.

Execution:

- Solidly welded sheet steel structure with end-to-end closed rear wall
- Push handlebar on one front side
- ANKE workbench top panel made of solid beechwood, glued together length-wise in bars, thickness 40 mm
- Optionally with integrated housing on the side, fitted with easy-view tilting bins

Notes:

Ident. No. 060-091: To order customised hard foam inserts suitable for these drawers, please use the following clear internal dimensions: Width 390 mm, depth 530 mm.

Ident. No. 100-111: To order customised hard foam inserts suitable for these drawers, please use the following clear internal dimensions: for drawer width 410 mm = width 400 mm, depth 530 mm; for drawer width 940 mm = width 930 mm, depth 530 mm.

- Material of the worktop: Solid beech
- Plate length: 1140 mm
- Panel depth: 650 mm
- Board thickness: 40 mm
- With single pull-out safety brake: No
- With single-locking drawers: No
- On castors: Yes
- Moving device, can be lowered: No
- With sliding handle: Yes
- Load-carrying capacity: 600 kg
- Dynamic load-carrying capacity: 400 kg
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Number of wheel adjusters: 2 PCS
- Material of the wheel: Polyurethane
- Wheel diameter: 125 mm
- Central locking: Yes
- Lock type: Cylinder lock
- Material: Sheet steel
- Surface: Powder-coated

Technical data:



Ident. No. 060-071



Ident. No. 080-091



Ident. No. 100-111

Number of drawers (PCS)				4	4	4	4	4	4
Pullout type				Partial extension	Partial extension	Partial extension	Partial extension	Partial extension	Partial extension
Drawer front height				2 x 90 mm 1 x 150 mm 1 x 210 mm	2 x 90 mm 1 x 150 mm 1 x 210 mm	1 x 90 mm 1 x 150 mm 2 x 180 mm	1 x 90 mm 1 x 150 mm 2 x 180 mm	1 x 150 mm 1 x 90 mm 1 x 180 mm 1 x 270 mm	1 x 150 mm 1 x 90 mm 1 x 180 mm 1 x 270 mm
Load-carrying capacity per drawer (kg)				100	100	100	100	100	100
Draw width (inner dimension) (mm)				410	410	410	410	940/410	940/410
Drawer depth (inner dimension) (mm)				540	540	540	540	540	540
Working height (mm)				790	790	850	850	970	970
With doors				No	Yes	No	Yes	No	Yes
Number of doors (PCS)				-	1	-	1	-	1
				Body colour	Colour of front				
50272...	Light grey RAL 7035	Gentian blue RAL 5010	Ident. No.	060	070	080	090	100	110
				(○)*	(○)*	(○)*	(○)*	(○)*	(○)*
50272...	Light grey RAL 7035	Anthracite grey RAL 7016	Ident. No.	061	071	081	091	101	111
				○	○	○	○	○	○

Prod. Gr. 501

for colours deliverable without a surcharge, see page 1434

Wheeled workbenches, working height 950 mm

With 6 pull-out drawers on both sides

Application:

The mobile workstation with versatile options for use.

Execution:

- Sturdy and warp-free steel sheet structure, with push handle on the side of the housing
- 2 storage compartments, compartment height 370 mm with anti-roll-off edging, height 50 mm
- Side wall with square perforation grid, individual attachment options, e.g. with hooks for tools or other attachments such as can holders, paper roll holders, waste basket etc. for holding hooks and RasterPlan tool holders

Technical data:

- Material of the worktop: Solid beech
- Plate length: 960 mm
- Panel depth: 450 mm
- Board thickness: 25 mm
- Working height: 950 mm

- With single pull-out safety brake: No
- With single-locking drawers: No
- On castors: Yes
- Moving device, can be lowered: No
- Punched-hole, sidewall: Yes
- Punched-hole: 10 x 10 mm
- With sliding handle: Yes
- Load-carrying capacity: 450 kg
- Dynamic load-carrying capacity: 250 kg
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: No
- Material of the wheel: Solid rubber
- Wheel diameter: 100 mm
- Central locking: Yes
- Lock type: Cylinder lock
- Material: Sheet steel
- Surface: Powder-coated



Ident. No. 051-052



Ident. No. 053



Drawers can be pulled out on both sides



Drawer partitioning set, optional, Ident. No. 057-058

Number of drawers (PCS)	6		
Pullout type	Pull-out to both sides		
Drawer front height	2 x 65 mm 3 x 130 mm 1 x 180 mm		
Load-carrying capacity per drawer (kg)	30		
Draw width (inner dimension) (mm)	500		
Drawer depth (inner dimension) (mm)	400		
	Body colour	Colour of front	
50272...	Gentian blue RAL 5010	Light grey RAL 7035	Ident. No. 051 (○)*
50272...	Light grey RAL 7035	Light grey RAL 7035	Ident. No. 052 (○)*
50272...	Anthracite, metallic	Light grey RAL 7035	Ident. No. 053 (○)*

Prod. Gr. 586

Accessories for		50272 051	50272 052	50272 053
50272...	Drawer divider set For wheeled workbenches, no. 50272 051-053, For drawer height 65 mm	Ident. No. 057 ○	Ident. No. 057 ○	Ident. No. 057 ○
50272...	Drawer divider set For wheeled workbenches, no. 50272 051-053, For drawer height 130/180 mm	Ident. No. 058 ○	Ident. No. 058 ○	Ident. No. 058 ○

GEDORE
WERKZEUGE FÜR'S LEBEN

Wheeled workbench, model 1502

Working height 875 mm, with 6 fully extending drawers

Application:

The mobile workstation with versatile options for use.

Execution:

- Drawers can have individual partitions and pull-out stops
- 2 easily accessible trays for bulky parts
- Basic configuration contains 10 longitudinal and 2 cross-partitions and 2 spacing boxes 1500 ED-70 K for drawers


Notes:

To order customised hard foam inserts suitable for these drawers, please use the following clear internal dimensions: Width 478 mm, depth 390 mm.

Technical data:

- Material of the worktop: Multiplex beech

- Plate length: 950 mm
- Panel depth: 550 mm
- Board thickness: 25 mm
- Working height: 875 mm
- With single pull-out safety brake: No
- With single-locking drawers: No
- On castors: Yes
- Moving device, can be lowered: No
- With sliding handle: No
- Load-carrying capacity: 700 kg
- Dynamic load-carrying capacity: 500 kg
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Wheel diameter: 125/200 mm
- Central locking: Yes
- Lock type: Cylinder lock
- Material: Sheet steel
- Surface: Powder-coated



Model			1502
Number of drawers (PCS)			6
Pullout type			Full extension
Drawer front height			5 x 79 mm 1 x 180 mm
Load-carrying capacity per drawer (kg)			40
Draw width (inner dimension) (mm)			480
Drawer depth (inner dimension) (mm)			400
50271...	Body colour	Colour of front	Ident. No. 012
	Traffic blue RAL 5017	Traffic blue RAL 5017	

Prod. Gr. 530

GEDORE Wheeled workbench, model 1504

Working height 985 mm

Application:

The mobile workstation with versatile options for use.

Execution:

- Large locking side section with fixed storage tray
- Basic configuration contains 10 longitudinal and 2 cross-partitions and 4 spacing boxes 1500 ED-70 K for drawers

Notes:

To order customised hard foam inserts suitable for these drawers, please use the following clear internal dimensions: Width 478 mm, depth 390 mm.

Technical data:

- Material of the worktop: Multiplex beech
- Plate length: 1100 mm
- Panel depth: 550 mm
- Board thickness: 30 mm
- Working height: 985 mm

- With single pull-out safety brake: No
- With single-locking drawers: No
- Number of doors: 1 PCS
- On castors: Yes
- Moving device, can be lowered: No
- With sliding handle: No
- Load-carrying capacity: 700 kg
- Dynamic load-carrying capacity: 500 kg
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Wheel diameter: 125/200 mm
- Central locking: Yes
- Lock type: Cylinder lock
- Material: Sheet steel
- Surface: Powder-coated



Ident. No. 030



Ident. No. 032



Ident. No. 034

Model	1504 0511	1504 0701	1504 0810
Number of drawers (PCS)	7	8	9
Pullout type	Full extension	Full extension	Full extension
Drawer front height	5 x 67 mm 1 x 137 mm 1 x 207 mm	7 x 67 mm 1 x 207 mm	8 x 67 mm 1 x 137 mm
Load-carrying capacity per drawer (kg)	40	40	40
Draw width (inner dimension) (mm)	480	480	480
Drawer depth (inner dimension) (mm)	400	400	400
	Body colour	Colour of front	
50271...	Traffic blue RAL 5017	Traffic blue RAL 5017	Ident. No. 030

Prod. Gr. 530

GEDORE Wheeled workbench, model 1504

Working height 985 mm

Application:

The mobile workstation with versatile options for use.

Execution:

- Large locking side section with fixed storage tray
- Basic configuration contains 10 longitudinal and 2 cross-partitions and 4 spacing boxes 1500 ED-70 K for drawers



Notes:

To order customised hard foam inserts suitable for these drawers, please use the following clear internal dimensions: Width 478 mm, depth 390 mm.

Technical data:

- Material of the worktop: Multiplex beech
- Plate length: 1250 mm
- Panel depth: 550 mm
- Board thickness: 30 mm
- Working height: 985 mm

- With single pull-out safety brake: No
- With single-locking drawers: No
- Number of doors: 1 PCS
- On castors: Yes
- Moving device, can be lowered: No
- With sliding handle: No
- Load-carrying capacity: 700 kg
- Dynamic load-carrying capacity: 500 kg
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Wheel diameter: 125/200 mm
- Central locking: Yes
- Lock type: Cylinder lock
- Material: Sheet steel
- Surface: Powder-coated



Model	1504 XL		
Number of drawers (PCS)	7		
Pullout type	Full extension		
Drawer front height	5 x 67 mm 1 x 137 mm 1 x 207 mm		
Load-carrying capacity per drawer (kg)	40		
Draw width (inner dimension) (mm)	640		
Drawer depth (inner dimension) (mm)	400		
50271...	Body colour	Colour of front	Ident. No. 038 (○)*
	Traffic blue RAL 5017	Traffic blue RAL 5017	

Prod. Gr. 530

STAHlwille® WB 620 wheeled workbench

Width 1150 mm, with 7 fully extending drawers and 1 door




Execution:

- seven easily removable drawers with full extension and ball cage guide
- central locking via side cylinder lock with folding key – the same key can be used for door to useable space, which can be locked separately
- individual locking prevents accidental opening while driving
- Upright unit with four
- it is not possible to pull out several drawers at the same time
- large work surface with multiplex beech panel, 1150 x 500 mm
- Oil and acid-resistant wheels (Ø 125 mm) with thread guards to protect the bearings against dirt and threads, with two locking brakes
- large amount of usable space with adjustable intermediate shelf in the cabinet section
- Paper roll holder
- hole grid on the side for hooks

Technical data:

- Material of the worktop: Multiplex beech
- Plate length: 1150 mm
- Panel depth: 500 mm

- Board thickness: 27 mm
- Working height: 1030 mm
- With single pull-out safety brake: Yes
- With single-locking drawers: Yes
- Number of doors: 1 PCS
- On castors: Yes
- Punched-hole, sidewall: Yes
- Punched-hole: 18,5 mm
- With sliding handle: No
- Load-carrying capacity: 750 kg
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Number of wheel adjusters: 2 PCS
- Material of the wheel: Polypropylene
- Wheel diameter: 125 mm
- Central locking: Yes
- Lock type: Cylinder lock
- Material: Sheet steel
- Surface: Powder-coated



Number of drawers (PCS)	7		
Pullout type	Full extension		
Drawer front height	4 x 80 mm 2 x 120 mm 1 x 160 mm		
Load-carrying capacity per drawer (kg)	30		
Draw width (inner dimension) (mm)	530		
Drawer depth (inner dimension) (mm)	350		
50272...	Body colour	Colour of front	Ident. No. 022 ○
	Anthracite grey RAL 7016	Silver-coloured	

Prod. Gr. 531



V series assembly workbenches, working height 850 mm

Option of stationary or with lowerable transport wheels

Type of workbench:

- Worktop in solid beech, plate thickness 50 mm, sandable, glued structure, special interlinking, thus extremely robust and with almost unlimited durability
- Working height 850 mm
- Sturdy, welded sheet steel construction, base made of square steel tube 45 x 45 x 2 mm, stationary load capacity 1500 kg with evenly distributed load, mobile 450 kg load capacity incl. tare weight of the workbench
- Can be individually fitted with drawers and doors; a 30 mm grid system enables the installation of drawers with a front height of 60–360 mm and doors with a front height of 360 and 540 mm
- Drawers with 100% full extension, 100 kg load capacity and individual pull-out locks
- Lowerable transport wheels: the drive/stop position is adjusted by simply turning the lever on the front side of the workbench
- Vice: 100 mm jaw width with 360° folding, swivelling and height-adjustable lift. The vice compartment is equipped with a door. After folding out the vice, the door can be closed again.

Type of system structure:

- 1 pair of CONNECT structure supports, height 800 mm above the worktop
- Very robust connection between the structure supports and the worktop through a 2-fold screw connection from below through the panel

- Perforated metal plate wall with 10 mm square holes and 38 mm axis distance
- Attached modules such as power supply strips, support rails for easy-view storage bins in 50-mm grid height-adjustable without tools
- Power strip ready wired with plug-in connectors; the connection of the CEE socket must be performed by an electrical technician (not included in the scope of the services)

Delivery:

Ready assembled; system components can be ordered individually for subsequent mounting, however, these are delivered disassembled in this case

Accessories:

- Support elements for perforated metal plate wall, see no. 50638
- Easy-view storage bins for support rails, see no. 50638 810–837
- Drawer partitioning sets, compartment dividers and partition strips, see no. 50228
- AQUARDO textured mats for drawers, for fitting with universal boxes, see no. 50540 660

Paint: Body housing, structure support, support rails in RAL 7035 light grey, drawer fronts, power strip available in RAL 5010 gentian blue or RAL 7016 anthracite grey, powder-coated.

See RAL colour table below for colours deliverable at no extra cost.

Standard features:

Max. workbench load capacity	Max. load capacity per drawer	Full extension	Individual pull-out lock	Perforated floors + slotted walls	Aluminium handle strips with label strips and PVC protective profile	Door opening angle	Central lock	Base
Level compensation	Roller diameter	Fully assembled						

Choose your preferred colour (no extra charge) for products with this logo:



RAL 1015	RAL 2004	RAL 3002	RAL 3020	RAL 5010	RAL 5012	RAL 5014	RAL 5015	RAL 6011	RAL 7035	RAL 9010
light ivory	pure orange	carmine red	traffic red	gentian blue	light blue	pigeon blue	sky blue	reseda green	light grey	pure white

Colours may be subject to printing-related differences; the original colours according to RAL are definitive.



Assortment boxes with fixed dividers

Optionally made from polystyrene or polypropylene

Application:

For orderly storage of small parts.

Execution:

- Food-safe colours
- **Ident. No. 008–024:** Made of polystyrene
- **Ident. No. 108–124:**
 - Made from polypropylene

- Resistant against common acids and alkalis

Delivery:

Without contents

Technical data:

- Compartment type, boxes: Solid



Ident. No. 008
(Contents not included)



Ident. No. 012–024
(Contents not included)



Ident. No. 108–124
(Contents not included)

Number of compartments (PCS)			8	12	24	8	12	24
Width x height x depth			335 x 55 x 225 mm	335 x 55 x 225 mm	335 x 55 x 225 mm	335 x 55 x 225 mm	335 x 55 x 225 mm	335 x 55 x 225 mm
Material			- Polystyrene	- Polystyrene	- Polystyrene	- Polypropylene	- Polypropylene	- Polypropylene
Box colour			Red	Yellow	Blue	Red	Yellow	Blue
			With handle					
50001...	No	Ident. No.				-	-	-
50001...	Yes	Ident. No.				108	112	124

Prod. Gr. 505



Assortment boxes with fixed dividers “Assorter”

Made from polypropylene

Application:

For orderly storage of small parts.

Execution:

- Made from polypropylene
- Transparent cover
- Sturdy hinges and sliding locks
- Resistant to most solvents and oils

- Stackable, stable in form

- **Ident. No. 328–330:** With U profile in lid, prevents the contents from moving out of position

Technical data:

- Compartment type, boxes: Solid
- Material: Plastic
- Box colour: Dark blue/grey



Ident. No. 320



Ident. No. 322



Ident. No. 324



Ident. No. 326



Ident. No. 328



Ident. No. 330

Number of compartments (PCS)			7	12	9	18	15	32
Width x height x depth			175 x 32 x 143 mm	175 x 32 x 143 mm	240 x 43 x 195 mm	240 x 43 x 195 mm	338 x 57 x 260 mm	338 x 57 x 260 mm
			With handle					
50002...	No	Ident. No.						
50002...	Yes	Ident. No.						

Prod. Gr. 500



Assortment box with removable compartment inserts “Assorter”

Made from polypropylene

Application:

For orderly storage of small parts.

Execution:

- Transparent cover
- Sturdy hinges and sliding locks
- Resistant to most solvents and oils
- Stackable and dimensionally stable
- With carry handle

Advantage:

- U profile grid prevents the compartment inserts from slipping and ensures contents stay sorted

Technical data:

- Compartment type, boxes: Adjustable
- Material: Plastic
- Box colour: Dark blue/grey



Ident. No. 340



Ident. No. 342

Number of boxes (PCS)		15	17
Width x height x depth		338 x 57 x 261 mm	338 x 57 x 261 mm
	With handle		
50002...	Yes	Ident. No. 340	342

Prod. Gr. 500



Assortment case with removable compartment inserts "Boxxer"

Made from polypropylene and polycarbonate

Application:

For orderly storage of small parts.

Execution:

- With double-walled polypropylene case base and extremely robust polycarbonate lid
- Removable polypropylene inserts allow partitions to be placed as required
- Carry handle with latching mechanism for one-handed operation and safety locking
- Exchangeable identification label (3 colours included)
- 2 built-in fixed partitions

- Resistant to most solvents and oils

Advantage:

- Profile grid in lid prevents contents becoming mixed up, even with heavy contents
- Support feet in rear wall for stability even when in an upright position

Technical data:

- Compartment type, boxes: Adjustable
- Material: Plastic
- Colour: Dark blue | Grey



Ident. No. 430



Ident. No. 435



Ident. No. 440



Ident. No. 445



Ident. No. 450



Ident. No. 455



Ident. No. 460



Ident. No. 465



Ident. No. 470



Ident. No. 475



Ident. No. 480



Ident. No. 485

Number of boxes (PCS)		9	11	13	15	12	14	25	45
Width x height x depth		225 x 55 x 241 mm	225 x 55 x 241 mm	284 x 55 x 298 mm	284 x 55 x 298 mm	323 x 55 x 354 mm	323 x 55 x 354 mm	361 x 55 x 421 mm	361 x 55 x 421 mm
With handle		No	No	Yes	Yes	Yes	Yes	Yes	Yes
50002...	Ident. No.	430	435	440	445	450	455	460	465

Number of boxes (PCS)		14	25	18	20
Width x height x depth		361 x 78 x 421 mm	361 x 78 x 421 mm	401 x 78 x 465 mm	401 x 78 x 465 mm
With handle		Yes	Yes	Yes	Yes
50002...	Ident. No.	470	475	480	485

Prod. Gr. 500

Accessories for			50002 440	50002 445
50002...	Mobile box, empty	Ident. No.	498	498
Made from polypropylene				



Portable "Handy Boxxer", empty

Made from polypropylene

Application:

For storing and transporting up to four RAACO assortment cases

Delivery:

Does not include assortment case

Execution:

- Empty box for accommodating up to max. 4 RAACO assortment cases, no. 50002 440/445

Technical data:

- Material: PP - Polypropylene

Advantage:

- Allows assortment cases to easily be transported and used as mobile storage devices



Empty box (case not included in scope of delivery)



Example: equipped with a total of four cases – suitable for cases no. 50002 440 and 445

Colour	Dark blue Grey
Length x width x height	347 x 305 x 342 mm
50002...	Ident. No. 498

Prod. Gr. 500

ATORN® Tool boxes

made from sheet steel

Execution:

- Fold-down tubular carry handle
- Hammered, blue
- Accessories: For padlocks, see no. 50025 010

Ident. No. 500:

- Extremely stable tool box
- Lid with projecting edges and end-to-end rod hinge, lockable with a padlock (not included in scope of delivery)

Ident. No. 510–530:

- Extremely sturdy design
- Lid with projecting edges and end-to-end rod hinge, lockable with a padlock (not included in scope of delivery).

Technical data:

- With handle: Yes
- Lock type: Optional with padlock
- Material: Sheet steel
- Colour: Blue



Version	Three-piece	Five-piece	Five-piece	Five-piece
Width x height x depth	430 x 150 x 200 mm	430 x 200 x 200 mm	530 x 200 x 200 mm	600 x 200 x 200 mm
50010...	Ident. No. 500	510	520	530

Prod. Gr. 505

Tool boxes

made from sheet steel

Execution:

- Sheet steel thickness 1.0 mm
- Lid projects on all sides
- Inset hollow folding handle in lid
- Welded lid corners
- Upper box edge folded for reinforcement
- One clamp lock
- End-to-end rod hinge

- Lockable with a padlock (not included in scope of delivery)
- Accessories: For padlocks, see no. 50025 010

Technical data:

- With handle: Yes
- Lock type: Flip-top closure
- Material: Sheet steel
- Colour: Blue grey RAL 7031



Width x height x depth	400 x 125 x 170 mm
50005...	Ident. No. 010

Prod. Gr. 505

ALUTEC universal box

MÜNCHEN Made from aluminium

Execution:

- Beads on all sides for increased stability
- Sturdy base and lid profiles
- Made from aluminium 1.00 mm thick
- Rubber seal on all sides and rebound straps on flip lid
- Safety carry handles
- Resistant to corrosion, weathering and extreme temperatures

Technical data:

- With lid: Yes
- With handle: Yes
- With rollers: No
- Lock type: Lever release fastener
- Protected against dust/splash water: Yes
- Material: Aluminium
- Colour: Silver



Ident. No. 011

Model	COMFORT 30	COMFORT 48	COMFORT 73	COMFORT 92	COMFORT 140
Volume (l)	30	48	73	92	140
External length (mm)	430	580	580	780	900
External width (mm)	335	385	385	385	495
External height (mm)	273	265	398	367	367
Internal length (mm)	400	550	550	750	870
Internal width (mm)	300	350	350	350	460
Interior height (mm)	248	248	381	350	350
Load-carrying capacity (kg)	20	35	50	60	70
50017...	Ident. No. 011	012	013	014	015

Prod. Gr. 5AG

Source: Hahn+Kolb Werkzeuge GmbH
Technical data subject to change.
Availability subject to country specific rules and regulations

www.iconridge.com

ALUTEC aluminium box MÜNCHEN robust design for heavy-duty use

Execution:

- Beads on all sides for increased stability
- Sturdy base and lid profiles
- Made from aluminium 1.00 mm thick
- Including sturdy stacking corners
- Ref. no. 156 and 165 with reinforcement strip on lid
- Rubber seal on all sides and rebound straps on flip lid
- Safety carry handles

- Resistant to corrosion, weathering and extreme temperatures

Technical data:

- With lid: Yes
- With handle: Yes
- With rollers: No
- Lock type: Lever release fastener
- Protected against dust/splash water: Yes
- Material: Aluminium
- Colour: Silver



Ident. No. 102

Model		INDUSTRY 30	INDUSTRY 48	INDUSTRY 73	INDUSTRY 92	INDUSTRY 140	INDUSTRY 153	INDUSTRY 157	INDUSTRY 243	INDUSTRY 400	INDUSTRY 425
Volume (l)		30	48	73	92	140	153	157	243	400	425
External length (mm)		430	580	580	780	900	118	782	782	153	119
External width (mm)		335	385	385	385	495	385	585	585	585	790
External height (mm)		277	277	410	379	379	410	410	619	514	514
Internal length (mm)		400	550	550	750	870	115	750	750	150	116
Internal width (mm)		300	350	350	350	460	350	550	550	550	755
Interior height (mm)		248	248	381	350	350	381	381	590	485	485
Load-carrying capacity (kg)		20	35	50	60	70	70	80	80	180	100
50017...	Ident. No.	102	112	132	142	147	152	157	162	164	166
		o	o	o	o	o	o	o	o	o	o

Prod. Gr. 5AG

ZARGES Battery safety container K 470 Special containers made of aluminium

Application:

For the safe storage and transport of damaged or defective lithium batteries in accordance with Packaging Instructions 908.

Execution:

- Suitable for up to 3 lithium batteries up to 500 Wh each.
- Equipped with fire-resistant cushioning and absorbent material made of textured fibreglass
- High stability thanks to 3 fully welded aluminium frames
- Weight: 11.5 kg

- Fire test successfully passed: no spreading of flames to neighbouring batteries, temperature on container surface remains below 100°C
- Tested and approved in line with UN provisions as hazardous goods packaging, i.e. proper public transport in line with P908 possible

Technical data:

- With lid: Yes
- With handle: Yes
- With rollers: No
- Material: Aluminium
- Colour: Silver



Model	K 470
Volume (l)	66
External length (mm)	600
External width (mm)	600
External height (mm)	250
Internal length (mm)	550
Internal width (mm)	550
Interior height (mm)	220
50018...	Ident. No.
	500
	●

Prod. Gr. 559