

ATORN® Tool trolley with metal shutters

Width 625 mm, with 4 drawers that extend on both sides

Execution:

- Sturdy sheet steel construction with large table top made of plastic with integrated storage compartments and spacious base container
- 4 drawers which can be extended on both sides, protected against falling out and with smooth-running ball bearing guides
- Securely welded partitions in the drawers
- Drawer 1 + 2 = 3 longitudinal partitions each, drawer 3 = 1 cross-partition, drawer 4 = no partitions
- Lockable with metal shutters, central locking with padlock possible (not included in scope of delivery, see padlock with shackle diameter 6.5, no. 50025 010 or 040)
- 4 ball-bearing wheels, 1 lockable steering roller
- Tool assortments, see from no. 52561 010-030, 38170 013, 52560 010-020, 50276 032-035

measurements: Width 466 mm, depth 310 mm

Technical data:

- Pullout type: Pull-out to both sides
- With single pull-out safety brake: No
- With single-locking drawers: No
- With SOFT-CLOSE closing function: No
- Load-carrying capacity: 300 kg
- Central locking: Yes
- Lock type: Padlock
- Punched-hole, sidewall: No
- With edge protection: No
- With sliding handle: No
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Material of the worktop: Plastic
- Material: Sheet steel
- Surface: Powder-coated



Notes:

To order customised hard foam inserts suitable for these drawers, please use the following clear inside

Number of drawers (PCS)	4		
Drawer front height	4 x 75 mm		
Draw width (inner dimension) (mm)	476		
Drawer depth (inner dimension) (mm)	320		
Load-carrying capacity per drawer (kg)	20		
Height (mm)	930		
Width (mm)	625		
Depth (mm)	400		
	Body colour	Colour of front	
50278...	Light grey RAL 7035	Light grey RAL 7035	Ident. No. 500

Prod. Gr. 5BA

Accessories for		50278 500	
50025...	TITANIUM™ series 54TI padlocks With hardened steel shackle	Ident. No.	010
50025...	Padlock series 45 Precision cylinder lock with key cylinder	Ident. No.	040

ATORN® Tool trolleys

Width 605 mm, with 6 drawers that extend on both sides

Execution:

- Sturdy sheet steel construction with large table top made of plastic with integrated storage compartments
- 6 drawers which can be extended on both sides, protected against falling out
- Drawers with slotted strips for partitioning with separating plates, see accessories no. 50278 515 or with non-slip mats, no. 50278 512
- 4 ball-bearing wheels, 1 lockable steering roller
- Lockable with padlock (not included in scope of delivery, see padlock with shackle diameter 6.5 no. 50025 010 or 040)
- Additional accessories: Padlock with shackle diameter 6.5, see no. 50025 010 or 040, AQURADO textured mat for drawer, see no. 50540 610
- Tool assortments, see from no. 52561 010-030, 38170 013, 52560 010-020, 50276 032-035

measurements: Width 472 mm, depth 302 mm

Technical data:

- Pullout type: Pull-out to both sides
- With single pull-out safety brake: No
- With single-locking drawers: No
- With SOFT-CLOSE closing function: No
- Load-carrying capacity: 300 kg
- Central locking: Yes
- Lock type: Padlock
- Punched-hole, sidewall: No
- With edge protection: No
- With sliding handle: No
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Material of the worktop: Plastic
- Material: Sheet steel
- Surface: Powder-coated



Notes:

To order customised hard foam inserts suitable for these drawers, please use the following clear inside

Number of drawers (PCS)	6		
Drawer front height	4 x 45 mm 1 x 120 mm 1 x 210 mm		
Draw width (inner dimension) (mm)	480		
Drawer depth (inner dimension) (mm)	325		
Load-carrying capacity per drawer (kg)	25		
Height (mm)	930		
Width (mm)	605		
Depth (mm)	375		
	Body colour	Colour of front	
50278...	Light grey RAL 7035	Light grey RAL 7035	Ident. No. 510

Prod. Gr. 5BA

Accessories for		50278 5 10	
50025...	TITALIUM™ series 54TI padlocks With hardened steel shackle	Ident. No.	010
50025...	Padlock series 45 Precision cylinder lock with key cylinder	Ident. No.	040
50278...	Non-slip mat set 5 pieces, for ATORN tool trolley no. 50278	Ident. No.	512
50278...	Divider strip For ATORN tool trolley no. 50278 5 10	Ident. No.	515
50540...	AQURADO textured mat HK tool trolley no. 50278 5 10 and 50278 800	Ident. No.	610

ATORN® Tool trolleys

Width 650 mm, with swing columns, lowerable intermediate boxes

Execution:

- Sturdy sheet-steel construction with large floor tray, table surface with rubber mat
- 2 intermediate boxes each with 4 sheet metal dividers for versatile partitioning
- Useful area of intermediate boxes W x D 480 x 315 mm, load capacity per intermediate box 15 kg
- With swivel columns for space-saving transport, can be folded down to the lowest height of the tool trolley in order to save space and act as handles
- The intermediate boxes can be lowered using the fold-down columns, total lowered height 500 mm
- Table top and intermediate boxes with rubber protection strips to protect against damage
- Lockable with padlock (not included in scope of delivery, see padlock with shackle diameter 6.5 no. 50025 010 or 040)
- Tool assortments, see from no. 52561 010-030, 38170 013, 52560 010-020, 50276 032-035

Technical data:



- With SOFT-CLOSE closing function: No
- Load-carrying capacity: 300 kg
- Central locking: No
- Lock type: Padlock
- Punched-hole, sidewall: No
- With edge protection: No
- With sliding handle: No
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Material of the worktop: Plastic
- Material: Sheet steel
- Surface: Powder-coated



With tilting poles for space-saving transport



Without tools



Number of drawers (PCS)	0
Height (mm)	965
Width (mm)	650
Depth (mm)	415

50277...	Body colour	Colour of front	Ident. No.	001
	Light grey RAL 7035	Light grey RAL 7035		

Prod. Gr. 5BA

Accessories for		50277 001	
50025...	TITALIUM™ series 54TI padlocks With hardened steel shackle	Ident. No.	010
50025...	Padlock series 45 Precision cylinder lock with key cylinder	Ident. No.	040

ATORN® Tool trolleys

Width 778 mm, with fully extending drawers

Execution:

- Sturdy sheet steel construction with solvent-resistant plastic worktop and 2 integrated storage compartments
- Plastic-coated metal sliding handle attached directly to the frame
- Central locking with cylinder lock secures all drawers, incl. 2 keys
- 4 abrasion-proof transport wheels, 100 mm diameter, 2 of which can be steered, 1 lockable steering roller
- For accessories such as can holder, document holder, suspended bins, waste basket see no. 50278 578-590, holder for cable box, see no. 50278 813, retaining frame incl. 12 transparent tilting containers, see no. 50278 815, tool hooks for attachment to rectangular hole grid on sidewalls, see no. 50638 300-650
- Our ATORN hard foam inserts with tool assortments are suitable for equipping drawers, see no. 50537 505-591 or AQRADO textured mat for drawers see no. 50540 620, boxes from no. 50540 150

Advantage:

- Indented side walls protect additional add-on parts from damage since they are located within the overall trolley dimensions
- Rectangular hole grid on the sidewalls for individual attachment options using e.g. hooks for tools or other add-on parts, e.g. can holder, waste basket etc.

Delivery:

Incl. 1 sheet metal divider per drawer

Notes:

To order customised hard foam inserts suitable for these drawers, please use the following clear inside measurements: Width 520 mm, depth 345 mm.

Technical data:

- Pullout type: Full extension
- With single pull-out safety brake: No
- With single-locking drawers: Yes
- With SOFT-CLOSE closing function: No
- Load-carrying capacity: 300 kg
- Central locking: Yes
- Lock type: Cylinder lock
- Punched-hole, sidewall: Yes
- Punched-hole: 10 x 10 mm
- With edge protection: No
- With sliding handle: Yes
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Wheel diameter: 100 mm
- Material of the worktop: Plastic
- Material: Sheet steel
- Surface: Powder-coated



Ident. No. 560



Ident. No. 570-571



Individual locking of drawers



4 rubber-coated wheels, Ø 100 mm



Central locking with cylinder lock, incl. 2 keys



Fully extending drawers

Number of drawers (PCS)	6	7	8
Drawer front height	4 x 80 mm 2 x 165 mm	6 x 80 mm 1 x 165 mm	8 x 80 mm
Draw width (inner dimension) (mm)	527	527	527
Drawer depth (inner dimension) (mm)	348	348	348
Load-carrying capacity per drawer (kg)	20	20	20
Height (mm)	915	915	915
Width (mm)	778	778	778
Depth (mm)	496	496	496
	Body colour	Colour of front	
50278...	Light grey RAL 7035	Gentian blue RAL 5010	Ident. No.
			560 570 571

Prod. Gr. 5BA



ATORN® Tool trolley incl. 151 pcs Tool assortment in 7 hard foam inserts

Width 778 mm, with 7 fully extending drawers

Execution:

- Sturdy sheet steel construction with solvent-resistant plastic worktop and 2 integrated storage compartments
- Plastic-coated metal sliding handle attached directly to the frame
- Central locking with cylinder lock secures all drawers, incl. 2 keys
- 4 abrasion-proof transport wheels, 100 mm diameter, 2 of which can be steered, 1 lockable steering roller
- 7 ATORN hard foam inserts fitted with 151 ATORN tools fill 4 drawers of the tool trolley
- Additional ATORN hard foam inserts equipped with tools for the versatile equipping of drawers, see no. 50537 505-591, additional accessories such as can holders, document holders, suspended boxes, waste baskets, see no. 50278 578-590, cable box holders, see no. 50278 813, holder frame incl. 12 transparent tilting bins, see no. 50278 815

Advantage:

- Clearly-arranged and safe storage of tools in the drawers
- Precisely dimensioned cut-outs in the inserts and the use of a contrast colour (blue) means that missing tools can be detected at a glance
- Expensive tools can be stored securely and safely in the insert
- Indented side walls protect additional add-on parts from damage since they are located within the overall trolley dimensions
- Rectangular hole grid on the sidewalls for individual attachment options using e.g. hooks for tools or other add-on parts, e.g. can holder, waste basket etc.

Delivery:

Incl. 1 sheet metal divider per drawer, incl. 7 ATORN hard foam inserts equipped with 151 ATORN tools

Notes:

To order customised hard foam inserts suitable for these drawers, please use the following clear internal dimensions: Width 520 mm, depth 345 mm.

Technical data:

- Pullout type: Full extension
- With single pull-out safety brake: No
- With single-locking drawers: Yes
- With SOFT-CLOSE closing function: No
- Load-carrying capacity: 300 kg
- Central locking: Yes
- Lock type: Cylinder lock
- Punched-hole, sidewall: Yes
- Punched-hole: 10 x 10 mm
- With edge protection: No
- With sliding handle: Yes
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Wheel diameter: 100 mm
- Material of the worktop: Plastic
- Material: Sheet steel
- Surface: Powder-coated



Trolley incl. 7 hard foam inserts equipped with 151-piece tool assortment:



For contents, see nos. 50537 530 and 509



For contents, see nos. 50537 516 and 515



For contents, see nos. 50537 526 and 517



For contents, see no. 50537 591

Number of drawers (PCS)	7	
Drawer front height	6 x 80 mm 1 x 165 mm	
Draw width (inner dimension) (mm)	527	
Drawer depth (inner dimension) (mm)	348	
Load-carrying capacity per drawer (kg)	20	
Height (mm)	913	
Width (mm)	778	
Depth (mm)	496	
	Body colour	Colour of front
50278...	Light grey RAL 7035	Gentian blue RAL 5010
	Ident. No.	575

Prod. Gr. 586

ATORN® Tool trolley with individual drawer pull-out locking

Width 817 mm, with fully extending drawers

Execution:

- Sturdy sheet steel construction with solvent-resistant plastic worktop, 2 integrated storage compartments and 2 can holders
- Full-height edge protection on all 4 corners of the trolley, plastic-coated metal sliding handle attached directly to the frame
- Drawers with labelling space for individual identification with pictogram stickers
- Central locking with cylinder lock secures all drawers, incl. 2 articulated wrenches
- 2 ball-bearing fixed castors and 2 125-mm diameter steering rollers for transportation, steering rollers with parking brake
- For additional accessories such as can holder, document holder, suspended bins, waste basket see no. 50278 578-590, holder for cable box, see no. 50278 813, retaining frame incl. 12 transparent tilting containers, see no. 50278 815, tool hooks for attachment to rectangular hole grid on sidewalls, see no. 50638 300-650
- Our ATORN hard foam inserts with tool assortments are suitable for equipping drawers, see no. 50537 505-591 or AQRADO textured mat for drawers see no. 50540 620, boxes from no. 50540 150

Advantage:

- With individual drawer pull-out locking which means that only one drawer can be opened, protecting the trolley against tipping
- Indented side walls protect additional add-on parts from damage since they are located within the overall trolley dimensions
- Rectangular hole grid on the sidewalls for individual attachment options using e.g. hooks for tools or other add-on parts, e.g. can holder, waste basket etc.

Delivery:

Incl. 1 sheet metal divider per drawer and pictogram label for drawer marking

Notes:

To order customised hard foam inserts suitable for these drawers, please use the following clear inside measurements: Width 520 mm, depth 345 mm.

Technical data:

- Pullout type: Full extension
- With single pull-out safety brake: Yes
- With single-locking drawers: Yes
- With SOFT-CLOSE closing function: No
- Load-carrying capacity: 440 kg
- Central locking: Yes
- Lock type: Cylinder lock
- Punched-hole, sidewall: Yes
- Punched-hole: 10 x 10 mm
- With edge protection: Yes
- With sliding handle: Yes
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Wheel diameter: 125 mm
- Material of the worktop: Plastic
- Material: Sheet steel
- Surface: Powder-coated



Incl. pictogram stickers for labelling drawers

ATORN hard foam inserts, with tools, for flexible equipping of drawers, see no. 50537 505-591

Number of drawers (PCS)		6	7	8
Drawer front height		3 x 75 mm 3 x 160 mm	5 x 75 mm 2 x 160 mm	7 x 75 mm 1 x 160 mm
Draw width (inner dimension) (mm)		527	527	527
Drawer depth (inner dimension) (mm)		348	348	348
Load-carrying capacity per drawer (kg)		25	25	25
Height (mm)		1042	1042	1042
Width (mm)		817	817	817
Depth (mm)		502	502	502
	Body colour	Colour of front		
50278...	Light grey RAL 7035	Gentian blue RAL 5010	Ident. No.	
			572	573
			●	●
				574
				●

Prod. Gr. 5BA

ATORN® Tool trolley with individual drawer pull-out locking

Width 817 mm, with 5 fully extending drawers and 1 door

Execution:

- Sturdy sheet steel construction with solvent-resistant plastic worktop, 2 integrated storage compartments and 2 can holders
- Full-height edge protection on all 4 corners of the trolley, plastic-coated metal sliding handle attached directly to the frame
- Drawers with labelling space for individual identification with pictogram stickers
- With front door, height 337 mm, can be locked separately with 2 articulated wrenches, dimensions internal compartment H x W x D 340 x 553 x 450 mm
- Central locking with cylinder lock secures all drawers, incl. 2 articulated wrenches
- 2 ball-bearing fixed castors and 2 125-mm diameter steering rollers for transportation, steering rollers with parking brake
- For additional accessories such as can holder, document holder, suspended bins, waste basket see no. 50278 578-590, holder for cable box, see no. 50278 813, retaining frame incl. 12 transparent tilting containers, see no. 50278 815, tool hooks for attachment to rectangular hole grid on sidewalls, see no. 50638 300-650
- Our ATORN hard foam inserts with tool assortments are suitable for equipping drawers, see no. 50537 505-591 or AQUARADO textured mat for drawers see no. 50540 620, boxes from no. 50540 150

Advantage:

- With individual drawer pull-out locking, which means that only one drawer can be opened, protecting the trolley against tipping
- The compartment behind the doors provides a large storage area for bulky, large tools, parts and cases
- Indented side walls protect additional add-on parts from damage since they are located within the overall trolley dimensions

- Rectangular hole grid on the sidewalls for individual attachment options using e.g. hooks for tools or other add-on parts, e.g. can holder, waste basket etc.

Delivery:

Incl. 1 sheet metal divider per drawer and pictogram label for drawer marking

Notes:

To order customised hard foam inserts suitable for these drawers, please use the following clear inside measurements: Width 520 mm, depth 345 mm.

Technical data:

- Pullout type: Full extension
- With single pull-out safety brake: Yes
- With single-locking drawers: Yes
- With SOFT-CLOSE closing function: No
- Load-carrying capacity: 440 kg
- Central locking: Yes
- Lock type: Cylinder lock
- Punched-hole, sidewall: Yes
- Punched-hole: 10 x 10 mm
- With edge protection: Yes
- With sliding handle: Yes
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Wheel diameter: 125 mm
- Material of the worktop: Plastic
- Material: Sheet steel
- Surface: Powder-coated



Large storage space behind the doors



Tool assortment stored in hard foam, see no. 50537 505-591



With individual drawer locking



Number of drawers (PCS)	5		
Drawer front height	5 x 75 mm		
Draw width (inner dimension) (mm)	527		
Drawer depth (inner dimension) (mm)	348		
Load-carrying capacity per drawer (kg)	25		
Height (mm)	1042		
Width (mm)	817		
Depth (mm)	502		
	Body colour	Colour of front	Ident. No.
50278...	Light grey RAL 7035	Gentian blue RAL 5010	576

Prod. Gr. 5BA

ARE YOU LOOKING FOR PRODUCTS THAT MEET THE TOUGHEST DEMANDS? WE HAVE WHAT IT TAKES.

For a complete range of products that meet the toughest demands, visit www.iconridge.com

ATORN® Tool trolley incl. 74 pcs Tool assortment in 4 hard foam inserts

Width 817 mm, with 5 fully extending drawers and 1 door, with drawer individual extension lock

Execution:

- Sturdy sheet steel construction with solvent-resistant plastic worktop, 2 integrated storage compartments and 2 can holders
- Full-height edge protection on all 4 corners of the trolley, plastic-coated metal sliding handle attached directly to the frame
- Drawers with labelling space for individual identification with pictogram stickers
- With front door, height 337 mm, can be locked separately with 2 articulated wrenches, dimensions internal compartment H x W x D 340 x 553 x 450 mm
- Rectangular hole grid on the sidewalls for individual attachment options using e.g. hooks for tools or other add-on parts, e.g. can holder, waste basket etc.
- Central locking with cylinder lock secures all drawers, incl. 2 articulated wrenches
- Transportable thanks to 2 ball-bearing fixed wheels and 2 guide rollers, diameter 125 mm, with parking brake
- 4 ATORN hard foam inserts fitted with 74 ATORN tools fill 2 drawers of the tool trolley
- Additional ATORN hard foam inserts equipped with tools for the versatile equipping of drawers, see no. 50537 505-591, AQUARADO textured mat for drawers, see no. 50540 620, additional accessories such as can holders, document holders, suspended boxes, waste baskets, see no. 50278 578-590, cable box holders, see no. 50278 813, holder frame incl. 12 transparent tilting bins, see no. 50278

Advantage:

- With individual drawer pull-out locking which means that only one drawer can be opened, protecting the trolley against tipping
- The compartment behind the doors provides a large storage area for bulky, large tools, parts and cases
- Clearly-arranged and safe storage of tools in the drawers
- Precisely dimensioned cut-outs in the inserts and the use of a contrast colour (blue) means that missing tools can be detected at a glance

- Indented side walls protect additional add-on parts from damage since they are located within the overall trolley dimensions

Delivery:

Incl. 4 ATORN hard foam inserts no. 50537 509/515/517/530, made from black/blue two-tone polyethylene (PE), closed cell foam resistant to most oils and chemicals, equipped with 74 ATORN tools and 1 sheet metal divider per drawer and pictogram label for drawer marking

Notes:

To order customised hard foam inserts suitable for these drawers, please use the following clear inside measurements: Width 520 mm, depth 345 mm.

Technical data:

- Pullout type: Full extension
- With single pull-out safety brake: Yes
- With single-locking drawers: Yes
- With SOFT-CLOSE closing function: No
- Load-carrying capacity: 440 kg
- Central locking: Yes
- Lock type: Cylinder lock
- Punched-hole, sidewall: Yes
- Punched-hole: 10 x 10 mm
- With edge protection: Yes
- With sliding handle: Yes
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Wheel diameter: 125 mm
- Material of the worktop: Plastic
- Material: Sheet steel
- Surface: Powder-coated



Large storage space behind the doors



Tool assortment stored in hard foam, see no. 50537 505-591



With individual drawer locking



Number of drawers (PCS)				2
Drawer front height				5 x 75 mm
Draw width (inner dimension) (mm)				527
Drawer depth (inner dimension) (mm)				348
Load-carrying capacity per drawer (kg)				25
Height (mm)				1042
Width (mm)				817
Depth (mm)				502
	Body colour	Colour of front		
50278...	Light grey RAL 7035	Gentian blue RAL 5010	Ident. No.	595

Prod. Gr. 5BA

ATORN® Accessories for ATORN tool trolley

Application:

Ident. No. 584: For A4 documents and work papers, for inserting in the 10 x 10 mm perforated sidewall of the trolley

Ident. No. 586: For holding 3 cans, holder for inserting in the 10 x 10 mm perforated sidewall of the trolley

Ident. No. 588: As a storage compartment, for inserting in the 10 x 10 mm perforated sidewall of the trolley

Ident. No. 590: For disposing of solid waste such as waste paper, for inserting in the 10 x 10 mm perforated sidewall of the trolley

Execution:

▪ **Ident. No. 578:**

- Dimensions W x D x T 520 x 345 x 2 mm, colour black
- Reinforced fabric mat with textured structure made of adhesive plastic

▪ **Ident. No. 579:**

- Dimensions W x D x T 520 x 345 x 3 mm, colour black
- Surface made of fine groove profile, grooved in longitudinal direction, oil-resistant

▪ **Ident. No. 580:**

- For drawer front height 75/80 mm
- 5 pieces, sheet metal partitions, height x depth 60 x 347 mm

▪ **Ident. No. 582:**

- For drawer front height 160/165 mm
- 5 pieces, sheet metal partitions, height x depth 120 x 347 mm

▪ **Ident. No. 586:**

- Dimensions L x W x H 260 x 80 x 102 mm
- Incl. assembly kit

▪ **Ident. No. 588:** Dimensions L x W x H 300 x 75 x 78 mm



Ident. No. 584



Ident. No. 586
(Without cans)



Ident. No. 588
(Without cans)



Ident. No. 590

50278...	Anti-slip mat for drawer	Ident. No.	578
50278...	Ribbed rubber mat for drawer	Ident. No.	579
50278...	Separating plates, 5 pieces for height 75/80 mm	Ident. No.	580
50278...	Separating plates, 5 pieces for height 160/165 mm	Ident. No.	582
50278...	Document holder	Ident. No.	584
50278...	Can holder	Ident. No.	586
50278...	Suspended box	Ident. No.	588
50278...	Waste paper basket	Ident. No.	590

Prod. Gr. 5BA

ATORN® Hard foam inserts equipped with high-quality ATORN tools

Width 260 mm, depth 345 mm, for ATORN tool trolley

Application:

Ident. No. 505-511, 513: For the flexible fitting of drawers of ATORN tool trolley no. 50278 560-595.

Ident. No. 512: For the flexible fitting of drawers of ATORN tool trolley no. 50278 560-595

Execution:

- Two-tone foam inserts made of polyethylene (PE) equipped with tool assortments
- Closed cells provide resistance against most oils and chemicals
- The PE foam is lightweight, resistant, durable, odour-neutral and safe for foodstuffs
- One tool insert fills half of the useful area of a drawer with internal dimensions 527 x 348 mm
- Two tool inserts fill the entire useful area of a drawer with internal dimensions 527 x 348 mm

Advantage:

- For clear order and protected storage of tools in the drawers
- Precisely dimensioned cut-outs and a contrast colour (blue) means that missing tools can be spotted at a glance, avoiding any loss of tools
- Expensive tools will be kept safe and protected in the insert

Technical data:

- Depth: 345 mm
- Width: 260 mm
- Height: 30 mm
- Material: PE - Polyethylene
- Colour of top hard foam inlay: Black
- Colour of bottom hard foam inlay: Blue
- Suitable for drawer: 60 mm



Ident. No. 505



Ident. No. 507



Ident. No. 509



Ident. No. 511



Ident. No. 512



Ident. No. 513

Composition of set

	50537... Ident. No.
1 ATORN double ring wrench width a.f. 6 x 7/8 x 9/10 x 11/12 x 13/14 x 15/16 x 17/18 x 19/20 x 22 mm	505
1 ATORN double open-end wrench width a.f. 6 x 7/8 x 9/10 x 11/12 x 13/14 x 15/16 x 17/18 x 19/20 x 22/21 x 23/24 x 27/30 x 32 mm	507
1 ATORN combination spanner width a.f. 6/7/8/9/10/11/12/13/14/15/16/17/18/19/21/22/24 mm	509
1 ATORN ratchet combination spanner width a.f. 8/9/10/11/12/13/14/15/16/17/18/19/21/22 mm, 1 ATORN adapter for 1/4" bits, for 1/4", 3/8", 1/2" square head	511
1 ATORN combination spanner, depressed centre design width a.f. 6/7/8/9/10/11/12/13/14/15/16/17/18/19/21/22/24 mm	512
1 ATORN electronic vernier calipers 150 mm, ATORN micrometer 0-25 mm, ORION spring divider 125 mm, ATORN pocket tape measure 3 m, ORION spring steel strip ruler 200 mm, ATORN straight edge 100 mm, ATORN flat square 100 x 70 mm, ORION protractor 120 x 150 mm	513

Prod. Gr. 547

Source: Hahn+Kolb Werkzeuge GmbH
 Technical data subject to change.
 Availability subject to country specific rules and regulations.

www.iconridge.com

ATORN® Hard foam inserts equipped with high-quality ATORN tools

Width 260 mm, depth 345 mm, for ATORN tool trolley

Technical data:

- Depth: 345 mm
- Width: 260 mm
- Height: 30 mm
- Material: PE - Polyethylene
- Colour of top hard foam inlay: Black
- Colour of bottom hard foam inlay: Blue
- Suitable for drawer: 60 mm



Ident. No. 514



Ident. No. 515



Ident. No. 516



Ident. No. 517



Ident. No. 518



Ident. No. 519

Composition of set

	50537... Ident. No.	
1 ATORN hexagon head screwdriver width a.f. 2/2.5/3/4/5/6/8/10, ATORN angled screwdriver 13 pieces T5-T50 long design	514	●
ATORN hexagonal Allen key 9 pieces, 1 slotted screwdriver 5.5 x 100/6.5 x 125/8 x 150 mm, 1 ATORN Phillips screwdriver PH 1/PH 2/PH 3/PZ 1/PZ 2	515	●
1 ATORN TORX screwdriver T 6/T 7/T 8/T 9/T 10/T 15/T 20/T 25/T 27/T 30/T 40	516	●
1 ATORN flat-round pliers 200 mm, ATORN combination pliers 180 mm, ATORN water pump pliers 250 mm, ATORN side cutters 165 mm, ATORN round-nose pliers 160 mm	517	●
1 ATORN circlip pliers J1/J2/J11/J21/A1/A2/A11/A21	518	●
1 ATORN slotted screwdriver VDE 2.5/3.5/4/5.5/10, 1 ATORN Phillips screwdriver VDE PH 1/PH 2/PZ 0/PZ 1/PZ 2, WIHA voltage tester	519	●

Prod. Gr. 547

ATORN® Hard foam inserts equipped with high-quality ATORN tools

Width 260 mm, depth 345 mm, for ATORN tool trolley

Technical data:

- Depth: 345 mm
- Width: 260 mm
- Height: 30 mm
- Material: PE - Polyethylene
- Colour of top hard foam inlay: Black
- Colour of bottom hard foam inlay: Blue
- Suitable for drawer: 60 mm



Ident. No. 521



Ident. No. 522



Ident. No. 523



Ident. No. 524



Ident. No. 525



Ident. No. 526

Composition of set

	50537... Ident. No.	
1 ATORN round-nose pliers VDE 160 mm, ATORN snipe nose pliers VDE 200 mm straight and bent, ATORN combination pliers VDE 180 mm, ATORN side cutters VDE 160 mm, ATORN wire stripping pliers VDE 160 mm	521	●
1 ATORN hexagonal screwdriver with t-handle width a.f. 2/2.5/3/4/5/6/8/10 mm	522	●
1 ATORN TORX screwdriver with t-handle T 8/T 10/T 15/T 20/T 25/T 27/T 30/T 40/T 45	523	●
1 ATORN pocket tape measure 3 m, ATORN triangular hollow-ground scraper 150 mm, ORION all-purpose shears 180 mm, ORION knife 165 mm, telescopic mirror Ø 50 mm, telescopic pick-up magnet retention force 6 kg, LED hand-held lamp Turbo (without batteries)	524	●
1 ATORN vernier calipers 150 mm, ATORN micrometer 0-25 mm, ATORN knife-edge square 75 x 50 mm, ATORN straight edge 125 mm, ATORN try square 100 x 70 mm, ORION spring steel strip ruler 300 mm, ORION scriber 160 x 5 mm, ORION spring divider 125 mm, ORION feeler gauges 20-sheet 0.05-1.00 mm	525	●
1 ATORN vernier calipers 150 mm, ATORN pocket tape measure 3 m, ATORN try square 100 x 70 mm, ATORN bitbox 32 pieces, ORION knife 165 mm, ORION all-purpose shears 180 mm, ORION spring steel strip ruler 300 mm, LED hand-held lamp Turbo (without batteries)	526	●

Prod. Gr. 547

ATORN® Hard foam inserts equipped with high-quality ATORN tools Width 260 mm, depth 345 mm, for ATORN tool trolley

Technical data:

- Depth: 345 mm
- Width: 260 mm
- Height: 30 mm
- Material: PE - Polyethylene
- Colour of top hard foam inlay: Black
- Colour of bottom hard foam inlay: Blue
- Suitable for drawer: 60 mm



Ident. No. 527



Ident. No. 529



Ident. No. 530



Ident. No. 531



Ident. No. 532



Ident. No. 534

Composition of set

	50537... Ident. No.	
1 ATORN machinist's hammer 500 g, ATORN carbide scriber 150 mm, ORION chisel set 6 pieces, ORION pin punch set 6 pieces, GEDORE protective cover for hammer	527	●
ORION key files 100 mm cut 2, 6 pieces, DICK files 200 mm cut 2, 5 pieces	529	●
ATORN socket wrench set 1/4" and 1/2", 35 pieces equipped in the same way as 101 (but without box)	530	●
ATORN socket wrench set 3/8", 49 pieces	531	●
ATORN socket wrench set 1/4", 45 pieces, ATORN bitbox 32 pieces	532	●
ATORN socket wrench set 1/2", 35 pieces	534	●

Prod. Gr. 547

ATORN® Hard foam inserts equipped with high-quality ATORN tools Width 260 mm, depth 345 mm, for ATORN tool trolley

Technical data:

- Depth: 345 mm
- Width: 260 mm
- Height: 30 mm
- Material: PE - Polyethylene
- Colour of top hard foam inlay: Black
- Colour of bottom hard foam inlay: Blue
- Suitable for drawer: 60 mm



Ident. No. 550



Ident. No. 560



Ident. No. 565



Ident. No. 570



Ident. No. 580

Composition of set

	50537... Ident. No.	
1 ERDI ideal scissors 260 mm, ERDI ideal scissors straight 180 mm, weaver's scissors straight length 110 mm, all-purpose shears 250 mm, revolving punch pliers length 220 mm, ATORN utility knife	550	●
1 ATORN electronic flat nose pliers 125 mm, ATORN electronic round-nose pliers 125 mm, ATORN electronic pointed pliers 125 mm bent and straight, ATORN electronic side cutters 112 mm with and without bevel, ATORN electronic end cutting nippers 112 mm without bevel, ATORN cable-end sleeve pliers 180 mm	560	●
1 ATORN cable cutters 160 mm, ATORN crimping tool, ATORN wire-stripping tool VDE, ATORN tripe pliers 160 mm, ATORN voltage tester, ORION cable knife	565	●
1 ATORN torque screwdriver 0.6-1.5/1.5-3/3-5.4 Nm, 1 ATORN socket wrench 1/4" 4/4.5/5/5.5/6/7/8/9/10/11/12/13/14, ATORN bit holder for blades 170 mm, 1/4" bit holder, ATORN bit adapter for cordless drill 1/4", ATORN Bitbox Collector Universal 61 pieces	570	●
METABO cordless drill screwdriver PowerMaxx BS Basic 10.8 V/1.5 Ah incl. 2 x batteries (10.8 V/1.5 Ah), 1 x charger, ATORN Bitbox 32 pieces	580	●

50537 550 = Prod. Gr. 547, 50537 560 = Prod. Gr. 547, 50537 565 = Prod. Gr. 547, 50537 570 = Prod. Gr. 547, 50537 580 = Prod. Gr. 547

ATORN® Hard foam insert equipped with tools, hammer, saw, chisel set Width 520 mm, depth 345 mm, for ATORN tool trolley

Application:

For the flexible fitting of drawers of ATORN tool trolley no. 50278 560-595.

Execution:

- Two-tone foam inserts made of polyethylene (PE) equipped with tool assortments
- Closed cells provide resistance against most oils and chemicals
- The PE foam is lightweight, resistant, durable, odour-neutral and safe for foodstuffs
- The tool insert fills the entire useful area of a drawer with internal dimensions 527 x 348 mm

Advantage:

- For clear order and protected storage of tools in the drawers
- Precisely dimensioned cut-outs and a contrast colour (blue) means that missing tools can be spotted at a glance, avoiding any loss of tools

- Expensive tools will be kept safe and protected in the insert

Technical data:

- Composition of set: 1 ATORN machinist's hammer 500 g, ATORN aluminium saw bow 300 mm with blade, ATORN bow saw spare blades 300 mm, 10 pieces, ATORN carbide scriber 150 mm, ORION soft-face hammer diameter 30 mm, ORION chisel set 6 pieces, ORION pin punch set 6 pieces, ORION knife 145 m
- Depth: 345 mm
- Width: 520 mm
- Height: 30 mm
- Material: PE - Polyethylene
- Colour of top hard foam inlay: Black
- Colour of bottom hard foam inlay: Blue
- Suitable for drawer: 60 mm



50537... | Ident. No. **591**

Prod. Gr. 547

HK Tool trolley with drawer individual extension lock
645 mm wide with fully extending drawers

Execution:

- Sturdy sheet steel construction with ABS plastic worktop with integrated small part trays
- Rubberised edge protection profiles on the corners protect the trolley against damage
- Individual fastening options thanks to rectangular perforated grid 10 x 10 mm, spacing between hole centres 38 mm on the sidewalls which can be used e.g. with hooks for tools or other add-on parts (can holder, waste basket etc.)
- Ergonomic steering handle made of aluminium
- Individual locking of drawers integrated into drawer fascia panel
- Central locking with cylinder lock incl. 2 articulated wrenches
- 2 large ball-bearing wheels, diameter 140 mm, 2 guide rollers, diameter 100 mm, one of which with parking brake
- ORION tool assortments fitted in hard foam suitable for drawers, see from no. 50535 845-885, AQURADO textured mat for drawer, see no. 50540 610
- Additional accessories such as can holders, storage compartments, waste baskets, see no. 50278 810-818, document pocket, see no. 50654 760, holder frame incl. 12 transparent tilting containers, see no. 50278 815, cable box holder, see no. 75002 600

Advantage:

- Reciprocal drawer lock which means that only one drawer can be opened, protecting the trolley against tipping



Ident. No. 820

Notes:

To order customised hard foam inserts suitable for these drawers, please use the following clear internal dimensions: Width 468 mm, depth 333 mm.

Technical data:

- Pullout type: Full extension
- With single pull-out safety brake: Yes
- With single-locking drawers: Yes
- With SOFT-CLOSE closing function: No
- Load-carrying capacity: 300 kg
- Central locking: Yes
- Lock type: Cylinder lock
- Punched-hole, sidewall: Yes
- Punched-hole: 10 x 10 mm
- With edge protection: Yes
- With sliding handle: Yes
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Wheel diameter: 140/100 mm
- Material of the worktop: Plastic
- Material: Sheet steel
- Surface: Powder-coated

Number of drawers (PCS)	5		
Drawer front height	2 x 65 mm 2 x 140 mm 1 x 215 mm		
Draw width (inner dimension) (mm)	475		
Drawer depth (inner dimension) (mm)	345		
Load-carrying capacity per drawer (kg)	25		
Height (mm)	925		
Width (mm)	645		
Depth (mm)	425		
	Body colour	Colour of front	
50278...	Light grey RAL 7035	Gentian blue RAL 5010	Ident. No. 800 ○
50278...	Light grey RAL 7035	Anthracite grey RAL 7016	Ident. No. 820 ○

Prod. Gr. 5BA

		Accessories for	50278 800	50278 820
50278...	Suspended box,	Ident. No.	810 ●	810 ●
50278...	Can holder,	Ident. No.	812 ○	812 ○
50278...	Waste paper basket,	Ident. No.	814 ●	814 ●
50278...	Holding frame incl. 12 tilting bins,	Ident. No.	815 ●	835 ○
50278...	Sheet metal partitions For drawer, 2 pieces for height 65 mm	Ident. No.	816 ○	816 ○
50278...	Sheet metal partitions For drawer, 2 pieces for height 140 mm	Ident. No.	818 ●	818 ●
50540...	AQURADO textured mat HK tool trolley no. 50278 510 and 50278 800,	Ident. No.	610 ●	610 ●
50654...	Document pocket, A4 for modular trolley, no. 50654 700-705, Colour RAL 7035	Ident. No.	760 ○	760 ○
75002...	Bracket for HEDI cable boxes,	Ident. No.	600 ●	600 ●

ORION® Hard foam inserts equipped with ORION tools

Width 232 mm, depth 332 mm, for HK tool trolley

Application:
for the flexible and modular equipping of drawers in the HK tool trolley no. 50278 800.

Execution:

- two-tone foam inserts made of polyethylene (PE) equipped with tool assortments
- resistant against most oils and chemicals due to closed cells
- the PE foam is lightweight, resistant, durable, odour-neutral and even food safe
- one tool insert fills half of the useful area of a drawer with internal dimensions 475 x 345 mm

- two tool inserts fill the entire useful area of a drawer with internal dimensions 475 x 345 mm

Technical data:

- Depth: 332 mm
- Width: 232 mm
- Height: 31 mm
- Material: PE - Polyethylene
- Colour of top hard foam inlay: Black
- Colour of bottom hard foam inlay: Grey
- Suitable for drawer: 65 mm



Ident. No. 845



Ident. No. 849



Ident. No. 858



Ident. No. 872



Ident. No. 875



Ident. No. 878



Ident. No. 885

Composition of set

	50537... Ident. No.	
1 ORION slotted screwdriver 7 pieces 2.5/3/3.5/4/5.5/6.5/8	845	●
1 ORION Phillips screwdriver 8 pieces PH 0/PH 1/PH 2/PH 3/PZ 0/PZ 1/PZ 2/PZ 3	849	●
1 ORION combination spanner 17 pieces width a.f. 6/7/8/9/10/11/12/13/14/15/16/17/18/19/20/22/24 mm	858	●
ORION socket wrench set 3/8 inch 23 pcs	872	●
ORION socket wrench set 1/4 inch 31 pcs	875	●
ORION socket wrench set 1/2 inch 24 pcs	878	●
1 ORION vernier callipers 150 mm, ORION micrometer 0-25 mm, ORION spring divider 125 mm, ORION radius gauge R1-7 mm, ORION radius gauge R7.5-15 mm, ORION feeler gauge 13-sheet DIN 2275, ORION pocket tape measure 3 m, ORION spring steel strip ruler 300 mm	885	●

Prod. Gr. 547

ORION® Hard foam insert equipped with tools, hammer, saw set

Width 467 mm, depth 332 mm, for HK tool trolley

Application:
for the flexible and modular equipping of drawers in the HK tool trolley no. 50278 800.

Execution:

- two-tone foam inserts made of polyethylene (PE) equipped with tool assortments
- resistant against most oils and chemicals due to closed cells
- the PE foam is lightweight, resistant, durable, odour-neutral and even food safe
- the tool insert fills the entire useful area of a drawer with internal dimensions 475 x 345 mm

- Composition of set: 1 ORION soft-face hammer 30 mm, ORION machinist's hammer 0.5 kg, ORION flat chisel 150 mm, ORION flat chisel 200 mm, ORION parting chisel 125 x 10 x 2 mm, ORION pin punch 3 mm, ORION pin punch 5 mm, ORION pin punch 8 mm, ORION centre punch 120 x 10 mm, ORION metal saw bow with blade, ATORN handsaw blades 10 pieces
- Depth: 332 mm
- Width: 467 mm
- Height: 31 mm
- Material: PE - Polyethylene
- Colour of top hard foam inlay: Black
- Colour of bottom hard foam inlay: Grey
- Suitable for drawer: 65 mm



Technical data:

50537...	Ident. No.	895
----------	------------	-----

Prod. Gr. 547



Hard foam insert

A perfectly organised workplace increases productivity and safety in every process. For optimal performance, this perfect organisation must be maintained down to the last detail. Hard foam inserts can help: Already equipped with high-quality tools or individually planned, the inserts maintain order down to the tiniest screw. High-quality materials and the latest technology allow detailed outlines and a wide range of different cavities to be cut – always near to the surface for easy removal. Each part has its dedicated space. Hard foam inserts also secure the contents during storage and transport. The two-tone material lets you see at a glance if an item is missing.

A strong material



PE-foam is lightweight yet resilient.



Furthermore it is oil-resistant and water-resistant.



It also has shock-absorbing properties.



The hard foam is durable, odour-free and even suitable for use with foodstuffs.



ESD foam is available for electronic parts.



Use the laser engraver to add your personal signature and give the hard foam insert an individual finish.

Versatile applications – many possibilities



The largest available hard foam insert is 1500 mm long and 1000 mm wide. Almost all dimensions and shapes smaller than this are possible.



Standard versions of the material are 30 mm, 60 mm or 90 mm thick. Individual versions are possible with smaller and larger thicknesses up to a maximum of 210 mm.



There are many colour options available. The black surface layer can be combined with the following contrasting colours: Standard blue, as well as the optional colours red, green, yellow, white or grey.



HAZET Assistant tool trolley model 160 ST
Width 590 mm, with reversible columns and lowerable boxes

Execution:

- Comprising table top, 2 intermediate boxes, lower box
- Intermediate boxes with 2 sheet metal partitions each
- The intermediate boxes can be lowered using the fold-down columns, total lowered height 435 mm
- 4 ball-bearing rollers, 2 of which can be steered and locked

Advantage:

- Particularly easy to use, lockable
- For versatile use as a tool trolley at work and as a portable tool case
- The columns can be folded using a special hinge and then used as carrying handles

- Table top and intermediate boxes can be pulled up to the table top using 2 finger holes on the side

Technical data:

- With SOFT-CLOSE closing function: No
- Central locking: No
- Lock type: Without lock
- Punched-hole, sidewall: No
- With edge protection: No
- With sliding handle: No
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Material of the worktop: Plastic
- Material: Sheet steel
- Surface: Powder-coated



Model 160 ST

Model	160 ST		
Number of drawers (PCS)	0		
Height (mm)	950		
Width (mm)	590		
Depth (mm)	345		
	Body colour	Colour of front	Ident. No.
50273...	Blue	Blue	005

Prod. Gr. 506

Accessories for		50273 005
50274...	Spare wheels For tool trolley, HAZET Assistant, model 160ST, 168, 168ST, 171	Ident. No. 085



HAZET Assistant tool trolley model 162 C
Width 725 mm, with rigid columns and lowerable boxes

Execution:

- Comprising table top, 2 intermediate boxes, lower box
- Table top made of plastic with integrated beech-wood panel
- Intermediate boxes with surrounding rubber profiles, including 2 sheet metal partitions for subdividing the boxes
- Wheels with dirt protection and thread guards
- The intermediate boxes can be lowered using the columns; total lowered height of intermediate boxes 639 mm
- Locked with a padlock, included in scope of delivery

Advantage:

- Table top and intermediate trays can be raised

Technical data:

- With SOFT-CLOSE closing function: No
- Central locking: No
- Lock type: Padlock
- Punched-hole, sidewall: No
- With edge protection: Yes
- With sliding handle: No
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Wheel diameter: 125/150 mm
- Material of the worktop: Plastic/wood
- Material: Sheet steel
- Surface: Powder-coated



Model 162 C

Model	162 C		
Number of drawers (PCS)	0		
Height (mm)	1099		
Width (mm)	725		
Depth (mm)	398		
	Body colour	Colour of front	Ident. No.
50273...	Blue	Blue	015

Prod. Gr. 506

Accessories for		50273 015
50274...	Spare wheels For tool trolley, HAZET Assistant, model 162 C, 166 C	Ident. No. 087



HAZET Assistant tool trolley model 166 C

Width 725 mm, with reversible columns and lowerable boxes

Execution:

- Comprising table top, 2 intermediate boxes, lower box
- Table top made of plastic with integrated beech-wood panel
- Intermediate boxes with surrounding rubber profiles, including 2 sheet metal partitions for subdividing the boxes
- Wheels with dirt protection and thread guards
- The intermediate boxes can be lowered using the fold-down columns, total lowered height 647 mm
- Locked with a padlock, included in scope of delivery

Advantage:

- The columns can be folded using a special hinge and then used as carrying handles
- For versatile use as a tool trolley at work and as a portable tool case

- Table top and intermediate trays can be raised

Technical data:

- With single-locking drawers: No
- With SOFT-CLOSE closing function: No
- Central locking: No
- Lock type: Padlock
- Punched-hole, sidewall: No
- With edge protection: Yes
- With sliding handle: No
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Wheel diameter: 125/150 mm
- Material of the worktop: Plastic/wood
- Material: Sheet steel
- Surface: Powder-coated



Model 166 C

Model	166 C		
Number of drawers (PCS)	0		
Height (mm)	1102		
Width (mm)	725		
Depth (mm)	398		
	Body colour	Colour of front	Ident. No.
50273...	Blue	Blue	025

Prod. Gr. 506

Accessories for		50273 025
50274...	Spare wheels For tool trolley, HAZET Assistant, model 162 C, 166 C	087



Tool trolley, HAZET Assistant, model 179

Width 817 mm, with fully extending drawers and crash protection

Execution:

- Stable sheet steel construction with collision protection at all four corners of the trolley, sturdy steel tube handle, powder-coated
- Plastic worktop, solvent-resistant, with integrated storage compartments
- Collision protection on all four corners of the trolley
- 3-stage locking concept:
- Central locking with cylinder lock, lockable with 2 articulated wrenches
- Individual locking of drawers, integrated in drawer panel
- Reciprocal drawer lock, reduces the risk of tipping to a minimum
- 4 ball-bearing wheels, diameter 125 mm, 2 of which are steering rollers with brakes; all wheels with thread guards which protect the bearings from dirt and threads

Advantage:

- High-quality chassis
- Indented side walls protect additional add-on parts from damage since they are located within the overall trolley dimensions
- individual fastening options thanks to a perforated rectangular grid on the side walls which can be

used e.g. with hooks for tools or other add-on parts (can holder, paper roll holder, waste basket etc.)

Notes:

To order customised hard foam inserts suitable for these drawers, please use the following clear inside measurements: Width 519 mm, depth 392 mm

Technical data:

- Pullout type: Full extension
- With single pull-out safety brake: Yes
- With single-locking drawers: Yes
- With SOFT-CLOSE closing function: No
- Load-carrying capacity: 440 kg
- Central locking: Yes
- Lock type: Cylinder lock
- Punched-hole, sidewall: Yes
- Punched-hole: 10 x 10 mm
- With edge protection: Yes
- With sliding handle: Yes
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Wheel diameter: 125 mm
- Material of the worktop: Plastic
- Material: Sheet steel
- Surface: Powder-coated



Ident. No. 108-110
(Contents not included)



Ident. No. 112

Model	179-6	179-7	179-8
Number of drawers (PCS)	6	7	8
Drawer front height	3 x 80 mm 3 x 165 mm	5 x 80 mm 2 x 165 mm	7 x 80 mm 1 x 165 mm
Draw width (inner dimension) (mm)	527	527	527
Drawer depth (inner dimension) (mm)	398	398	398
Load-carrying capacity per drawer (kg)	25	25	25
Height (mm)	1042	1042	1042
Width (mm)	817	817	817
Depth (mm)	502	502	502
	Body colour	Colour of front	Ident. No.
50274...	Blue	Black	108 110 112

Prod. Gr. 506



Workshop trolley, model 95

width 823 mm, with fully extending drawers and all-round crash protection

Execution:

- Easily removable drawers with full extension and ball cage guide
- Three-level safety concept:
 - Central locking via side cylinder lock with folding key
 - Individual locking prevents accidental opening during travel
 - Anti-tip protection – impossible to open multiple drawers at the same time
- Stainless steel handle with reinforced body connection
- All-round crash protection with shock absorption
- Hard-wearing, oil and Skydrol-resistant ABS plastic storage tray with compartments for small parts
- Oil and acid-resistant wheels (Ø 125 mm) with thread guards to protect the bearings against dirt and threads, with two locking brakes
- Paper roll holder
- Double-sided hole grid for hooks

- With single pull-out safety brake: Yes
- With single-locking drawers: Yes
- With SOFT-CLOSE closing function: No
- Load-carrying capacity: 750 kg
- Central locking: Yes
- Lock type: Cylinder lock
- Punched-hole, sidewall: Yes
- Punched-hole: 18,5 mm
- With edge protection: Yes
- With sliding handle: Yes
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: TPE
- Wheel diameter: 125 mm
- Material of the worktop: ABS
- Material: Sheet steel
- Surface: Powder-coated

Technical data:

- Pullout type: Full extension



Ident. No. 130



Ident. No. 135



Ident. No. 140

Model	95	95	95
Number of drawers (PCS)	6	7	8
Drawer front height	2 x 80 mm 2 x 120 mm 2 x 160 mm	4 x 80 mm 2 x 120 mm 1 x 160 mm	7 x 80 mm 1 x 160 mm
Draw width (inner dimension) (mm)	528	528	528
Drawer depth (inner dimension) (mm)	350	350	350
Load-carrying capacity per drawer (kg)	30	30	30
Height (mm)	1021	1021	1021
Width (mm)	823	823	823
Depth (mm)	497	497	497
	Body colour	Colour of front	
50279...	Anthracite grey RAL 7016	Silver-coloured	Ident. No. 130 ○
50279...	Blue RAL 2703035	Silver-coloured	Ident. No. 131 ○
50279...	Green	Silver-coloured	Ident. No. 132 ○
			134 ○
			135 ○
			136 ○
			138 ○
			139 ○
			140 ○

Prod. Gr. 531



Workshop model 98VA

ultimate performance – width 1000 mm, with fully extending drawers and crash protection

Execution:

- Easily removable drawers with full extension and ball cage guide
- Three-level safety concept:
 - Central locking via side cylinder lock with folding key
 - Individual locking prevents accidental opening during travel
 - Anti-tip protection – impossible to open multiple drawers at the same time
- Stainless steel handle with reinforced body connection
- All-round crash protection with shock absorption
- Hard-wearing, scratch-resistant work and storage surface, and a stainless steel end panel with an embossed diamond pattern
- Oil and acid-resistant, ball-guided, smooth-running wheels (Ø 125 mm) with thread guards to protect the bearings against dirt and threads, with two locking brakes
- Drawer labelling via multiple stickers per drawer (sticker sheet included in scope of delivery)
- Paper roll holder
- Double-sided hole grid for hooks

Advantage:

- 100% more drawer volume compared to model 95.

Technical data:

- Pullout type: Full extension
- With single pull-out safety brake: Yes
- With single-locking drawers: Yes
- With SOFT-CLOSE closing function: No
- Load-carrying capacity: 1400 kg
- Central locking: Yes
- Lock type: Cylinder lock
- Punched-hole, sidewall: Yes
- Punched-hole: 18,5 mm
- With edge protection: Yes
- With sliding handle: Yes
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Polyamide
- Wheel diameter: 125 mm
- Material of the worktop: Stainless steel
- Material: Sheet steel
- Surface: Powder-coated



Ident. No. 144



Ident. No. 149



Ident. No. 154

Model	98VA	98VA	98VA
Number of drawers (PCS)	6	7	8
Drawer front height	2 x 80 mm 2 x 120 mm 2 x 160 mm	4 x 80 mm 2 x 120 mm 1 x 160 mm	7 x 80 mm 1 x 160 mm
Draw width (inner dimension) (mm)	692	692	692
Drawer depth (inner dimension) (mm)	523	523	523
Load-carrying capacity per drawer (kg)	40	40	40
Height (mm)	1024	1024	1024
Width (mm)	1000	1000	1000
Depth (mm)	652	652	652
	Body colour	Colour of front	
50279...	Anthracite grey RAL 7016	Silver-coloured	Ident. No. 144 ○
50279...	Blue RAL 2703035	Silver-coloured	Ident. No. 145 ○
50279...	Green	Silver-coloured	Ident. No. 146 ○
			148 ○
			149 ○
			150 ○
			152 ○
			153 ○
			154 ○

Prod. Gr. 531

GEDORE Tool trolley, model 2004

WERKZEUGE FÜR'S LEBEN

With fully extending drawers

Execution:

- Working platform made of ABS, with 3 shaped compartments for small parts and a raised wide edge, oil and acid-resistant
- Sturdy ergonomic steering handle for self-assembly
- All-round collision protection bumper with heel protection
- Lockable side storage space with 4 removable drawers for small parts, lockable via the central drawer locking system with a cylinder lock
- Load capacity of 60 kg with a drawer front height of 207 mm (evenly distributed load)
- The basic equipment includes 10 or 15 longitudinal and 2 or 3 cross-partitions, 4 removable drawers for small parts and 2 spacer boxes, 1500 ED-70K
- Ident. No. 040:**
 - heavy-duty chassis on rollers, with 2 fixed castors, diameter 200 mm and steering rollers, diameter 125 mm, with complete stop
 - storage compartment on the access side with perforated metal plate wall, 10 x 10 mm, for affixing accessories and tools
- Ident. No. 045:**
 - Heavy-duty chassis on rollers, with 2 fixed wheels, diameter 200 mm and guide rollers, diameter 125 mm, 1 with complete stop
 - Storage compartment on the access side with perforated metal plate wall 9 x 33 mm for affixing accessories and tools

- Safety lock ensures precise operation of drawer stopping mechanism when moving

Notes:

To order customised hard foam inserts suitable for these drawers, please use the following clear internal dimensions: Width 478 mm, depth 390 mm.

Technical data:

- Pullout type: Full extension
- With single pull-out safety brake: No
- With single-locking drawers: Yes
- With SOFT-CLOSE closing function: No
- Load-carrying capacity: 500 kg
- Central locking: Yes
- Lock type: Cylinder lock
- Punched-hole, sidewall: Yes
- With edge protection: Yes
- With sliding handle: Yes
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Wheel diameter: 200/125 mm
- Material of the worktop: Plastic
- Material: Sheet steel
- Surface: Powder-coated

Advantage:


- Stable, robust tool trolley with optimum ease of use (e.g. one-handed drawer opening)




Ident. No. 040




Ident. No. 045




Ident. No. 040



Ident. No. 045



Ident. No. 040



Ident. No. 045

Model	2004 0511	2004 0810	
Number of drawers (PCS)	7	9	
Drawer front height	5 x 67 mm 1 x 137 mm 1 x 207 mm	8 x 67 mm 1 x 137 mm	
Draw width (inner dimension) (mm)	480	480	
Drawer depth (inner dimension) (mm)	400	400	
Load-carrying capacity per drawer (kg)	40	40	
Height (mm)	985	985	
Width (mm)	775	775	
Depth (mm)	475	475	
Punched-hole	10 x 10 mm	9 x 9 mm	
	Body colour	Colour of front	
50278...	Traffic blue RAL 5017	Traffic blue RAL 5017	Ident. No. 040 ○
			045 ○

Prod. Gr. 530

Accessories for		50278 040	50278 045
50278...	Top-mounted tool box, model 2430 Width 775 mm, with 3 fully-extending drawers	Ident. No. 115 ○	115 ○
50278...	Wooden panel For GEDORE tool trolley, model 2004/2005	Ident. No. 200 ○	200 ○

GEDORE Top-mounted tool box, model 2430
WERKZEUGE FÜR'S LEBEN
 Width 775 mm, with 3 fully-extending drawers

Application:
 As an attachment for tool trolley model 2002, 2002 SF, 2003, 2004 and 2005.


Execution:
 ■ Cover made of ABS plastic
 ■ Central locking with cylinder lock, incl. 2 keys

Delivery:
 Incl. 6 longitudinal and 2 cross-partitions

Notes:
 To order customised hard foam inserts suitable for these drawers, please use the following clear

internal dimensions: Width 633 mm, depth 390 mm.

- Technical data:**
- Pullout type: Full extension
 - Load-carrying capacity per drawer: 40 kg
 - Load-carrying capacity: 350 kg
 - Central locking: Yes
 - Lock type: Cylinder lock
 - Material: Sheet steel
 - Body colour: Traffic blue RAL 5017
 - Colour of front: Traffic blue RAL 5017
 - Surface: Powder-coated



Model	2430
Number of drawers (PCS)	3
Drawer front height	3 x 67 mm
Draw width (inner dimension) (mm)	640
Drawer depth (inner dimension) (mm)	400
Height (mm)	345
Width (mm)	775
Depth (mm)	475
50278...	Ident. No. 115
	○

Prod. Gr. 530

Accessories for		50278 115
50278...	Wooden panel For GEDORE tool trolley, model 2004/2005	Ident. No. 200
		○

ORION Tool assortment
 Files and saws, 11-piece

- Delivery:**
- | | |
|-------------------------------------|---------------------------------|
| 1 flat blunt-end file 300 mm, cut 1 | 1 square files 250 mm, cut 2 |
| 1 flat blunt-end file 300 mm, cut 3 | 1 half-round file 250 mm, cut 2 |
| 1 triangular file 250 mm, cut 1 | 1 file brush |
| 1 triangular file 250 mm, cut 3 | 1 saw bow 300 mm |
| 1 round file 250 mm, cut 2 | 1 bi-metal saw blade |
| | 1 chip brush |

52561...	Ident. No. 010
	●

Prod. Gr. 6AF



Tool assortment
 Hammers, chisels and pliers, 20-piece

- Delivery:**
- | | |
|---|--|
| 1 machinist's hammer, 300 g | 1 pair of ear defenders |
| 1 machinist's hammer, 500 g | 1 triangular hollow scraper, 150 mm |
| 1 chisel/drift/6-piece centre punch set | 1 cutter knife with trapezoidal blade |
| 1 dividing caulker 150 mm | 1 recoil-free soft-face hammer, 40 mm |
| 1 pair of safety goggles | 1 pair of side-cutters, 165 mm, w. 2-C handle sleeve |
| 1 slotted screwdriver, 6.5 mm | 1 pair of water pump pliers, 250 mm |
| 1 pair of leather work gloves | 1 cross-head screwdriver PH 2 |
| 1 hand brush | |

52561...	Ident. No. 020
	●

Prod. Gr. 593



ATORN® Tool assortment
For electricians, 18-piece

Delivery:

- | | |
|---|--|
| 1 VDE screwdriver, 6 pcs, slotted/PH | 1 pair of automatic wire strippers |
| 1 voltage tester screwdriver | 1 electrician's knife |
| 1 control cabinet key | 1 pair of wire end ferrule pliers, 0.25-16 mm ² |
| 1 pair of VDE combi pliers 180 mm | 1 BENNING DUTEST continuity tester |
| 1 pair of VDE snipe-nose pliers, 200 mm, curved | 1 LED pen light with batteries |
| 1 pair of VDE side-cutters, 160 mm | 1 Ersa Multitip soldering iron C 25 |
| | 1 solder, 250 g |



52561... | Ident. No. 030

Prod. Gr. 597

Tool assortment
For industrial electronic engineers, 92-piece

Delivery:

- | | |
|---|---|
| 1 machinist's hammer, 0.4 kg | 1 multi-purpose shears, 190 mm |
| 1 plastic hammer D 32 | 1 crimping pliers for insulated connections, 210 mm |
| 1 half-round file, 200 mm, cut 2 | 1 metal universal wrench, for control cabinet |
| 1 hardwood file grip, 110 mm long | 1 comb. Contact screwdriver |
| 6 key files, 100 mm, cut 2 | 1 universal cable knife |
| 1 mini universal saw, 240 mm | 1 cable stripper |
| 8 combination wrench, 8-19 mm | 1 pair of round pliers, 160 mm, chrome-plated VDE |
| 6 hexagon screwdriver, 2-6 mm, in plastic pouch | 1 pair of side-cutters, 160 mm, chrome-plated VDE |
| 1 socket wrench set; 1/4", 42 pieces | 1 pair of water pump pliers, 250 mm |
| 7 VDE slotted screwdriver | 1 cable and assembly knife |
| 1 long-nose flat pliers, 160 mm, chrome-plated, VDE | 1 pair of automatic wire strippers |
| 1 flat-nose round pliers, 200 mm, chrome-plated, curved 45 G, VDE | 1 voltage tester |
| 1 VDE combination pliers, 180 mm, chrome-plated | 1 pair of wire strippers, 160 mm |
| 1 VDE side-cutters, 140 mm | 1 wooden folding rule, 2 m |



52560... | Ident. No. 010

Prod. Gr. 580

Tool assortment
For industrial mechanics, 78-piece

Delivery:

- | | |
|--|--|
| 1 spirit level, 500 mm | 1 1½" pipe wrench, 425 mm |
| 1 machinist's hammer, 0.5 kg | 1 heavy-duty side-cutters, uncoated, 160 mm |
| 1 plastic hammer D 40 | 1 pair of combination pliers, uncoated, 180 mm |
| 6 chisels, in sheet metal box | 1 pair of three-way pliers, chrome-plated, 160 mm |
| 1 pair of blind rivet pliers, NTS model, in assortment | 1 pair of pliers for retaining rings, straight 19-60 mm Ø type J 2 |
| 1 scribe with steel tip, 165 mm | 1 pair of pliers for retaining rings, straight 19-60 mm Ø type A 2 |
| 1 flat blunt-end file, 200 mm, cut 2 | 1 pair of stainless steel hole scissors, left, 250 mm |
| 1 round file 200 mm, cut 2 | 1 pair of stainless steel hole scissors, right, 250 mm |
| 1 half-round file, 200 mm, cut 2 | 1 ½" square socket wrench set; in metal case; 13 pcs |
| 1 triangular file, 200 mm, cut 2 | 1 pair of V-block gripping pliers, 250 mm |
| 4 hard wood file grips, 110 mm | 1 pocket tape measure, 3 m |
| 1 triangular hollow scraper, chrome-van. 150 mm | 1 precision pocket callipers, 150 mm |
| 1 metal saw bow for saw blade, 300 mm | 1 pair of universal safety goggles |
| 10 handsaw blade, HSS-Bi.Flex. 300 mm, 24 teeth | 1 safety knife with 3 trapezoidal blades |
| 12 combination wrench, size 10-32 mm | 1 pair of work gloves |
| 8 hexagon screwdrivers, 2-10 mm, in plastic pouch | |
| 6 screwdrivers in box | |
| 1 water pump pliers, 250 mm | |



52560... | Ident. No. 020

Prod. Gr. 580



Tool assortment, universal, 117 pieces

In 4 soft foam inlays

Delivery:

- | | |
|---|--|
| <p>3 screwdriver socket wrench inserts for slotted screws 6.3 = 1/4" 0.6 x 3.5 1x5.5 1.2x8</p> <p>2 screwdriver socket wrench inserts for cross-head screws PH1 and PH2</p> <p>2 screwdriver socket wrench inserts for Pozidrive screws PZ1 and PZ2</p> <p>12 hex socket wrench inserts <input type="checkbox"/> nominal drive size 6.3 = 1/4" 4-14</p> <p>5 screwdriver inserts for hex socket screws <input type="checkbox"/> nominal drive size 6.3 = 1/4" 3-8</p> <p>1 reversible ratchet 115/6.3 = 1/4"</p> <p>1 T-handle 115/6.3 = 1/4"</p> <p>1 drive handle 134/6.3 = 1/4"</p> <p>2 extensions 55, 147/6.3 = 1/4"</p> <p>1 universal joint 36.5/6.3 = 1/4"</p> <p>21 socket wrench inserts <input type="checkbox"/> nominal drive size 12.5 = 1/2" 10-34</p> <p>1 T-handle 298/12.5 = 1/2"</p> <p>1 reversible wrench 275/12.5 = 1/2"</p> <p>2 extensions 123, 248/12.5 = 1/2"</p> <p>1 universal joint 70/12.5 = 1/2"</p> <p>2 flat chisels, 18 x 150, 24 x 200</p> <p>1 centre punch 10 x 120</p> | <p>4 pin punches 150, Ø 3, 4, 5 and 6</p> <p>1 flat scraper 150</p> <p>1 plastic soft-face hammer Ø 35</p> <p>1 magnetic finder 545 Ø 15</p> <p>1 Allen key set 015, 02, 025, 03, 04, 05, 06, 08, 10</p> <p>1 machinist's hammer, 500 g</p> <p>1 sensor gauge 0.05-1.0</p> <p>1 tape measure, 2 m</p> <p>17 combination wrenches 6-24</p> <p>9 double-end box wrenches 6 x 7 - 21 x 23</p> <p>1 screwdriver 1 x 5.5 x 25</p> <p>1 screwdriver PH2, 25</p> <p>1 screwdriver 0.4 x 2.5 x 75</p> <p>1 screwdriver 0.5 x 3 x 160</p> <p>1 screwdriver 0.6 x 3.5 x 100</p> <p>1 screwdriver 0.8 x 4 x 100</p> <p>1 screwdriver 1.2 x 6.5 x 150</p> <p>1 screwdriver 1.2 x 8 x 150</p> <p>1 screwdriver PH1, 80</p> <p>1 screwdriver PH2, 100</p> <p>1 pair of universal pliers 500</p> <p>1 pair of heavy-duty pliers 180</p> <p>1 pair of flat-nose round pliers 165</p> |
|---|--|

50276...

Ident. No.

032

Prod. Gr. 506



Tool assortment

For industrial use, 95 pieces

Delivery:

- | | |
|--|--|
| <p>5 screwdriver socket wrench inserts for hexagon socket screws 6.3 = 1/4" 3-8</p> <p>3 screwdriver socket wrench inserts for slotted screws 6.3 = 1/4" 0.6 x 3.5 1x5.5 1.2x8</p> <p>2 screwdriver socket wrench inserts for cross-head screws PH1 and PH2</p> <p>2 screwdriver socket wrench inserts for Pozidriv screws PZ1 and PZ2</p> <p>2 adjustable open-end wrenches 158, 255</p> <p>10 double open-end wrenches 6 x 7 - 30 x 32</p> <p>10 double open-end box wrenches 6 x 7 - 30 x 32</p> <p>2 flat chisels 18 x 150, 24 x 200</p> <p>1 cross-cut chisel 6 x 150</p> <p>2 drift punches 2 x 120, 4 x 120</p> <p>1 centre punch 120</p> <p>3 pair of universal pliers 180, 260, 310</p> <p>1 screwdriver 1.0 x 5.5 x 125</p> <p>1 screwdriver 1.2 x 8.0 x 150</p> <p>1 screwdriver 1.6 x 10.0 x 175</p> <p>1 screwdriver 0.4 x 2.5 x 75</p> <p>1 screwdriver 0.5 x 3.0 x 80</p> <p>1 screwdriver 0.6 x 3.5 x 100</p> <p>1 screwdriver 0.8 x 4.0 x 100</p> | <p>1 screwdriver PH1, 80</p> <p>1 screwdriver PH2, 100</p> <p>1 screwdriver PH3, 147</p> <p>1 screwdriver PZ1, 73</p> <p>1 screwdriver PZ2, 94.5</p> <p>13 hex socket wrench inserts <input type="checkbox"/> nominal drive size 6.3 = 1/4" 4-14</p> <p>1 reversible ratchet 115/6.3 = 1/4"</p> <p>1 T-handle 115/6.3 = 1/4"</p> <p>1 drive handle 134/6.3 = 1/4"</p> <p>2 extensions 55, 147/6.3 = 1/4"</p> <p>1 universal joint</p> <p>19 hex socket wrench inserts <input type="checkbox"/> nominal drive size 12.5 = 1/2" 10-34</p> <p>1 T-handle 298/12.5 = 1/2"</p> <p>1 reversible ratchet 275/12.5 = 1/2"</p> <p>2 extensions 123, 248/12.5 = 1/2"</p> <p>1 universal joint 12.5 = 1/2"</p> <p>1 pair of side-cutters 180</p> <p>1 pair of flat-nose round pliers 200</p> <p>1 plastic soft-face hammer Ø 35</p> <p>1 metal saw 390 with blade</p> <p>1 small metal saw 252 with blade</p> <p>1 machinist's hammer, 500 g</p> <p>1 tape measure, 2 m</p> <p>1 folding knife 159.9 mm</p> |
|--|--|

50276...

Ident. No.

035

Prod. Gr. 506



Roller containers With 2 shelves and 3 drawers

Execution:

- Welded sheet steel structure
- Shelves/deposit trays equipped with a ribbed rubber mat
- Tilt-proof due to built-in individual drawer pull-out lock
- 4 wheels with rubber tyres
- For suitable insert materials for drawers, see from no. 50485 060-265 and no. 50537 610-695
- Other equipment options available at extra cost: SOFT-CLOSE for drawers, see no. 50392 005, ELECTRONIC CODE combination lock, see no. 50392 010

Advantage:

- The roller container can be pushed under workbenches with a clearance height of 800 mm

Notes:

To order customised hard foam inserts suitable for these drawers, please use the following clear internal dimensions: Width 435 mm, depth 585 mm.

Technical data:

- With single pull-out safety brake: Yes
- Central locking: Yes
- Lock type: DOM® locking system
- With sliding handle: Yes
- Load-carrying capacity: 400 kg
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- Number of wheel adjusters: 2 PCS
- Material of the wheel: Solid rubber
- Wheel diameter: 100 mm
- Material: Sheet steel
- Surface: Powder-coated

Number of drawers (PCS)			3	3
Pullout type			Partial extension	Full extension
Drawer front height			1 x 90 mm 2 x 120 mm	1 x 90 mm 2 x 120 mm
Draw width (inner dimension) (mm)			450	450
Drawer depth (inner dimension) (mm)			600	600
Load-carrying capacity per drawer (kg)			100	70
Number of loading surfaces (PCS)			2	2
Height (mm)			790	790
Width (mm)			570	570
Depth (mm)			680	680
	Body colour	Colour of front		
50284...	Light grey RAL 7035	Gentian blue RAL 5010	Ident. No. 210 ○	212 ○
50284...	Light grey RAL 7035	Anthracite grey RAL 7016	Ident. No. 211 ○	213 ○

Prod. Gr. 501

Roller containers With 1 shelf and drawers

Execution:

- Welded sheet steel structure
- Deposit tray equipped with a ribbed rubber mat
- Tilt-proof due to built-in individual drawer pull-out lock
- 4 wheels with rubber tyres
- For suitable insert materials for drawers, see from no. 50485 060-265 and no. 50537 610-695
- Other equipment options available at extra cost: SOFT-CLOSE for drawers, see no. 50392 005, ELECTRONIC CODE combination lock, see no. 50392 010

Advantage:

- The roller container can be pushed under workbenches with a clearance height of 800 mm

Notes:

To order customised hard foam inserts suitable for these drawers, please use the following clear internal dimensions: Width 435 mm, depth 585 mm.

Technical data:

- With single pull-out safety brake: Yes
- Central locking: Yes
- Lock type: DOM® locking system
- With sliding handle: Yes
- Load-carrying capacity: 400 kg
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- Number of wheel adjusters: 2 PCS
- Material of the wheel: Solid rubber
- Wheel diameter: 100 mm
- Material: Sheet steel
- Surface: Powder-coated

Number of drawers (PCS)			4	4	5	5
Pullout type			Partial extension	Full extension	Partial extension	Full extension
Drawer front height			1 x 60 mm 1 x 120 mm 2 x 180 mm	1 x 60 mm 1 x 120 mm 2 x 180 mm	1 x 60 mm 1 x 90 mm 2 x 120 mm 1 x 150 mm	1 x 60 mm 1 x 90 mm 2 x 120 mm 1 x 150 mm
Draw width (inner dimension) (mm)			450	450	450	450
Drawer depth (inner dimension) (mm)			600	600	600	600
Load-carrying capacity per drawer (kg)			100	70	100	70
Number of loading surfaces (PCS)			1	1	1	1
Height (mm)			790	790	790	790
Width (mm)			570	570	570	570
Depth (mm)			680	680	680	680
	Body colour	Colour of front				
50284...	Light grey RAL 7035	Gentian blue RAL 5010	Ident. No. 220 ○	222 ○	230 ○	232 ○
50284...	Light grey RAL 7035	Anthracite grey RAL 7016	Ident. No. 221 ○	223 ○	231 ○	233 ○

Prod. Gr. 501

ATORN® Parallel vice

With a rear opening action, made of grey cast iron

Execution:

- High-quality grey cast iron with pearlitic texture
- Changeable and reversible jaws with smooth and ribbed clamping surface
- Smooth-running spindle with trapezoidal thread
- Cast-on pipe clamping jaws
- Plain anvil face

Advantage:

- Excellent clamping precision thanks to long, prismatic precision guide

- Spindle protected from dirt and damage by covering

Technical data:

- Jaws width: 100 mm
- Min./max. clamping width: 0-140 mm
- Clamp in depth: 75 mm
- Weight: 13 kg
- Colour: Blue
- Material: Grey cast iron



51028... | Ident. No. 001

Prod. Gr. 5HA

Accessories for		51028 001	
51028...	Rotary base	Ident. No.	021
51028...	Steel jaws	Ident. No.	041

CLIP-O-FLEX Roller container with CLIP-O-FLEX hook-on system

Height 778 mm, including 6 CLIP-O-FLEX trays



Application:

Thanks to the flexible and modular CLIP-O-FLEX system, the assembly trolley can be optimally designed and adapted to the individual work sequences in production, assembly, development, training and further education. CLIP-O-FLEX sets your work/storage area or your organisation system with one clip and at the same time gives the highest level of horizontal and vertical flexibility.

Execution:

- Solidly welded sheet steel structure with painted multiplex panel, 30 mm stark
- Workbench panel with CLIP-O-FLEX support rails installed on the top of the housing left, right and at the rear
- Running gear with 2 fixed wheels and 2 steering rollers, including 1 steering roller with stopper
- Central locking with cylinder lock incl. 2 keys
- Ident. No. 120–121, 160–161: With fixed support brackets incl. 6 CLIP-O-FLEX trays with hook-in brackets 0/40/80°
- Ident. No. 122–123, 162–163: With convenient pull-out system incl. 6 CLIP-O-FLEX trays with hook-in brackets 0/40/80°

Advantage:

- Simply remove the trays from the cabinet and hang on the hook-in rails at the side
- Flexible hook-on system with only one hooking movement
- Ergonomic workplace design thanks to different inclines and can be relocated horizontally
- Quick access to work equipment, very clear overview

- Rapid conversion and replacement, highest possible level of mobility, less walking required, optimum use of space

Notes:

The spacing between the tray base and CLIP-O-FLEX mounting profiles is max. 52 mm. Please consider the amount of tool protrusion (max. 22 mm) when using trays equipped with ATORN tool inlays (height 30 mm). Trays of tools with greater protrusion must be stored in the first storage level.

Technical data:

- Number of cabinets 260 x 345 x 30 mm: 6 PCS
- Height: 778 mm
- Width: 474 mm
- Depth: 405 mm
- Door height: 540 mm
- Load-carrying capacity: 550 kg
- Dynamic load-carrying capacity: 225 kg
- With sliding handle: Yes
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Wheel diameter: 100 mm
- Central locking: Yes
- Lock type: Cylinder lock
- Material of the worktop: Multiplex beech
- Material: Sheet steel
- Surface: Powder-coated



Incl. CLIP-O-FLEX trays



Version with convenient pull-out system



The tray can be fixed into the rail with one hooking movement and detached again



Version with support angles

Version			With support brackets	With pull-out system	With support brackets	With pull-out system	
Door stop			Left	Left	Right	Right	
50237...	Body colour White aluminium RAL 9006	Colour of front Jet black RAL 9005	Ident. No.	120 ○	122 ○	160 ○	162 ○
50237...	Optional	Optional	Ident. No.	121 ○	123 ○	161 ○	163 ○

Prod. Gr. 586

CLIP-O-FLEX Assembly trolley with CLIP-O-FLEX hook-on system

Height 958 mm, including 6 or 8 CLIP-O-FLEX trays



Application:

Thanks to the flexible and modular CLIP-O-FLEX system, the assembly trolley can be optimally designed and adapted to the individual work sequences in production, assembly, development, training and further education. CLIP-O-FLEX sets your work/storage area or your organisation system with one clip and at the same time gives the highest level of horizontal and vertical flexibility.

Execution:

- Solidly welded sheet steel structure with painted multiplex panel, 30 mm stark
- Workbench panel with CLIP-O-FLEX support rails installed on the top of the housing left, right and at the rear
- Running gear with 2 fixed wheels and 2 steering rollers, including 1 steering roller with stopper
- Central locking with cylinder lock incl. 2 keys
- **Ident. No. 130-133, 170-173:** With fixed support brackets incl. CLIP-O-FLEX trays with hook-in brackets 0/40/80°
- **Ident. No. 134-137, 174-177:** With convenient pull-out system incl. CLIP-O-FLEX trays with hook-in angles 0/40/80°

Advantage:

- Simply remove the trays from the cabinet and hang on the hook-in rails at the side
- Flexible hook-on system with only one hooking movement
- Ergonomic workplace design thanks to different inclines and can be relocated horizontally

- Quick access to work equipment, very clear overview
- Rapid conversion and replacement, highest possible level of mobility, less walking required, optimum use of space

Notes:

The spacing between the tray base and CLIP-O-FLEX mounting profiles is max. 52 mm. Please consider the amount of tool protrusion (max. 22 mm) when using trays equipped with ATORN tool inlays (height 30 mm). Trays of tools with greater protrusion must be stored in the first storage level.

Technical data:

- Height: 958 mm
- Width: 474 mm
- Depth: 405 mm
- Load-carrying capacity: 550 kg
- Dynamic load-carrying capacity: 225 kg
- With sliding handle: Yes
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Wheel diameter: 100 mm
- Central locking: Yes
- Lock type: Cylinder lock
- Material of the worktop: Multiplex beech
- Material: Sheet steel
- Surface: Powder-coated



Ident. No. 130-131,
134-135, 170-171,
174-175



Ident. No. 132-133,
136-137, 172-173,
176-177



The tray can be fixed into the rail with one hooking movement and detached again



Incl. CLIP-O-FLEX trays



Version with support angles



Version with convenient pull-out system

Version	With support brackets	With support brackets	With pull-out system	With pull-out system	With support brackets	With support brackets			
Door stop	Left	Left	Left	Left	Right	Right			
Number of cabinets 260 x 345 x 30 mm (PCS)	8	6	8	6	8	6			
Number of drawers (PCS)	-	2	-	2	-	2			
Drawer front height	-	2 x 90 mm	-	2 x 90 mm	-	2 x 90 mm			
Draw width (inner dimension) (mm)	-	365	-	365	-	365			
Drawer depth (inner dimension) (mm)	-	294	-	294	-	294			
Pullout type	-	Full extension	-	Full extension	-	Full extension			
Load-carrying capacity per drawer (kg)	-	35	-	35	-	35			
Door height (mm)	720	540	720	540	720	540			
	Body colour	Colour of front							
50237...	White aluminium RAL 9006	Jet black RAL 9005	Ident. No.	130 ○	132 ○	134 ○	136 ●	170 ○	172 ○
50237...	Optional	Optional	Ident. No.	131 ○	133 ○	135 ○	137 ○	171 ○	173 ○

Version	With pull-out system	With pull-out system			
Door stop	Right	Right			
Number of cabinets 260 x 345 x 30 mm (PCS)	8	6			
Number of drawers (PCS)	-	2			
Drawer front height	-	2 x 90 mm			
Draw width (inner dimension) (mm)	-	365			
Drawer depth (inner dimension) (mm)	-	294			
Pullout type	-	Full extension			
Load-carrying capacity per drawer (kg)	-	35			
Door height (mm)	720	540			
	Body colour	Colour of front			
50237...	White aluminium RAL 9006	Jet black RAL 9005	Ident. No.	174 ○	176 ○
50237...	Optional	Optional	Ident. No.	175 ○	177 ○

Prod. Gr. 586

Workbench trolley

Working height 840 mm, with 4 drawers and 1 open compartment

Application:

The mobile workstation with versatile options for use.

Execution:

- Welded sheet steel construction equipped with one workbench top panel made of solid beechwood, 40 mm thick
- Suitable insert material for drawers, see from no. 50485 060-265 and from no. 50537 610-695
- Other equipment options available at extra cost: SOFT-CLOSE for drawers, see no. 50392 005, ELECTRONIC CODE combination lock, see no. 50392 010

Notes:

To order customised hard foam inserts suitable for these drawers, please use the following clear internal dimensions: Width 435 mm, depth 585 mm.

Technical data:

- Material of the worktop: Solid beech

- Plate length: 1155 mm
- Panel depth: 700 mm
- Board thickness: 40 mm
- Working height: 840 mm
- With single pull-out safety brake: Yes
- With single-locking drawers: No
- On castors: Yes
- Moving device, can be lowered: No
- With sliding handle: Yes
- Load-carrying capacity: 820 kg
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Number of wheel adjusters: 2 PCS
- Material of the wheel: Solid rubber
- Wheel diameter: 200 mm
- Central locking: Yes
- Lock type: DOM® locking system
- Material: Sheet steel
- Surface: Powder-coated



Number of drawers (PCS)				4	4
Pullout type				Partial extension	Full extension
Drawer front height				1 x 60 mm 1 x 90 mm 1 x 150 mm 1 x 180 mm	1 x 60 mm 1 x 90 mm 1 x 150 mm 1 x 180 mm
Load-carrying capacity per drawer (kg)				100	70
Draw width (inner dimension) (mm)				450	450
Drawer depth (inner dimension) (mm)				600	600
	Body colour	Colour of front			
50285...	Light grey RAL 7035	Gentian blue RAL 5010	Ident. No.	210 ○	212 ○
50285...	Light grey RAL 7035	Anthracite grey RAL 7016	Ident. No.	211 ○	213 ○

Prod. Gr. 501

Workbench trolley

Working height 840 mm, with 4 drawers and 1 door

Application:

The mobile workstation with versatile options for use.

Execution:

- Welded sheet steel construction equipped with one workbench top panel made of solid beechwood, 40 mm thick
- Suitable insert material for drawers, see from no. 50485 060-265 and from no. 50537 610-695
- Other equipment options available at extra cost: SOFT-CLOSE for drawers, see no. 50392 005, ELECTRONIC CODE combination lock, see no. 50392 010

Notes:

To order customised hard foam inserts suitable for these drawers, please use the following clear internal dimensions: Width 435 mm, depth 585 mm.

Technical data:

- Material of the worktop: Solid beech
- Plate length: 1155 mm
- Panel depth: 700 mm
- Board thickness: 40 mm

- Working height: 840 mm
- With single pull-out safety brake: Yes
- With single-locking drawers: No
- Number of doors: 1 PCS
- On castors: Yes
- Moving device, can be lowered: No
- With sliding handle: Yes
- Load-carrying capacity: 820 kg
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Number of wheel adjusters: 2 PCS
- Material of the wheel: Solid rubber
- Wheel diameter: 200 mm
- Central locking: Yes
- Lock type: DOM® locking system
- Material: Sheet steel
- Surface: Powder-coated



Number of drawers (PCS)				4	4
Pullout type				Partial extension	Full extension
Drawer front height				1 x 60 mm 1 x 90 mm 1 x 150 mm 1 x 180 mm	1 x 60 mm 1 x 90 mm 1 x 150 mm 1 x 180 mm
Load-carrying capacity per drawer (kg)				100	70
Draw width (inner dimension) (mm)				450	450
Drawer depth (inner dimension) (mm)				600	600
	Body colour	Colour of front			
50285...	Light grey RAL 7035	Gentian blue RAL 5010	Ident. No.	232 ○	234 ○
50286...	Light grey RAL 7035	Anthracite grey RAL 7016	Ident. No.	233 ○	234 ○

Prod. Gr. 501

Assortment of fittings for drawers

For HK assembly trolley, roll container, workbench trolley

Application:

For customised fitting and partitioning of individual drawers.

Execution:

- Suitable for internal drawer dimensions: Width x depth 450 x 600 mm
- **Ident. No. 210:** Oil-resistant
- **Ident. No. 250–265:** with textured mat and boxes



Ident. No. 060
① Trough plates



Ident. No. 090
② Container



Ident. No. 095–100
③ Spare part boxes



Ident. No. 110–130
④ Compartment divisions



Ident. No. 200
⑤ Anti-slip mat



Ident. No. 210
⑥ Ribbed rubber mat



Ident. No. 250
⑦ AQURADO set with textured mat and 10 boxes, 24/48 mm high (without tools)



Ident. No. 260
⑧ AQURADO set with textured mat and 7 boxes, 48 mm high (without tools)



Ident. No. 265
⑩ AQURADO set with textured mat and 14 boxes, 24 mm high (without tools)

For drawer cabinet height (mm)				40	70	100
	50485...	① Trough trays	Ident. No.	060 ○	-	-
	50485...	② Containers	Ident. No.	090 ○	-	-
	50485...	③ Spare part boxes	Ident. No.	095 ○	100 ○	-
	50485...	④ Compartment dividers	Ident. No.	110 ○	120 ○	130 ○
	50485...	⑤ Non-slip mat	Ident. No.	200 ●	-	-
	50485...	⑥ Ribbed rubber mat	Ident. No.	210 ●	-	-
AQURADO	50485...	⑦ Set with textured mat and 10 boxes	Ident. No.	-	250 ●	-
AQURADO	50485...	⑧ Set with textured mat and 7 boxes	Ident. No.	-	260 ●	-
AQURADO	50485...	⑩ Set with textured mat and 14 boxes	Ident. No.	265 ●	-	-

HK = Prod. Gr. 503
AQURADO = Prod. Gr. 581

Wheeled workbench, working height 790 mm, 850 mm and 970 mm With drawers, optionally with doors

Application:

The mobile workstation with versatile options for use.

Execution:

- Solidly welded sheet steel structure with end-to-end closed rear wall
- Push handlebar on one front side
- ANKE workbench top panel made of solid beechwood, glued together length-wise in bars, thickness 40 mm
- Optionally with integrated housing on the side, fitted with easy-view tilting bins

Notes:

Ident. No. 060–090: To order customised hard foam inserts suitable for these drawers, please use the following clear internal dimensions: Width 390 mm, depth 530 mm.

Ident. No. 100–110: To order customised hard foam inserts suitable for these drawers, please use the following clear internal dimensions: for drawer width 410 mm = width 400 mm, depth 530 mm; for drawer width 940 mm = width 930 mm, depth 530 mm.

Technical data:

- Material of the worktop: Solid beech
- Plate length: 1140 mm
- Panel depth: 650 mm
- Board thickness: 40 mm
- With single pull-out safety brake: No
- With single-locking drawers: No
- On castors: Yes
- Moving device, can be lowered: No
- With sliding handle: Yes
- Load-carrying capacity: 600 kg
- Dynamic load-carrying capacity: 400 kg
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Number of wheel adjusters: 2 PCS
- Material of the wheel: Polyurethane
- Wheel diameter: 125 mm
- Central locking: Yes
- Lock type: Cylinder lock
- Material: Sheet steel
- Surface: Powder-coated



Number of drawers (PCS)	4	4	4	4	4	4			
Pullout type	Partial extension	Partial extension							
Drawer front height	2 x 90 mm 1 x 150 mm 1 x 210 mm	2 x 90 mm 1 x 150 mm 1 x 210 mm	1 x 90 mm 1 x 150 mm 2 x 180 mm	1 x 90 mm 1 x 150 mm 2 x 180 mm	1 x 150 mm 1 x 90 mm 1 x 180 mm 1 x 270 mm	1 x 150 mm 1 x 90 mm 1 x 180 mm 1 x 270 mm			
Load-carrying capacity per drawer (kg)	100	100	100	100	100	100			
Draw width (inner dimension) (mm)	410	410	410	410	940/410	940/410			
Drawer depth (inner dimension) (mm)	540	540	540	540	540	540			
Working height (mm)	790	790	850	850	970	970			
With doors	No	Yes	No	Yes	No	Yes			
Number of doors (PCS)	-	1	-	1	-	1			
	Body colour	Colour of front							
50272...	Light grey RAL 7035	Gentian blue RAL 5010	Ident. No.	060 ○	070 ○	080 ○	090 ○	100 ○	110 ○
50272...	Light grey RAL 7035	Anthracite grey RAL 7016	Ident. No.	061 ○	071 ○	081 ○	091 ○	101 ○	111 ○

Prod. Gr. 501




MORE THAN 60,000 PRODUCTS FOR MAXIMUM INNOVATION.

WE HAVE WHAT IT TAKES.

For a complete range of products that meet the toughest demands, visit www.iconridge.com



The flexible hook-on system – WORLD PREMIERE
CLIP-O-FLEX



CLIP-O-FLEX **fixes** your work/storage area or your organisation system using only **one clip** yet with the highest level of **horizontal and vertical flexibility!**

WHAT IS CLIP-O-FLEX?

- **CLIP-O-FLEX** is the most flexible clip-in system on the market. It enables flexible handling of many different work surfaces, organisation systems with small parts or tool assortments.
- **CLIP-O-FLEX** consists of an ingenious rail profile into which the elements can be clipped at various angles from 0-90°. The profiles can be easily moved within the rails. In this way, **CLIP-O-FLEX** offers maximum horizontal and vertical flexibility.
- The support rail is made of aluminium and is very light and yet durable. Trays, shelves or your existing organisation system can be fixed in the rail and removed again with just one clip-in movement.
- The flexible system enables tools, trays, shelves etc. to always be attached at an ergonomic height and at an ergonomic angle. Workstations can be customised for any requirements in a flash using **CLIP-O-FLEX**. Once a task is complete, tools are tidied away again in the blink of an eye.
- The aluminium support rail required to create a **CLIP-O-FLEX** workstation is available in various lengths. Sheet steel trays equipped with clip-in profiles are also available. The clip-in profiles are also available with pre-drilled holes for rivets or with M5 threaded holes for bolting.
- The **CLIP-O-FLEX** series also comprises pre-assembled products such as workbenches and trolleys with rails mounted around their circumference.
- The assembled trays correspond exactly to the dimensions of our standard ATORN hard foam inserts no. 50537 505-591, which are ideal for use with **CLIP-O-FLEX**.

INCREASED PRODUCTIVITY THANKS TO CLIP-O-FLEX

- Quick access to work equipment
- Flexible and ergonomic workplace design
- Very clear overview
- Quick exchange and replacement
- Fast retooling
- Maximum mobility
- Less walking required
- Keep the work surface free, easy clean-up after the work process (Clean Desk and 5S principle)



The CLIP-O-FLEX profile can be mounted at different angles




Tools can be ergonomically provided, the work surface remains clear.

Product video:
Use your mobile phone to scan the QR code


The tray can be fixed into the rail with only one anchoring in movement and detached again:



Example applications:



Combinable with different materials:



CLIP-O-FLEX Wheeled workbenches with CLIP-O-FLEX hook-on system
 Height 958 mm, including 12 or 14 CLIP-O-FLEX trays



Application:

Thanks to the flexible and modular CLIP-O-FLEX system, the wheeled workbench can be optimally designed and adapted to the individual work sequences in production, assembly, development, training and further education. CLIP-O-FLEX sets your work/storage area or your organisation system with one clip and at the same time gives the highest level of horizontal and vertical flexibility.

Execution:

- Solidly welded steel sheet construction
- Workbench panel with CLIP-O-FLEX support rails installed on the left, right and at the rear
- **Ident. No. 140–143:** With fixed support brackets on the inside for CLIP-O-FLEX trays
- **Ident. No. 144–147:** With convenient pull-out system for CLIP-O-FLEX trays

Advantage:

- Simply remove the trays from the cabinet and hang on the hook-in rails at the side
- Flexible hook-on system with only one hooking movement
- Ergonomic workplace design thanks to different inclines and can be relocated horizontally
- Quick access to work equipment, very clear overview
- Rapid conversion and replacement, highest possible level of mobility, less walking required, optimum use of space

Notes:

The spacing between the tray base and CLIP-O-FLEX mounting profiles is max. 52 mm. Please consider the amount of tool protrusion (max. 22 mm) when using

trays equipped with ATORN tool inlays (height 30 mm). Trays of tools with greater protrusion must be stored in the first storage level.

Technical data:

- Working height: 958 mm
- Plate length: 953 mm
- Panel depth: 405 mm
- Board thickness: 30 mm
- Draw width (inner dimension): 365 mm
- Drawer depth (inner dimension): 294 mm
- Pullout type: Full extension
- Load-carrying capacity per drawer: 35 kg
- With single pull-out safety brake: No
- With doors: Yes
- Number of doors: 2 PCS
- With sliding handle: Yes
- On castors: Yes
- Load-carrying capacity: 550 kg
- Dynamic load-carrying capacity: 225 kg
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Wheel diameter: 100 mm
- Central locking: Yes
- Lock type: Cylinder lock
- Material of the worktop: Multiplex beech
- Material: Sheet steel
- Surface: Powder-coated



Ident. No. 140–141, 144–145



Ident. No. 142–143, 146–147



Incl. CLIP-O-FLEX trays



The tray can be fixed into the rail with one hooking movement and detached again



Version with support angles



Version with convenient pull-out system

Version	With support brackets	With support brackets	With pull-out system	With pull-out system
Door height (mm)	540	540/720	540	540/720
Number of cabinets 260 x 345 x 30 mm (PCS)	12	14	12	14
Number of drawers (PCS)	4	2	4	2
Drawer front height	4 x 90 mm	2 x 90 mm	4 x 90 mm	2 x 90 mm
	Body colour	Colour of front		
50237...	White aluminium RAL 9006	Jet black RAL 9005	Ident. No.	140 ○
50237...	Optional	Optional	Ident. No.	141 ○
				142 ○
				144 ○
				146 ○
				143 ○
				145 ○
				147 ○

Prod. Gr. 586

For colours deliverable without a surcharge, see page <NoVersionPageNo/>

Wheeled workbenches, working height 950 mm

With 6 pull-out drawers on both sides

Application:

The mobile workstation with versatile options for use.

Execution:

- Sturdy and warp-free steel sheet structure, with push handle on the side of the housing
- 2 storage compartments, compartment height 370 mm with anti-roll-off edging, height 50 mm
- Side wall with square perforation grid, individual attachment options, e.g. with hooks for tools or other attachments such as can holders, paper roll holders, waste basket etc. for holding hooks and RasterPlan tool holders

Technical data:

- Material of the worktop: Solid beech
- Plate length: 960 mm
- Panel depth: 450 mm
- Board thickness: 25 mm
- Working height: 950 mm

- With single pull-out safety brake: No
- With single-locking drawers: No
- On castors: Yes
- Moving device, can be lowered: No
- Punched-hole, sidewall: Yes
- Punched-hole: 10 x 10 mm
- With sliding handle: Yes
- Load-carrying capacity: 450 kg
- Dynamic load-carrying capacity: 250 kg
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: No
- Material of the wheel: Solid rubber
- Wheel diameter: 100 mm
- Central locking: Yes
- Lock type: Cylinder lock
- Material: Sheet steel
- Surface: Powder-coated



Ident. No. 051-052



Ident. No. 053



Drawers can be pulled out on both sides



Drawer partitioning set, optional, Ident. No. 057-058

Number of drawers (PCS)	6		
Pullout type	Pull-out to both sides		
Drawer front height	2 x 65 mm 3 x 130 mm 1 x 180 mm		
Load-carrying capacity per drawer (kg)	30		
Draw width (inner dimension) (mm)	500		
Drawer depth (inner dimension) (mm)	400		
	Body colour	Colour of front	
50272...	Gentian blue RAL 5010	Light grey RAL 7035	Ident. No. 051 ○
50272...	Light grey RAL 7035	Light grey RAL 7035	Ident. No. 052 ○
50272...	Anthracite, metallic	Light grey RAL 7035	Ident. No. 053 ○

Prod. Gr. 586

Accessories for		50272 051	50272 052	50272 053
50272...	Drawer divider set For wheeled workbenches, no. 50272 051-053, For drawer height 65 mm	Ident. No. 057 ○	057 ○	057 ○
50272...	Drawer divider set For wheeled workbenches, no. 50272 051-053, For drawer height 130/180 mm	Ident. No. 058 ○	058 ○	058 ○

GEDORE **Wheeled workbench, model 1502**
 Working height 875 mm, with 6 fully extending drawers

Application:

The mobile workstation with versatile options for use.

Execution:

- Drawers can have individual partitions and pull-out stops
- 2 easily accessible trays for bulky parts
- Basic configuration contains 10 longitudinal and 2 cross-partitions and 2 spacing boxes 1500 ED-70 K for drawers


Notes:

To order customised hard foam inserts suitable for these drawers, please use the following clear internal dimensions: Width 478 mm, depth 390 mm.

Technical data:

- Material of the worktop: Multiplex beech

- Plate length: 950 mm
- Panel depth: 550 mm
- Board thickness: 25 mm
- Working height: 875 mm
- With single pull-out safety brake: No
- With single-locking drawers: No
- On castors: Yes
- Moving device, can be lowered: No
- With sliding handle: No
- Load-carrying capacity: 700 kg
- Dynamic load-carrying capacity: 500 kg
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Wheel diameter: 125/200 mm
- Central locking: Yes
- Lock type: Cylinder lock
- Material: Sheet steel
- Surface: Powder-coated



Model	1502		
Number of drawers (PCS)	6		
Pullout type	Full extension		
Drawer front height	5 x 79 mm 1 x 180 mm		
Load-carrying capacity per drawer (kg)	40		
Draw width (inner dimension) (mm)	480		
Drawer depth (inner dimension) (mm)	400		
	Body colour	Colour of front	
50271...	Traffic blue RAL 5017	Traffic blue RAL 5017	Ident. No. 012

Prod. Gr. 530

GEDORE **Wheeled workbench, model 1504**
 Working height 985 mm

Application:

The mobile workstation with versatile options for use.

Execution:

- Large locking side section with fixed storage tray
- Basic configuration contains 10 longitudinal and 2 cross-partitions and 4 spacing boxes 1500 ED-70 K for drawers

Notes:

To order customised hard foam inserts suitable for these drawers, please use the following clear internal dimensions: Width 478 mm, depth 390 mm.

Technical data:

- Material of the worktop: Multiplex beech
- Plate length: 1100 mm
- Panel depth: 550 mm
- Board thickness: 30 mm
- Working height: 985 mm

- With single pull-out safety brake: No
- With single-locking drawers: No
- Number of doors: 1 PCS
- On castors: Yes
- Moving device, can be lowered: No
- With sliding handle: No
- Load-carrying capacity: 700 kg
- Dynamic load-carrying capacity: 500 kg
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Wheel diameter: 125/200 mm
- Central locking: Yes
- Lock type: Cylinder lock
- Material: Sheet steel
- Surface: Powder-coated



Ident. No. 030



Ident. No. 032



Ident. No. 034

Model	1504 0511	1504 0701	1504 0810
Number of drawers (PCS)	7	8	9
Pullout type	Full extension	Full extension	Full extension
Drawer front height	5 x 67 mm 1 x 137 mm 1 x 207 mm	7 x 67 mm 1 x 207 mm	8 x 67 mm 1 x 137 mm
Load-carrying capacity per drawer (kg)	40	40	40
Draw width (inner dimension) (mm)	480	480	480
Drawer depth (inner dimension) (mm)	400	400	400
	Body colour	Colour of front	
50271...	Traffic blue RAL 5017	Traffic blue RAL 5017	Ident. No. 030 ● 032 ○ 034 ○

Prod. Gr. 530

GEDORE **Wheeled workbench, model 1504**
WERKZEUGE FÜR'S LEBEN
Working height 985 mm

Application:

The mobile workstation with versatile options for use.

Execution:

- Large locking side section with fixed storage tray
- Basic configuration contains 10 longitudinal and 2 cross-partitions and 4 spacing boxes 1500 ED-70 K for drawers

Notes:

To order customised hard foam inserts suitable for these drawers, please use the following clear internal dimensions: Width 478 mm, depth 390 mm.

Technical data:

- Material of the worktop: Multiplex beech
- Plate length: 1250 mm
- Panel depth: 550 mm
- Board thickness: 30 mm
- Working height: 985 mm

- With single pull-out safety brake: No
- With single-locking drawers: No
- Number of doors: 1 PCS
- On castors: Yes
- Moving device, can be lowered: No
- With sliding handle: No
- Load-carrying capacity: 700 kg
- Dynamic load-carrying capacity: 500 kg
- Number of fixed rollers: 2 PCS
- Number of steering rollers: 2 PCS
- With wheel lock: Yes
- Material of the wheel: Solid rubber
- Wheel diameter: 125/200 mm
- Central locking: Yes
- Lock type: Cylinder lock
- Material: Sheet steel
- Surface: Powder-coated



Model	1504 XL		
Number of drawers (PCS)	7		
Pullout type	Full extension		
Drawer front height	5 x 67 mm 1 x 137 mm 1 x 207 mm		
Load-carrying capacity per drawer (kg)	40		
Draw width (inner dimension) (mm)	640		
Drawer depth (inner dimension) (mm)	400		
	Body colour	Colour of front	
50271...	Traffic blue RAL 5017	Traffic blue RAL 5017	Ident. No. 038 ○

Prod. Gr. 530

**THE HIGHEST QUALITY PRODUCTS
 FOR MAXIMUM EFFICIENCY.**

WE HAVE WHAT IT TAKES.

For a complete range of products that meet the toughest demands, visit www.iconridge.com



V series assembly workbenches, working height 850 mm

Option of stationary or with lowerable transport wheels

Type of workbench:

- Worktop in solid beech, plate thickness 50 mm, sandable, glued structure, special interlinking, thus extremely robust and with almost unlimited durability
- Working height 850 mm
- Sturdy, welded sheet steel construction, base made of square steel tube 45 x 45 x 2 mm, stationary load capacity 1500 kg with evenly distributed load, mobile 450 kg load capacity incl. tare weight of the workbench
- Can be individually fitted with drawers and doors; a 30 mm grid system enables the installation of drawers with a front height of 60–360 mm and doors with a front height of 360 and 540 mm
- Drawers with 100% full extension, 100 kg load capacity and individual pull-out locks
- Lowerable transport wheels: the drive/stop position is adjusted by simply turning the lever on the front side of the workbench
- Vice: 100 mm jaw width with 360° folding, swivelling and height-adjustable lift. The vice compartment is equipped with a door. After folding out the vice, the door can be closed again.

Type of system structure:

- 1 pair of CONNECT structure supports, height 800 mm above the worktop
- Very robust connection between the structure supports and the worktop through a 2-fold screw connection from below through the panel

- Perforated metal plate wall with 10 mm square holes and 38 mm axis distance
- Attached modules such as power supply strips, support rails for easy-view storage bins in 50-mm grid height-adjustable without tools
- Power strip ready wired with plug-in connectors; the connection of the CEE socket must be performed by an electrical technician (not included in the scope of the services)

Delivery:

Ready assembled; system components can be ordered individually for subsequent mounting, however, these are delivered disassembled in this case

Accessories:

- Support elements for perforated metal plate wall, see no. 50638
- Easy-view storage bins for support rails, see no. 50638 810-837
- Drawer partitioning sets, compartment dividers and partition strips, see no. 50228
- AQUARDO textured mats for drawers, for fitting with universal boxes, see no. 50540 660

Paint: Body housing, structure support, support rails in RAL 7035 light grey, drawer fronts, power strip available in RAL 5010 gentian blue or RAL 7016 anthracite grey, powder-coated.

See RAL colour table below for colours deliverable at no extra cost.

Standard features:

Max. workbench load capacity	Max. load capacity per drawer	Full extension	Individual pull-out lock	Perforated floors + slotted walls	Aluminium handle strips with label strips and PVC protective profile	Door opening angle	Central lock	Base
Level compensation	Roller diameter	Fully assembled						

Choose your preferred colour (no extra charge) for products with this logo:



- | | | | | | | | | | | |
|--------------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------------|-------------------------------|--------------------------------|-----------------------------|---------------------------------|-------------------------------|-------------------------------|
| RAL 1015
light ivory | RAL 2004
pure orange | RAL 3002
carmine red | RAL 3020
traffic red | RAL 5010
gentian blue | RAL 5012
light blue | RAL 5014
pigeon blue | RAL 5015
sky blue | RAL 6011
reseda green | RAL 7035
light grey | RAL 9010
pure white |
|--------------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------------|-------------------------------|--------------------------------|-----------------------------|---------------------------------|-------------------------------|-------------------------------|

Colours may be subject to printing-related differences; the original colours according to RAL are definitive.



ATORN® Hard foam inserts, equipped with high-quality ATORN tools

Width 490 mm, depth 265 mm for ANKE V series assembly workbenches

Application:

For flexible and modular equipping of drawers from the ANKE workbenches series V (no. 50201; 50202; 50203; 50236; 50284).

Execution:

- Two-tone foam inserts made of polyethylene (PE) equipped with tool assortments
- Closed cells provide resistance against most oils and chemicals
- The PE foam is lightweight, resistant, durable, odour-neutral and safe for foodstuffs
- One tool insert fills half of the useful area of a drawer with internal dimensions 500 x 540 mm
- Two tool inserts fill the entire useful area of a drawer with internal dimensions 500 x 540 mm

Advantage:

- For clear order and protected storage of tools in the drawers
- Precisely dimensioned cut-outs and a contrast colour (blue) means that missing tools can be spotted at a glance, avoiding any loss of tools
- Expensive tools will be kept safe and protected in the insert

Technical data:

- Depth: 265 mm
- Width: 490 mm
- Height: 30 mm
- Material: PE - Polyethylene
- Colour of top hard foam inlay: Black
- Colour of bottom hard foam inlay: Blue



Ident. No. 405

Ident. No. 420

Ident. No. 425

Ident. No. 430

Ident. No. 435

Ident. No. 440

Composition of set	Suitable for drawer	50537... Ident. No.	
1 ATORN combination spanner width a.f. 6/7/8/9/10/11/12/13/14/15/16/17/18/19/20/21/22/24 mm	90 mm	405	●
ATORN hexagonal angle screwdriver 9 pieces, 1 ATORN slotted screwdriver 5.5 x 100/6.5 x 125/8 x 150 mm, 1 ATORN Phillips screwdriver PH 1/PH 2/PH 3/PZ 1/PZ 2	60 mm	420	●
1 ATORN slotted screwdriver VDE 2.5 x 75/3.5 x 100/4 x 100/5.5 x 125, 1 ATORN Phillips screwdriver VDE PH 0/PH 1/PH 2/PZ 0/PZ 1/PZ 2, ATORN wire-stripping tool, WIHA voltage tester	60 mm	425	●
1 ATORN TORX screwdriver T 6/T 7/T 8/T 9/T 10/T 15/T 20/T 25/T 27/T 30/T 40, ATORN angled screwdriver 8 pieces T 9-T 40 with ball head	60 mm	430	●
1 ATORN round-nose pliers 160 mm ATORN triple pliers 160 mm, ATORN side-cutters 165 mm, ATORN combination pliers 180 mm, ATORN snipe nose pliers 200 mm, ATORN end cutting nippers 200 mm, ATORN water pump pliers VDE 250 mm	60 mm	435	●
1 ATORN round-nose pliers VDE 160 mm, ATORN snipe nose pliers VDE 200 mm straight and bent, ATORN combination pliers VDE 180 mm, ATORN side cutters VDE 160 mm, ATORN water pump pliers VDE 250 mm, ATORN wire stripping pliers VDE 160 mm	60 mm	440	●

Prod. Gr. 547

ATORN® Hard foam inserts, equipped with high-quality ATORN tools

Width 490 mm, depth 265 mm for ANKE V series assembly workbenches

Technical data:

- Depth: 265 mm
- Width: 490 mm
- Height: 30 mm

- Material: PE - Polyethylene
- Colour of top hard foam inlay: Black
- Colour of bottom hard foam inlay: Blue



Ident. No. 445

Ident. No. 450

Ident. No. 460

Ident. No. 470

Ident. No. 475

Ident. No. 490

Composition of set	Suitable for drawer	50537... Ident. No.	
1 ATORN circlip pliers J0/J1/J2/J11/J21/A0/A1/A2/A11/A21	60 mm	445	●
ORION key files 100 mm cut 2, 6 pieces, DICK files 200 mm cut 2, 5 pieces, ORION file brush 115 x 40 mm	60 mm	450	●
1 ATORN machinist's hammer 500 g, ATORN carbide marking needle 150 mm, ORION flat chisel 200 mm, ORION chisel set 6 pcs., ORION pin punch set 6 pcs., ORION drift punch 1-5 mm, ORION centre punch 120 x 10 mm, GEDORE protective cover for 0.5 kg hammer	90 mm	460	●
1 ATORN pocket tape measure 3 m, ATORN triangular hollow-ground scraper 150 mm, ORION knife 165 mm, ORION all-purpose shears 180 mm, ORION saw bow 255 mm, saw blades 12 pieces, TICOM metal marker white, telescopic mirror Ø 50 mm, telescopic pick-up magnet retention force 3 kg, LED hand-held lamp Turbo (without batteries)	60 mm	470	●
ATORN vernier calliper 150 mm, ATORN external micrometer 0-25 mm, ATORN straight edge 125 mm, ATORN back square 100 x 70 mm, ATORN knife-edge square 75 x 50 mm, ATORN spirit level length 400 mm, ORION spring divider 125 mm, ORION Feeler gauges 20 sheets 0.05-1.00 mm, ORION scale spring steel 300 mm, ORION protractor 120 x 150 mm, ORION marking needle 160 x 5 mm	90 mm	475	●
ATORN socket wrench set 1/2" and 1/4", 35 pieces, ATORN Bitbox 32 pieces	60 mm	490	●

Prod. Gr. 547

Drawer insert materials for ANKE V series assembly workbenches

For ANKE V series assembly workbenches

Application:

For customised fitting and partitioning of individual drawers.

▪ **Ident. No. 082-090:** AQURADO organisation system consisting of textured mat and boxes

Execution:

- Suitable for drawer internal dimensions: Width x depth 500 x 540 mm
- **Ident. No. 011-040:** Can be used from a front height of 90 mm

Technical data:

- Width: 500 mm
- Depth: 540 mm



Ident. No. 011
① Plastic compartment insert



Ident. No. 032
② 5-trough insert made of plastic with 10 compartment dividers



Ident. No. 040
③ 6-trough/10 compartment dividers, from front height of 90 mm



Ident. No. 075
⑤ Ribbed rubber mat



Ident. No. 082
⑥ Set with textured mat and 14 boxes, from front height 60 mm



Ident. No. 086
⑦ Set with textured mat and 11 boxes, from front height 90 mm

	50228...	Anti-slip mat	Ident. No.	002
	50228...	① Plastic insert with 8 compartments, from a front height of 90 mm	Ident. No.	011
	50228...	② 5-trough/10 compartment dividers, from a front height of 90 mm	Ident. No.	032
	50228...	③ 6-trough/10 compartment dividers, from a front height of 90 mm	Ident. No.	040
	50228...	⑤ Ribbed rubber mat	Ident. No.	075
AQURADO	50228...	⑥ Set with textured mat and 14 boxes from front height 60 mm	Ident. No.	082
AQURADO	50228...	⑦ Set with textured mat and 11 boxes from front height 90 mm	Ident. No.	086
AQURADO	50228...	Set with textured mat and 11 boxes, from a front height of 90 mm	Ident. No.	090



Ident. No. 090
⑧ Set with textured mat and 11 boxes, from front height 90 mm

= Prod. Gr. 502
ANKE = Prod. Gr. 502
AQURADO = Prod. Gr. 581

Drawer insert materials for ANKE V series assembly workbenches

Compartment rails and compartment dividers

Application:

For inserting in drawers of ANKE workbenches series V.

Execution:

- Made of sheet steel



Ident. No. 724-730
1/2 division



Ident. No. 749-755
1/3 division



Ident. No. 774-780
1/4 division



Ident. No. 799-805
1/2-1/4 division

		For drawer front height (mm)	For min./max. drawer front height	Number of compartments (PCS)	Ident. No.	
50228...	1/2 split	60		8	Ident. No.	724
50228...	1/3 split	60		12	Ident. No.	749
50228...	1/4 split	60		16	Ident. No.	774
50228...	1/2-1/4 split	60		12	Ident. No.	799
50228...	1/2 split		90-150 mm	8	Ident. No.	725
50228...	1/3 split		90-150 mm	12	Ident. No.	750
50228...	1/4 split		90-150 mm	16	Ident. No.	775
50228...	1/2-1/4 split		90-150 mm	12	Ident. No.	800
50228...	1/2 split		180-360 mm	8	Ident. No.	730
50228...	1/3 split		180-360 mm	12	Ident. No.	755
50228...	1/4 split		180-360 mm	16	Ident. No.	780
50228...	1/2-1/4 split		180-360 mm	12	Ident. No.	805

Prod. Gr. 502

Source: Hahn+Kolb Werkzeuge GmbH
Technical data subject to change.
Availability subject to country specific rules and regulations.

Assortment boxes with fixed dividers

Optionally made from polystyrene or polypropylene

Application:

For orderly storage of small parts.

Execution:

- Food-safe colours
- **Ident. No. 008-024:** Made of polystyrene
- **Ident. No. 108-124:**
 - Made from polypropylene
 - Resistant against common acids and alkalis

Delivery:

Without contents

Technical data:

- Compartment type, boxes: Solid



Ident. No. 008
(Contents not included)



Ident. No. 012-024
(Contents not included)



Ident. No. 108-124
(Contents not included)

Number of compartments (PCS)		8	12	24	8	12	24
Width x height x depth		335 x 55 x 225 mm	335 x 55 x 225 mm	335 x 55 x 225 mm	335 x 55 x 225 mm	335 x 55 x 225 mm	335 x 55 x 225 mm
Material		PS - Polystyrene	PS - Polystyrene	PS - Polystyrene	PP - Polypropylene	PP - Polypropylene	PP - Polypropylene
Box colour		Red	Yellow	Blue	Red	Yellow	Blue
	With handle						
50001...	No	Ident. No. 008	012	024	-	-	-
50001...	Yes	-	-	-	108	112	124

Prod. Gr. 505

raaco Assortment boxes with fixed dividers "Assorter" Made from polypropylene

Application:

For orderly storage of small parts.

Execution:

- Made from polypropylene
- Transparent cover
- Sturdy hinges and sliding locks
- Resistant to most solvents and oils

- Stackable, stable in form

- **Ident. No. 328-330:** With U profile in lid, prevents the contents from moving out of position

Technical data:

- Compartment type, boxes: Solid
- Material: Plastic
- Box colour: Dark blue/grey



Ident. No. 320



Ident. No. 322



Ident. No. 324



Ident. No. 326



Ident. No. 328



Ident. No. 330

Number of compartments (PCS)		7	12	9	18	15	32
Width x height x depth		175 x 32 x 143 mm	175 x 32 x 143 mm	240 x 43 x 195 mm	240 x 43 x 195 mm	338 x 57 x 260 mm	338 x 57 x 260 mm
With handle							
50002...	No	Ident. No. 320	322	324	326	328	330

Prod. Gr. 500

raaco Assortment box with removable compartment inserts "Assorter"
 Made from polypropylene

Application:
 For orderly storage of small parts.

- Execution:**
- Transparent cover
 - Sturdy hinges and sliding locks
 - Resistant to most solvents and oils
 - Stackable and dimensionally stable
 - With carry handle

- Advantage:**
- U profile grid prevents the compartment inserts from slipping and ensures contents stay sorted

- Technical data:**
- Compartment type, boxes: Adjustable
 - Material: Plastic
 - Box colour: Dark blue/grey



Ident. No. 340



Ident. No. 342

Number of boxes (PCS)		15	17
Width x height x depth		338 x 57 x 261 mm	338 x 57 x 261 mm
	With handle		
50002...	Yes	Ident. No. 340	Ident. No. 342

Prod. Gr. 500

raaco Assortment case with removable compartment inserts "Boxxer"
 Made from polypropylene and polycarbonate

Application:
 For orderly storage of small parts.

- Execution:**
- With double-walled polypropylene case base and extremely robust polycarbonate lid
 - Removable polypropylene inserts allow partitions to be placed as required
 - Carry handle with latching mechanism for one-handed operation and safety locking
 - Exchangeable identification label (3 colours included)
 - 2 built-in fixed partitions

- Resistant to most solvents and oils

- Advantage:**
- Profile grid in lid prevents contents becoming mixed up, even with heavy contents
 - Support feet in rear wall for stability even when in an upright position

- Technical data:**
- Compartment type, boxes: Adjustable
 - Material: Plastic
 - Colour: Dark blue | Grey



Ident. No. 430



Ident. No. 435



Ident. No. 440



Ident. No. 445



Ident. No. 450



Ident. No. 455



Ident. No. 460



Ident. No. 465



Ident. No. 470



Ident. No. 475



Ident. No. 480



Ident. No. 485

Number of boxes (PCS)		9	11	13	15	12	14	25	45
Width x height x depth		225 x 55 x 241 mm	225 x 55 x 241 mm	284 x 55 x 298 mm	284 x 55 x 298 mm	323 x 55 x 354 mm	323 x 55 x 354 mm	361 x 55 x 421 mm	361 x 55 x 421 mm
With handle		No	No	Yes	Yes	Yes	Yes	Yes	Yes
50002...	Ident. No.	430	435	440	445	450	455	460	465

Number of boxes (PCS)		14	25	18	20
Width x height x depth		361 x 78 x 421 mm	361 x 78 x 421 mm	401 x 78 x 465 mm	401 x 78 x 465 mm
With handle		Yes	Yes	Yes	Yes
50002...	Ident. No.	470	475	480	485

Prod. Gr. 500

Accessories for		50002 440	50002 445
50002...	Mobile box, empty Made from polypropylene	Ident. No. 498	Ident. No. 498

raaco Portable "Handy Boxxer", empty
Made from polypropylene

Application:
For storing and transporting up to four RAACO assortment cases

Execution:
▪ Empty box for accommodating up to max. 4 RAACO assortment cases, no. 50002 440445

Advantage:
▪ Allows assortment cases to easily be transported and used as mobile storage devices

Delivery:
Does not include assortment case

Technical data:
▪ Material: PP - Polypropylene



Empty box (case not included in scope of delivery)



Example: equipped with a total of four cases – suitable for cases no. 50002 440 and 445

Colour	Dark blue Grey
Length x width x height	347 x 305 x 342 mm
50002... Ident. No.	498

Prod. Gr. 500

Sortimo Roller for L-BOXX
Intelligente Mobilität made from impact-resistant ABS plastic

Application:
Practical mobile platform for all L-BOXXs.

Execution:
▪ Made of plastic with 4 guide rollers, 2 of which have locking devices
▪ Load capacity up to 100 kg

Advantage:
▪ L-BOXXs can be transported as a unit with the roller to where they are required
▪ L-BOXXs can be fixed onto the roller quickly and easily with a single click



(Without L-BOXXes)

Colour	Grey white
Length x width x height	650 x 510 x 150 mm
50004... Ident. No.	318

Prod. Gr. 586

ARE YOU LOOKING FOR PRODUCTS THAT MEET THE TOUGHEST DEMANDS?

WE HAVE WHAT IT TAKES.

For a complete range of products that meet the toughest demands, visit www.iconridge.com

ATORN® Tool boxes

made from sheet steel

Execution:

- Fold-down tubular carry handle
- Hammered, blue
- Accessories: For padlocks, see no. 50025 010

Ident. No. 500:

- Extremely stable tool box
- Lid with projecting edges and end-to-end rod hinge, lockable with a padlock (not included in scope of delivery)

Ident. No. 510–530:

- Extremely sturdy design
- Lid with projecting edges and end-to-end rod hinge, lockable with a padlock (not included in scope of delivery).

Technical data:

- With handle: Yes
- Lock type: Optional with padlock
- Material: Sheet steel
- Colour: Blue



Version	Three-piece	Five-piece	Five-piece	Five-piece
Width x height x depth	430 x 150 x 200 mm	430 x 200 x 200 mm	530 x 200 x 200 mm	600 x 200 x 200 mm
50010...	Ident. No. 500	510	520	530

Prod. Gr. 505

Tool boxes

made from sheet steel

Execution:

- Sheet steel thickness 1.0 mm
- Lid projects on all sides
- Inset hollow folding handle in lid
- Welded lid corners
- Upper box edge folded for reinforcement
- One clamp lock
- End-to-end rod hinge

- Lockable with a padlock (not included in scope of delivery)
- Accessories: For padlocks, see no. 50025 010

Technical data:

- With handle: Yes
- Lock type: Flip-top closure
- Material: Sheet steel
- Colour: Blue grey RAL 7031



Width x height x depth	400 x 125 x 170 mm
50005...	Ident. No. 010

Prod. Gr. 505

Box

Made from aluminium

Execution:

- High-strength, corrosion-resistant aluminium
- Lid with stainless steel hinges
- Foam-surround seal for protection against dust and splashes
- Edge, lid and base profile frames made from fully welded aluminium sections
- Fully welded section joints
- Corner beading for additional dimensional stability
- Ergonomic, heavy-duty spring handles

- Snap fasteners with spring locks; extra protection can be added via lead seals or padlock (maximum bar thickness 6 mm)
- Ref. no. 001 and 002 with case handle on front side

Technical data:

- With lid: Yes
- With handle: Yes
- With rollers: No
- Lock type: Snap fastening
- Protected against dust/splash water: Yes
- Material: Aluminium
- Colour: Silver coloured



Model	40860	40861	40877	40862	40863
Volume (l)	24	42	60	81	135
External length (mm)	500	600	600	800	900
External width (mm)	340	400	400	400	500
External height (mm)	200	240	330	330	370
Internal length (mm)	450	550	550	750	850
Internal width (mm)	290	350	350	350	450
Interior height (mm)	180	220	310	310	350
50018...	Ident. No. 001	002	003	004	005

Prod. Gr. 559

ZARGES EUROBOX transport case Made from aluminium

Execution:

- High-strength, corrosion-resistant aluminium
- With sturdy lid, edge and base profile frames
- Corner beading for increased stability
- Lid with stainless-steel hinges and two lid-stop straps
- Lid sealed against dust and water splashes
- Spring handles on the front sides
- Non-slip stacking corners made of impact-resistant plastic
- Snap locks on front for installation of padlock or other lock

Notes:

Accessories for transport cases on following pages, see from no. 50018 320-400.

Technical data:

- With lid: Yes
- With handle: Yes
- With rollers: No
- Lock type: Snap fastening
- Protected against dust/splash water: Yes
- Material: Aluminium
- Colour: Silver coloured



Model	40700	40701	40702	40703	40704	40705	40706	40709
Volume (l)	27	42	60	73	81	157	239	414
External length (mm)	400	600	600	600	800	800	800	1200
External width (mm)	300	400	400	400	400	600	600	800
External height (mm)	340	250	340	410	340	410	610	510
Internal length (mm)	350	550	550	550	750	750	750	1150
Internal width (mm)	250	350	350	350	350	550	550	750
Interior height (mm)	310	220	310	380	310	380	580	480
50018... Ident. No.	101	111	121	131	141	151	161	165

Model	40710
Volume (l)	63
External length (mm)	1200
External width (mm)	300
External height (mm)	250
Internal length (mm)	1150
Internal width (mm)	250
Interior height (mm)	220
50018... Ident. No.	168

Prod. Gr. 559

ZARGES Lock set keyed alike For ZARGES EUROBOX transport case model 40700-40706

Application:

Accessories for EUROBOX transport box

Technical data:

- Material: Metal
- Colour: Silver coloured

Execution:

- For one box
- Two locks incl. two keys
- Keyed alike within the set

50018... Ident. No.	395
---------------------	-----

Prod. Gr. 559

ZARGES Clip-On roller set For ZARGES EUROBOX transport case model 40701-40710

Application:

Accessories for EUROBOX transport box

- Ident. No. 397:** Consisting of 2 fixed wheels for mounting without the need for tools
- Ident. No. 398:** Consisting of 2 guide rollers with wheel stop, for mounting without tools

Execution:

- Rubber-tyred
- Load up to 100 kg with 4 rollers
- Diameter 100 mm

Technical data:

- Material: Metal/rubber
- Colour: Silver coloured

50018... Fixed wheel set, 2 wheels	Ident. No.	397
50018... Guide roller set, 2 rollers	Ident. No.	398

Prod. Gr. 559



Ident. Nos. 397 + 398 Clip-on roller set



Ident. No. 398

Ref. no. 397 + 398 tool-free mounting of rollers on crate, steering rollers fitted with wheel block

Add-on trolley
 For ZARGES EUROBOX transport case model 40701-40706

Application:
 Accessories for EUROBOX transport box

Advantage:
 ■ For simple self-assembly

Execution:
 ■ Smooth-running chassis
 ■ Wheel diameter: 54 mm
 ■ Load capacity: 30 kg
 ■ Handle can be pulled out and locked

Technical data:
 ■ Width: 290 mm
 ■ Length: 590 mm
 ■ Height: 110 mm
 ■ Material: Plastic
 ■ Colour: Black

50018... | Ident. No. **400**

Prod. Gr. 559



Ident. No. 400 Add-on trolley

Foam inserts
 For ZARGES EUROBOX transport case model 40700-40703

Application:
 Accessories for EUROBOX transport box

■ **Ident. No. 360:**
 ■ Pre-cut soft foam insert made of open-cell PU foam
 ■ 750 x 550 x 220 mm

Execution:
 ■ Two different plate thicknesses in set, 30 mm and 60 mm, convoluted foam lid insert 30 mm, base foam 10 mm, incl. adhesive
 ■ For delicate parts
 ■ Shapes can be adjusted without tools

Advantage:
 ■ The quick and easy solution for unique items or small batches

■ **Ident. No. 350:**
 ■ Pre-cut soft foam inserts made of open-cell PU foam
 ■ 550 x 350 x 220 mm

Technical data:
 ■ Height: 220 mm
 ■ Material: Foam material
 ■ Colour: Grey

Width (mm)		350	550
Length (mm)		550	750
50018...	For model 40700-40703	Ident. No. 350	-
50018...	For model 40704-40706	Ident. No. -	360

Prod. Gr. 559



Ident. No. 350 Foam insert set

Tool bag
 For ZARGES EUROBOX transport case model 40701-40706

Application:
 Accessories for EUROBOX transport boxes

Technical data:
 ■ Width: 260 mm
 ■ Length: 435 mm
 ■ Height: 60 mm
 ■ Material: Textile
 ■ Colour: Black

Execution:
 ■ Made of durable fabric
 ■ Removable
 ■ 435 x 260 mm

50018... | Ident. No. **320**

Prod. Gr. 559



Ident. No. 320 Tool bag

Small parts box For ZARGES EUROBOX transport case model 40701-40704

Application:
Accessories for EUROBOX transport boxes

Execution:
▪ With 21 insertable PP dividers
▪ 430 x 330 x 60 mm

50018... | Ident. No. **330**

Prod. Gr. 559

Technical data:
▪ Width: 330 mm
▪ Length: 430 mm
▪ Height: 60 mm
▪ Material: Plastic
▪ Colour: Blue



Ident. No. 330 Small parts box

Foam divider set For ZARGES EUROBOX transport case model 40701-40703

Application:
Accessories for EUROBOX transport box

Execution:
▪ Made of high-quality foam
▪ 550 x 350 x 190 mm

50018... | Ident. No. **340**

Prod. Gr. 559

Technical data:
▪ Width: 350 mm
▪ Length: 550 mm
▪ Height: 190 mm
▪ Material: Foam material
▪ Colour: Blue



Ident. No. 340 Divider set



**MORE THAN 60,000 PRODUCTS
FOR MAXIMUM INNOVATION.
WE HAVE WHAT IT TAKES.**

For a complete range of products that meet the toughest demands, visit www.iconridge.com