



ALUMINUM BODY MAXIMUM O.A.H. 153.00" SIDE ROLL AND FRONTAL IMPACT PROTECTION

NOTE
DIMENSIONS SHOWN ARE APPROXIMATE AND ARE SUBJECT TO MINOR DEVIATIONS AS MAY OCCUR OR BE NECESSARY IN CONSTRUCTION. MINOR DETAILS NOT SHOWN.

- BATTERY CHARGER LOCATED BEHIND DRIVER SEAT
- PULL STRAP ON DOOR IN COMPARTMENTS D1, D2, D3, D4, P1, P2, P3, P4
- 5/8\"/>

- CIRCUIT BREAKER PANEL IN COMPARTMENT D4
- L.E.D. LIGHTING ON AERIAL LADDER SECTIONS
- FIRE RESEARCH 3-WAY INTERCOM SYSTEM BETWEEN AERIAL TIP, PUMP PANEL & TURNTABLE
- AIR INLET/OUTLET WITH DISCONNECT FITTING LOCATED ON D.S. PUMP PANEL
- WIRELESS MONITOR REMOTE CONTROL NEAR THE PUMP PANEL
- AERIAL PEDESTAL RAISED 8.50"
- ON SCENE SOLUTIONS L.E.D. WALKING SURFACE LIGHTING
- ONE ADJUSTABLE SLIDE-OUT TRAY IN COMPARTMENT D4
- LYFEPULLEY RESCUE SYSTEM AT AERIAL TIP
- LIFTING EYE RESCUE ATTACHMENT AT AERIAL TIP

REV	DATE	BY	CH	QUANTUM
30APR18	SHU	GRM		CHASSIS DATA
20NOV17	SHU	CHR		MAKE
25OCT17	SHU	CHR		PIERCE
01SEP17	SHU	GRM		MODEL

		JOB NO.	30539
		SCALE	DATE
TITLE	105 AERIAL LADDER & BODY ASSEMBLY		
FOR	500 GALLON WATER TANK		
	CY-FAIR FIRE DEPARTMENT		
	HOUSTON, TX		
DWG NO.	30539AD		
	SHEET SIZE	SHEET NO.	
	D	1 OF 1	