



- HOSEBED CAPACITIES**
- ① 250' OF 3.00" MERCEDES AQUAFLOW HOSE
  - ② 1100' OF 5.00" D.J. POLY HOSE
  - ③ 250' OF 2.50" MERCEDES AQUAFLOW HOSE
  - ④ 300' OF 1.75" MERCEDES AQUAFLOW HOSE



ALUMINUM BODY

MAXIMUM O.A.H. 114.00"

SIDE ROLL AND FRONTAL IMPACT PROTECTION

**NOTE**  
DIMENSIONS SHOWN ARE APPROXIMATE AND ARE SUBJECT TO MINOR DEVIATIONS AS MAY OCCUR OR BE NECESSARY IN CONSTRUCTION. MINOR DETAILS NOT SHOWN.

1. ONSPOT AUTOMATIC TIRE CHAINS TO BE PROVIDED AT REAR
2. BATTERY CHARGER LOCATED BEHIND DRIVER'S SEAT
3. DUAL L.E.D. LIGHT STRIPS LOCATED IN HOSE BED
4. CIRCUIT BREAKER PANEL IN COMPARTMENT L53
5. TWO SWING-OUT TOOL BOARDS WITH PEGBOARD PATTERN IN COMPARTMENT L52
6. ONE HANNAY ELECTRIC REWIND CORD REEL MODEL 1618-17-18 WITH CAPACITY FOR 200' OF 10/3 WIRE LOCATED L53 & R52 WITH JUNCTION BOXES & JUNCTION BOX HOLDERS
7. TWO 15/20A 120V DUPLEX RECEPTACLES LOCATED INSIDE CAB
8. ONE 30A 240V WATERPROOF RECEPTACLE LOCATED IN L51
9. TWO FULL WIDTH/DEPTH ADJUSTABLE SHELVES LOCATED IN L51 & L53

10. ONE FULL WIDTH/DEPTH FLOOR MOUNTED SLIDE-OUT TRAY IN L51
11. ONE VERTICAL PARTITION IN COMPARTMENT R52

REV	DATE	BY	CH	ENFORCER
03JAN19	MWA	DTS		PIERCE
21NOV18	GVH	DTS		MODEL

		JOB NO.	33071
		SCALE	DATE
<b>CHASSIS DATA</b> TITLE 1500-D-750GAL WATER, 161" BODY, SIDE CONTROL (2) CROSSLAYS, BOOSTER REEL, DELUGE MAKE MARYSVILLE FIRE COMPANY MODEL MARYSVILLE, PENNSYLVANIA	DRAWN BY	GVH	21SEP18
	CHECKED BY	NPA	21SEP18
DWG NO.	33071AD		SHEET NO.
			1 OF 1