



STAINLESS STEEL BODY

MAXIMUM O.A.L. 334.50"

NOTE
DIMENSIONS SHOWN ARE APPROXIMATE AND ARE SUBJECT TO MINOR DEVIATIONS AS MAY OCCUR OR BE NECESSARY IN CONSTRUCTION. MINOR DETAILS NOT SHOWN.

1. IOTA BATTERY CHARGER LOCATED BEHIND DRIVER SEAT
2. BATTERY CHARGER INDICATOR LOCATED ON DRIVER'S SEAT RISER
3. KUSSMAUL AIR COMPRESSOR IN COMPARTMENT P3
4. ONE ADJUSTABLE FULL WIDTH/DEPTH SHELF IN COMPARTMENTS P1; TWO IN P3; THREE IN D3
5. ONE ADJUSTABLE SLIDE-OUT TRAY IN COMPARTMENT P1
6. TWO ADJUSTABLE SLIDE-OUT ALUMINUM PEG BOARD TOOL BOARDS IN COMPARTMENT D1
7. ONE DOUBLE SWING-OUT TOOL GRID SYSTEM IN COMPARTMENT D2
8. HANMAY ELECTRIC REWIND BOOSTER REEL SBFF32-21-22-B IN COMPARTMENT R1 WITH 200' OF 1.00" BOOSTER HOSE, 1.50" PIPING AND ROLLER ASSEMBLIES
9. ONE 15A, 120V 7-PLACE RECEPTACLE STRIP IN COMPARTMENT P1
10. ONE AKRON ELECTRIC REWIND CORD REEL ERWC-15-10 IN COMPARTMENT R1 WITH 200' OF 10/3 CABLE AND AKRON JUNCTION BOX
11. PAC TRAC LOCATED ON REAR TANK WALL OF COMPARTMENT P2
12. CIRCUIT BREAKER PANEL IN COMPARTMENT D3

REV	DATE	BY	CH	ENFORCER
19JAN17	NPA	GHO		MAKE
01DEC16	NPA	DTS		PIERCE
18OCT16	NPA	CSH		MODEL

		JOB NO.	30639
		SCALE	DATE
CHASSIS DATA TITLE 1500-D-500P W/20 GAL FOAM CELL, 124" RESCUE BODY (2) XLAYS, LADDERS THRU BODY, GENERATOR, CAFS 140 FOR TOWNSHIP OF HAMILTON MAYS LANDING, NEW JERSEY DWG NO. 30639AD	DRAWN BY	NPA	040CT16
	CHECKED BY	CSH	050CT16
	SHEET SIZE	D	SHEET NO.