



- HOSEBED CAPACITIES
- ① 200' OF 2.50" D.J. POLY HOSE
 - ② 800' OF 5.00" D.J. POLY HOSE
 - ③ 300' OF 3.00" D.J. POLY HOSE

ALUMINUM BODY

NOTE
DIMENSIONS SHOWN ARE APPROXIMATE AND ARE SUBJECT TO MINOR DEVIATIONS AS MAY OCCUR OR BE NECESSARY IN CONSTRUCTION.
MINOR DETAILS NOT SHOWN.

- 1. BATTERY CHARGER LOCATED BEHIND DRIVER SEAT
- 2. FOUR WHELEN 01-0660088-00 12V L.E.D. LIGHTS LOCATED IN THE HOSE BED
- 3. ONE ADJUSTABLE FULL WIDTH/FULL DEPTH SHELF IN COMPARTMENT D2; TWO SHELVES IN COMPARTMENTS D1 & P1; THREE IN D3
- 4. ONE FLOOR MOUNTED SLIDE-OUT TRAY IN COMPARTMENTS D1, D3, P1, & P3
- 5. ONE SWING-OUT ALUMINUM TOOL BOARD IN COMPARTMENT P2
- 6. HANNAY BOOSTER REEL MODEL EF32-19-21 LOCATED IN COMPARTMENT R1 WITH CAPACITY FOR 100' OF 1.00" BOOSTER HOSE
- 7. ONE 120V DUPLEX RECEPTACLE LOCATED IN COMPARTMENTS D1, D3, P1, P3, AND CAB
- 8. ONE 120V 4-PLACE RECEPTACLE LOCATED IN CAB
- 9. ONE ADJUSTABLE SLIDE-OUT TRAY LOCATED IN COMPARTMENT P3
- 10. ONE TILTING/SLIDE-OUT TRAY LOCATED IN COMPARTMENT P3

				CHASSIS DATA	TITLE	1500-D-750P, 730 GAL WATER & 20 GAL FOAM CELL, 189" PUC (3) XLAYS, DELUGE, LADDERS BESIDE TANK, LIGHT TOWER	DRAWN BY COL	13JUL16
170CT16	COL	MSA	MAKE	PIERCE	FOR	KEIZER FIRE DISTRICT KEIZER, OREGON	CHECKED BY SMA	15JUL16
23SEP16	COL	MSA						
22JUL16	COL	SMA	MODEL					
REV	DATE	BY	CH	DASH CF	DWG NO.	30157AD	SHEET SIZE D	SHEET NO. 1 OF 1