



ALUMINUM BODY MAXIMUM O.A.H. 127.00" SIDE ROLL & FRONTAL IMPACT PROTECTION

NOTE
DIMENSIONS SHOWN ARE APPROXIMATE AND ARE SUBJECT TO MINOR DEVIATIONS AS MAY OCCUR OR BE NECESSARY IN CONSTRUCTION. MINOR DETAILS NOT SHOWN.

1. BATTERY CHARGER LOCATED IN D2
2. 5/8\"/>

3. ONE FULL WIDTH/DEPTH PAINTED ADJUSTABLE SHELF IN D1, D3, D4, R1, P1, P3, P4
4. ONE FLOOR MOUNTED SLIDE-OUT TRAY IN D1, P1, R1
5. PARTITION BETWEEN COMPARTMENTS D1/R1 AND P1/R1
6. HERCULES 200 CFM COMPRESSED AIR FOAM SYSTEM
7. CIRCUIT BREAKER PANEL IN P3
8. AIR INLET W/DISCONNECT COUPLING IN D.S. STEP WELL
9. BATTERY CHARGER INDICATOR D.S. SEAT BRACKET
10. SWING-OUT ALUMINUM TOOLGARD IN D2

REV	DATE	BY	CH	ARROW	XT
1	14DEC15	LST	CHR		
2	12NOV15	LST	CHR		

		JOB NO.	29406
		SCALE	DATE
TITLE	1500-D-750P W/ 25 GAL FOAM CELL, 152\"/>		
FOR	CITY OF SAN LUIS FIRE DEPARTMENT SAN LUIS, ARIZONA	DRAWN BY	LST
		CHECKED BY	SMA
DWG NO.	29406AD	SHEET SIZE	D
		SHEET NO.	1 OF 1