

Product Range

2024/1



www.onspot.com


ONSPOT

This is Onspot!


The Onspot system is basically a simple and very reliable concept. It is a wheel fitted with several chains that is lowered and held towards the driving wheels. When the chain wheel rotates the chains are placed under the driving wheels to increase traction.

Onspot is engaged only when needed – up to 50km/h (35mph) without having to stop the vehicle. It works whether you are accelerating, braking or in a loss of traction situation. When engaged traction is obtained in forward or reverse.

Onspot is conveniently engaged and disengaged by pressing a button on the dashboard. It is a trouble-free and ever-present solution for avoiding delays due to slippery road conditions.



Operation



Resting position

Working position

A complete Onspot consists of:

Onspot kit

The Onspot kit contains of two cylinders and one Valve kit. The correct kit for your vehicle is included in the Onspot kit, ready to plug in.



Cylinder kit



Valve kit

Vehicle bracket kit

The bracket has a high-quality corrosion resistance through electrolytic pre-treatment. Depending on your vehicle there are differences. The Onspot kit will be supplied with the correct brackets and arms for your specific vehicle.



Vehicle bracket kit



Switch kit

Switch kit

A complete switch kit that correspond to the design of the other switches in your vehicle.

Wheel kit

A chain wheel kit is included in the Onspot kit. There are different spare wheels available which differ by number of chain strands or steel quality.



6 chains

6 chains
sparkle resis-
tant

12 chains

18 chains

Specification

Operating speed	2–50 km/h
Activation speed	Max 50 km/h
Power supply	12V/24V, 8 A fuse
Pressure requirement	7–10 bar
Weight Onspot 016	10,2 kg/side excl. vehicle bracket
Chains	6, 12 or 18 chains and 6 chains sparkle resistant

Choose your Onspot

At the homepage you will always find the newest models and configurations.

The screenshot shows the Onspot configurator interface. At the top, there is a navigation bar with the Onspot logo and links for 'WHY ONSPOT', 'KNOWLEDGE', 'THE PRODUCT', 'CONFIGURATOR', 'ABOUT US', 'BLOG', 'FIND US', 'EN - International', and 'CONTACT US'. The main heading is 'Choose your Onspot'. Below this is a table of specifications:

Vehicle brand	DENNIS EAGLE	CHANGE
Vehicle model	Elite 2	CHANGE
Axle configuration	6x2	CHANGE
Rear axle suspension	Air suspension	CHANGE
Wheel configuration	Double Wheel	CHANGE
Tyre dimension	12/R0 R22,5	CHANGE

Below the table is a 'RESET ALL SELECTIONS' button. Under the heading 'Wheel kit', there are two options: '12-chairs 56-236506' (selected) and '18-chairs 56-236509'. To the right, there is a list of kits: 'Bracket kit: 56-253800', 'Onspot kit: 56-700500', and 'Switch kit: 56-241012'. Below this is a section for 'Installation instructions' with a download icon and the text 'Installation Instructions 56-253800'. At the bottom right, there are two buttons: 'Send to Onspot' and 'Send to myself'.

Please, visit www.onspot.com and choose [Configurator](#).

From here you can e-mail the configuration to yourself or to Onspot for further requests

The Onspot ADR Valve Box

The electrical parts of an Onspot system have gotten an ADR Freigabe. It is issued by the German TÜV authorities.

This document makes it possible to register vehicles, with Onspot, according to the ADR regulation.

The VdTÜV certificate certifies that Onspot ADR valve box meets the requirements for installation outside zones 0 and 1 on vehicles of type EX/II, EX/III, AT, FL and OX.

Since before it is also certified according the UNECE R10 regulations.

The ADR Freigabe you can download on the homepage of Onspot.

When choosing an ADR vehicle, 56-700500 shall be replaced by cylinder kit 56-700501 and valve box 56-320104.



Content

Onspot fits the following vehicles:

DAF	5	TGM	22	R-series	40
CF Euro 6	6	TGM Euro 6	23	4-series	41
LF Euro 6	6	TGS	23	Buses	41
XF Euro 6	6	TGX	25	SETRA	42
XG, XG+ Euro 6	7	MERCEDES-BENZ	28	TATRA	43
CF55	7	Actros New	28	2T5RA3	43
65CF	7	Actros	28	TERBERG	44
CF65	7	Antos	29	UD TRUCKS	45
75CF	7	Arocs	29	Quon	45
CF75	7	Arocs 5	29	VAN HOOL	46
85CF	7	Atego New	29	Altano	46
CF85	8	Atego	29	VDL	47
LF45	8	Atego 2, Atego 3	30	Futura	47
95XF	8	Axor II	30	VOLVO	48
XF95, XF105	8	Axor 4x2, 6x2	30	FL	49
DENNIS EAGLE	9	Atego S	30	FL Electric	49
Elite 2	9	Econic Bluetec 6	30	FL6	49
FORD	10	Econic	30	FE	49
F-Max	10	Sprinter	30	FE Electric	49
Transit	10	Unimog	31	FH	49
GOLDEN DRAGON	11	MITSUBISHI FUSO	32	FH, FM	49
Triumph - Electric	11	Super Great	32	FH, FM, FMX	49
HINO	12	NEOPLAN	33	FH Electric	50
Profia	12	Cityliner	33	FM Electric	51
Ranger	12	Euroliner	33	FMX-E Electric	51
S'elega	12	Skyliner	33	Buses	51
ISUZU	13	NISSAN	34	VW	52
Forward	13	Atleon	34	Crafter	52
Giga	13	BIG Thumb	34	Table of tyre dimensions	53
Giga (Rigid)	13	NV 400	34	Onspot	54
Gigamax	13	OPEL	35	Onspot 016	54
IVECO	14	Movano	35	Onspot 012	55
Crossway	14	RENAULT	36	Arms	56
Daily	14	Range -C	36	Electrical and air	58
Eurocargo	15	Range -K	36	Switches	59
Eurostar	15	Range -D	36	Wheels	60
Eurotech	16	Range -T	36	Cylinders, Cylinder brackets	61
Stralis	16	Mascott DXI 160	36	Arms	62
Trakker	16	Master	36	Arms with bearing cups	62
X-Way	16	Midlum DXI	37	Electrical and air kit	63
MAFI	17	Midlum	37	Compressor	64
MAN	18	Premium, Magnum DXI	37	air compressor kit 12V	64
Buses	18	Premium DXI	37	Accessories	65
E2000	18	Premium, Magnum	37		
F2000	19	Kerax DXI	37		
L2000	19	Master	37		
M2000L	19	ROSETO	38		
M2000M	19	Iveco chassis	38		
TGA	20	SCANIA	39		
TGE	21	P, G, R, T, L, S-series	39		
TGL	21	P-series	40		

Note! Older models, not included in this list can also be equipped with Onspot.

How to read the vehicle specification:

45LF _____ Vehicle model

4x2 _____ Axle configuration

45 130, 45 150, 45 160, 45 180, 45 180 – Vehicle type

Leaf suspension _____ Rear axle suspension

Key to the list for DAF

In the list there are two basic types: 4x2 and 6x2.

Other types same as 4x2 are: FA, FT, FAG, FTG, FAB, FAV.

Same as 6x2 are:

FAS, FAR, FAC, FTR, FTS.

Wheel kit 170


6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509


Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508


When choosing an ADR vehicle, 56-700500 shall be replaced by 56-700501 and 56-320104

Rigid chassis

 = Driving axle



Tractor chassis



CF Euro 6

FA

Leaf suspension 8-12 ton

Vehicle bracket kit:	56-236700
Switch kit:	56-241022
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 215/75 R17.5" or larger.	
Applies up to and including year model 2016	

FA

Leaf suspension 8-12 ton

Vehicle bracket kit:	56-236700
Switch kit:	56-727500
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 215/75 R17.5" or larger.	
From year model 2017.	

FA

Air suspension 8-12 ton

Vehicle bracket kit:	56-236700
Switch kit:	56-241022
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 215/75 R17.5" or larger.	
Applies up to and including year model 2016	

FA

Air suspension 8-12 ton

Vehicle bracket kit:	56-236700
Switch kit:	56-727500
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 215/75 R17.5" or larger.	
From year model 2017.	

FA, FT

Vehicle bracket kit:	56-261500
Switch kit:	56-241022
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 315/60 22.5" or larger.	
• FA: 4x2 rigid	
• FT: 4x2 tractor	
Applies up to and including year model 2016.	

FA, FT

Vehicle bracket kit:	56-261500
Switch kit:	56-727500
Onspot kit:	56-700500

Wheel kit:	170
Fits vehicles with tyre dimension 315/60 22.5" or larger.	
• FA: 4x2 rigid	
• FT: 4x2 tractor	
From year model 2017.	

FAT, FTT

Vehicle bracket kit:	56-261500
Switch kit:	56-241022
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 315/60 22.5" or larger.	
Applies up to and including year model 2016.	

FAT, FTT

Vehicle bracket kit:	56-261500
Switch kit:	56-727500
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 315/60 22.5" or larger.	
From year model 2017.	

FAN, FAQ, FTS

Vehicle bracket kit:	56-260000
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 305/70 22.5" or larger.	
FAN: 6x2 steered trailing axle	
FAQ: 8x2 tridem, second rear axle driven	
• FTS: 6x2 fixed trailing axle	

LF Euro 6

FA

Air suspension 14-16 ton

Vehicle bracket kit:	56-704800
Switch kit:	56-241022
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 285/70 R19.5" or larger.	

FA

Leaf suspension 8-12 ton

Vehicle bracket kit:	56-236700
Switch kit:	56-241022
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 215/75 R17.5" or larger.	

FA

Air suspension 8-12 ton

Vehicle bracket kit:	56-236700
Switch kit:	56-241022

Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 215/75 R17.5" or larger.	

XF Euro 6

FA

Vehicle bracket kit:	56-261500
Switch kit:	56-241022
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 315/60 22.5" or larger.	
• FA: 4x2 rigid	
Applies up to year model 2016.	

FA

Vehicle bracket kit:	56-261500
Switch kit:	56-727500
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 315/60 22.5" or larger.	
• FA: 4x2 rigid	
From year model 2017.	

FAN, FAQ, FTS

Vehicle bracket kit:	56-260000
Switch kit:	56-241022
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 305/70 22.5" or larger.	
FAN: 6x2 steered trailing axle	
FAQ: 8x2 tridem, second rear axle driven	
• FTS: 6x2 fixed trailing axle	
Applies up to year model 2016.	

FAN, FAQ, FTS

Vehicle bracket kit:	56-260000
Switch kit:	56-727500
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 305/70 22.5" or larger.	
FAN: 6x2 steered trailing axle	
FAQ: 8x2 tridem, second rear axle driven	
• FTS: 6x2 fixed trailing axle	
From year model 2017.	

FTT

Vehicle bracket kit:	56-261500
Switch kit:	56-241022
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 315/60 22.5" or larger.	
Applies up to year model 2016.	

FTT

Vehicle bracket kit:	56-261500
----------------------	-----------

Switch kit: 56-727500
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60 22.5" or larger.
 From year model 2017.

FT

Vehicle bracket kit: 56-734800
 Switch kit: 56-241022
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60 22.5" or larger.
 Applies up to year model 2016.

FT

Vehicle bracket kit: 56-734800
 Switch kit: 56-727500
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60 22.5" or larger.
 • FT: 4x2 tractor
 From year model 2017.

XG, XG+ Euro 6

FTS (6x2)

Vehicle bracket kit: 56-260000
 Switch kit: 56-749000
 Onspot kit: 56-700501
 Wheel kit: 170
 Fits vehicles with tyre dimension 315/60 22.5" or larger.
 • The switch must be mounted in DAF aftermarket switch panel. DAF part no 2303546 or 2254833

CF55

4x2

55.150, 55.160, 55.180, 55.210, 55.230

Air suspension

4 bellows, 18 tonnes and heavier

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60 22.5" or larger.

4x2

55.150, 55.160, 55.180, 55.210, 55.230

Leaf suspension

Vehicle bracket kit: 56-236700
 Switch kit: 56-241008
 Onspot kit: 56-700500

Wheel kit: 170
 Fits vehicles with tyre dimension 215/75 17.5" or larger.

65CF

4x2

65.180, 65.210, 65.240

Leaf suspension

Vehicle bracket kit: 56-229901
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 295/80 22.5" or larger.

Air suspension

Vehicle bracket kit: 56-229701
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60 22.5" or larger.

6x2

65.180, 65.210, 65.240

Leaf suspension

Vehicle bracket kit: 56-229901
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 295/80 22.5" or larger.

CF65

4x2

65.180, 65.210, 65.240

Air suspension

Disc brakes

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60 22.5" or larger.

6x2

65.180, 65.210, 65.240

Air suspension

Disc brakes

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60 22.5" or larger.

75CF

4x2

75.250, 75.290, 75.320

Leaf suspension

Vehicle bracket kit: 56-229901

Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 295/80 22.5" or larger.

Air suspension

Vehicle bracket kit: 56-229701
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60 22.5" or larger.

6x2

75.250, 75.290, 75.320

Leaf suspension

Vehicle bracket kit: 56-229901
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 295/80 22.5" or larger.

CF75

4x2

75.250, 75.290, 75.320

Air suspension

Disc brakes

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60 22.5" or larger.

6x2

75.250, 75.290, 75.320

Air suspension

Disc brakes

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60 22.5" or larger.

85CF

4x2

85.340, 85.380, 85.430

Leaf suspension

Vehicle bracket kit: 56-229901
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 295/80 22.5" or larger.

Air suspension

Vehicle bracket kit: 56-229701
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60 22.5" or larger.

6x2

85.340, 85.380, 85.430

Leaf suspension

Vehicle bracket kit: 56-229901
 Onspot kit: 56-700500
 Wheel kit: 190

Fits vehicles with tyre dimension
 295/80 22.5" or larger.

CF85

4x2

85.340, 85.380, 85.430

Air suspension

Disc brakes

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190

Fits vehicles with tyre dimension
 315/60 22.5" or larger.

6x2

85.340, 85.380, 85.430

Air suspension

Disc brakes

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190

Fits vehicles with tyre dimension
 315/60 22.5" or larger.

LF45

4x2

45 130, 45 150, 45 160, 45 180, 45

210

Leaf suspension

Vehicle bracket kit: 56-236700
 Switch kit: 56-241008
 Onspot kit: 56-700500
 Wheel kit: 170

Fits vehicles with tyre dimension
 215/75 17.5" or larger.

Air suspension

Vehicle bracket kit: 56-236700
 Switch kit: 56-241008
 Onspot kit: 56-700500
 Wheel kit: 170

Fits vehicles with tyre dimension
 215/75 17.5" or larger.

95XF

4x2

Air suspension

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190

Fits vehicles with tyre dimension
 315/60 22.5" or larger.

XF95, XF105

4x2

**95.380, 95.430, 95.480,
 95.530**

Air suspension

Disc brakes

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190

Fits vehicles with tyre dimension
 315/60 22.5" or larger.

6x2

**95.380, 95.430, 95.480,
 95.530,**

Air suspension

Disc brakes

Vehicle bracket kit: 56-229702
 Onspot kit: 56-700500
 Wheel kit: 190

Fits vehicles with tyre dimension
 315/60 22.5" or larger.

- *It may be necessary to move the air tank when installing on an XF105 trailer truck, 56-246700.*

How to read the vehicle specification:

Elite 2 _____ Vehicle model
4x2 _____ Axle configuration
Air suspension _____ Rear axle suspension

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

Elite 2

4x2, 6x2

Air suspension

Vehicle bracket kit: 56-253800
 Switch kit: 56-241012
 Onspot kit: 56-700500
 Wheel kit : 170

Fits vehicles with tyre dimension 315/70 R22.5" or larger.

- 12 or 18-chain wheels should be used.
- Twin wheel

How to read the vehicle specification:

Transit _____ Vehicle model
Leaf suspension _____ Rear axle suspension

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

F-Max

4x2

Chassis height: N

2 bellows air suspension

Vehicle bracket kit: 56-745500
 Onspot kit: 56-700500
 Switch kit: Will come later
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/70 R22,5 or larger.

Transit

Leaf suspension

Vehicle bracket kit: 56-703200
 Air compressor kit: 56-255200
 Onspot kit: 56-700502
 Wheel kit: 170
 Fits vehicles with tyre dimension
 185/75 R 16 or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *From year model 2007.*
- *A re-arrangement of the exhaust pipe can be necessary.*

How to read the vehicle specification:

Triumph - Electric _____ Vehicle model
4x2 _____ Axle configuration
Air suspension _____ Rear axle suspension

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

Triumph - Electric

4x2

Chassis: Normal floor

Air suspension

Vehicle bracket kit:	56-751100
Switch kit:	56-241023
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 315/70-22,5" or larger.

Fits vehicles with tyre dimension 11R 22,5" or larger.

How to read the vehicle specification:

Profia _____ Vehicle model
4x2 _____ Axle configuration
Leaf suspension _____ Rear axle suspension

Wheel kit 170
 6-chains 56-236503
 6-chains sparkle resistant 56-236507
 12-chains 56-236506
 18-chains 56-236509

Wheel kit 190
 6-chains 56-236501
 6-chains sparkle resistant 56-236504
 12-chains 56-236505
 18-chains 56-236508

When choosing an ADR vehicle, 56-700500 shall be replaced by 56-700501 and 56-320104

Profia

Tractor 4x2, 6x2, 6x4

Air suspension, 4 bellows

Vehicle bracket kit: 56-238400
 Switch kit: 56-241013
 Onspot kit: 56-700500
 Wheel kit: 170

Fits vehicles with tyre dimension 275/70-22,5" or larger.

- *Cannot be fitted on 6x2 with running axle behind the drive axle.*
- *12-chain wheels should be used.*
- *From year model 2004.*

Rigid

Air suspension, 4 bellows

Vehicle bracket kit: 56-718500
 Switch kit: 56-241013
 Onspot kit: 56-700500
 Wheel kit: 190

Fits vehicles with tyre dimension 275/70-22,5" or larger.

Rigid

Leaf suspension, 4 bellows

Vehicle bracket kit: 56-728500
 Switch kit: 56-241013
 Onspot kit: 56-700500
 Wheel kit: 190

Fits vehicles with tyre dimension 275/70-22,5" or larger.

Ranger

Rigid 4x2

Leaf suspension

Vehicle bracket kit: 56-737900
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 265/70R19,5

S'elega

4x2

Air suspension

Vehicle bracket kit: 56-723001
 Onspot kit: 56-700500
 Wheel kit: 170

Fits vehicles with tyre dimension 11R 22,5" or larger.

How to read the vehicle specification:

Gigamax _____ Vehicle model
4x2 _____ Axle configuration
Air suspension _____ Rear axle suspension

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

When choosing an ADR vehicle, 56-700500 shall be replaced by 56-700501 and 56-320104

Forward

Rigid 4x2

Air suspension

Vehicle bracket kit:	56-739100
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 265/70R19,5

Giga

4x2,

Air suspension

Vehicle bracket kit:	56-255500
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 11R 22,5" or larger.

6x4,

Leaf suspension

Vehicle bracket kit:	56-742700
Onspot kit:	56-700500
Wheel kit:	190
Switch kit	Not included

Fits vehicles with tyre dimension 11R 22,5".

Giga (Rigid)

6x2,

Leaf suspension

Vehicle bracket kit:	56-735500
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 11R 22,5" or larger.

Gigamax

4x2, 6x2, 6x4

Air suspension, 4 bellows

Applies from year model 2003

Vehicle bracket kit:	56-238605
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 275/70-22,5" or larger.

How to read the vehicle specification:

Eurocargo 4x2, 4x4

60 E 10-14

65 E 10-14

75 E 12-15

80 E 15-21

Leaf suspension

450617

M 22x1,5

Vehicle model,
Axle configuration

Vehicle type

Rear axle suspension

Rear axle type

Clamp thread

Key to the list for IVECO

P	Air suspension
T	Tractor
W	All wheel drive
MT	Middle Class
MP	Heavy Class
LD	Eurostar
S	Stralis

* Alternatively part no air kit 56-196002.

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

When choosing an ADR vehicle, 56-700500 shall be replaced by 56-700501 and 56-320104

Crossway

LE

4x2, 6x2

Air suspension

Vehicle bracket kit:	56-753100
Switch kit	Will come later
Onspot kit:	56-700500
Wheel kit:	190 / 12 or 18 chains
Fits vehicles with tyre dimension 275/70 R22,5" or larger.	

NF

4x2

Air suspension

Vehicle bracket kit:	56-753100
Switch kit	Will come later
Onspot kit:	56-700500
Wheel kit:	190 / 12 or 18 chains
Fits vehicles with tyre dimension 275/70 R22,5" or larger.	

Daily

29 L, 35 S

Leaf suspension M16x1,5

Vehicle bracket kit:	56-247200
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 215/60 R16" or larger.

- *Single wheel*
- *12 or 18-chain wheels should be used.*
- *From year model 2007.*

29 L, 35 S

Leaf suspension M14x1,5

Vehicle bracket kit:	56-264300
Switch kit	56-241012
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 225/70 R15" or larger.

- *Single wheel*
- *12 or 18-chain wheels should be used.*
- *From year model 2007.*

35 S

4x2

Leaf suspension Electric handbrake

Vehicle bracket kit:	56-264300
Switch kit	56-241012
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 195/75 R16" or larger.

- *From year model 2021.*
- *Spring bolt threads M14x1,5.*

50C

4x2,

Leaf suspension

Vehicle bracket kit:	56-741400
Switch kit	56-241012
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 195/75 R16" or larger.

65C

Leaf suspension

Vehicle bracket kit:	56-254000
Switch kit	56-241012
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 225/75 R16" or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *From year model 2007.*

65C

Air suspension

Vehicle bracket kit:	56-259800
----------------------	-----------

Switch kit	56-241012
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 225/75 R16" or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *From year model 2007.*

70C

Air suspension

Vehicle bracket kit:	56-259800
Switch kit	56-241012
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 225/75 R16" or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *From year model 2007.*

Leaf suspension

Vehicle bracket kit:	56-254000
Switch kit	56-241012
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 225/75 R16" or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *From year model 2007.*

72C

4x2

Air suspension

Electric handbrake

Vehicle bracket kit:	56-259800
Switch kit	56-241012
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 225/75 R16".

Eurocargo 4x2

60, 65, 75

Euro 6

Air suspension

Vehicle bracket kit:	56-749300
Switch kit	56-241018
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 225/75 R17,5" or larger.

60 E xx, 65 E xx, 75 E xx, 80 E xx, 80 EL xx, 90 E xx, 100 E xx, 120 E xx

Air suspension, 2 bellows

Vehicle bracket kit:	56-253200
Switch kit	56-241002
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 215/75- 17,5" or larger.

- *12 or 18-chain wheels should be used.*
- *Applies up to and including year model year 2007*

75 E xx, 80 E xx, 90 E xx, 100 E xx

Air suspension, 2 bellows

Vehicle bracket kit:	56-253200
Switch kit	56-241018
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 215/75- 17,5" or larger.

- *12 or 18-chain wheels should be used.*
- *From model year 2008*

120, 120 xxxL

Air suspension

Euro 6

Twin wheel

Vehicle bracket kit:	56-742000
Onspot kit:	56-700500
Switch kit:	56-245400
Wheel kit:	170

Fits vehicles with tyre dimension 265/70- 17,5"

Threads M20x2,5

120 E xx

Air suspension, 2 bellows

11/41 23N07, M22x1,5

Disc brakes

Vehicle bracket kit:	56-240800
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 265/70- 19,5" till 315/70- 22,5".

Wheel kit: 190

Fits vehicles with tyre dimension 10-22,5" or larger.

150 E xx

Leaf suspension

R 167

M22x1.5

Drum brakes

Vehicle bracket kit:	56-237200
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/70- 22,5" or larger.

150 E xx, 130 E xx

Leaf suspension

R 167

M22x1.5

Disc brakes

Vehicle bracket kit:	56-239400
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 295/60- R22,5" or larger.

150 E xx, 130 E xx

Leaf suspension

R 167

M22x1.5

Disc brakes

Vehicle bracket kit:	56-240800
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 275/70- 19,5" to 305/70- R19,5"

Eurocargo 4x4

140 E xx W

Leaf suspension

Single wheel

42117806

M 22x1,5

Vehicle bracket kit:	56-238100
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 295/80- R22,5" or larger.

140 E xx W

Leaf suspension

451146/1

M 22x1,5

Vehicle bracket kit:	56-236900
Onspot kit:	56-700500
Wheel kit:	170

190 Fits vehicles with tyre dimension 315/70 R 22,5" or larger.

Eurostar 4x2, 4x4

LD 190 E xx, LD 440 E xx

Air suspension

U1177E

Vehicle bracket kit:	56-228701
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 315/60- 22 ,5" or larger.

Eurostar 6x2

LD 260 E xx, LD 440 E xx

Air suspension U1177E

Vehicle bracket kit: 56-228701
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 315/60- 22,5" or larger.

Eurotech 4x2

MT 180 Exx, MT 400 Exx

Air suspension

Vehicle bracket kit: 56-228701
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 315/60- 22,5" or larger.

MP, MH 190 E xx MP, MH 440 E xx

Air suspension U1177E

Vehicle bracket kit: 56-228701
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 315/60- 22 ,5" or larger.

Eurotech 6x2

MP, MH 260 E xx MP 440 E xx

Air suspension U1177E

Vehicle bracket kit: 56-228701
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 315/60- 22 ,5" or larger.

Stralis 4x2, 4x4

AS 190 S xx, AS 440 S xx

Air suspension U1177E

Vehicle bracket kit: 56-228701
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 315/60- 22 ,5" or larger.

Stralis 6x2

AS 260 S xx, AS 440 S xx

Air suspension U1177E

Vehicle bracket kit: 56-228701
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 315/60- 22 ,5" or larger

Stralis Euro 6

4x2, 4x4, 6x2

Air suspension

Vehicle bracket kit: 56-715300
 Switch kit: 56-241018
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 315/60- 22,5" or larger.

Trakker 4x4

MP 190 E xx

Air suspension

Vehicle bracket kit: 56-228701
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 315/60- 22,5" or larger.

X-Way 6x4

Air suspension

Vehicle bracket kit: 56-740900
 Switch kit: 56-739500
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 295/70- 22,5" or larger.

How to read the vehicle specification:

MAFI _____ Vehicle model
R332, R336' _____ Vehicle type
Air suspension _____ Rear axle suspension
Kessler D81 PL478 _____ Rear axle type

Wheel kit 170

6-chains 56-236503
 6-chains sparkle resistant 56-236507
 12-chains 56-236506
 18-chains 56-236509

Wheel kit 190

6-chains 56-236501
 6-chains sparkle resistant 56-236504
 12-chains 56-236505
 18-chains 56-236508

MAFI

R332, R336

Air suspension

Kessler D81, PL478

Vehicle bracket kit: 56-709400

Onspot kit: 56-700500

Switch kit: 56-241023

Wheel kit: 170

Fits vehicles with tyre dimension 12 R 22,5" or larger.

How to read the vehicle specification:

L2000 _____	Vehicle model
L20, L24 _____	Vehicle type
	The type no. is position 4-6 in the chassis no.
4x2 _____	Axle configuration
Leaf suspension _____	Rear axle suspension
8.xxx L, 9.xxx L, 10.xxx L _____	Vehicle designation
HY-0645, HY-0720, HY-0745 _____	Rear axle
Clamp Ø 18x2 _____	Clamp thread

Key to the list for MAN

A	All wheel drive (4x4, 6x6)
DF/FD	Three axles (6x4)
E	Rear single wheels
F	Front built (4x2)
K	Kipper
L	Air suspension rear
LL	Compl. Air suspension
N	Support axle behind driv. axle (6x2)
S	Tractor
V	Steering axle in front of driving axle (6x2/4)
FFD/VF	Four axles (8x4)

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

Buses

Intercity bus R60, R61, R62

Vehicle bracket kit:	56-737000
Switch kit:	56-241015
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 295/80-R 22,5" or larger.	

Lion's Coach New R07, R08, R09

From 2018

Vehicle bracket kit:	56-740700
Switch kit:	56-241015
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 295/80-R 22,5" or larger.	

E2000

E42

6x2/4

Air suspension

26.xxx FVLC

AP H9-13120

Vehicle bracket kit:	56-226301
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 295/60-R 22,5" or larger.	

E50, E60

6x6/4, 6x2/4

Air suspension

30.xxx FANLC, 33.xxx DFALC,

AP H9-13120, AP HD9-13120

Vehicle bracket kit:	56-226301
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 295/60-R 22,5" or larger.	

E51, E61

4x2

Air suspension

19.xxx FLS/M

AP H9-13120

Vehicle bracket kit:	56-226301
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 295/60-R 22,5" or larger.	

E52, E62

4x4

Air suspension

19.xxx FALS

AP H9-13120

Vehicle bracket kit:	56-226301
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 295/60-R 22,5" or larger.	

E53, E63

6x2-4, 6x4-4

Air suspension

26.xxx FNLC
AP H9-13120, HY-13110

Vehicle bracket kit: 56-226301
Switch kit: 56-241013
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
295/60-R 22,5" or larger.

E55, E65

8x4/4, 8x2/4

Air suspension

32.xxx FVNLC
AP H9-13120, AP HD9-13120,
AP H-1175, AP HDY-1175,
AP H9-1380, HY-1175

Vehicle bracket kit: 56-226301
Switch kit: 56-241013
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
295/60-R 22,5" or larger.

E56, E66, E47, E67

6x4/4, 6x6-4, 6x4-4

Air suspension

26.xxx FAVLC, 28.xxx FNALC,
28.xxx FANLC,
AP H9-13120, HY-13110

Vehicle bracket kit: 56-226301
Switch kit: 56-241013
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
295/60-R 22,5" or larger.

E59, E69

6x4/2, 6x2/2

Air suspension

33.xxx DFLS, 30.xxx FNLC,
AP H9-13120, AP HD9-13120

Vehicle bracket kit: 56-226301
Switch kit: 56-241013
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
295/60-R 22,5" or larger.

E73

8x2/4

Air suspension

35.xxx FVNLC
AP H9-13120

Vehicle bracket kit: 56-226301
Switch kit: 56-241013
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
295/60-R 22,5" or larger.

E75, E95

8x4/4

Air suspension

41.xxx DFVLS

AP H9-13120, AP HD9-13120

Vehicle bracket kit: 56-226301
Switch kit: 56-241013
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
295/60-R 22,5" or larger.

F2000

T02, T32, T03, T33, T62

4x2

Air suspension

19.xxx FL, 19.xxx FLL, 19.xxx FLS
HY-13110, APH9-13120, APH9-
16120

Vehicle bracket kit: 56-226301
Switch kit: 56-241013
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
295/60 R 22,5" or larger.

T05, T35, T06, T36, T07,
T37

6x2

Air suspension

23.xxx FNLL, 26.xxx FNL
HY-13110, APH9-13120, APH9-
16120

Vehicle bracket kit: 56-226301
Switch kit: 56-241013
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
295/60 R 22,5" or larger.

T08, T38

6x2/4

Air suspension

26.xxx FVL
HY-13110, APH9-13120

Vehicle bracket kit: 56-226301
Switch kit: 56-241013
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
295/60 R 22,5" or larger.

T10, T40, T70

6x2/4

Air suspension

26.xxx DFL
HY-13110, APH9-13120

Vehicle bracket kit: 56-226301
Switch kit: 56-241013
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension

295/60 R 22,5" or larger.

L2000

L34, L36

4x2, 6-cyl motor

Air suspension

8.xxx LL, 9.xxx LL, 10.xxx LL,
HY-0855

Stabilizer in front of the rear axle.

Vehicle bracket kit: 56-234601
Onspot kit: 56-700500
Wheel kit: 170
Fits vehicles with tyre dimension
205/75-R 17,5" or larger.

M2000L

L88, L89

4x2

Air suspension

18.xxx LL, 18.xxx LLL
HY-1175

Vehicle bracket kit: 56-226301
Switch kit: 56-241013
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
295/60 22,5" or larger.

M2000M

M39, M40

4x2

Air suspension

18.xxx ML, 18.xxx MLL
HY-1175

Vehicle bracket kit: 56-226301
Switch kit: 56-241013
Onspot kit: 56-320000
Wheel kit: 190
Fits vehicles with tyre dimension
295/60 R 22,5" or larger.

M42, M43, M44

6x2

Air suspension

25.xxx MNL, 25.xxx MNLL,
25.xxx MVL
HY-1175

Vehicle bracket kit: 56-226301
Switch kit: 56-241013
Onspot kit: 56-320000
Wheel kit: 190
Fits vehicles with tyre dimension
295/60 R 22,5" or larger.

TGA

H01, H08

4x2/2

Air suspension

18.xxx FLS-TS

HY-1350

Vehicle bracket kit: 56-233903
Switch kit: 56-241003
Onspot kit: 56-700500
Wheel kit: 170
Fits vehicles with tyre dimension
295/60 R 22,5" to 315/70 R 22,5"

Vehicle bracket kit: 56-230702
Switch kit: 56-241003
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
10-22,5" or larger

H02, H03

4x2/2

Leaf suspension

18.xxx F

AP H9 1352, HY-1350

Vehicle bracket kit: 56-238300
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
315/70 R 22,5" or larger.

H05, H06

4x2/2

Air suspension

18.xxx FL

HY-1350

Vehicle bracket kit: 56-233903
Switch kit: 56-241003
Onspot kit: 56-700500
Wheel kit: 170
Fits vehicles with tyre dimension
295/60 R 22,5" to 315/70 R 22,5"

Vehicle bracket kit: 56-230702
Switch kit: 56-241003
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension 10-
22,5" or larger

H09, H10

4x2/2

Air suspension

18.xxx FLL

HY-1350

Vehicle bracket kit: 56-233903
Switch kit: 56-241003
Onspot kit: 56-700500
Wheel kit: 170
Fits vehicles with tyre dimension
295/60 R 22,5" to 315/70 R 22,5"

Vehicle bracket kit: 56-230702
Switch kit: 56-241003
Onspot kit: 56- 320000
Wheel kit: 190
Fits vehicles with tyre dimension
10-22,5" or larger

H16

6x2/2, 6x2/4

Air suspension. Note! Low-built vehicles with distance between air suspension beam and driveshaft don't fit!

26.xxx BLL

HY-1350

Vehicle bracket kit: 56-233903
Switch kit: 56-241003
Onspot kit: 56-700500
Wheel kit: 170
Fits vehicles with tyre dimension
295/60 R 22,5" to 315/70 R 22,5"

Vehicle bracket kit: 56-230702
Switch kit: 56-241003
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
10-22,5" or larger

H17, H18

6x2/2, 6x2/4

Air suspension

26.xxx FNL

HY-1350

Vehicle bracket kit: 56-233903
Switch kit: 56-241003
Onspot kit: 56-700500
Wheel kit: 170
Fits vehicles with tyre dimension
295/60 R 22,5" to 315/70 R 22,5"

Vehicle bracket kit: 56-230702
Switch kit: 56-241003
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension 10-
22,5" or larger

H19, H20, H21

6x2/2, 6x2-4

Air suspension

26.xxx FNLL

HY-1350

Vehicle bracket kit: 56-233903
Switch kit: 56-241003
Onspot kit: 56-700500
Wheel kit: 170
Fits vehicles with tyre dimension
295/60 R 22,5" to 315/70 R 22,5".

Vehicle bracket kit: 56-230702
Switch kit: 56-241003
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension

10-22,5" or larger

H23, H24

6x2/4

Air suspension

26.xxx FVL, 26.xxx FPL

HY-1350, APH9-13120

Vehicle bracket kit: 56-233903
Switch kit: 56-241003
Onspot kit: 56-700500
Wheel kit: 170
Fits vehicles with tyre dimension
295/60 R 22,5" to 315/70 R 22,5"

Vehicle bracket kit: 56-230702
Switch kit: 56-241003
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension 10-
22,5" or larger

H25, H26

6x4x/2

Leaf suspension

26.xxx FD, 33.xxx FD

HYD 1370, HPD 1382

APH9-13120, HPD 1353

Vehicle bracket kit: 56-239300
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
295/80 R 22,5" or larger.

H29, H30

6x4x/2

Air suspension

26.xxx FDL, 33.xxx FDL

HYD 1370, APH9-13120

HPD 1353, HPD 1382

Vehicle bracket kit: 56-239000
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
315/70 R 22,5" or larger.

H36, H37, H38, H39

8x4x/4

Leaf suspension

32.xxx FFD, 35.xxx FFD, 41.xxxFFD

HYD 1370, APH9-13120

APH9-16120, HPD 1382

Vehicle bracket kit: 56-239300
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
295/80 R 22,5" or larger.

H40, H41

8x4x/4

Leaf suspension

32.xxx FFDL, 35.xxx FFDL

HYD 1370, HPD 1382

Vehicle bracket kit: 56-239000
Onspot kit: 56-700500

Wheel kit: 190
Fits vehicles with tyre dimension
315/70 R 22,5" or larger.

H48, H49

8x4x/4

Leaf suspension

32.xxx FFD

HYD 1370, HPD 1353, APH9-13120

Vehicle bracket kit: 56-239300
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
295/80 R 22,5" or larger.

H51, H52

4x4/2

Leaf suspension

18.xxx FA

APH9 1352, HY 1350

Vehicle bracket kit: 56-238300
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
315/70 R 22,5" or larger.

H55, H56

6x6/2

Leaf suspension

26.xxx FDA

HPD 1382, HD9 13120

Vehicle bracket kit: 56-239300
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
295/80 R 22,5" or larger.

H70

4x4

Air suspension

18.xxx FAL

HP 1352

Vehicle bracket kit: 56-239000
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
315/70 R 22,5" or larger.

H72, H82

6x6/2

Air suspension

26.xxx FDAL, 33.xxx FDAL

HPD 1382

Vehicle bracket kit: 56-239000
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
295/80 R 22,5" or larger.

H73, H92

8x6/4

Leaf suspension

35.xxx FFDA

HPD 1382, HPD 1372 E

Vehicle bracket kit: 56-239300
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
295/80 R 22,5" or larger.

H76, H96

8x8/4

Leaf suspension

35.xxx FFDA

HPD 1382, HPD 1372 E

Vehicle bracket kit: 56-239300
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
295/80 R 22,5" or larger.

H85, H86, H87, H89

6x2/2

Air suspension

28.xxx FNL, 28.xxx FNLL

HY-1350

Vehicle bracket kit: 56-233903
Switch kit: 56-241003
Onspot kit: 56-700500
Wheel kit: 170
Fits vehicles with tyre dimension
295/60 R 22,5" to 315/70-R 22,5"

Vehicle bracket kit: 56-230702
Switch kit: 56-241003
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension to
10-22,5" or larger.

H88, H90

8x2/4

Air suspension

32.xxx FFNL,

HY-1350

Vehicle bracket kit: 56-233903
Switch kit: 56-241003
Onspot kit: 56-700500
Wheel kit: 170
Fits vehicles with tyre dimension
295/60 R 22,5" to 315/70-R 22,5"

Vehicle bracket kit: 56-230702
Switch kit: 56-241003
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension 10-
22,5" or larger.

H94, H95

8x4/4

Air suspension

41.xxx FVDLS

HPD 1382, HPD 1682

Vehicle bracket kit: 56-239000
Onspot kit: 56-700500

Wheel kit: 190
Fits vehicles with tyre dimension
315/70 R 22,5" or larger.

TGE

Leaf suspension

Twin wheel

Vehicle bracket kit: 56-719500
Switch kit: 56-241012
Air compressor kit: 56-255200
Onspot kit: 56-700502
Wheel kit: 170

Fits vehicles with tyre dimension
205/75 R16" or larger.

• 12 or 18-chain wheels should be
used.

Leaf suspension

Single wheel

Vehicle bracket kit: 56-717500
Switch kit: 56-241012
Air compressor kit: 56-255200
Onspot kit: 56-700502
Wheel kit: 170

Fits vehicles with tyre dimension
205/75 R16" or larger.

• 12 or 18-chain wheels should be
used.

TGL

12D, 14D

4x2

Air suspension

HY-0925

Vehicle bracket kit: 56-739400
Switch kit: 56-739000
Onspot kit: 56-700500
Wheel kit: 170

Fits vehicles with tyre dimension
265/70 R17,5" or larger.

N03

4x2

Leaf suspension

8.xxx BB

HY-0718

Clamp Ø 16x1.5

Vehicle bracket kit: 56-247400
Switch kit Euro 5: 56-241003
Switch kit Euro 6: 56-241015
Onspot kit: 56-700500
Wheel kit: 170

Fits vehicles with tyre dimension
225/75 R 17,5" or larger.

N04

4x2

Leaf suspension

10.xxx - 12.xxx

HY-0925

Clamp Ø 16x1.5

Vehicle bracket kit: 56-247400
 Switch kit Euro 5: 56-241003
 Switch kit Euro 6: 56-241015
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 225/75 R 17,5" or larger.

N12

4x2

Air suspension

Vehicle bracket kit: 56-739400
 Switch kit Euro 5: 56-241003
 Switch kit Euro 6: 56-241015
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 265/70 R17, 5" or larger.

N13

4x2

Air suspension

Vehicle bracket kit: 56-739400
 Switch kit Euro 5: 56-241003
 Switch kit Euro 6: 56-241015
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 265/70 R17, 5" or larger.

N14

4x2

Air suspension

Vehicle bracket kit: 56-739400
 Switch kit Euro 5: 56-241003
 Switch kit Euro 6: 56-241015
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 265/70 R17, 5" or larger.

N15

4x2

Air suspension

Vehicle bracket kit: 56-739400
 Switch kit Euro 5: 56-241003
 Switch kit Euro 6: 56-241015
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 265/70 R17, 5" or larger.

TGM

16D, 26D

Air suspension 4 bellow

15 xx

HY-1130

Vehicle bracket kit: 56-743600
 Switch kit: 56-739000

Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 285/70 R19,5" or larger.

N08

4x2

Leaf suspension

18.xxx BB

HY-1133

Vehicle bracket kit: 56-243900
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70 -22,5" or larger.

N16

4x2

Air suspension

15.xxx BL

Vehicle bracket kit: 56-259101
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 285/70 R 19,5" or larger.
 • 12 or 18-chain wheels should be used.

N18

Air suspension, 4 bellows

18.xxx BL

Vehicle bracket kit: 56-246100
 Switch kit: 56-241003
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/70 R 19,5" or larger.

N26

4x2

Air suspension

15.xxx BL

Vehicle bracket kit: 56-259101
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 285/70 R 19,5" or larger.
 • 12 or 18-chain wheels should be used.

N28

Air suspension, 4 bellows

18.xxx LL

HY-1133

Vehicle bracket kit: 56-246100
 Switch kit: 56-241003
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/70 R 22,5" or larger.

N34

4x4

Air suspension, 4 bellows

13.xxx BL

Vehicle bracket kit: 56-246100
 Switch kit: 56-241003
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 275/70 R 22,5" or larger.

N36

4x4

Air suspension

13.xxx LL

APHP 0928

Vehicle bracket kit: 56-247800
 Switch kit: 56-241003
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 275/70 R 22,5" or larger.
 • Twin wheel

N36

4x4

Air suspension

13.xxx BL

APHP 0728

Vehicle bracket kit: 56-251300
 Switch kit: 56-241003
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 365/80 -20" or larger.
 • Singel wheel

N38

4x4

Leaf suspension

18.xxx

HY-1333

Vehicle bracket kit: 56-248200
 Switch kit: 56-241003
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 295/80 R 22,5" or larger.

N44

Air suspension, 4 bellows

26.xxx BL

Vehicle bracket kit: 56-246100
 Switch kit: 56-241003
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/70 R 19,5" or larger.

N46

Air suspension, 4 bellows

26.xxx LL

Vehicle bracket kit: 56-246100
 Switch kit: 56-241003
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/70 R 19,5" or larger.

TGM Euro 6

N08

4x2

Leaf suspension

18.xxx BB

HY-1133

Vehicle bracket kit: 56-243901

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension
305/70 -22,5" or larger.

N16

4x2

Air suspension

15.xxx BL

Vehicle bracket kit: 56-259102

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension
285/70 R 19,5" or larger.

• 12 or 18-chain wheels should be
used.

N18

Air suspension, 4 bellows

18.xxx BL

Vehicle bracket kit: 56-246100

Switch kit: 56-241015

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension
315/70 R 19,5" or larger.

N26

4x2

Air suspension

15.xxx BL

Vehicle bracket kit: 56-259102

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension
285/70 R 19,5" or larger.

• 12 or 18-chain wheels should be
used.

N28

Air suspension, 4 bellows

18.xxx LL

HY-1133

Vehicle bracket kit: 56-246100

Switch kit: 56-241015

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension
315/70 R 22,5" or larger.

N34

4x4

Air suspension, 4 bellows

13.xxx BL

Vehicle bracket kit: 56-246100

Switch kit: 56-241015

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension
275/70 R 22,5" or larger.

N36

4x4

Air suspension

13.xxx LL

APHP 0928

Vehicle bracket kit: 56-247800

Switch kit: 56-241015

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension
275/70 R 22,5" or larger.

• *Twin wheel*

N36

4x4

Air suspension

13.xxx BL

APHP 0728

Vehicle bracket kit: 56-251300

Switch kit: 56-241015

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension
365/80 -20" or larger.

• *Singel wheel*

N38

4x4

Leaf suspension

18.xxx

HY-1333

Vehicle bracket kit: 56-248200

Switch kit: 56-241015

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension
295/80 R 22,5" or larger.

N44

Air suspension, 4 bellows

26.xxx BL

Vehicle bracket kit: 56-246100

Switch kit: 56-241015

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension
315/70 R 19,5" or larger.

N46

Air suspension, 4 bellows

26.xxx LL

Vehicle bracket kit: 56-246100

Switch kit: 56-241015

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension
315/70 R 19,5" or larger.

TGS

03S/03E/03F

4x2

Leaf suspension

18.xxx BB

AP HP 1352, HY-1350

Vehicle bracket kit: 56-238303

Switch kit 03S: 56-241015

Switch kit 03E/03F: 56-739000

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension
315/70 R 22,5" or larger.

06S/06E/06F/06J/06K

4x2

Air suspension, 4 bellows

18.xxx BL

HY-1350

Vehicle bracket kit: 56-233904

Switch kit 06S: 56-241015

Switch kit 06E/06F/06J/06K: 56-739000

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension
295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702

Switch kit 06S: 56-241015

Switch kit 06E/06F/06J/06K: 56-739000

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension
305/70-22,5" or larger.

08S/08K

4x2

Air suspension, 4 bellows

18.xxx BL-TS

HY-1350

Vehicle bracket kit: 56-233904

Switch kit 08S: 56-241015

Switch kit 08K: 56-739000

Onspot kit: 56-700500

Wheel kit: 170

Fits vehicles with tyre dimension
295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702

Switch kit 08S: 56-241015

Switch kit 08K: 56-739000

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension
305/70-22,5" or larger.

10S/10F/10K

4x2

Air suspension, 4 bellows

18.xxx LL

HY-1350

Vehicle bracket kit: 56-233904

Switch kit 10S: 56-241015
 Switch kit 10F/10K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 10S: 56-241015
 Switch kit 10F/10K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 305/70-22,5" or larger.

13S/13K

4x2

Air suspension, 4 bellows

18.xxx LL

HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 13S: 56-241015
 Switch kit 13K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 13S: 56-241015
 Switch kit 13K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 305/70-22,5" or larger.

18S/18F/19F

6x2/2, 6x2/4

Air suspension, 4 bellows

26.xxx BL, BL-WW

HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 18S: 56-241015
 Switch kit 18F/19F: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 18S: 56-241015
 Switch kit 18F/19F: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 305/70-22,5" or larger.

21S/20F/21F

6x2/2, 6x2-4

Air suspension, 4 bellows

26.xxx LL

HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 21S: 56-241015

Switch kit 20F/21F: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 21S: 56-241015
 Switch kit 20F/21F: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 305/70-22,5" or larger.

22S/22E/22F/22K/22J

4x4H

Air suspension, 4 bellows

18.xxx BL

HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 22S: 56-241015
 Switch kit 22E/22F/22K/22J: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension 295/60 R 22,5" till 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 22S: 56-241015
 Switch kit 22E/22F/22K/22J: 56-739000
 Onspot kit: 56-700501
 Wheel kit: 190
 Fits vehicles with tyre dimension 305/70-22,5" or larger.

24S/23K

6x2/2

Air suspension, 4 bellows

28.xxx

HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 24S: 56-241015
 Switch kit 23K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension 295/60 R 22,5" till 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 24S: 56-241015
 Switch kit 23K: 56-739000
 Onspot kit: 56-700501
 Wheel kit: 190
 Fits vehicles with tyre dimension 305/70-22,5" or larger.

24S/24F/24K

6x2/2, 6x2-4

Air suspension, 4 bellows

26.xxx BL

HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 24S: 56-241015
 Switch kit 24F/24K: 56-739000

Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 24S: 56-241015
 Switch kit 24F/24K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 305/70-22,5" or larger.

30S/30E/30F/30K/30J

6x4

Air suspension, 4 bellows

26.xxx BLS

HYD 1370

Vehicle bracket kit: 56-233904
 Switch kit 30S: 56-241015
 Switch kit 30E/30F/30K/30J: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 30S: 56-241015
 Switch kit 30E/30F/30K/30J: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 305/70-22,5" or larger.

Air suspension

HPD 1352

Vehicle bracket kit: 56-262800
 Switch kit 30S: 56-241015
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 275/80 R22,5" or larger.

Air suspension

HPD 1382

Vehicle bracket kit: 56-262800
 Switch kit 30S: 56-241015
 Switch kit 30E/30F/30K/30J: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/70 R22,5" or larger.

59S

8x6

Air suspension, 4 bellows

35.xxx BLS

HPD-1382

Vehicle bracket kit: 56-262800
 Switch kit: 56-241015
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 275/80 R22,5" or larger.

71S**6x4H-4****Air suspension, 4 bellows****28.xxx BL****HY-1350**

Vehicle bracket kit:	56-233904
Switch kit:	56-241015
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 295/60 R22,5" to 12/70 R22,5.	

Vehicle bracket kit:	56-230702
Switch kit:	56-241015
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 305/70 R22,5" or larger.	

73F**8x4H-6****Air suspension, 4 bellows****35.xxx****HY 1350**

Vehicle bracket kit:	56-233904
Switch kit:	56-739000
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 295/60 R22,5" to 12/70 R22,5".	

Vehicle bracket kit:	56-230702
Switch kit:	56-739000
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 305/70 R22,5" or larger.	

74S**6x2-4****Air suspension**

Vehicle bracket kit:	56-233904
Switch kit:	56-241015
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 295/60 R22,5" to 12/70 R22,5".	

Vehicle bracket kit:	56-230702
Switch kit:	56-241015
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 305/70 R22,5" or larger.	

80S/80J/80E**4x4****Air suspension, 4 bellows****18.xxx****HP-1352**

Vehicle bracket kit:	56-262800
Switch kit 80S:	56-241015
Switch kit 80J/80E:	56-739000
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
275/80xR22,5" or larger.

84S/84E**6x4-4****Air suspension, 4 bellows****28.xxx****HP-135204**

Vehicle bracket kit:	56-262800
Switch kit 84S:	56-241015
Switch kit 84E:	56-739000
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
275/80xR22,5" or larger.

89S/89K/89F**6x2-2****28.xxx BL, BLS****HY-1350**

Vehicle bracket kit:	56-233904
Switch kit 89S:	56-241015
Switch kit 89K/89F:	56-739000
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
295/60 R22,5" to 12/70 R22,5.

Vehicle bracket kit:	56-230702
Switch kit 89S:	56-241015
Switch kit 89K/89F:	56-739000
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension
305/70 R22,5" or larger.

90S/90F/91F/98F**8x2-4, 8x2-6****Air suspension**

Vehicle bracket kit:	56-233904
Switch kit 90S:	56-241015
Switch kit 90F/91F/98F:	56-739000
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
295/60 R22,5" to 12/70 R22,5.

Vehicle bracket kit:	56-230702
Switch kit 90S:	56-241015
Switch kit 90F/91F/98F:	56-739000
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension
305/70 R22, 5" or larger.

92S/92F**8x4-4****Air suspension**

Vehicle bracket kit:	56-233904
Switch kit 92S:	56-241015
Switch kit 92F:	56-739000
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
295/60 R22,5" to 12/70 R22,5.

Vehicle bracket kit:	56-230702
Switch kit 92S:	56-241015
Switch kit 92F:	56-739000
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension
295/60 R22,5" or larger.

TGX**05X/06K****4x2****Air suspension, 4 bellows****18.xxx BL, BLS****HY-1350**

Vehicle bracket kit:	56-233904
Switch kit 05X:	56-241015
Switch kit 06K:	56-739000
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit:	56-230702
Switch kit 05X:	56-241015
Switch kit 06K:	56-739000
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension
305/70-22,5" or larger.

06X/06F/06J**4x2/2****Air suspension, 4 bellows****18.xxx BL****HY-1350**

Vehicle bracket kit:	56-233904
Switch kit 06X:	56-241015
Switch kit 06F/06J:	56-739000
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit:	56-230702
Switch kit 05X:	56-241015
Switch kit 06K:	56-739000
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension
305/70-22,5" or larger.

10X/10K/10F**4x2****Air suspension, 4 bellows****18.xxx LL****HY-1350**

Vehicle bracket kit:	56-233904
Switch kit 10X:	56-241015
Switch kit 10K/10F:	56-739000
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 05X: 56-241015
 Switch kit 06K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

13X/13K

4x2

Air suspension, 4 bellows

18.xxx LL

HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 13X: 56-241015
 Switch kit 13K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 13X: 56-241015
 Switch kit 13K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

15X/13F

4x2

Air suspension, 4 bellows

18.xxx

HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 15X: 56-241015
 Switch kit 13F: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 15X: 56-241015
 Switch kit 13F: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

18X/18F/19F

6x2/2, 6x2/4

Air suspension, 4 bellows

26.xxx BL, BL-WW

HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 18X: 56-241015
 Switch kit 18F/19F: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702

Switch kit 18X: 56-241015
 Switch kit 18F/19F: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

21X/20F/21F

6x2/2, 6x2-4

Air suspension, 4 bellows

26.xxx LL

HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 21X: 56-241015
 Switch kit 20F/21F: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 21X: 56-241015
 Switch kit 20F/21F: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

22X/22K/22J

4x4H

Air suspension, 4 bellows

18.xxx BL

HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 22X: 56-241015
 Switch kit 22K/22J: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit: 56-241015
 Onspot kit: 56-700501
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

24X/23K/24K

6x2/2, 6x2-4

Air suspension, 4 bellows

26.xxx BL

HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 24X: 56-241015
 Switch kit 23K/24K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 24X: 56-241015
 Switch kit 23K/24K: 56-739000
 Onspot kit: 56-700500

Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

30X/30E/30F/30J

6x4

Air suspension, 4 bellows

26.xxx BLS

HYD 1370

Vehicle bracket kit: 56-233904
 Switch kit 30X: 56-241015
 Switch kit 30E/30F/30J: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit 30X: 56-241015
 Switch kit 30E/30F/30K/30J: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

Air suspension

HPD 1382

Vehicle bracket kit: 56-262800
 Switch kit 30X: 56-241015
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/70 R22,5" or larger.

30K

6x4

Air suspension, 4 bellows

26.xxx, 33.xxx

HY 1370, HYD 1370

Vehicle bracket kit: 56-233904
 Switch kit: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/70-22,5" or larger.

78X

4x2

Air suspension, 4 bellows

18.xxx BL, BLS

HY-1350

Vehicle bracket kit: 56-233904
 Switch kit: 56-241015
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R 22,5" to 12/70 R 22,5".

Vehicle bracket kit: 56-230702
 Switch kit: 56-241015
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension
 305/70-22,5" or larger.

89X/89F/89K

6x2-2

28.xxx BL, BLS

HY-1350

Vehicle bracket kit: 56-233904
 Switch kit 89X: 56-241015
 Switch kit 89F/89K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170

Fits vehicles with tyre dimension
 295/60 R22,5" to 12/70 R22,5".

Vehicle bracket kit: 56-230702
 Switch kit 89X: 56-241015
 Switch kit 89F/89K: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190

Fits vehicles with tyre dimension
 305/70-22,5" or larger.

92X/92F

8x4-4

Air suspension

Vehicle bracket kit: 56-233904
 Switch kit 92X: 56-241015
 Switch kit 92F: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 170

Fits vehicles with tyre dimension
 295/60 R22,5" to 12/70 R22,5".

Vehicle bracket kit: 56-230702
 Switch kit 92X: 56-241015
 Switch kit 92F: 56-739000
 Onspot kit: 56-700500
 Wheel kit: 190

Fits vehicles with tyre dimension
 295/60 R22,5" or larger.

How to read the vehicle specification:

Atego 4x2	Vehicle model, Axle configuration
712-823	Vehicle type
Air suspension	Rear axle suspension
97x.00 to 97x.02	Baumuster-number
HL2/43 DC 6,2	Axle type
M16x1.5	Clamp thread
Mercedes-Benz Code	Chains
KYSB - Onspot	18-chains
KYSC - Onspot	12-chains
KYSD - Onspot	6-chains

Key to the list for MERCEDES-BENZ

L	Air suspension
K	Kipper
S	Tractor

Wheel kit 170	MB part nr.
6-chains	56-236503 662 583 14 16
6-chains sparkle resistant	56-236507
12-chains	56-236506 662 583 10 16
18-chains	56-236509 662 583 12 16
Wheel kit 190	MB part nr.
6-chains	56-236501 662 583 15 16
6-chains sparkle resistant	56-236504
12-chains	56-236505 662 583 11 16
18-chains	56-236508 662 583 13 16

NOTE! Always check the Baumuster-number. This is the valid number and it determinates the chassi of the vehicle, i.e the designation Atego, Actros etc. is less important. The Baumuster-number is found on the vehicle's frame-beam, inside the right of the frontmost wheel housings and is position 4-6.

When choosing an ADR vehicle, 56-700500 shall be replaced by 56-700501 and 56-320104

Actros New

4x2, 6x2, 6x4, 8x4

Air suspension

963

HL6, HL8

M24x2

MB part nr: A 663 583 10 16

Vehicle bracket kit: 56-255900

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension 295/60 - 22.5" or larger.

Actros

4x2, 4x4, 6x2, 6x4, 6x6

1831-1853, 2531-2553

Air suspension

95x

HL7 /HL8

M24x2

Vehicle bracket kit: 56-231502

Switch kit: 56-241005

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension 315/60 R22.5" or larger.

• *Cannot be installed on a low chassis (NR).*

4x2, 4x4, 6x2

Leaf suspension

95x

HL7 /HL8

M24x2

Vehicle bracket kit: 56-236800

Switch kit: 56-241016

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension 295/70 R22.5" or larger.

Actros MP2, MP3

4x2, 6x2, 6x2/4

1832L-1854L, 2532L-2554L

Air suspension

930

HL6 /HL7 HL8

M24x2

Vehicle bracket kit: 56-231502

Switch kit: 56-241004

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension 315/60 R22.5" or larger.

• *Cannot be installed on a low chassis (NR).*

4x2, 6x2, 6x2/4

1832L-1854L, 2532L-2554L

Air suspension

934

HL6 /HL7 HL8

M24x2

Vehicle bracket kit: 56-231502

Switch kit: 56-241004

Onspot kit: 56-700503

Wheel kit: 190

Tank bracket kit: 56-238200

Fits vehicles with tyre dimension 315/60 R22.5" or larger.

• *Cannot be installed on a low chassis (NR).*

4x2, 6x2, 6x2/4

1832-1854, 2032-2054

Leaf suspension

930, 932, 934

HL6 /HL7 HL8

M24x2

Vehicle bracket kit: 56-236800

Switch kit: 56-241004

Onspot kit: 56-700503

Wheel kit: 190

Fits vehicles with tyre dimension 295/70 R22.5" or larger.

8x4/4, 6x4, 6x6

Leaf suspension

930, 932, 934

HL6, HL7, HL8

MB part nr: 662 583 30 16

Vehicle bracket kit: 56-255100

Onspot kit: 56-700503

Switch kit: 56-241004
 Wheel kit: 190
 Fits vehicles with tyre dimension
 265/80 R22,5" or larger.

Actros MP 5

4x2

Air suspension 963.403

A2E

Vehicle bracket kit: 56-747900
 Switch kit: 56-241019
 Onspot kit: 56-700503
 Wheel kit: 170

Fits vehicles with tyre dimension
 315/70 R22.5"

- *Cannot be installed on vehicles with stabilizer bar C6U*

4x2

Air suspension 963.00

A2E

Vehicle bracket kit: 56-748600
 Switch kit: 56-241019
 Onspot kit: 56-700503
 Wheel kit: 170

Fits vehicles with tyre dimension
 315/70 R22.5"

- *Can be installed on vehicles with stabilizer bar C6U*

Antos

4x2, 6x2

Air suspension 963

A2E

M24x2

MB part nr: A 663 583 10 16
 Vehicle bracket kit: 56-255900
 Onspot kit: 56-700503
 Wheel kit: 190

Fits vehicles with tyre dimension
 295/60 - 22.5" or larger.

Arocs

4x2, 6x2, 6x4, 8x4/4

Air suspension 964

HL6, HL8

M24x2

MB part nr: A 663 583 10 16
 Vehicle bracket kit: 56-255900
 Onspot kit: 56-700503
 Switch kit: 56-241019
 Wheel kit: 190

Fits vehicles with tyre dimension
 295/60 -22.5" or larger.

8x4/4, 6x4, 6x6

Leaf suspension

964

HL6, HL7, HL8

M24x2

MB part nr: 662 583 30 16
 Vehicle bracket kit: 56-255100
 Onspot kit: 56-700503
 Switch kit: 56-241019
 Wheel kit: 190

Fits vehicles with tyre dimension
 315/60 -22.5" or larger.

Arocs 5

4x4

Leaf suspension

964

Vehicle bracket kit: 56-236800
 Onspot kit: 56-700503
 Switch kit: 56-241019
 Wheel kit: 190

Fits vehicles with tyre dimension
 315/80 R22.5" or larger.

8x4/4

Leaf suspension

964

Vehicle bracket kit: 56-750400
 Onspot kit: 56-700503
 Switch kit: 56-241019
 Wheel kit: 170

Fits vehicles with tyre dimension
 315/80 R22.5"

- *Can be installed on vehicles with stabilizer bar C6U.*

8x4/4

Leaf suspension

964

Vehicle bracket kit: 56-255100
 Onspot kit: 56-700503
 Switch kit: 56-241019
 Wheel kit: 190

Fits vehicles with tyre dimension
 315/80 R22.5"

- *Cannot be installed on vehicles with stabilizer bar C6U.*

Atego New

4x2

1216-1530

Air suspension

967

A9/HL4

M24x2

Vehicle bracket kit: 56-749300

Switch kit: 56-241019
 Onspot kit: 56-700503
 Wheel kit: 170

Fits vehicles with tyre dimension
 265/70 R19.5" or larger.

- *Stabilizer under the cardan shaft.*

4x2

Leaf suspension

967

HL4/40DC 10.8

M18x1,5

Vehicle bracket kit: 56-712600
 Onspot kit: 56-700503
 Switch kit: 56-241019
 Wheel kit: 190

Fits vehicles with tyre dimension
 335/80 R20" or larger.

- *Single wheel*

4x2

Air suspension

967x27

Axle: A2L

Vehicle bracket kit: 56-714200
 Onspot kit: 56-700503
 Switch kit: 56-241019

Wheel kit: 170

Fits vehicles with tyre dimension
 265/70 R19,5" or larger.

4x2

Air suspension

967x28

Axle: A2C

Vehicle bracket kit: 56-744500
 Onspot kit: 56-700503
 Switch kit: 56-241019
 Wheel kit: 170

Fits vehicles with tyre dimension
 245/70 R17,5" or larger.

4x4, 4x2

Leaf suspension

967

A2L

M18x1,5

MB part nr: A 663 583 18 16
 Vehicle bracket kit: 56-258700
 Onspot kit: 56-700503
 Wheel kit: 190

Fits vehicles with tyre dimension
 295/70 R22.5" or larger.

Atego

Atego 2

4x2

Air suspension

97x

HL4

M22x1.5

MB part nr: A 663 583 16 16
 Vehicle bracket kit: 56-232601
 Onspot kit: 56-700503
 Wheel kit: 190
 Fits vehicles with tyre dimension
 265/70 R19,5" or larger.
 • Stabilizer under the cardan shaft.

Atego 2, Atego 3

4x2

1214-1529
Air suspension
 970.25 to 970.28
A9/HL4
M24x2

MB part nr: A 663 583 17 16
 Vehicle bracket kit: 56-714200
 Switch kit: 56-241005
 Onspot kit: 56-700503
 Wheel kit: 170
 Fits vehicles with tyre dimension
 265/70 19,5" or larger.
 • Stabilizer under the cardan shaft.

Axor II

4x2, 6x2/4

Air suspension
95x
HL7 /HL8
M24x2

Vehicle bracket kit: 56-231502
 Switch kit: 56-241005
 Onspot kit: 56-700503
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/60R22.5" or larger.

4x2

Leaf suspension
95x
HL7 /HL8
M24x2

Vehicle bracket kit: 56-236800
 Switch kit: 56-241016
 Onspot kit: 56-700503
 Wheel kit: 190
 Fits vehicles with tyre dimension
 295/80 R22.5" or larger.

Axor 4x2, 6x2 Atego S

1835-1843, 2535-2543

Air suspension
944
HL6 / HL7

M24x2

Vehicle bracket kit: 56-231502
 Switch kit: 56-241005
 Onspot kit: 56-700503
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/60 R22.5" or larger.

Econic Bluetec 6 4x2

Air suspension
956

HL6/HL8
M24x2

MB part nr: A 663 583 10 16
 Vehicle bracket kit: 56-255900
 Onspot kit: 56-700503
 Wheel kit: 190
 Fits vehicles with tyre dimension
 295/60 - 22.5" or larger.

Econic 4x2, 6x2

1823-2628

Air suspension
95x

HL7/HL8
M24x2

MB part nr: A 662 583 20 16
 Vehicle bracket kit: 56-231502
 Switch kit: 56-241005
 Onspot kit: 56-700503
 Wheel kit: 190
 Fits vehicles with tyre dimension
 315/60 R22.5" or larger.

E-Actros MP5

4x2, 6x2

983

A2E

Air suspension

Vehicle bracket kit: 56-255900
 Switch kit: 56-241019
 Onspot kit: 56-700503
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R22.5" or larger.
 • Cannot be installed on vehicles with
 stabilizer bar C6U

4x2, 6x2

983

A2E

Air suspension

Vehicle bracket kit: 56-748300
 Switch kit: 56-241019
 Onspot kit: 56-700503
 Wheel kit: 170
 Fits vehicles with tyre dimension
 315/70 R22.5" or larger.
 • Can be installed on vehicles with
 stabilizer bar C6U.

6x2

Chassis: 983.020

Air suspension

Vehicle bracket kit: 56-255900
 Switch kit: 56-241019
 Onspot kit: 56-700503
 Wheel kit: 170
 Fits vehicles with tyre dimension
 295/60 R22.5" or larger.
 • Cannot be installed on vehicles with
 stabilizer bar C6U

Sprinter

2xx, 3xx, 4xx

Leaf suspension
906xxx, 907xxx

Vehicle bracket kit: 56-722000
 Switch kit: 56-241012
 Compressor kit: 56-255200
 Onspot kit: 56-700502
 Wheel kit: 170
 Fits vehicles with tyre dimension
 225/70 R15" or larger.
 • Single wheel
 • 12 or 18-chain wheels should be
 used.

3xx

Air suspension: VB
906xxx, 907xxx

Vehicle bracket kit: 56-264300
 Switch kit: 56-241012
 Compressor kit: 56-255200
 Onspot kit: 56-700502
 Wheel kit: 170
 Fits vehicles with tyre dimension
 225/70 R15" or larger.
 • Single wheel
 • 12 or 18-chain wheels should be
 used.

4xx

4x2

Air suspension: VB
907xxx

Vehicle bracket kit: 56-739800
 Switch kit: 56-241012
 Compressor kit: 56-255200
 Onspot kit: 56-700502
 Wheel kit: 170
 Fits vehicles with tyre dimension
 195/75 R16" or larger.

- *Single wheel*
- *12 or 18-chain wheels should be used.*
- *A re-arrangement of the exhaust pipe can be necessary.*

5xx

4x2

Air suspension: VB

906xxx

Vehicle bracket kit:	56-262200
Switch kit:	56-241012
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 195/75 R16" or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *A re-arrangement of the exhaust pipe can be necessary.*

5xx

4x2

Leaf suspension

906xxx, 907xxx

Vehicle bracket kit:	56-262200
Switch kit:	56-241012
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 195/75 R16" or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *A re-arrangement of the exhaust pipe can be necessary.*

5xx

4x4

Leaf suspension

906xxx

Vehicle bracket kit:	56-247000
Switch kit:	56-241012
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 195/75 R16" or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *A re-arrangement of the exhaust pipe can be necessary.*
- *Move spare wheel under floor behind the axle.*

Unimog

U 300, 405.100, 405.120

U 400, 405.102, 405.122

Onspot kit:	56-700500
Vehicle bracket kit:	56-237000
Wheel kit:	190

Fits vehicles with tyre dimension 12,5 R20 Ø 1040 or larger.

- *Onspot for Unimog equipped with hydraulic arms for agricultural implement is not available for the moment.*

U 500, 405.200, 405.220

Onspot kit:	56-700500
Vehicle bracket kit:	56-237100
Switch kit:	56-241005
Wheel kit:	190

Fits vehicles with tyre dimension 12,5 R20 Ø 1040 or larger.

- *Onspot for Unimog equipped with hydraulic arms for agricultural implement is not available for the moment.*

How to read the vehicle specification:

Super Great _____ Vehicle model
4x2 _____ Axle configuration
Air suspension _____ Rear axle suspension

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

Super Great

4x2, 6x2, 6x4

Air suspension, 4 bellows

Vehicle bracket kit:	56-238500
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension
275/80-22,5" or larger.

- 12-chain wheels should be used.

How to read the vehicle specification:

Euroliner _____ Vehicle model
Air suspension _____ Rear axle suspension

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

Cityliner

P15

Air suspension

Vehicle bracket kit:	56-740700
Onspot kit:	56-700500
Switch kit:	56-241015
Wheel kit:	170

Fits vehicles with tyre dimension
 295/80-22,5" or larger.

Euroliner

Air suspension

Vehicle bracket kit:	56-235401
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension
 295/70-22,5" or larger.

- *Disc brake*

Skyliner

P06

Air suspension

Vehicle bracket kit:	56-740700
Onspot kit:	56-700500
Switch kit:	56-241015
Wheel kit:	170

Fits vehicles with tyre dimension
 315/70-22,5" or larger.

- *Air dryer may need to be moved on some older models*

How to read the vehicle specification:

BIG Thumb _____ Vehicle model
4x2 _____ Axle configuration
Air suspension _____ Rear axle suspension

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

When choosing an ADR vehicle, 56-700500 shall be replaced by 56-700501 and 56-320104

Atleon

4x2

Leaf suspension

Vehicle bracket kit:	56-247600
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 265/70-19,5" or larger.

BIG Thumb

4x2, 6x2, 6x4

Air suspension, 4 bellows

Vehicle bracket kit:	56-232301
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 295/70-22,5" or larger.

- 6x2, 6x4 rear-mounting
- 4x2 front-mounting

NV 400

Leaf suspension

Vehicle bracket kit:	56-254400
Air compressor kit:	56-241800
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 195/75 R16C or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *Rear wheel drive.*

Leaf suspension

Vehicle bracket kit:	56-254400
Air compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension 195/75 R16C or larger.

- *12 or 18-chain wheels should be used.*
- *Rear wheel drive.*

How to read the vehicle specification:

Movano _____ Vehicle model
4x2 _____ Axle configuration
Leaf suspension _____ Rear axle suspension

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

Movano

Leaf suspension

Vehicle bracket kit: 56-254400
 Air compressor kit: 56-241800
 Onspot kit: 56-700502
 Wheel kit: 170

Fits vehicles with tyre dimension 195/75 R16C or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *Rear wheel drive.*

Leaf suspension

Vehicle bracket kit: 56-254400
 Air compressor kit: 56-255200
 Onspot kit: 56-700502
 Wheel kit: 170

Fits vehicles with tyre dimension 195/75 R16C or larger.

- *12 or 18-chain wheels should be used.*
- *Rear wheel drive.*

How to read the vehicle specification:

Midlum	_____	Vehicle model
4x2	_____	Axle configuration
669- 07	_____	Rear axle type
Leaf suspension	_____	Rear axle suspension
M18x1,5	_____	Clamp thread

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

When choosing an ADR vehicle, 56-700500 shall be replaced by 56-700501 and 56-320104

Range -C

4x2

Leaf suspension

Vehicle bracket kit:	56-703500
Onspot kit:	56-700500
Wheel kit :	190
Fits vehicles with tyre dimension 315/60 R22,5" or larger.	

6x4, 8x4

Leaf suspension

Vehicle bracket kit:	56-238903
Switch kit:	56-241024
Onspot kit:	56-700500
Wheel kit :	190
Fits vehicles with tyre dimension 305/70 R22,5" or larger.	

6x4

Air suspension

Vehicle bracket kit:	56-712800
Switch kit:	56-241024
Onspot kit:	56-700500
Wheel kit :	190
Fits vehicles with tyre dimension 315/60 R22,5" or larger.	

Range -K

6x4, 6x6, 8x4

Leaf suspension

Vehicle bracket kit:	56-255000
Switch kit:	56-241024
Onspot kit:	56-700500
Wheel kit :	190
Fits vehicles with tyre dimension 295/80 R22,5" or larger.	

4x2, 4x4

Leaf suspension

Vehicle bracket kit:	56-703500
Onspot kit:	56-700500
Wheel kit :	190
Fits vehicles with tyre dimension 315/60 R22,5" or larger.	

Range -D

3,5t - 7,5t

Leaf suspension

Vehicle bracket kit:	56-266400
Air compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit :	170
Fits vehicles with tyre dimension 205/75 R16" or larger.	

10t - 18t

Leaf suspension

Vehicle bracket kit:	56-233501
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit :	170
Fits vehicles with tyre dimension 245/70- 19,5" or larger.	
• For 22,5" wheels, use wheel kit 190.	

10t - 18t

Air suspension

Vehicle bracket kit:	56-253000
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit :	170
Fits vehicles with tyre dimension 285/70- 19,5" or larger.	

4x4

Model designation: D14
Single wheel
Chassis height: High

Leaf suspension

Vehicle bracket kit:	56-748900
Onspot kit:	56-700500
Wheel kit :	170
Switch kit:	56-241010
Fits vehicles with tyre dimension 365/85 R20	

Range -T

4x2, 6x2, 6x2/4

Air suspension

M24x2

Vehicle bracket kit:	56-261100
Switch kit:	56-241024
Onspot kit:	56-700500
Wheel kit :	190
Fits vehicles with tyre dimension 315/60 R22,5" or larger.	

Mascott DXI 160

Leaf suspension

M16x1,5

Vehicle bracket kit:	56-244700
Air compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit :	170
Fits vehicles with tyre dimension 215/75 R16" or larger.	

Master

Leaf suspension

Vehicle bracket kit:	56-254400
Air compressor kit:	56-241800

Onspot kit: 56-700502
 Wheel kit : 170
 Fits vehicles with tyre dimension 195/75 R16C" or larger.
 • *Twin wheel*
 • *12 or 18-chain wheels should be used.*
 • *Rear wheel drive.*

Midlum DXI

4x2, 6x2
P08120, P08125

Leaf suspension
M18x1,5

Vehicle bracket kit: 56-233303
 Onspot kit: 56-700500
 Wheel kit : 170
 Fits vehicles with tyre dimension 215/75- 17,5" or larger.

4x2, 6x2
P11140, P11145, P11150, P1191

Leaf suspension
M20x1,5

Vehicle bracket kit: 56-233501
 Switch kit: 56-241010
 Onspot kit: 56-700500
 Wheel kit : 170
 Fits vehicles with tyre dimension 245/70- 19,5" or larger.
 • *For 22,5" wheels, use wheel kit 190.*

4x2, 6x2
P11140, P11145, P11150, P1191, P08120, P08125

Vehicle bracket kit: 56-233702
 Onspot kit: 56-700500
 Wheel kit : 170
 Fits vehicles with tyre dimension 285/70 -19,5" or larger.

Midlum

4x2, 4x4
P920SLC, P941, P1120SLA, P1121, P1120SLB, P1120SLC

Leaf suspension
M20x1,5

Vehicle bracket kit: 56-233501
 Onspot kit: 56-700500
 Switch kit: 56-241012
 Wheel kit: 170
 Fits vehicles with tyre dimension 245/70- 19,5" or larger.
 • *For 22,5" wheels, use wheel kit 190.*

4x2, 4x4
P1140, P1170

Air suspension
M24x2

Vehicle bracket kit: 56-237600
 Onspot kit: 56-700500
 Wheel kit: 170
 Fits vehicles with tyre dimension 265/70- 19,5" or larger.

Premium, Magnum DXI

4x2, 6x2, 6x2/4
P13170, P13195,

Air suspension
M24x2

Vehicle bracket kit: 56-261100
 Switch kit: 56-241010
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60- 22,5" or larger.
 Fits vehicles manufactured from 2006.

Premium DXI

4x2
P13150, P1391, P13170, P1395, P2191

Leaf suspension
M24x3

Vehicle bracket kit: 56-241601
 Onspot kit: 56-700500
 Wheel kit : 190
 Fits vehicles with tyre dimension 315/70- 22,5" or larger.
 Fits vehicles manufactured from 2006.

6x4, 8x4

Leaf suspension

Vehicle bracket kit: 56-238903
 Switch kit: 56-241010
 Onspot kit: 56-700500
 Wheel kit : 190
 Fits vehicles with tyre dimension 305/70- 22,5" or larger.

Premium, Magnum

4x2, 6x2, 6x2/4

All rear axles

Leaf suspension

M24x2

Vehicle bracket kit: 56-228101
 Onspot kit: 56-700500
 Switch kit: 56-241012
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/70- 22,5" or larger.
 Applies up to and including year model 2006.

Kerax DXI

4x2, 4x4
P1595, P2695, P3395, P3396

Leaf suspension
M24x3

Vehicle bracket kit: 56-241602
 Switch kit: 56-241010
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 315/60- 22,5" or larger.
 Fits vehicles manufactured from 2006.

6x2, 6x6, 8x4

All rear axles

Leaf suspension

Vehicle bracket kit: 56-255000
 Switch kit: 56-241010
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension 295/80 R22,5" or larger.

Master

Leaf suspension

Vehicle bracket kit: 56-254400
 Air compressor kit: 56-255200
 Onspot kit: 56-700502
 Wheel kit : 170
 Fits vehicles with tyre dimension 195/75- R16C or larger.
 • *12 or 18-chain wheels should be used.*
 • *Rear wheel drive.*

How to read the vehicle specification:

Rosero _____ Vehicle model
Leaf suspension _____ Rear axle suspension

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

Iveco chassis

Daily 70C

Leaf suspension

Vehicle bracket kit:	56-259800
Compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170

Fits vehicles with tyre dimension
225/75 R16" or larger.

- *Twin wheel*
- *12 or 18-chain wheels should be used.*
- *Does not fit vehicles with low floor.*

How to read the type classification:

R-series

e.g.: R 580 LA 4x2 MNA,
where N denotes chassis height Normal

4-series

e.g.: R 144 LA 4x2 NA 530,
where N denotes chassis height Normal

Rebuilding

To get the Onspot unit in correct position some models with short wheel base (3400 mm - 3800 mm) may demand certain rebuilding such as moving the exhaust box or exchanging the muffler tail pipe, etc.

Wheel kit 170


6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

When choosing an ADR vehicle, 56-700500 shall be replaced by 56-700501 and 56-320104

Axle configurations:



Generation 6

P, G, R, T, L, S-series

4x4, 4x2

Leaf suspension u-bolts facing down

Vehicle bracket kit:	56-241900
Onspot kit:	56-700500
Switch kit:	56-710700
Wheel kit:	190

Fits vehicles with tyre dimension 275/70 R22,5" or larger.

6x2

Leaf suspension u-bolts facing up

Vehicle bracket kit:	56-738300
Onspot kit:	56-700500
Switch kit:	56-710700
Wheel kit:	190

Fits vehicles with tyre dimension 315/80 R22,5.

4x4

Air suspension, 2 belows

Vehicle bracket kit:	56-230502
Onspot kit:	56-700500
Switch kit:	56-710700
Wheel kit:	190

Fits vehicles with tyre dimension 295/80 R22,5" or larger.

Chassis height: H, N, S

4x2

Air suspension, 4 belows

Vehicle bracket kit:	56-239800
Onspot kit:	56-700500
Switch kit:	56-710700
Wheel kit:	190

Fits vehicles with tyre dimension 315/60 R22,5" or larger.

Chassis height: H, N, S

6x4, 8x4

Parabolic suspension

Adblue-tank outside frame.

Vehicle bracket kit:	56-745000
Onspot kit:	56-700500
Switch kit:	56-710700
Wheel kit:	190

Fits vehicles with tyre dimension 315/80 R22,5".

Chassis height: N

4x2, 4x4, 6x2, 6x2*4, 6x2/4, 6x4, 6x4*4, 8x2, 8x2*6, 8x2/4, 8x4, 8x4*4

Air suspension, 2 belows

Vehicle bracket kit:	56-751500
Onspot kit:	56-700500
Switch kit:	56-710700
AdBlue pump bracket:	56-710700

Fits vehicles with tyre dimension 275/70 R22,5" and 315/60 R22,5".

Wheel kit:

275/70 R22,5": 170 mm
315/60 R22,5": Only 12 and 18 chains

Chassis height: H, N, S

4x2, 6x2, 8x2, 6x2/4, 8x2/4, 6x2*4, 8x2*6, 8x4*4, 6x4, 8x4

Air suspension, 2 belows

Vehicles without crossbeam

Vehicles with AdBlue-tank outside the frame

Vehicle bracket kit:	56-719300
Onspot kit:	56-700500
Switch kit:	56-710700
Wheel kit:	190

Fits vehicles with tyre dimension 315/60 R22,5" or larger.

- *Spacer kit 56-745200 also needs to be mounted*

Air suspension, 2 belows

Vehicles without crossbeam

Vehicles with AdBlue-tank under the frame

Vehicle bracket kit:	56-719400
Onspot kit:	56-700500
Switch kit:	56-710700
Wheel kit:	170
Protection plate:	56-750600

Fits vehicles with tyre dimension 315/60 R22,5" or larger.

- *Spacer kit 56-745200 also needs to be mounted*

P, G, R, T-series

Chassis height: L

4x2, 6x2, 8x2, 6x2/4, 8x2/4, 6x2*4, 8x2*6, 8x4*4, 6x4, 8x4

Air suspension, 2 belows

Vehicle bracket kit:	56-719300
Onspot kit:	56-700500
Switch kit:	56-710700
Wheel kit:	190

Fits vehicles with tyre dimension 315/60 R22,5" or larger.

- *Do not fit vehicles with crossbeam.*

Chassis height: L

4x2

Air suspension, 4 belows

Vehicle bracket kit:	56-239800
Onspot kit:	56-700500
Switch kit:	56-710700
Wheel kit:	190

Fits vehicles with tyre dimension 315/60 R22,5" or larger.

P-series

Electric

Chassis height: N

4x2

Rigid

Air suspension, 2 belows

Vehicle bracket kit:	56-719300
Onspot kit:	56-700500

Switch kit:	56-710700
Wheel kit:	190

Fits vehicles with tyre dimension 315/70 R22,5"

Tractor

Electric

Chassis height: N

6x2, 6x2*4

Air suspension, 2 belows

Vehicle bracket kit:	56-751500
Onspot kit:	56-700500
Switch kit:	56-710700
Wheel kit:	170

Fits vehicles with tyre dimension 295/80 R22,5"

R-series

Tractor

Chassis height: N

6x2

Rigid

Fuel: LNG

Air suspension, 2 belows

Vehicle bracket kit:	56-751500
Onspot kit:	56-700500
Switch kit:	56-710700
Wheel kit:	170

Fits vehicles with tyre dimension 275/70 R22,5"

Generation ≤5

P, G, R, T-series

4x4, 4x2

Leaf suspension

Vehicle bracket kit:	56-241900
Onspot kit:	56-700500
Switch kit:	56-241009
Wheel kit:	190

Fits vehicles with tyre dimension 275/70-22,5" or larger.

4x4

Air suspension, 2 belows

Vehicle bracket kit:	56-230502
Onspot kit:	56-700500
Switch kit:	56-241009
Wheel kit:	190

Fits vehicles with tyre dimension 295/80 R22,5" or larger.

Chassis height: L

4x2, 6x2, 8x2, 6x2/4, 8x2/4, 6x2*4, 8x2*6, 8x4*4, 6x4, 8x4

Air suspension, 2 belows

Vehicle bracket kit:	56-254700
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/60 R22,5" or larger.

- *Do not fit vehicles with crossbeam.*

Air suspension, 2 belows

Vehicle bracket kit:	56-230201
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 315/60 R22,5" or larger.

- *Do not fit vehicles with crossbeam or AdBlue-tank outside frame.*

Chassis height: L

4x2

Air suspension, 4 belows

Vehicle bracket kit:	56-239800
Onspot kit:	56-700500
Switch kit:	56-241009
Wheel kit:	190

Fits vehicles with tyre dimension 315/60-22,5" or larger.

Air suspension, 4 belows

Vehicle bracket kit:	56-239800
Onspot kit:	56-700500
Switch kit:	56-710700
Wheel kit:	190

Fits vehicles with tyre dimension 315/60 R22,5" or larger.

Chassis height: H, N, S

4x2, 6x2, 8x2, 6x2/4, 8x2/4, 6x2*4, 8x2*6, 8x4*4, 6x4, 8x4

Air suspension, 2 belows

Vehicles without crossbeam

Vehicles with AdBlue-tank outside the frame

Vehicle bracket kit:	56-254700
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/60-22,5" or larger.

To the following vehicle combinations should kit 56-702800 longer double nut be used:

- *6x4, chassis height H*
- *8x4, chassis height H*

Air suspension, 2 belows

Vehicles without crossbeam

Vehicles with AdBlue-tank under the frame

Vehicle bracket kit: 56-264000
 Onspot kit: 56-700500
 Wheel kit: 170
 Protection plate: 56-750600
 Fits vehicles with tyre dimension
 315/60-22,5" or larger.

To the following vehicle combinations should kit 56-702800 longer double nut be used:

- 6x4, chassis height H
- 8x4, chassis height H

Vehicles with crossbeam

Vehicle bracket kit: 56-719200
 Onspot kit: 56-700500
 Wheel kit: 190
 Replacement crossbeam: 56-246900
 Fits vehicles with tyre dimension
 315/60-22,5" or larger.

• *Spacer kit 56-745200 also needs to be mounted*

Chassis height: H, N, S 4x2

Air suspension, 4 belows

Vehicle bracket kit: 56-239800
 Onspot kit: 56-700500
 Switch kit: 56-241009
 Wheel kit: 190

Fits vehicles with tyre dimension
 315/60-22,5" or larger.

Chassis height: H, N, S 6x4

Leaf suspension

Vehicle bracket kit: 56-256500
 Onspot kit: 56-700500
 Wheel kit: 190
 Fits vehicles with tyre dimension

275/70 R22,5" or larger.

Chassis height: E 4x2, 6x2, 8x2, 6x2/4, 8x2/4, 6x2*4, 8x2*6, 8x4*4, 6x4, 8x4

Air suspension, 2 belows

Vehicle bracket kit: 56-242500
 Onspot kit: 56-700500
 Wheel kit: 190

Fits vehicles with tyre dimension
 275/70-22,5" or larger.

- *Do not fit vehicles with crossbeam.*

4-series

Chassis height: L 4x2, 6x2, 8x2, 6x2/4, 8x2/4, 6x2*4, 8x2*6, 8x4*4, 6x4, 8x4

Air suspension, 2 belows

Vehicle bracket kit: 56-230101
 Onspot kit: 56-700500
 Wheel kit: 190

Fits vehicles with tyre dimension
 275/70-22,5" or larger.

- *Do not fit vehicles with crossbeam.*

Chassis height: N 4x2, 6x2, 8x2, 6x2/4, 8x2/4, 6x2*4, 8x2*6, 8x4*4, 6x4, 8x4

Air suspension, 2 belows

Vehicle bracket kit: 56-230101
 Onspot kit: 56-700500
 Wheel kit: 190

Fits vehicles with tyre dimension
 315/60-22,5" or larger.

- *Some vehicles are equipped with crossmember ahead of the rear axle, depending on the specification. This should be exchanged against one that is adjusted for Onspot (Part no 56-246900)*

Buses

K-chassis 4x2, 6x2, 6x2*4, 8x2

Air suspension

Rear axle: ADA1303

Vehicle bracket kit: 56-711800
 Onspot kit: 56-700500
 Switch kit: 56-241009
 Wheel kit: 170

Fits vehicles with tyre dimension
 295/80 R22,5" or larger.

- *Crossmember needs to be moved.*
- *Oil filter on rear axle needs to be removed, cover included in the kit.*

How to read the vehicle specification:

S 517 HDH ————— Vehicle model

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

S 517 HDH

Vehicle bracket kit:	56-709500
Onspot kit:	56-700500
Switch kit:	56-241019
Wheel kit:	170

Fits vehicles with tyre dimension
295/80-22,5" or larger.

How to read the vehicle specification:

2T5RA3 _____ Vehicle model
4x4 _____ Axle configuration
Air suspension _____ Rear axle suspension

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

2T5RA3

**Rigid
4x4**

**Chassis: High
Air suspension**

Vehicle bracket kit:	56-752400
Switch kit:	56-749000
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
315/80 R22,5".

How to read the vehicle specification:

RT 403 _____ Truck model

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

RT 403

Vehicle bracket kit:	56-263600
Onspot kit:	56-700500
Wheel kit:	190
Fits vehicles with tyre dimension 325/95-R 24" or larger.	

YT182

Air suspension

Vehicle bracket kit:	56-261900
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 295/80-R 22,5" or larger.	

No suspension

Vehicle bracket kit:	56-738600
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 295/80-R 22,5" or larger.	

YT193

No suspension

Vehicle bracket kit:	56-743000
Onspot kit:	56-700500
Switch kit:	56-241002
Wheel kit:	190
Rear axle:	Terberg
Fits vehicles with tyre dimension 295/60-R 22,5" or larger.	

YT222

Vehicle bracket kit:	56-261900
Onspot kit:	56-700500
Wheel kit:	170
Fits vehicles with tyre dimension 295/80-R 22,5" or larger.	

YT223

No suspension

Vehicle bracket kit:	56-738600
Onspot kit:	56-700500
Wheel kit:	170
Rear axle kit:	Kessler

Fits vehicles with tyre dimension 11R 22,5" or larger.

Air suspension

Vehicle bracket kit:	56-742600
Onspot kit:	56-700500
Switch kit:	56-241002
Wheel kit:	170
Rear axle kit:	Terberg
Fits vehicles with tyre dimension 295/60 R22,5" or larger.	

How to read the vehicle specification:

4x2 _____ Axle configuration
Air suspension _____ Rear axle suspension

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

When choosing an ADR vehicle, 56-700500 shall be replaced by 56-700501 and 56-320104

Quon

4x2, 6x2, 6x4

4-bellow air suspension

Vehicle bracket kit:	56-232301
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 295/70 R22,5" or larger.

Rigid

4x2, 6x2, 6x4

Leaf suspension

Vehicle bracket kit:	56-258000
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 11 R22,5

Tractor

4x2, 6x2, 6x4

4-bellow air suspension

Vehicle bracket kit:	56-242700
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 11 R22,5

From year model 2018.

How to read the vehicle specification:

Air suspension _____ Rear axle suspension

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

Altano

Air suspension

Vehicle bracket kit: 56-250000

Onspot kit: 56-700500

Wheel kit: 190

Fits vehicles with tyre dimension
315/80 R22,5" or larger.

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

Futura

Vehicle bracket kit:	56-265000
Switch kit:	56-241023
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension
295/80 R22,5" or larger.

How to read the vehicle

specification: _____ Vehicle model

FM, FH _____ Axle configuration
etc, see table right

RAD-A4, RAPD-A6, RADT-A6S _____ Type of suspension

RST-AIR _____ Supplementary
4 bellows, drum brakes information

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

Volvo's "Vehicle identification card"

Identify the vehicles' construction by means of the Vehicle identification card that accompanies every new Volvo:

"Wheel suspension and steering"

RAD-L80	4x2 Leaf suspension, rear axle (80mm). Used on FL
RAD-L90	4x2 Leaf suspension, rear axle (90mm). Used on FE, FM and FH
RAD-A2	4x2 Air suspension, rear axle with 2 bellows
RAD-A2R	4x2 Air suspension, rear axle with 2 bel- lows, reinforced
RAD-A4	4x2 Air suspension, rear axle with 4 bellows
RADT-A4	6x2 Air suspension, bogie with 4 bellows
RAPD-A6	6x2 Air suspension, pusher with 6 bel- lows
RADT-AR	6x2/8x2 Leaf suspension, A-ride with bogie axle
RADT-A6	6x2 Air suspension, bogie with 6 bellows
RADT-A6S	6x2 Air suspension, bogie with 6 bellows with steering trailing axle
RADT-LA	6x2 Leaf suspension, rear axle with air suspension steering trailing axle behind drive axle
RADD-TR1	6x4/8x4 Leaf suspension, narrow T-ride with two drive axles
RADD-TR2	6x4/8x4 Leaf suspension, wide T-ride with two drive axles
RADD-BR	6x4/8x4 Leaf suspension, B-ride with two drive axles
RADD-A8	6x4/8x4 Air suspension, rear axle with drive axles and 8 bellows
RADT-A8	6x2/8x2 Air suspension, bogie with 8 bellows. Fixed or steering trailing axle behind drive axle
RADDT-12	8x4 Air suspended tridem with two drive axles and a steering trailing axle
RAD-G2	4x2 Air suspensions - 4 Bellows
RADD-G2	6x4/8x4 Tandem with Air suspension - 8 Bellows
RADDT-G2	8x4 Tandem with Steering tag axle - Air suspension - 12 Bellows

"Power transmission"

RACAS-WE	Welded rear axle housing
RACAS-CA	Moulded rear axle housing

"Brake"

BRAKE-ZV	Drum brake
BRAKE-DV	Disc brake

"Frame, Springs, Damping and Wheels"

RST- AIR	Old type of suspension
RST- AIR2	GRAS suspension
RST- PAR	Parable suspension
RST- MUL	Trapeze suspension (conventional)
VW 2300	Truck width 2300 mm
VW 2550	Truck width 2550 mm
VW 2600	Truck width 2600 mm

When choosing an ADR vehicle, 56-700500 shall be replaced by 56-700501 and 56-320104

FL**RAD-KR**

Vehicle bracket kit:	56-261100
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/60 R22,5" or larger.

RAD-L80**VW2600, VW2550**

Vehicle bracket kit:	56-233501
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 245/70-19,5" or larger.

- For 22,5" wheels, use wheel kit 190
- From year model 2007.

RAD-A2, RAD-A2V**VW2600**

Vehicle bracket kit:	56-253000
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension 285/70-19,5" or larger.

RAD-A2R

Vehicle bracket kit:	56-261100
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/60-22,5" or larger.

FL Electric**RAD-A2V****2-bellows air suspension**

Vehicle bracket kit:	56-253000
Switch kit:	56-241010
Onspot kit:	56-700500
Cover kit:	56-746000
Wheel kit:	170

Fits vehicles with tyre dimension 285/70 R19,5" or larger.

FL6**FL 6L-medium****2-bellow suspension****Air suspension****VW2600, VW2550****Disc brakes**

Vehicle bracket kit:	56-230801
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 235/75-17,5" or larger.

- For tyres smaller than 285/70-19.5" use 170-wheel, otherwise use 190-wheel.
- Tyres 295/70-22.5" and larger require supplementary kit 56-231700.
- 12-chain wheels should be used.
- From year model 2000.
- Applies up to and including year model 2006.

FL 6E-medium**RST-PAR****Leaf suspension****Disc brakes**

Vehicle bracket kit:	56-241600
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/60-22,5" or larger.

4-bellow air suspension

Vehicle bracket kit:	56-223201
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 295/60-22,5" or larger.

FE**RAD-A2R**

Vehicle bracket kit:	56-261100
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/60-22,5" or larger.

RADT-A4

Vehicle bracket kit:	56-261100
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/60-22,5" or larger.

RAD-KR , RADT-KR

Vehicle bracket kit:	56-261100
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/60-22,5" or larger.

FE Electric**RAD-KR****Rigid****2-bellows air suspension**

Vehicle bracket kit:	56-746100
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 315/80-22,5".

RADT-KR**2-bellows air suspension**

Vehicle bracket kit:	56-746100
Switch kit:	56-241010
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 275/80-22,5".

FH**RADT-GR****Fuel: Diesel****Chassis: N****Stabilizer: ARSTA-FR****Air suspension**

Vehicle bracket kit:	56-737600
Switch kit:	56-241020
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 295/80 R22,5".

FH, FM**RADD-GR**

Vehicle bracket kit:	56-737600
Switch kit:	56-241020
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 385/65 R22,5" or larger.

FH, FM, FMX**RAD-G2, RADD-G2,****RADDT-G2**

Vehicle bracket kit:	56-707600
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension 295/ 80 R22,5" or larger.

RADT-GR, RADD-GR, RADDT-GR, RAPDT-GR

Vehicle bracket kit: 56-253600
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
315/ 60 R22,5" or lager.

RAPDD-GR

Vehicle bracket kit: 56-253600
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
315/ 60 R22,5" or lager.
• Air tank may need to be moved

RAD-GR

Tractor

Vehicle bracket kit: 56-257600
Onspot kit: 56-700500
Wheel kit: 190

Fits vehicles with tyre dimension
315/ 60 R22,5" or lager.
• When mounted on vehicles with
BBOX-EF, it may be necessary
to relocate the air tank which is
mounted underneath the batteries.
• When mounted on vehicles with
BBOX-L need the brackets on the
50-litres tank mounted on the end
beam be replaced with brackets in
the kit 56-704700.

Rigid

Vehicle bracket kit: 56-261300
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
315/ 60 R22,5" or lager.

RAPD-GR

Vehicle bracket kit: 56-257600
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
315/ 60 R22,5" or lager.

RAD-L90

RST-PAR

Vehicle bracket kit: 56-258000
Switch kit: 56-241020
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
315/60 R22, 5" or larger.
• From year model 2014 (FH/FM ver-
sion 4)
Vehicle bracket kit: 56-258000
Switch kit: 56-241006
Onspot kit: 56-700500
Wheel kit: 190

Fits vehicles with tyre dimension
315/60 R22, 5" or larger.
• From year model 2007 up to and
including year model 2013

RAD-L90, RADT-LA

RST-PAR, disc brakes

Vehicle bracket kit: 56-241600
Onspot kit: 56-700500
Wheel kit: 190
Fits vehicles with tyre dimension
315/60-22,5" or lager.
• Applies up to and including year
model 2007

RADD-TR1, RADD-TR2

Vehicle bracket kit: 56-255000
Switch kit: 56-241006
Onspot kit: 56-700500
Wheel kit: 190

Fits vehicles with tyre dimension
295/80 R11,5" or lager.

RADD-BR

RACAS-CA

Vehicle bracket kit: 56-238900
Onspot kit: 56-700500
Wheel kit: 190

Fits vehicles with tyre dimension
305/70-22,5" or lager.

RAD-A4, RAPD-A6

RST-AIR

Vehicle bracket kit: 56-228901
Onspot kit: 56-700500
Wheel kit: 190

Fits vehicles with tyre dimension
305/60-22,5" or lager.
• It may be necessary to move the air
tanks when fitting using a pusher
shaft.

RADT-A8, RADD-A8, RADDT12

RST-AIR2

Vehicle bracket kit: 56-223201
Onspot kit: 56-700500
Wheel kit: 190

Fits vehicles with tyre dimension
305/60-22,5" or lager.
• On RADT-A8 trucks the 50-litres
tank behind the steering axle must
be moved to a crossbeam behind
the running axle or outside the
truck's frame.
• On RADT-A8 tractors the 50-litres
tank behind the drive axle must be
moved and remounted using tank
bracket kit 56-236600.

RAD-A4, RAPD-A6, RADT-A6S

RST-AIR2

Vehicle bracket kit: 56-223201
Onspot kit: 56-700500
Wheel kit: 190

Fits vehicles with tyre dimension
305/60-22,5" or lager.
• Suits vehicles with cardan PROPS-
LE and tyre dimensions 315/70-
22.5" or larger.

RADT-A6, RADT-A8, RADD-A8

RST-AIR, Drum brakes

From ch. no. A273949, 1 820289, B
185922

2 air tanks beneath the crossbeam

Vehicle bracket kit: 56-230301
Onspot kit: 56-700500
Wheel kit: 170

Fits vehicles with tyre dimension
305/70-22,5" or lager.
• Air tanks must be moved.

1 air tanks beneath the crossbeam

Vehicle bracket kit: 56-231001
Onspot kit: 56-700500
Wheel kit: 170

Fits vehicles with tyre dimension
305/70-22,5" or larger.
• Air tanks may need to be moved.

FH Electric

RAD-G4

Tractor

Chassis: N

Air suspension

Stabilizer: Standard

Vehicle bracket kit: 56-710200
Switch kit: 56-241020
Onspot kit: 56-700500
Wheel kit: 190

Fits vehicles with tyre dimension
315/70 R22,5".
• On tractor with 2 tanks in the rear,
one tank must be removed or re-
placed.

RADT-GR

Air bellows

Stabilizer: Standard

Vehicle bracket kit: 56-747200
Switch kit: 56-241020
Onspot kit: 56-700500
Wheel kit: 170

Fits vehicles with tyre dimension
315/70 R22,5".

FM Electric

RAD-GR

Rigid RST-AIR2

Vehicle bracket kit:	56-261300
Switch kit:	56-241020
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension
275/80 R22,5"

RADT-GR

Air bellows Stabilizer: Standard

Vehicle bracket kit:	56-747200
Switch kit:	56-241020
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
315/70 R22,5"

FMX-E Electric

RADT-GR

Chassis: N Air suspension Stabilizer: Standard

Vehicle bracket kit:	56-253600
Switch kit:	56-241020
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension
295/80 R22,5"

Buses

B10-M, B10-B, B12

Air suspension

Vehicle bracket kit:	56-232001
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
315/70-22,5" or larger.

- On 6x2 it might be necessary to move the air tanks.
- 12-chain wheel should be used on vehicles with chassis number lower than 10558.

B12M, B12B, B12BLE

Disc brake Air suspension

Vehicle bracket kit:	56-235901
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension

305/70-22,5" or larger.
• 12-chain wheels should be used.

B7R Mk II

Disc brake Air suspension

Vehicle bracket kit:	56-242700
Switch kit:	56-241013
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
275/70-22,5" or larger.

- 12-chain wheels should be used.

B8R

Air suspension

Vehicle bracket kit:	56-714100
Switch kit:	56-241021
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
275/70-22,5" or larger.

- 12-chain wheels should be used.

B8R, B8RLE

4x2

Air suspension

Vehicle bracket kit:	56-717200
Switch kit:	56-718300
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
295/80 R22,5" or larger.

B8R

6x2

Air suspension

Vehicle bracket kit:	56-752000
Switch kit:	56-718300
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
295/80 R22,5" or larger.

- Replace the bracket for the EBS-valve with 56-718400.
- Pipes needs to be replaced, these are purchased from Volvo. See info in mounting instruction.

B11, B13

Air suspension

Vehicle bracket kit:	56-258500
Switch kit:	56-241021
Onspot kit:	56-700500
Wheel kit:	190

Fits vehicles with tyre dimension
295/80 R22,5" or larger.

B13R

RAD-A4 (6x2) TA-HYDRS

Air suspension

Vehicle bracket kit:	56-752000
Switch kit:	56-718300

Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
295/80 R22,5" or larger.

- Replace the bracket for the EBS-valve with 56-718400.
- Servo pipes needs to be replaced, these are purchased from Volvo. See info in mounting instruction

RAD-A4 (4x2)

Air suspension

Vehicle bracket kit:	56-752000
Switch kit:	56-718300
Onspot kit:	56-700500
Wheel kit:	170

Fits vehicles with tyre dimension
295/80 R22,5" or larger.

- Replace the bracket for the EBS-valve with 56-718400.

RAD-GR (4x2)

Air suspension

Vehicle bracket kit:	56-717200
Switch kit:	56-718300
Onspot kit:	56-700500
Wheel kit:	170

How to read the vehicle specification:

LT	_____	Vehicle model, Axle configuration
LT 35	_____	Vehicle type
Leaf suspension	_____	Rear axle suspension
Chains		
12-chains		

Wheel kit 170

6-chains	56-236503
6-chains sparkle resistant	56-236507
12-chains	56-236506
18-chains	56-236509

Wheel kit 190

6-chains	56-236501
6-chains sparkle resistant	56-236504
12-chains	56-236505
18-chains	56-236508

Crafter

4x2

**Leaf suspension
Twin wheel**

Vehicle bracket kit:	56-719500
Switch kit:	56-241012
Air compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170
Fits vehicles with tyre dimension 205/75 R16" or larger.	
• 12 or 18-chain wheels should be used.	
• From year model 2019	

4x2

**Leaf suspension
Single wheel**

Vehicle bracket kit:	56-717500
Switch kit:	56-241012
Air compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170
Fits vehicles with tyre dimension 205/75 R16" or larger.	
• 12 or 18-chain wheels should be used.	
• From year model 2019	

4x2

**Air suspension: VB
Single wheel**

Vehicle bracket kit:	56-264300
Switch kit:	56-241012
Air compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit :	170
Fits vehicles with tyre dimension 225/70 R15" or larger.	
• 12 or 18-chain wheels should be used.	
• Applies up to and including year model 2018	

4x2

**Leaf suspension
Single wheel**

Vehicle bracket kit:	56-264300
Switch kit:	56-241012
Air compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170
Fits vehicles with tyre dimension 225/70 R15" or larger.	
• 12 or 18-chain wheels should be used.	
• Applies up to and including year model 2018	

4x2

**Air suspension: VB
Twin wheel**

Vehicle bracket kit:	56-262200
Switch kit:	56-241012
Air compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit :	170
Fits vehicles with tyre dimension 195/75 R16" or larger.	
• 12 or 18-chain wheels should be used.	
• A re-arrangement of the exhaust pipe can be necessary.	
• Applies up to and including year model 2018	

4x2

**Leaf suspension
Twin wheel**

Vehicle bracket kit:	56-262200
Switch kit:	56-241012
Air compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170
Fits vehicles with tyre dimension 195/75 R16" or larger.	
• 12 or 18-chain wheels should be used.	
• A re-arrangement of the exhaust pipe can be necessary.	
• Applies up to and including year model 2018	

4x4

**Leaf suspension
Twin wheel**

Vehicle bracket kit:	56-247000
Switch kit:	56-241012
Air compressor kit:	56-255200
Onspot kit:	56-700502
Wheel kit:	170
Fits vehicles with tyre dimension 195/75 R16" or larger.	
• 12 or 18-chain wheels should be used.	
• A re-arrangement of the exhaust pipe can be necessary.	
• Move spare wheel under floor behind the axle.	
• Applies up to and including year model 2018	

Table of tyre dimensions

The table shows the tyre's height when the vehicle is unloaded.

Dim.	Tyre diameter	Dim.	Tyre diameter
15"		20"	
225/70 R 15	696 mm	12/80 R 20	1008 mm
205/80 R 15	708 mm	9.00-20	1012 mm
7,50 R 15	769 mm	9.00 R 20	1018 mm
8,25 R 15	836 mm	335/80 R20	1032 mm
16"		13/80 R 20	1048 mm
185/75 R 16	684 mm	10.00-20	1050 mm
215/65 R 16	686 mm	10.00 R 20	1052 mm
195/75 R 16	699 mm	11.00-20	1080 mm
235/65 R 16	712 mm	11.00 R 20	1082 mm
205/75 R16	714 mm	365/80 R20	1092 mm
215/75 R 16	730 mm	12.00-20	1120 mm
225/75 R 16	743 mm	12.00 R 20	1122 mm
7,00 R 16	787 mm	365/85 R20	1129 mm
7,50 R 16	805 mm	13.00-20	1170 mm
8,25 R 16	860 mm	13.00 R 20	1176 mm
17"		22,5"	
8,25 R 17	886 mm	9/70 R 22,5	892 mm
8,25 17	895 mm	10/70 R 22,5	928 mm
17,5"		295/60 R 22,5	928 mm
205/75 R 17,5	753 mm	255/70 R 22,5	930 mm
215/75 R 17,5	767 mm	8 R 22,5	936 mm
225/75 R 17,5	783 mm	305/60 R 22,5	946 mm
8 R 17,5	784 mm	275/70 R 22,5	958 mm
245/70 R 17,5	797 mm	315/60 R 22,5	958 mm
8,5 R 17,5	802 mm	11/70 R 22,5	962 mm
235/75 R 17,5	808 mm	9-22,5	970 mm
245/75 R 17,5	813 mm	9 R 22,5	970 mm
265/70 R 17,5	816 mm	295/70 R 22,5	986 mm
9 R 17,5	820 mm	265/80 R22,5	995 mm
9,5 R 17,5	842 mm	12/70 R 22,5	999 mm
19,5"		305/70 R 22,5	1000 mm
245/70 R19,5	839 mm	275/80 R 22,5	1012 mm
245/75 R 19,5	862 mm	315/70 R 22,5	1014 mm
255/70 R 19,5	853 mm	10-22,5	1020 mm
8 R 19,5	856 mm	10 R 22,5	1020 mm
8,5 R 19,5	856 mm	13/70 R 22,5	1033 mm
265/70 R 19,5	867 mm	295/80 R 22,5	1044 mm
9 R 19,5	894 mm	315/75 R 22,5	1044 mm
9,5 R 19,5	894 mm	12/80 R 22,5	1046 mm
285/70 R 19,5	895 mm	11 R 22,5	1050 mm
305/70 R 19,5	923 mm	11-22,5	1054 mm
315/70 R 19,5	937 mm	315/80 R 22,5	1076 mm
		12-22,5	1084 mm
		12 R 22,5	1084 mm
		13 R 22,5	1124 mm

Spare parts Onspot 016



56-700601 Onspot unit, complete
(stamped no. 56-330200)



56-700600 Onspot unit, complete
(stamped no. 56-330100)



56-700700 Stopper, standard
(stamped no. 56-331200)

56-700701 Stopper, standard
(stamped no. 56-331300)



56-700702 Stopper
(stamped no. 56-332700)

56-700703 Stopper
(stamped no. 56-332800)



56-241200 Hitching kit



56-701000 Onspot 016 chain, arm axle kit

Spare parts Onspot 012



56-320601 Stopper
(stamped no. 56-318803)

56-320602 Stopper
(stamped no. 56-318804)



56-320900 Hose holder



56-320603 Stopper
(stamped no. 56-318807)

56-320604 Stopper
(stamped no. 56-318808)



56-241200 Hitching kit



56-324300 Onspot 012 chain, arm axle kit

Spare parts Onspot 012, 016



- 56-360100 Arm incl. mounting components (stamped no. 56-350100)
- 56-361500 Arm incl. mounting components (stamped no. 56-351500)
- 56-360300 Arm incl. mounting components (stamped no. 56-350300)
- 56-360500 Arm incl. mounting components (stamped no. 56-350500)
- 56-361100 Arm incl. mounting components (stamped no. 56-351100)
- 56-360700 Arm incl. mounting components (stamped no. 56-350700)
- 56-360900 Arm incl. mounting components (stamped no. 56-350900)
- 56-361300 Arm incl. mounting components (stamped no. 56-351300)
- 56-361700 Arm incl. mounting components (stamped no. 56-351700)



- 56-360200 Arm incl. mounting components (stamped no. 56-350200)
- 56-361600 Arm incl. mounting components (stamped no. 56-351600)
- 56-360400 Arm incl. mounting components (stamped no. 56-350400)
- 56-360600 Arm incl. mounting components (stamped no. 56-350600)
- 56-361200 Arm incl. mounting components (stamped no. 56-351200)
- 56-360800 Arm incl. mounting components (stamped no. 56-350800)
- 56-361000 Arm incl. mounting components (stamped no. 56-351000)
- 56-361400 Arm incl. mounting components (stamped no. 56-351400)
- 56-361800 Arm incl. mounting components (stamped no. 56-351800)



- 56-321003 Arm incl. mounting components (stamped no. 56-321101)
- 56-321023 Arm incl. mounting components (stamped no. 56-322201)
- 56-321019 Arm incl. mounting components (stamped no. 56-321901)
- 56-321025 Arm incl. mounting components (stamped no. 56-322301)
- 56-324009 Arm incl. mounting components (stamped no. 56-323101)
- 56-321034 Arm incl. mounting components (stamped no. 56-323501)



- 56-321004 Arm incl. mounting components (stamped no. 56-321102)
- 56-321024 Arm incl. mounting components (stamped no. 56-322202)
- 56-321020 Arm incl. mounting components (stamped no. 56-321902)
- 56-321026 Arm incl. mounting components (stamped no. 56-322302)
- 56-324010 Arm incl. mounting components (stamped no. 56-323102)
- 56-321035 Arm incl. mounting components (stamped no. 56-323502)



56-321009 Arm incl. mounting components (stamped no. 56-321401)

56-321011 Arm incl. mounting components (stamped no. 56-321501)

56-321029 Arm incl. mounting components (stamped no. 56-322501)

56-324007 Arm incl. mounting components (stamped no. 56-323001)

56-321038 Arm incl. mounting components (stamped no. 56-340001)

56-321039 Arm incl. mounting components (stamped no. 56-340002)




56-321013 Arm incl. mounting components (stamped no. 56-321600)



56-321031 Arm incl. mounting component (stamped no. 56-321601)



56-321021 Arm incl. mounting components (stamped no. 56-322101)



56-320700 Mounting components, arm



56-321010 Arm incl. mounting components (stamped no. 56-321402)

56-321012 Arm incl. mounting components (stamped no. 56-321502)

56-321030 Arm incl. mounting components (stamped no. 56-322502)

56-324008 Arm incl. mounting components (stamped no. 56-323002)



56-321032 Arm incl. mounting components (stamped no. 56-323301)



56-321022 Arm incl. mounting components (stamped no. 56-322102)



56-321033 Arm incl. mounting components (stamped no. 56-323302)


Spare parts Onspot 012, 016



- 56-320101 Valve kit 24V, complete
- 56-320102 Valve kit 12V, complete
- 56-320103 Valve kit 24V, complete(MB)
- 56-320104 Valve kit ADR, complete



56-329000 T-joint




56-329200 T-joint (MB)



56-329100 Plastic hose 20 m

Onspot 016




56-701100 Nipple kit, 4 nipples



56-701200 Throttle valve



56-711300 Check valve kit



56-714700 Indicator light kit

Onspot 012



56-320800 Nipple set, cylinder 4 nipples

Switches



56-241002	IVECO: <i>Tector, Eurotech, Eurostar, Trakker, Stralis, Eurocargo 4x2 (to 2007)</i>	56-241023	VDL: <i>Futura</i>
56-241003	MAN: <i>TGA, TGL, TGM</i>	56-241024	Renault: <i>K, C (cab 2.5m)</i>
56-241004	MB: <i>Actros MP2, MP3</i>	56-241025	Renault: <i>D</i>
56-241005	MB: <i>Vario, Econic, Actros, Atego, Atego 2, Atego S, Axor, Axor II</i> UNIMOG: <i>U300, U400, U500</i>	56-710700	Scania: <i>P, G, R, T, S-series Generation 6</i>
56-241006	VOLVO: <i>FL 6L, FL 6E, FM, FH (to 2012)</i>	56-727500	DAF: <i>XF Euro 6, CF Euro 6 (from 2017)</i>
56-241007	SCANIA: <i>4-series, Buses</i>	56-739000	MAN: <i>TG3</i>
56-241008	DAF: <i>LF45, CF55, CF65, CF75, CF85, 95XF, XF95, XF105</i>		
56-241009	SCANIA: <i>P, G, R, T-series Generation ≤ 5</i>		
56-241010	RENAULT: <i>Midlum DXI, Premium DXI, Magnum DXI, Kerax DXI</i> VOLVO: <i>FL, FE</i> SISU: <i>6x4/8x4/10x4 Leaf suspension</i>		
56-241011	DAF: <i>65CF, 75CF, 85CF</i>		
56-241012	FORD: <i>T 350, T 430</i> IVECO: <i>Daily</i> RENAULT: <i>Mascott DXI 160</i> MB: <i>Sprinter 3xx, Sprinter 5xx</i> VW: <i>Crafter 30, Crafter 50</i>		
56-241013	HINO: <i>Profia</i> MAN: <i>L2000, M2000L, M2000M, F2000, E2000</i> MITSUBISHI: <i>Super Great</i> NISSAN: <i>BIG Thumb</i> ISUZU: <i>Gigamax</i> VOLVO: <i>Buses</i>		
56-241014	IVECO: <i>Eurocargo 4x4</i>		
56-241015	MAN: <i>TGS, TGX</i>		
56-241016	MB: <i>Sprinter 311-316 (1998-2006)</i> VW: <i>LT 35 (1998-2006)</i>		
56-241017	NISSAN: <i>Atleon</i>		
56-241018	IVECO: <i>Eurocargo 4x2 (from 2008)</i>		
56-241019	MB: <i>Actros MP4, Antos</i>		
56-241020	VOLVO: <i>FH (from 2013)</i>		
56-241021	VOLVO: <i>Buses B11, B13</i>		
56-241022	DAF: <i>XF Euro 6, CF Euro 6 (to 2016)</i>		

Spare parts Onspot



Wheel kit, incl. wheel bearings

56-726000	6-chains, Wheel 190
56-236503	6-chains, Wheel 170
56-726100	6-chains sparkle resistant, Wheel 190
56-236507	6-chains sparkle resistant, Wheel 170
56-726200	12-chains, Wheel 190
56-236506	12-chains, Wheel 170
56-726300	12-chains, long, Wheel 190
56-726400	18-chains, Wheel 190
56-236509	18-chains, Wheel 170



Wheel, incl. wheel bearings

56-725000	6-chains, Wheel 190
56-236400	6-chains, Wheel 170
56-725100	6-chains sparkle resistant, Wheel 190
56-236411	6-chains sparkle resistant, Wheel 170
56-725200	12-chains, Wheel 190
56-236412	12-chains, Wheel 170
56-725300	12-chains, long, Wheel 190
56-725400	18-chains, Wheel 190
56-236418	18-chains, Wheel 170



Chain plate

56-246601	Chain plate, 6-chains, Wheel 190
56-246602	Chain plate, 6-chains, Wheel 170
56-246603	Chain plate, 6-chains sparkle resistant, Wheel 190
56-246604	Chain plate, 6-chains sparkle resistant, Wheel 170
56-246605	Chain plate, 12-chains, Wheel 190
56-246606	Chain plate, 12-chains, Wheel 170
56-246607	Chain plate, 12-chains long, Wheel 190
56-246608	Chain plate, 18-chains, Wheel 190
56-246609	Chain plate, 18-chains, Wheel 170



56-241300	Wheel mounting kit, adjustable 120 mm, standard 1x Wheel bolt, 4x Spacers, 1x Angle spacer, 1x Nut, 1x Cover plate
-----------	--



56-206000	Wheel mounting kit, adjustable 100 mm, standard 1x Wheel bolt, 2x Spacers, 1x Angle spacer, 1x Nut, 1x Cover plate
-----------	--



56-206700	Wheel mounting kit, adjustable 80 mm, for low profiles 1x Wheel bolt, 1x Angle spacer, 1x Nut, 1x Cover plate
-----------	---



56-241100	Kickback guard kit
-----------	---------------------------



56-246500	Bolt kit Onspot wheel
-----------	------------------------------



56-237300	Wheel bearing kit 2x Bearings 1x Retaining ring
-----------	--



56-728000	Ball-bearing kit wheel 190
-----------	--------------------------------------



56-734600	Wheel plate kit wheel190
-----------	------------------------------------



56-727000	Rubber wheel 190
-----------	----------------------------



56-246402	Wheel disc wheel 170
-----------	--------------------------------

Cylinders, Cylinder brackets


Spare parts Onspot 03, 04

Cylinders


If the cylinder housing is damaged, the entire cylinder must be replaced with a completely new cylinder.

All Onspots now use the short cylinder variant. Older long cylinders can easily be replaced with short cylinders. The length of the adjusting screw identifies the type of cylinder you have (see diagram).


There are three different lengths of adjusting screw; measure the adjustment screw and use the table to find which cylinder you have.



Length (mm)	Complete cylinder
55	56-254603
115	56-254601
165	56-254602



Membrane kit




Angular toggle joint

- 56-231100 Membrane kit
 1 x Membrane
 1 x Cover
 2 x lamps
 2 x lamps
 2 x Nuts

- 56-251700 Angular toggle joint

- 56-207100 Cylinder disassembly tool



Cylinder disassembly tool

Great care should be taken whenever you do work on or replace parts in the cylinder.

Air cylinders have substantial inherent spring power.

Therefore you should always use the cylinder disassembly tool when undertaking these procedures.

Cylinder brackets



- 56-188600 Cylinder bracket, left
 56-188500 Cylinder bracket, right



- 56-063712 Cylinder bracket, left
 56-063711 Cylinder bracket, right

Spare parts Onspot 03, 04

Arms with bearing cups

Onspot can be fitted in two ways – in front of, or behind, the drive shaft. Identify which type of fitting you have by looking at figs. 1 and 2. The captions explain which arm type is used for each fitting.






Fig. 1, forward mounting

Fig. 2, rear mounting



Arm type left	56-155002
Arm type right	56-155001
Arm type left	56-155010
Arm type right	56-155009
Arm type left	56-155008
Arm type right	56-155007
Arm type left	56-165202
Arm type right	56-165201
Arm type left	56-203100
Arm type right	56-203000




Arm type left	56-188800
Arm type right	56-188700



56-191300	Bearing cups
2 x	Bearing cups
1 x	Grease
1 x	Locking compound

Spare parts Onspot 03, 04



- | | | |
|---|-----------|---|
| 1 | 56-227900 | Valve nipple kit, incl.: |
| | | 2 x Insertion nipples |
| | | 2 x Screws |
| | | 1 x Plug |
| 2 | 56-208600 | Distribution block repair kit incl.: |
| | | 1 x Distribution block |
| | | 1 x Plug |
| | | 2 x Hose nipple |
| | | 1 x Insertion nipple |
| | | 2 x Hose clamps |
| | | 2 x Bolts M6x35 |
| | | 2 x Nuts M6 |
| 3 | 56-228000 | Cylinder nipple kit, incl.: |
| | | 2 x Hole bolts |
| | | 2 x Banjo nipples |
| | | 4 x Grommets |
| | | 2 x Hose clamps |
| 4 | 37-130200 | Mercedes Symbol plate |
| | 37-131500 | DAF, Iveco,
MAN L2000, Volvo B10,
Universal Symbol plates |
| | 37-132300 | Volvo, Symbol plate |
| 5 | 29-020000 | MAN solenoid valve |
| | 29-019900 | MAN connection cable |
| | 29-021900 | Solenoid valve incl. cable
head, other vehicle models |
| 6 | | Plastic pipe 8x1 L= 6m |
| 7 | | Rubber hose Ø 8mm
L= 4m, min 15 Bar |

* On some models. See the mounting instructions for each vehicle bracket.

** The installation of circuit breakers and connection to the air system are services provided by vehicle dealers.

Compressor

Spare parts air compressor kit 12V



56-255300 Spare part kit Compressor
1 x Compressor




56-721000 Spare part kit Valve console
1 x Valve console



56-720000 Spare part kit check valve
1 x Check valve



56-720100 Spare part kit drain with ring
1 x Drain with ring



56-257400 Spare part kit micro switch
1 x Micro switch



56-245500 Spare part kit Air tank
1 x Air tank
2 x Tank belt



56-721500 Spare part kit Compressor
1 x Compressor




56-721400 Spare part kit fitting
2 x Fitting Ø6
2 x Fitting M22x1,5
1 x Plug M22x1,5



56-245400 Spare part kit fitting (Compressor 56-245200)
1 x Fitting 90° 1/8"
1 x 1/8" Check valve
1 x Fitting 1/4"-1/8"
3 x Rubber foot
3 x Nuts M4
1 x T-joint 1/8"NPT



56-721200 Spare part kit Air fitting and hoses
1 x Air fitting and hoses



56-721100 Spare part kit Valve block
1 x Valve block
2 x Screw
2 x Nut
4x Washers



56-721300 Spare part kit Rubber bushings
3 x Rubber bushings
3 x Brass insert
6 x Washer
3 x Nut M5
3 x Screw



56-257200 Power manometer

Connect the Power manometer together with the compressor kit to show the current air pressure in the Onspot system. A valve is fitted on the Power manometer bracket in order to fill with air or connect compressed air when parking so that the system always has the correct working pressure. There is also a recess to install the Onspot button.



56-704100 1 x Automatic drain valve kit for air tank

