FATZO Mouse C.A.R.E. Report

CrownBio
CONNECTING SCIENCE TO PATIENTS

Report Date: 27-Sep-2016
Location: Barriers A, & B

Production Site: Indianapolis, IN
Date Location 1st Occupied: 19-May-2015

Serology	Testing frequency	Testing Lab	Latest Test Date	# Positive / # tested	Cumulative Results
CAR bacillus	A	IDEXX-RADIL	21-Sep-16	0 / 2	0 / 8
Clostridium piliforme	Q	IDEXX-RADIL	21-Sep-16	0 / 2	0 / 56
Ectromelia	A	IDEXX-RADIL	21-Sep-16	0 / 2	0 / 140
EDIM	Q	IDEXX-RADIL	21-Sep-16	0 / 2	0 / 142
LCM	A	IDEXX-RADIL	21-Sep-16	0 / 2	0 / 140
M. pulmonis	Q	IDEXX-RADIL	21-Sep-16	0 / 2	0 / 142
MAV 1	A	IDEXX-RADIL	21-Sep-16	0 / 2	0 / 85
MAV 2	A	IDEXX-RADIL	21-Sep-16	0 / 2	0 / 85
MCMV	A	IDEXX-RADIL	21-Sep-16	0 / 2	0 / 61
MHV	Q	IDEXX-RADIL	21-Sep-16	0 / 2	0 / 142
MNV	Q	IDEXX-RADIL	21-Sep-16	0 / 2	0 / 142
MPV	A	IDEXX-RADIL	21-Sep-16	0 / 2	0 / 140
MVM	Q	IDEXX-RADIL	21-Sep-16	0 / 2	0 / 142
PVM	Q	IDEXX-RADIL	21-Sep-16	0 / 2	0 / 142
Parvovirus NS-1	Q	IDEXX-RADIL	21-Sep-16	0 / 2	0 / 142
Polyoma	A	IDEXX-RADIL	21-Sep-16	0 / 2	0 / 140
REO3	A	IDEXX-RADIL	21-Sep-16	0 / 2	0 / 140
Sendai	Q	IDEXX-RADIL	21-Sep-16	0 / 2	0 / 142
TMEV GDVII	Q	IDEXX-RADIL	21-Sep-16	0 / 2	0 / 142
E. cuniculi	A	IDEXX-RADIL	21-Sep-16	0 / 2	0 / 48

PCR Evaluation	Testing frequency	Testing Lab	Latest Test Date	# Positive / # tested	Cumulative Results
Helicobacter sp.	A	IDEXX-RADIL	21-Sep-16	0 / 10	0 / 111
M. pulmonis	A	IDEXX-RADIL	21-Sep-16	0 / 10	0 / 75
Streptobacillus moniliformis	A	IDEXX-RADIL	21-Sep-16	0 / 10	0 / 69

Parasitology	Testing frequency	Testing Lab	Latest Test Date	# Positive / # tested	Cumulative Results
Ectoparasites, Helminths	A	IDEXX-RADIL	21-Sep-16	0 / 10	0 / 75

Microbiology	Testing frequency	Testing Lab	Latest Test Date	# Positive / # tested	Cumulative Results
Salmonella sp.	A	IDEXX-RADIL	21-Sep-16	0 / 10	0 / 75
Corynebacterium kutscheri	A	IDEXX-RADIL	21-Sep-16	0 / 10	0 / 51
Pasteurella pneumotropica	A	IDEXX-RADIL	21-Sep-16	0 / 10	0 / 75
Citrobacter rodentium	A	IDEXX-RADIL	21-Sep-16	0 / 10	0 / 75
Pseudomonas aeruginosa	A	IDEXX-RADIL	21-Sep-16	0 / 10	0 / 71
Staphylococcus aureus	A	IDEXX-RADIL	21-Sep-16	0 / 10	0 / 75
Streptococcus pneumoniae	A	IDEXX-RADIL	21-Sep-16	0 / 10	0 / 69

A - Tested Annually | **Q** - Tested Quarterly | ** - No longer being tested

+1.855.827.6968 | busdevcvmd@crownbio.com | www.crownbio.com