


SEE NOTE 12 FOR LABEL PLACEMENT



UL FRENCH LABEL	RATING LABEL	CSA FRENCH LABEL	CSA CERT LABEL	UL LISTING LABEL	FRENCH SELF BALL LABEL
C8021011	C8020505 C8020505-1 C8020505-2 C8020505-3 C8020505-4	C8020661	C8020430	C8020438 C8020438-1	C8020505-SB-1

LABEL ILLUSTRATIONS ARE FOR REFERENCE ONLY. SEE LABEL DRAWING FOR CURRENT REVISION.

SOCKET RATING:
 150W (UL OR CSA LISTED)
 200W (UL LISTED OR UNLISTED)

- NOTES:
- AWG 14 MODELS ARE UL LISTED E86155. AWG 12 MODELS ARE UL AND cUL LISTED E86155 AND CSA CERTIFIED FILE LL84688, EXCEPT WHERE NOTED. SEE CHART.
 - STRINGLIGHT DESIGNED TO BE SUPPORTED AT EACH SOCKET.
 - SUPPLIED WITH 9 FT PRIMARY AND 1 FOOT SECONDARY.
 - 5 OR 10 LAMP SOCKETS SPACED AS SHOWN ABOVE, SEE TABLE. 5 SOCKET STRINGLIGHTS ARE 50FT. 10 SOCKET STRINGLIGHTS ARE 100FT O.A.L.
 - UL LISTING REQUIRES THE USE OF GUARDS AT EACH SOCKET.
 - SEE TABLE FOR RATING AND CABLE COLOR.
 - DO NOT SUBMERGE. DO NOT USE IN STANDING WATER.
 - DROPS MOLDED FROM TPE ELASTOMER.
 - UL LISTED. 20A CORDS ARE NOT CSA CERTIFIED. 240V AND 208V CORDS ARE NOT LISTED OR CERTIFIED.
 - OPERATING TEMP -40C TO +45C
 - PACKED IN CARTON C8010965 WITH INSTRUCTION SHEET C8020254
 - PLACE C8021011 WITHIN 6 INCHES OF PLUG. PLACE ALL OTHER LABELS IN ORDER SHOWN, AS CLOSE TO C8021011 AND EACH OTHER AS POSSIBLE.

UL LISTING AND CSA CERTIFICATION IS VOID UNLESS STRING IS USED WITH ONE OF THESE 1-3/4" NECK DIAMETER GUARDS ON EACH DROP.

#215 CLEAR POLYCARBONATE W/ CAP
 #214 CLEAR POLYCARBONATE
 #211 WIRE #211-P VINYL COATED A23
 #220 WIRE #220-P VINYL COATED PS-25 OR PS-30RS
 #222 WIRE #222-P VINYL COATED A23
 #224 WIRE #224-P VINYL COATED P41-38 OR R-40

#215 GUARD = #214 CAP + #216 CAP

M	UPDATED RATING. ADDED WATTS/SOCKET	1/8/19	JRA	4485
L	REVISED NOTE #9 - BLACK DROPS ARE LISTED	3/13/18	SAH	RWH 4378
K	UPDATED LABELS, REVISED FMLY DWG ONLY.	10/2/17	RWH	4331
J	UPDATED LABELS, REVISED FMLY DWG ONLY.	9/15/15	JMM	3963
H	ADDED FRENCH UL LABELS, REVISED FMLY DWG ONLY.	8/5/14	JRA	3750
REV	REVISION DESCRIPTION	DATE	BY	CHKD ECN NO.
A	AS DRAWN			
B	REVISED LABELING	10/03/07	JRA	2332
C	DRAWING AND BOM CORRECTIONS	12/14/07	D.A.N.	JRA 2375
D	ADDED FRENCH LABEL TO CSA UNITS	07/30/08	JRA	2547
E	CHG'D RATINGS OF CANADIAN UNITS PER UL	10/12/08	JRA	2574
F	BOM CHANGED FOR 12350B-1 & 123100B-1	1/26/10	D.A.N.	JRA 2864
G	ADDED PG 3.	5/23/11	JRA	3080

N | ADDED FRENCH SELF BALLASTED LABEL | 3/11/19 | SAH | JRA | 4503

TOLERANCES
 FRAC. ± 1/64
 .X ± .015
 .XX ± .010
 .XXX ± .005
 ANGLES ± 1°
 UNLESS OTHERWISE SPECIFIED

DO NOT SCALE
 B SIZE

DWG. APPROVALS DATE REV.

DRAWN JRA 10/1/07
 CHK'D _____

ERICSON
 SAFETY IS OUR STANDARD

ERICSON MANUFACTURING COMPANY
 1-800-ERICSON • www.ericson.com

DWG. TITLE
 123XX & 143XX
 HEAVY DUTY IDC STYLE
 MOLDED STRINGLIGHTS

SCALE NTS PROJ NO. ---/---/--- SHEET 1 OF 3

DWG. UNIT NO. HD FAMILY REV N

PART NUMBER SELECTION CHART								RATING(S)	LISTING	REV LEVEL	WATTS/SOCKET		
AWG	LENGTH	BODY	CAPS	UL MODEL NO.	SUB-ASSY P/N	SOCKETS	RATING LABEL	CANADIAN RATING IS LOWER					
14	50	YEL	BLUNT	14350Y	0.5 B1047052	5	C8020505	15A 120V 1800W	UNLISTED	A	150		
			5-15	14350Y-1	0.5 B1047052	5	C8020505	15A 120V 1800W	UL	F	150		
			L5-15	14350Y-2	0.5 B1047052	5	C8020505	15A 120V 1800W	UL	F	150		
		BLK	BLUNT	14350B	0.5 B1046916	5	C8020505	15A 120V 1800W	UNLISTED	A	150		
			5-15	14350B-1	0.5 B1046916	5	C8020505	15A 120V 1800W	UL	A	150		
			L5-15	14350B-2	0.5 B1046916	5	C8020505	15A 120V 1800W	UL	A	150		
14	100	YEL	BLUNT	143100Y	B1047052	10	C8020505	15A 120V 1800W	UNLISTED	A	150		
			5-15	143100Y-1	B1047052	10	C8020505	15A 120V 1800W	UL	F	150		
			L5-15	143100Y-2	B1047052	10	C8020505	15A 120V 1800W	UL	F	150		
		BLK	BLUNT	143100B	B1046916	10	C8020505	15A 120V 1800W	UNLISTED	A	150		
			5-15	143100B-1	B1046916	10	C8020505	15A 120V 1800W	UL	A	150		
			L5-15	143100B-2	B1046916	10	C8020505	15A 120V 1800W	UL	A	150		
12	50	YEL	BLUNT	12350Y	0.5 B1046911	5	C8020505-4	20A 120V 2400W	UNLISTED	A	150		
			5-15	12350Y-1	0.5 B1046911	5	C8020505-1	12A 120V 1500W	cULus + CSA	H	150		
			L5-15	12350Y-2	0.5 B1046911	5	C8020505-1	12A 120V 1500W	cULus + CSA	H	150		
			5-20	12350Y-3	0.5 B1046911	5	C8020505-1	12A 120V 1500W	cULus	G	150		
		BLK	BLUNT	12350B	0.5 B1046912	5	C8020505-4	20A 120V 2400W	UNLISTED	A	150		
			5-15	12350B-1	0.5 B1046912	5	C8020505-1	12A 120V 1500W	cULus + CSA	G	150		
			L5-15	12350B-2		5	C8020505-1	12A 120V 1500W	cULus + CSA	B	150		
			L5-20	12350B-3		5	C8020505-1	12A 120V 1500W	cULus	B	150		
		12	100	YEL	BLUNT	123100Y	B1046911	10	C8020505-4	20A 120V 2400W	UNLISTED	A	150
					5-15	123100Y-1	B1046911	10	C8020505-1	12A 120V 1500W	cULus + CSA	H	150
					L5-15	123100Y-2	B1046911	10	C8020505-1	12A 120V 1500W	cULus + CSA	H	150
					L5-20	123100Y-3	B1046911	10	C8020505-1	12A 120V 1500W	cULus	G	150
BLK	BLUNT			123100B	B1046912	10	C8020505-4	20A 120V 2400W	UNLISTED	A	150		
	5-15			123100B-1	B1046912	10	C8020505-1	12A 120V 1500W	cULus + CSA	G	150		
	L5-15			123100B-2	B1046912	10	C8020505-1	12A 120V 1500W	cULus + CSA	B	150		
	L5-20			123100B-3	B1046912	10	C8020505-1	12A 120V 1500W	cULus	B	150		

208V 3 PHASE

PART NUMBER SELECTION CHART								RATING(S)	LISTING	REV LEVEL
AWG	LENGTH	BODY	CAPS	MODEL NO.	SUB-ASSY P/N	SOCKETS	RATING LABEL			
12	90	YEL	L21-20	12590Y-5	-	9	C8020505-2	16A 120Y208V 5760W	UNLISTED	A
12	60	YEL	L21-20	12560Y-5	-	6	C8020505-2	16A 120Y208V 5760W	UNLISTED	A
12	90	BLK	L21-20	12590B-5	-	9	C8020505-2	16A 120Y208V 5760W	UNLISTED	A
12	60	BLK	L21-20	12560B-5	-	6	C8020505-2	16A 120Y208V 5760W	UNLISTED	A

240V 1 PHASE

PART NUMBER SELECTION CHART								RATING(S)	LISTING	REV LEVEL
AWG	LENGTH	BODY	CAPS	UL MODEL NO.	SUB-ASSY P/N	SOCKETS	RATING LABEL			
12	100	YEL	L14-20	124100Y-5	-	10	C8020505-3	20A 250V 5000w	UNLISTED	A
12	60	YEL	L14-20	12460Y-5	-	6	C8020505-3	20A 250V 5000w	UNLISTED	A
12	100	BLK	L14-20	124100B-5	-	10	C8020505-3	20A 250V 5000w	UNLISTED	A
12	60	BLK	L14-20	12460B-5	-	6	C8020505-3	20A 250V 5000w	UNLISTED	A

ALL UNITS ALSO SUPPLIED WITH (1) C8020254 TRI-LINGUAL NSTRUCTION SHEET, (1) C8010965 CARTON, AND (1) C8020444 CARTON LABEL.
 (THE CARTON IS INCLUDED IN THE SL SUBASSEMBLY).

REV	REVISION DESCRIPTION	DATE	BY	CHKD	ECN NO.
	SEE SHEET 1				

TOLERANCES
 FRAC. ± 1/64
 .X ± .015
 .XX ± .010
 .XXX ± .005
 ANGLES ± 1°
 UNLESS OTHERWISE SPECIFIED
 DO NOT SCALE
 B SIZE


DWG. APPROVALS	DATE	REV.
_____ DRAWN JRA	10/1/07	
_____ CHK'D		



ERICSON
 SAFETY IS OUR STANDARD
 ERICSON MANUFACTURING COMPANY
 1-800-ERICSON • www.ericson.com

DWG. TITLE		
123XX & 143XX HEAVY DUTY IDC STYLE MOLDED STRINGLIGHTS		
SCALE NTS	PROJ NO. --/--	SHEET 2 OF 3
DWG. UNIT NO.		REV
HD FAMILY		N

240V AND 208V STRINGS



REV	REVISION DESCRIPTION	DATE	BY	CHKD	ECH NO.
	SEE SHEET 1				

TOLERANCES
 FRAC. ± 1/64
 .X ± .015
 .XX ± .010
 .XXX ± .005
 ANGLES ± 1°
 UNLESS OTHERWISE SPECIFIED
 DO NOT SCALE
 B SIZE

DWG. APPROVALS DATE REV.

 DRAWN JRA 10/1/07
 CHK'D _____



ERICSON
 SAFETY IS OUR STANDARD
 ERICSON MANUFACTURING COMPANY
 1-800-ERICSON • www.ericson.com

DWG. TITLE		
123XX & 143XX HEAVY DUTY IDC STYLE MOLDED STRINGLIGHTS		
SCALE NTS	PROJ NO. --/--	SHEET 3 OF 3
DWG. UNIT NO. HD FAMILY		REV N