



Polymers Beyond Expectations



Dominican Republic

Phone:
+1 809 542 2721

Address:
Calle N. Esq. Calle L,
Zona Industrial Haina,
San Cristobal,
Dominican Republic



Guatemala

Phone:
+502 2390 0900

Address:
Carretera Roosevelt
Km 15.5, Zona 7 - Mixco,
Guatemala



Costa Rica

Phone:
+506 2290 3694

Address:
De Capris 400m norte,
50m oeste, La Uruca
Costa Rica



www.multiquimica.com



info@multiquimica.com



+502 5717 9223



[/Multiquimica](#)

Water Borne Dispersions
for Construction, Architectural
& Industrial Coatings

Company profile

We are a private business group in the chemical sector established in 1984. Since then we have been the leading resin manufacturer and distributor of industrial raw materials in Central America and the Caribbean.

A leading chemical group

We combine the best technologies and proven experience of our R&D team with a vast product range of:

- Alkyd Resins
- Unsaturated Polyester
- Water Borne Dispersions
- PU / Epoxy Hybrids

Our strengths

- Experience exporting to 28 different markets more than 2500 TEUs in 2021.
- More than 500 local and 100 international customers trust our products.
- 2 manufacturing facilities and 3 distribution centers in the Dominican Republic, Guatemala and Costa Rica.
- Bulk chemicals handling capability in compliance with all local and international safety regulations.
- We are a socially responsible group, with different ongoing initiatives that involve the environment, the community and our employees.

Why us?

- We are a customer oriented company.
- R&D qualified personnel.
- Technical advisory and product development capabilities.
- Top of the line quality assurance with dedicated structure and resources.
- In compliance with local and international QHSE & ISO regulations.
- 24/7 customer service and technical support.

Innovations





Synthacril 7820
Roof Coatings for Shingles



Synthacril 5079
For Interior Paint



Synthacril 7348
For Exterior Paint



Synthapur H 7820
For Wooden Furniture



Synthacril 7099
For Metal Coatings



Synthacril 2820
For Dry-Lock



Synthacril 7169
For Caulks and Sealants



Synthapox H 1040
For Floor Coatings



Synthacril PUD 7000
For Exterior Wood Coatings



Synthacril 7330
For Concrete Admixture

Your
portfolio of
solutions



Architectural Coatings

- Best Option
- Suitable

Product	Chemical Composition	Solids (%)+/-1	pH	PS (nm)	Average Viscosity cps	MFFT °C	Tg °C	Interior Paints	Exterior Paints	Hydrophobic Coatings	Egg-Shell/Semigloss	Gloss Paints	Primers	Caulk & Sealants	Roof Tyle Paints	EIFS Topcoat	Low VOC Paints	Roof Coatings	Admixture concrete	Easy Clean Coatings
Synthacril 040	VA	55	6	300	700	10	14	●												
Synthacril 2820	HMA	45	8	80	140	15	20			●	●		●			●				
Synthacril 2821	HMA	45	8	80	140	15	20			●	●		●			●				
Synthacril 2822	HMA	45	8	80	140	6	18			●	●		●			●	●			
Synthacril 5079	VA	55	6	300	60	10	10	●			●									
Synthacril 5205	VA	55	4.5	300	1200	9	27	●												
Synthacril 5300	VA	55	4.5	300	1200	9	27	●			●									
Synthacril 5315	VA	55	4.5	300	600	17	19	●			●	●								
Synthacril 5315 HSR	VA	55	6	300	1100	0	-1	●			●	●								
Synthacril 5500	VA	55	4.5	280	2500	18	22	●			●									
Synthacril 5900	VA	55	4.5	180	1200	0	-1	●			●									
Vecoril 2342	VV	50	5.5	190	100	17	22	●	●											
Vecoril® 2410	VV	55	5.5	320	1800	10	20	●	●		●									
Vecoril® 2445	VV	56	6	250	200	9	20	●	●		●							●		
Synthacril 030 01	SA	50	8.5	120	6000	19	20	●	●		●									
Synthacril VP 6170	SA	50	8.5	120	4500	15	22	●	●		●									
Synthacril 038	SA	50	8.5	130	90	0	-7		●									●		
Synthacril 020 05	A	49	9	150	200	17	19	●	●		●									
Synthacril 5939	A	49	9	140	400	0	6	●	●							●				
Synthacril 7019	SA	55	8.5	300	1200	0	-7											●		
Synthacril 7099	A	45	7.5	100	400	33	36					●								
Synthacril 7169	A	63	6.5	300	800	0	-22							●						
Synthacril 7264	A	60	9.2	180	1200	19	23	●	●											
Synthacril 7277	A	50	8.5	330	200	20	25	●	●											●
Synthacril 7330	A	50	9	250	400	10	12												●	
Synthacril 7348	A	50	8.5	180	200	19	23	●	●		●	●								
Synthacril 7349	A	60	8.5	180	1200	9	12	●	●		●	●								
Synthacril 7350	A	50	9	150	200	15	16	●	●		●	●					●			
Synthacril 7490	SA	50	8.5	125	4000	19	20	●	●		●									
Synthacril 7626	A	50	8.5	180	150	20	25	●	●		●	●								
Synthacril 7630	A	50	8.5	200	600	18	22	●	●		●									

Wood & Specialty Coatings

Product	Chemical Composition	Solids (%)+/-1	pH	PS (nm)	Average Viscosity cps	MFFT °C	Tg °C	DIY Wood Paints	High Gloss Coatings	Dry-Lock Primers	Furniture Coatings	Deck Coatings	Wood Stains	Sandable Sealers/Primers	MDF Panel Coatings	Anticorrosive Coatings	Floor Coatings	Special Roof Coatings	Traffic Coatings	Surgery Rooms
Synthacril 2820	HMA	45	8	80	140	15	20	●		●	●		●		●					
Synthacril 2821	HMA	45	8	80	140	15	20	●		●	●		●		●					
Synthacril 2822	HMA	45	8	80	140	6	18	●		●	●		●		●					
Synthacril 7019 QS	SA	50	10.3	190	1300	0	-7											●		
Synthacril 7029	SA	49	8.5	70/300	300	0	-2											●		
Synthacril 7099	A	45	7.5	100	400	33	36		●							●				
Synthacril 7430	HMA	45	8.2	80	140	45	50	●				●		●			●			●
Synthacril 7432	HMA	45	8.2	80	140	20	45	●				●		●			●			●
Synthacril 7791	A	55	8.2	300	400	0	-40											●		
Synthacril 9000	A	50	10.5	200	70	26	28											●		
Synthacril 9001	A	50	10.5	200	70	24	26											●		
Synthapur H 7450	WUAH	45	7.5	90	100	45	55											●		●
Synthapur H 7820	WUAH	45	8.2	110	70	22	26	●			●	●		●						
Synthapur H 7900	WUAH	54	8.5	160	300	0	-41											●		
Synthapox H 1040	WEAH	45	8.5	80	80	58	68											●		●
Synthapox H 1041	WEAH	45	8.5	80	80	61	71											●		●
Synthapox H 1050	WEAH	45	8-9	80	80	50	66											●		●
Synthacril PUD 7000	PUD	35	9.6	100	200	NA	36					●								

Dispersants & Thickeners

Product	Chemical Composition	Solids (%)+/-1	PH	PS (nm)	Average Viscosity cps	MFFT °C	Tg °C	Description
Multisperse 300	Sodium Polycarboxylate	45	6.5	NA	300	NA	NA	Low foaming dispersante agent
Multisperse 1063	Ammonium Polycarboxylate	35	6.5	NA	400	NA	NA	Low foaming dispersante agent reommended for gloss paints
Reocril 7611	ASE	30	3	NA	30	NA	NA	General purpose acrylic thickener
Reocril 7935	HASE	30	3	NA	20	NA	NA	General purpose acrylic thickener