

Personal Protective Equipment (PPE) for COVID-19			
Situation	Patient PPE	Healthcare worker PPE	
		Room Type	Healthcare worker PPE
Patient with respiratory symptoms (ILI)	<ul style="list-style-type: none"> Procedure Mask (level 1) 	<ul style="list-style-type: none"> <i>Droplet and contact isolation (put sign on door)</i> <i>Private room with door closed</i> 	Droplet Precautions <ul style="list-style-type: none"> Procedure Mask (level 3¹) OR N95² Gloves Gowns Goggles or Face Shield³
COVID positive patients, PUIs, or those being evaluated for PUI status <u>not receiving</u> aerosol generating procedures* * Aerosolizing procedures include, but are not limited to, intubation, bronchoscopy, BIPAP, CPAP, nebulizer	<ul style="list-style-type: none"> Procedure Mask (level 1) 	<ul style="list-style-type: none"> <i>Droplet and contact isolation (put sign on door)</i> <i>Private room with door closed</i> 	Droplet Precautions <ul style="list-style-type: none"> Procedure Mask (level 3) OR N95 Gloves Gowns Goggles or Face Shield
COVID positive patients, PUIs, or those being evaluated for PUI status <u>receiving</u> aerosol generating procedures* Aerosolizing procedures include, but are not limited to, intubation, bronchoscopy, BIPAP, CPAP, nebulizer ⁴	Upon entering an isolation room with appropriate signage on the door, a patient may remove their mask as long as provider(s) in the room have full airborne precautions (including N95).	<ul style="list-style-type: none"> <i>Airborne isolation (sign on door)</i> <i>Alternative based on availability: Private room with door closed</i> 	Airborne Precautions <ul style="list-style-type: none"> N95 respirator or PAPR Gown, Gloves, Goggles or Face Shield
Pediatric patients undergoing elective intubation or patients undergoing urgent or emergent intubation			<ul style="list-style-type: none"> N95 respirator or PAPR Gown, Gloves, Goggles or Face Shield

¹ If Level 3 mask is unavailable, level 2 will suffice

² **N-95** respirators are eligible for re-use if needed. Follow guidance.

³ Goggles and face shields are eligible for re-use if needed. Follow guidance.

⁴ Airborne isolation PPE is only needed on patients with aerosolizing procedures. See separate guidance document on Atlas site.