



EBCD

INTERVENTION OF THE MONTH

November 2018

Restraint Documentation +

RESTRAINT DOCUMENTATION +

The EBCD restraint documentation provides a streamlined linear documentation pathway with content and logic that aligns with the Corporate Policy.

Restraint documentation is available via two different routes, both of which communicate with each other.

- Restraint Documentation +
- Safety/Risk/Regulatory +

Restraint Documentation 06/07 0834 J00021132810 BELLITT,VACC6

Restraint status:

- 1 Start
- 2 Second tier review
- 3 Face to face
- 4 Monitor/RN assess
- 5 Safety/Rights/Dignity
- 6 Discontinue

Document second tier once per restraint episode.

Click box to display previous status documentation ->

Restraint status: *

Clinical Justification: *

Alternatives utilized: *

Level of restraint: *

Non-violent restraint device: *

Violent restraint device: *

Date restraints initiated: *

Time restraints initiated: *

(Next Page)

PREVIOUS RESTRAINT STATUS DOCUMENTATION

----- 20 Most Recent Entries -----

- * DISCONTINUE at 06/07/18 0832
- Safety/Rights/Dignity at 06/07/18 0827
- Monitor/RN assess at 06/07/18 0819
- Face to face at 06/07/18 0811
- Second tier review at 06/07/18 0810
- * START at 06/07/18 0809

<End of text>

<Return>/<Esc>/<Exit> when done

All restraint documentation must begin with a **Start** status. This is what was previously known as the 1st tier.

Clicking on the red box above the status query will open a pop up box displaying the last 20 status entries.

Second Tier Review can only be completed once restraint **Start** status has been documented.

Face to Face status is only for violent restraint documentation and must be completed within one hour of restraint/seclusion initiation.

Discontinue must be documented once restraints removed. If restraints are not discontinued, users will not be able to start new restraints.

Clinical Justification will determine level of restraint. User can only change level by appropriate documentation of Clinical Justification.

Clinical justification:

1 <input type="checkbox"/> Attempts self-harm	7 <input type="checkbox"/> Unsafe mobile attempts
2 <input type="checkbox"/> Attempts to remove device	8 <input type="checkbox"/> Violent
3 <input type="checkbox"/> Combative	
4 <input type="checkbox"/> Destructive	
5 <input type="checkbox"/> Handling wound/dsgs	
6 <input type="checkbox"/> Physical aggression	

The **Monitor/RN assess** status must be documented every 2 hours per facility policy during a restraint episode but **cannot be accessed until a Start and Second tier review have been filed.**

- All documentation on the first page will default in and display from the Start status documentation.
- Pages 2 and 3 of the documentation are common to the Start status documentation.

RESTRAINT DOCUMENTATION +

The **Safety/Rights/Dignity** status must be documented 3 times an hour while patient remains in restraints. It is the only status that is available to LPNs.

- Page 2 includes one query for attestation and verification.

Safety/Rights/Dignity maintained verified: Done now
(Prev Page) (Next Page)

✓ 1 Done now	Done now - use to document each observation in real time, three times every hour.
2 Three times every hour	
3 Every 15 minutes per hour	Only in the situation of a patient under continuous audio, video or in-person observation, or if a paper checklist is used and scanned into the EHR/HPF medical record, the following may be used: Three times every hour Every 15 minutes per hour

- Page 2 Yellow instruction box explains Safety/Rights/Dignity documentation.
- The Standard and expectation is to use **Done now** to document in real time.
- **Three times every hour** or **Every 15 minutes per hour** are used to document prior monitoring and a **Paper Checklist MUST be used and scanned into medical record**

The documentation of the Restraint Debriefing is only applicable when discontinuing Violent Restraint episodes.

Restraint Debriefing 06/07/1008 J00021132810 BELLITT,VACC6

Debriefing Comment: Enter free text

Circumstances leading to restraint/seclusion incident: Attempts self-harm
Handling wound/dsgs

Recommendations for future interventions: Free text recommendations

Post counseling provided to: Family
Patient

Debriefing Comment: Free text comment

(End)

RESTRAINT ORDER:

Order for Restraint with **Non-Violent or Non-Self-Destructive Behavior**: Duration of order for restraint must not exceed 24-hours for the initial order. Patient must have new order for every 24-hour period they remain in restraints.

Order for Restraint with **Violent or Self-Destructive Behavior**: Duration of order for restraint must not exceed; four (4) hours for adults, aged 18 years and older; two (2) hours for children and adolescents aged nine (9) to 17 years, or one (1) hour for children under nine (9) years.