

Updating NFPA / HMIS Hazard Information

This document will walk you through updating or modifying NFPA and HMIS data. Note that some sites are configured so that the NFPA / HMIS values are read-only from the user side.

1. On the Admin Main Menu, click **MSDS Search**.



2. Search for the product that needs to be edited.

Product Name

Manufacturer

3. Click on the product that needs the new MSDS document.

MSDS	Product Name ↑ 1	Manufacturer	Revision Date	MSDS Number
<input type="checkbox"/>	 Acetone	VWR International	10/24/2012	MSDS-000588
<input type="checkbox"/>	 Acetone	Ashland (Valvoline)	10/8/2013	MSDS-001568

4. On the MSDS Detail page, click the **Hazards** tab.



5. Select the field you'd like to edit and enter the updated value.

NFPA		HMIS	
NFPA-Toxicity	<input type="text" value="1"/>	HMIS-Health	<input type="text" value="1"/>
NFPA-Fire	<input type="text" value="3"/>	HMIS-Flammability	<input type="text" value="3"/>
NFPA-Reactivity	<input type="text" value="0"/>	HMIS-Reactivity	<input type="text" value="0"/>
NFPA-Special	<input type="text"/>	HMIS-Protective	<input type="text" value="0"/>

6. Click the **Save** button.

