



Puritan[®]

Quality since 1919





Puritan®

DIAGNOSTICS

We work hand-in-hand with our diagnostic and healthcare customers to create the best single-use products to assist in reliable specimen collection and accurate diagnoses.

We offer a variety of rayon, calcium alginate, cotton, polyester, and foam-tipped applicators to meet just about any diagnostic need.


For the ultimate in collection and release – so important in diagnostics today – we offer our patented HydraFlock® and PurFlock Ultra® flocked swabs. Our proprietary manufacturing process produces the finest flocked swabs available, anywhere.

For a diagnostic swab precisely matched to your specialty application, contact us to discuss a custom configuration.

A revolutionary breakthrough in flocked swab technology

Puritan® advances an evolution in diagnostic design.


We are constantly striving to provide the most cutting-edge products for our customers. We combined user feedback with a proprietary research manufacturing process to develop our HydraFlock® and PurFlock Ultra® swabs. Incorporating our patented, intricate fiber technology, they provide the highest collection and elution capacities available on the market.



PURFLOCK ULTRA®
Tips are made of flocked polyester fibers which have the ability to better absorb organisms at the site – and maintain viability during transport and elution.



HYDRAFLOCK®
When you need to maximize sample collection and elution, choose our HydraFlock® with its “floret” structure.




VELVET-LIKE BRUSH TIP
offers optimum sample collection and rapid release into liquid media.

FULLY INTEGRATED FIBERS
Puritan's exclusive, proprietary multi-length flocked fibers are securely adhered to the shaft.

HANDLE WITH PRE-MOLDED BREAKPOINT
to accommodate different processing systems.

PATENT INFORMATION

| | | PurFlock Ultra® | HydraFlock® |
|-----------------------|----|------------------------|------------------------|
| PATENTED | | | |
| Australia | AU | 2010341421 | 2010341422 |
| Canada | CA | 2,744,678 | 2,744,282 |
| China | CN | ZL201080049991.2 | ZL201080049992.7 |
| Germany | DE | 602010008035.8 | 602010008033.1 |
| European | EP | 2263549 | 2263548 |
| Spain | ES | 2263549 | 2263548 |
| France | FR | 2263549 | 2263548 |
| Great Britain | GB | 2263549 | 2263548 |
| Hong Kong | HK | HK1152217 | HK1152216 |
| Italy | IT | 2263549 | 2263548 |
| Japan | JP | 5453529 | 5453530 6054277 |
| United States | US | 8,420,385 9,274,029 | 8,334,134 9,279,747 |
| PATENT PENDING | | | |
| United States | US | 14/969,536 | 15/007,629 |



HydraFlock® Swab # 3206-H / PurFlock Ultra® Swab # 3206-U




HydraFlock® Swab # 3206-H 20MM / PurFlock Ultra® Swab # 3206-U 20MM


Handles have molded breakpoints. Custom breakpoint and print available.



HydraFlock® Swab # 3306-H / PurFlock Ultra® Swab # 3306-U




HydraFlock® Swab # 3316-H / PurFlock Ultra® Swab # 3316-U



HydraFlock® Swab # 3317-H / PurFlock Ultra® Swab # 3317-U

No adhesive residue, or fiber treatments to interfere with collection.



HydraFlock® Swab # 3318-H / PurFlock Ultra® Swab # 3318-U



HydraFlock® Swab # 25-3319-H

Proprietary flock processing maximizes collection and elution.



HydraFlock® Swab # 3406-H / PurFlock Ultra® Swab # 3406-U




HydraFlock® Swab # 3506-H / PurFlock Ultra® Swab # 3506-U




HydraFlock® Swab # 3606-H / PurFlock Ultra® Swab # 3606-U



HydraFlock® Swab # 3706-H / PurFlock Ultra® Swab # 3706-U














HydraFlock® Swab # 3806-H / PurFlock Ultra® Swab # 3806-U





HydraFlock® Swab # 3000-H E30 / PurFlock Ultra® Swab # 3000-U E30

HYDRAFLOCK® AND PURFLOCK ULTRA® FLOCKED SWABS (PATENTED)

These patented specimen collection devices produce superior sample collection, rapid elution, and increased test sensitivity by combining a unique microstructure with innovative fibers proven to be more effective than older-style nylon products.


| | HydraFlock® Item No. | PurFlock Ultra® Item No. | Product Description | Tip length x diameter | Full length | Packaging pack, weight |
|---|-------------------------|-----------------------------|--|-------------------------------------|---------------------|---------------------------|
| | non-sterile sterile | non-sterile sterile | | | | |
|  | 3206-H | 3206-U | Elongated tip, tapered polystyrene handle, no breakpoint (custom breakpoint available) | 19.558 x 5.563 mm 0.77 x 0.219" | 150.622 mm 5.93" | 10/100, 3 lbs |
| | 25-3206-H | 25-3206-U | | 19.558 x 5.563 mm 0.77 x 0.219" | 150.622 mm 5.93" | 10/50/1, 4 lbs |
|  | 25-3206-H 20MM | 25-3206-U 20MM | Elongated tip, tapered polystyrene handle with 20 mm molded breakpoint | 19.558 x 5.563 mm 0.77 x 0.219" | 150.622 mm 5.93" | 10/50/1, 4 lbs |
|  | 3306-H | 3306-U | Standard tip, polystyrene handle with 80 mm molded breakpoint | 17.526 x 5.08 mm 0.69 x 0.2" | 153.416 mm 6.04" | 10/100, 3 lbs |
| | 25-3306-H | 25-3306-U | | | | 10/50/1, 4 lbs |
|  | 3316-H | 3316-U | Mini tip, polystyrene handle, no breakpoint (custom breakpoint available) | 18.415 x 3.429 mm 0.725 x 0.135" | 153.416 mm 6.04" | 10/100, 2 lbs |
| | 25-3316-H | 25-3316-U | | | | 10/50/1, 4 lbs |
|  | 3317-H | 3317-U | Ultrafine tip, polystyrene handle with 100 mm molded breakpoint | 16.746 x 3.556 mm 0.66 x 0.14" | 152.908 mm 6.02" | 10/100, 2 lbs |
| | 25-3317-H | 25-3317-U | | | | 10/50/1, 4 lbs |
|  | 3318-H | 3318-U | Micro ultrafine tip, polystyrene handle with 100 mm molded breakpoint | 7.925 x 3.556 mm 0.312 x 0.14" | 153.162 mm 6.03" | 10/100, 2 lbs |
| | 25-3318-H | 25-3318-U | | | | 10/50/1, 4 lbs |
|  | 25-3319-H | | Ultrafine tip, polystyrene handle, no breakpoint (custom breakpoint available) | 16.746 x 3.556 mm 0.66 x 0.14" | 152.908 mm 6.02" | 10/50/1, 4 lbs |
|  | 3406-H | 3406-U | Large tip, tapered polystyrene handle with 80 mm molded breakpoint | 16.256 x 5.563 mm 0.64 x 0.219" | 150.622 mm 5.93" | 10/100, 3 lbs |
| | 25-3406-H | 25-3406-U | | | | 10/50/1, 4 lbs |
|  | 3506-H | 3506-U | Elongated tip, tapered polystyrene handle with 80 mm molded breakpoint | 19.558 x 5.563 mm 0.77 x 0.219" | 150.622 mm 5.93" | 10/100, 3 lbs |
| | 25-3506-H | 25-3506-U | | | | 10/50/1, 4 lbs |
|  | 3606-H | 3606-U | Elongated tip, tapered polystyrene handle with 30 mm molded breakpoint | 17.399 x 5.563 mm 0.685 x 0.219" | 152.4 mm 6" | 10/100, 3 lbs |
| | 25-3606-H | 25-3606-U | | | | 10/50/1, 4 lbs |
|  | 3706-H | 3706-U | Elongated tip, polystyrene handle with 100 mm molded breakpoint | 17.399 x 5.563 mm 0.685 x 0.219" | 152.4 mm 6" | 10/100, 3 lbs |
| | 25-3706-H | 25-3706-U | | | | 10/50/1, 4 lbs |

HYDRAFLOCK® AND PURFLOCK ULTRA® FLOCKED SWABS (PATENTED), CONTINUED


| | HydraFlock® Item No. | PurFlock Ultra® Item No. | Product Description | Tip length x diameter | Full length | Packaging pack, weight |
|---|------------------------------|------------------------------|--|-------------------------------------|-------------------|---------------------------|
| | non-sterile sterile | non-sterile sterile | | | | |
|  | 3806-H | 3806-U | Elongated tip, polystyrene handle, no breakpoint (custom breakpoint available) | 17.399 x 5.563 mm 0.685 x 0.219" | 152.4 mm 6" | 10/100, 3 lbs |
| | 25-3806-H | 25-3806-U | | | | 10/50/1, 4 lbs |
|  | 3000-H E30 | 3000-U E30 | Straight tip, extruded polystyrene handle with 30 mm molded breakpoint | 20.3 x 4.572 mm 0.8 x 0.18" | 150.2 mm 5.92" | 10/50/1, 4 lbs |
| | 25-3000-H E30 | 25-3000-U E30 | | | | 10/100, 2 lbs |

Did you know?


Puritan's HydraFlock® swabs are made from multi-length fibers; **each fiber is comprised of 36 strands** of a proprietary polyester blend.




PurFlock Ultra® Cross Section 120x



PurFlock Ultra® Longitudinal 1000x



HydraFlock® Longitudinal 200x



HydraFlock® Longitudinal 1000x

PURITAN PURFLOCK ULTRA®







Engineered for purity and maximal cell yield with a small sample size, PurFlock Ultra® is ideal for PCR, molecular assays, DFA testing, forensic applications, and direct antigen testing. Constructed from fiber technology that results in higher purity than traditional nylon swabs. PurFlock Ultra® swabs provide the greatest balance between purity and sample collection efficiency on the market. PurFlock Ultra® swabs are used in settings where sensitivity of diagnostic testing is key.

PURITAN HYDRAFLOCK®

Specifically engineered for a wide range of biological specimens, HydraFlock®'s unique three-dimensional microstructure design facilitates greater specimen collection and complete elution. These multi-length, split HydraFlock® fibers have a greater absorption surface area than traditional perpendicular nylon flock fibers for more rapid elution and maximal sample preservation. HydraFlock® swabs are ideal for a variety of clinical settings and diagnostic tests.











FOAM-TIPPED APPLICATORS

The applicators are well suited for a variety of clinical and DNA applications. Tips are made of medical-grade foam. Choose from a range of shapes and handle materials.

| | Item No. | Product Description | Tip length x diameter | Full Length | Packaging pack, weight |
|---|-----------------------|---|--------------------------------------|----------------------|------------------------|
| | non-sterile sterile | | | | |
|  | 25-1406 1PF 50 | Thin tip, acetal handle | 13.894 x 3.581 mm 0.547 x 0.141" | 152.4 mm 6" | 10/5/100, 9 lbs |
|  | 25-1506 1PF 100 | Standard tip, polystyrene handle, paper wrapper | 16.002 x 4.775 mm 0.63 x 0.188" | 152.4 mm 6" | 10/100/1, 6 lbs |
|  | 25-1605 1PF RECT | Rectangular tip, polypropylene handle | 25.4 x 13.487 mm 1 x 0.531" | 130.175 mm 5.125" | 10/50/1, 5 lbs |
|  | 25-1607 1PF SC | Large macrofoam tip, polypropylene handle, scored with thumb stop | 25.4 x 11.25 mm 1 x 0.438" | 130.81 mm 5.15" | 10/50/1, 5 lbs |
|  | 25-1805 1PF RND | Round tip, polypropylene handle | 28.575 x 23.012 mm 1.125 x 0.906" | 130.175 mm 5.125" | 10/50/1, 6 lbs |
|  | 2197 | Cervisoft® non-abrasive tip, polystyrene handle | 25.4 x 4.775 mm 1 x 0.188" | 179.375 mm 7.062" | 10/100, 3 lbs |
| | 25-2197 | | | | 10/100/1, 7 lbs |

POLYESTER-TIPPED APPLICATORS

Synthetic applicator tips are made of medical-grade polyester fiber carded in our factory. They contain no fatty acids or latent sugars, making them ideal for specimen transport, lab work, and diagnostic kits.

| | Item No. | Product Description | Tip length x diameter | Full Length | Packaging pack, weight |
|---|--------------------|---|-------------------------------------|---------------------|------------------------|
| non-sterile sterile | | | | | |
|  | 25-800 D 50 | Mini tip, 0.035" diameter aluminum handle, curled end | 17.45 x 1.981 mm 0.687 x 0.078" | 139.7 mm 5.5" | 10/50/1, 4 lbs |
|  | 25-800 1PD 50 | Mini tip, ultrafine polystyrene handle | 17.45 x 1.981 mm 0.688 x 0.078" | 153.97 mm 6.062" | 10/50/1, 4 lbs |
|  | 800-PD ALUM | Mini tip, aluminum/polystyrene handle | 17.475 x 1.981 mm 0.688 x 0.078" | 152.4 mm 6" | 10/100, 2 lbs |
| | 25-800 1PD ALUM 50 | | | | 10/50/1, 4 lbs |
|  | 25-801 D 50 | Mini tip, aluminum 0.025" diameter handle, curled end | 17.45 x 1.981 mm 0.687 x 0.078" | 139.7 mm 5.437" | 10/50/1, 4 lbs |
|  | 803-PD | Standard tip, polystyrene handle | 17.45 x 5.156 mm 0.687 x 0.203" | 76.2 mm 3" | 10/10/100, 10 lbs |
|  | 806-PD | Standard tip, polystyrene handle | 17.45 x 5.156 mm 0.687 x 0.203" | 152.4 mm 6" | 10/10/100, 16 lbs |
| | 25-806 1PD | | | | 10/100/1, 6 lbs |
| | 25-806 2PD | | | | 10/100/2, 7 lbs |
|  | 25-806 1PD SOLID | Standard tip, solid polystyrene handle | 17.45 x 5.156 mm 0.687 x 0.203" | 152.4 mm 6" | 10/100/1, 6 lbs |
| | 25-806 2PD SOLID | | | | 10/100/2, 8 lbs |
|  | 806-WD | Standard tip, wood handle | 17.45 x 4.775 mm 0.687 x 0.188" | 150.8 mm 5.937" | 10/10/100, 17 lbs |
| | 25-806 1WD | | | | 10/100/1, 6 lbs |
| | 25-806 2WD | | | | 10/100/2, 7 lbs |
|  | 25-826 2WD | Small tapered tip, wood handle | 12.7 x 3.048 mm 0.5 x 0.12" | 150.8 mm 5.937" | 10/100/2, 6 lbs |
|  | 1000-PD | Mini tip, scored, polyphenylene ether/ polystyrene blend, tapered handle | 17.45 x 1.981 mm 0.687 x 0.078" | 152.4 mm 6" | 10/100, 18 lbs |
| | 25-1000 1PD | | | | 10/100/1, 5 lbs |








RAYON-TIPPED APPLICATORS

Ideal for diagnostic specimen collection, wound treatment, and application of medicines. Tips are made from the finest USP grade of rayon fiber carded in our facility.

| | Item No. | Product Description | Tip length x diameter | Full Length | Packaging pack, weight |
|---|-----------------------|---|--------------------------------------|----------------------|-------------------------|
| | non-sterile sterile | | | | |
|  | 800 R | Mini tip, 0.035" diameter aluminum handle | 17.45 x 1.981 mm 0.687 x 0.078" | 165.1 mm 6.547" | 10/100, 1 lb |
|  | 25-800 R 50 | Mini tip, aluminum handle, 0.035" diameter, curled end | 17.45 x 1.981 mm 0.687 x 0.078" | 139.7 mm 5.437" | 10/50/1, 4 lbs |
|  | 25-801 R 50 | Mini tip, 0.025" diameter aluminum handle, curled end | 17.45 x 1.981 mm 0.687 x 0.078" | 139.7 mm 5.437" | 10/50/1, 4 lbs |
|  | 803-PR | Standard tip, polystyrene handle | 17.45 x 5.156 mm 0.687 x 0.078" | 76.2 mm 3" | 10/10/100, 9 lbs |
|  | 806-PR | Standard tip, polystyrene handle | 17.45 x 5.156 mm 0.687 x 0.203" | 152.4 mm 6" | 10/10/100, 16 lbs |
| | 25-806 1PR | | | | 10/100/1, 6 lbs |
|  | 25-806 1WR | Standard tip, wood handle | 15.875 x 4.775 mm 0.625 x 0.188" | 150.79 mm 5.937" | 10/100/1, 6 lbs |
|  | 808 | Oversized tip, paper handle; throat or OB/GYN swab | 28.575 x 12.7 mm 1.125 x 0.5" | 207.975 mm 8.188" | 10/50, 5 lbs |
| | 25-808 1PR | Oversized tip, polystyrene handle; throat or OB/GYN swab | 28.575 x 12.7 mm 1.125 x 0.5" | 203.2 mm 8" | 10/50/1, 8 lbs |
| | 25-808 2PR | | | | 10/50/2, 11 lbs |
|  | 816 | Oversized tip, polypropylene handle; proctoscopic applicator | 28.575 x 12.7 mm 1.125 x 0.5" | 406.4 mm 16" | 10/50, 8 lbs |
|  | 817 | Oversized tip with extra binder for firmer tip, polypropylene handle; proctoscopic applicator | 28.575 x 12.7 mm 1.125 x 0.5" | 406.4 mm 16" | 10/50, 8 lbs |
|  | 818 | 8" oversized double-tip swab, polystyrene handle; breaks into two 4" swabs | 28.575 x 11.099 mm 1.125 x 0.437" | 203.2 mm 8" | 2,000, 11 lbs (bulk) |

CALGISWAB® CALCIUM ALGINATE-TIPPED APPLICATORS

These specialty applicators are tipped with calcium alginate fiber, an organic, biodegradable material derived from seaweed for use in patient care, wound care and diagnostics. Produced by machine or the smallest by hand, all tips in this line conform with medical device specifications. Available on wood, plastic or wire handles.


| | Item No. | Product Description | Tip length x diameter | Full Length | Packaging pack, weight |
|---|-------------|---|-------------------------------------|---------------------|------------------------|
| non-sterile sterile | | | | | |
|  | 25-800 A 50 | Mini tip, 0.035" diameter aluminum handle, curled end; nasopharyngeal applicator | 11.099 x 1.981 mm 0.437 x 0.078" | 138.09 mm 5.437" | 10/50/1, 4 lbs |
|  | 801 A | Mini tip, 0.025" diameter aluminum handle | 11.099 x 1.981 mm 0.437 x 0.078" | 166.29 mm 6.547" | 10/100, 0.6 lbs |
|  | 25-801 A 50 | Mini tip, 0.025" diameter aluminum handle, curled end; urethro genital applicator | 11.099 x 1.981 mm 0.437 x 0.078" | 138.09 mm 5.437" | 10/50/1, 4 lbs |
|  | 806-PA 5M | Standard tip, polystyrene handle | 16.281 x 5.563 mm 0.641 x 0.219" | 152.4 mm 6" | 5/10/100, 9 lbs |
|  | 25-806 1PA | Standard tip, polystyrene handle | 17.45 x 5.563 mm 0.687 x 0.203" | 152.4 mm 6" | 10/100/1, 6 lbs |
|  | 806-WA 5M | Standard tip, wood handle | 16.281 x 5.563 mm 0.641 x 0.219" | 150.79 mm 5.937" | 5/10/100, 9 lbs |
|  | 25-806 1WA | Standard tip, wood handle | 16.281 x 5.563 mm 0.641 x 0.219" | 150.79 mm 5.937" | 10/100/1, 6 lbs |

WOODEN TRANSFER DEVICE

A simple medical device to replace the common toothpick. Non-sterile or convenient sterile multi-pack for manual colony transfer for MALDI-TOF and other applications.

FEATURED PRODUCT: Wood transfer device (#28107 PTD 5/600)



| | Item No. | Product Description | Dimensions length x diameter | Packaging pack, weight |
|---|--------------------|---------------------|---------------------------------|------------------------|
| non-sterile sterile | | | | |
|  | 28107 PTD 5/600 | Pointed tip | 73 x 2.108 mm 2.875 x 0.083" | 5/600, 2 lbs |
| | 25-28107 | | | 10/40/26, 2 lbs |

Extensive range of dry transport systems

More than ever, Puritan® is your one-stop resource.

Our dry transport systems fill out our specimen collection line. Engineered for ease of use and, as are all Puritan products, made in the USA.



MOLDED BASE

An economical choice, this simple design securely holds the swab in place.



TUBE CROSSHATCH

Our BT-style transport systems incorporate a crosshatch feature, to assure a confident grip.



DOUBLE FISHTAIL ENDS

Secure transport, stays where you put it.



SINGLE SWAB OPTION

Swab handle is held securely in cap. Unbroken label with swab inside assures sterility. Tubes are unwrapped.



DOUBLE SWAB OPTION

For applications calling for a two-swab specimen, each wrapped individually.

FEATURED PRODUCTS:

Details of our dry transport products

DRY TRANSPORT TUBE SYSTEMS

For the collection and transport of specimen when no medium is required. Single and double swab options available along with various handle and tube configurations. Single swabs are sterile and sealed in tube, double swabs are individually wrapped.







| | Item No. | Product Description | Tip length x diameter | Packaging pack, weight |
|---|---------------|--|-------------------------------------|------------------------|
| non-sterile sterile | | | | |
|  | 25-806 1PA BT | Standard calcium alginate-tipped swab, polystyrene handle, dry transport tube, blue cap | 17.45 x 5.156 mm 0.687 x 0.203" | 5/100/1, 7 lbs |
|  | 25-806 1PC BT | Standard cotton-tipped swab, polystyrene handle, dry transport tube, pink cap | 17.449 x 5.156 mm 0.687 x 0.203" | 5/100/1, 7 lbs |
|  | 25-806 1WC BT | Standard cotton-tipped swab, wood handle, dry transport tube, pink cap | 15.875 x 4.775 mm 0.625 x 0.188" | 5/100/1, 7 lbs |
|  | 25-806 1PD BT | Standard polyester-tipped swab, polystyrene handle, dry transport tube, green cap | 17.45 x 5.156 mm 0.687 x 0.203" | 5/100/1, 7 lbs |
|  | 25-806 2PD BT | Double standard polyester-tipped swabs, polystyrene handles, dry transport tube, black cap | 17.45 x 5.156 mm 0.687 x 0.203" | 10/50/2, 7 lbs |
|  | 25-806 2PD TT | Double standard polyester-tipped swabs, polystyrene handles, reclosable tube with fishtail sealed ends | 17.45 x 5.156 mm 0.687 x 0.203" | 24/30/2, 7 lbs |
|  | 25-806 1PR BT | Standard rayon-tipped swab, polystyrene handle, dry transport tube, natural cap | 28.575 x 12.7 mm 1.125 x 0.5" | 5/100/1, 7 lbs |
|  | 25-806 2PR BT | Double standard rayon-tipped swabs, polystyrene handles, dry transport tube, natural cap | 28.575 x 12.7 mm 1.125 x 0.5" | 10/50/2, 7 lbs |
|  | 25-806 2PR TT | Double standard rayon-tipped swabs, polystyrene handles, reclosable tube with fishtail sealed ends | 28.575 x 12.7 mm 1.125 x 0.5" | 24/30/2, 8 lbs |

DRY TRANSPORT TUBE SYSTEMS, CONTINUED

| | Item No. | Product Description | Tip length x diameter | Packaging pack, weight |
|---|-------------------|---|-------------------------------------|------------------------|
| non-sterile sterile | | | | |
|  | 25-1406 1PF BT | Thin foam-tipped swab, nylon handle, dry transport tube, natural cap | 13.894 x 3.581 mm 0.547 x 0.141" | 5/100/1, 7 lbs |
|  | 25-1506 1PF BT | Standard foam-tipped swab, polystyrene handle, dry transport tube, natural cap | 16.002 x 4.775 mm 0.63 x 0.188" | 5/100/1, 7 lbs |
|  | 25-1506 1PF BT BL | Standard foam-tipped swab, polystyrene handle, dry transport tube, blue cap | 16.002 x 4.775 mm 0.63 x 0.188" | 5/100/1, 7 lbs |
|  | 25-1506 2PF BT | Double standard foam-tipped swabs, polystyrene handles, dry transport tube, purple cap | 16.002 x 4.775 mm 0.63 x 0.188" | 10/50/2, 7 lbs |
|  | 25-1506 1PF TT | Standard foam-tipped swab, polystyrene handle, reclosable tube with fishtail sealed ends | 16.002 x 4.775 mm 0.63 x 0.188" | 24/30/1, 8 lbs |
|  | 25-1506 1PF TT MC | Standard foam-tipped swab, polystyrene handle, reclosable dry transport tube with a molded end cap | 16.002 x 4.775 mm 0.63 x 0.188" | 10/100/1, 10 lbs |
|  | 25-3206-H 20MM BT | Elongated flock-tipped swab, polystyrene handle with 20 mm breakpoint, dry transport tube, white cap | 19.558 x 5.563 mm 0.77 x 0.219" | 5/100/1, 7 lbs |
|  | 25-3306-H BT | Standard flock-tipped swab, tapered polystyrene handle with 80 mm breakpoint, dry transport tube, red cap | 17.526 x 5.08 mm 0.69 x 0.2" | 5/100/1, 7 lbs |
| | 25-3306-U BT | | | |
|  | 25-3306-2H BT | Double standard flock-tipped swabs, tapered polystyrene handles with 80 mm breakpoints, dry transport tube, red cap | 17.526 x 5.08 mm 0.69 x 0.2" | 10/50/2, 7 lbs |
| | 25-3306-2U BT | | | |

Please note: In the product numbers above, the letter H stands for HydraFlock® and U stands for PurFlock Ultra®

DRY TRANSPORT TUBE SYSTEMS, CONTINUED

| | Item No. | Product Description | Tip length x diameter | Packaging pack, weight |
|---|---|---|-------------------------------------|------------------------|
| non-sterile sterile | | | | |
|  | 25-3316-H BT | Mini flock-tipped swab, tapered polystyrene handle, no breakpoint, dry transport tube, black cap | 18.415 x 3.429 mm 0.725 x 0.135" | 5/100/1, 7 lbs |
| |  | | | |
|  | 25-3316-H EMB 80 BT | Mini flock-tipped swab, tapered polystyrene handle with 80 mm breakpoint, dry transport tube, green cap | 18.415 x 3.429 mm 0.725 x 0.135" | 5/100/1, 7 lbs |
| |  | | | |
|  | 25-3316-H EMB 100 BT | Mini flock-tipped swab, tapered polystyrene handle with 100 mm breakpoint, dry transport tube, yellow cap | 18.415 x 3.429 mm 0.725 x 0.135" | 5/100/1, 7 lbs |
|  | 25-3317-H BT | Ultrafine flock-tipped swab, tapered polystyrene handle with 100 mm breakpoint, dry transport tube, orange cap | 16.764 x 3.556 mm 0.66 x 0.14" | 5/100/1, 7 lbs |
| |  | | | |
|  | 25-3318-H BT | Ultra microfine flock-tipped swab, tapered polystyrene handle with 100 mm breakpoint, dry transport tube, white cap | 7.925 x 3.556 mm 0.312 x 0.14" | 5/100/1, 7 lbs |
| |  | | | |
|  | 25-3406-H BT | Large flock-tipped swab, tapered polystyrene handle with 80 mm breakpoint, dry transport tube, red cap | 16.256 x 5.563 mm 0.64 x 0.219" | 5/100/1, 7 lbs |
| |  | | | |
|  | 25-3606-H BT | Elongated flock-tipped swab, tapered polystyrene handle with 30 mm breakpoint, dry transport tube, white cap | 17.399 x 5.563 mm 0.685 x 0.219" | 5/100/1, 7 lbs |
| |  | | | |
|  | 25-3706-H BT | Elongated flock-tipped swab, tapered polystyrene handle with 100 mm breakpoint, dry transport tube, white cap | 17.399 x 5.563 mm 0.685 x 0.219" | 5/100/1, 7 lbs |
| |  | | | |
|  | 25-3806-H BT | Elongated flock-tipped swab, tapered polystyrene handle, no breakpoint, dry transport tube, white cap | 17.399 x 5.563 mm 0.685 x 0.219" | 5/100/1, 7 lbs |
| |  | | | |

Please note: In the product numbers above, the letter H stands for HydraFlock® and U stands for PurFlock Ultra®

Opti-Swab®

Combining Liquid Amies and Puritan's proprietary HydraFlock® for an ideal buffered environment for aerobic, anaerobic, and fastidious bacterial samples.

PURE SPECIMEN COLLECTION

No fiber treatment to interfere with specimen purity.

LEAK-PROOF, SELF-CENTERING CAP

Cap is designed to facilitate the capture of the swab handle for specimen processing. Color-coding ensures easy product ID.

SAFE, INTEGRATED TRANSPORT VIAL

Transport vial is engineered and validated for integrated use with traditional and automated specimen processors. Made with superior raw materials, the vial ensures the safe collection and transport of clinical specimens.

MODIFIED LIQUID AMIES MEDIUM

Maintains viability of aerobic, anaerobic, and fastidious bacteria.

VARIETY OF SWAB STYLES

Patented HydraFlock® swabs are available in several tip shapes and sizes.



FEATURED PRODUCTS:

This page: Puritan Opti-Swab® Liquid Amies Collection & Transport System (#LA-106)

Next page: Puritan UniTranz-RT® Collection & Transport System in 1 ml (#UT-116) and 3 ml (#UT-316)

UniTranz-RT®

For the collection and preservation of clinical specimens – viruses, chlamydia, mycoplasma, and ureaplasma – for immediate testing or refrigerated storage.

LEAK-PROOF, SELF-CENTERING CAP

Cap is designed to facilitate the capture of the swab handle for specimen processing. Color-coding ensures easy product ID.

UNIVERSAL TRANSPORT MEDIUM

Provides a pH balanced environment and contains antibiotics to inhibit bacterial or fungal contamination.

1ML OR 3ML

Glass beads in the collection tube ensure more rapid dispersion and elution.

OR


+

HANDLES

Available in styles appropriate for specific collection sites and different breakpoints for transport and processing in your lab.








VARIETY OF SWAB STYLES

Available in 3 options. PurFlock Ultra® tips or regular spun polyester. Also available with media only.







PURITAN UNITRANZ-RT® (UNIVERSAL TRANSPORT SYSTEM) with PurFlock Ultra® Flocked Swabs



The most reliable choice for the collection, preservation, and transport of viruses, chlamydia, mycoplasma, and ureaplasma specimens at room temperature (RT). All kits include sterile wrapped swabs and vial.

| | Item No. | Product Description | Vial diameter x length | Fill Volume, Medium | Packaging pack, weight |
|---|----------|---|------------------------|---------------------------|------------------------|
| non-sterile sterile | | | | | |
|  | UT-106 | One large PurFlock Ultra®-tipped swab (25-3406-U), polystyrene handle with 80 mm breakpoint | 12 x 80 mm | 1 ml, Universal Transport | 6/50, 12 lbs |
|  | UT-116 | One miniature PurFlock Ultra®-tipped swab (25-3316-U), polystyrene handle with 80 mm breakpoint | 12 x 80 mm | 1 ml, Universal Transport | 6/50, 12 lbs |
|  | UT-117 | One ultrafine PurFlock Ultra®-tipped swab (25-3317-U), polystyrene handle with 100 mm breakpoint | 12 x 80 mm | 1 ml, Universal Transport | 6/50, 12 lbs |
|  | UT-306 | One elongated PurFlock Ultra®-tipped swab (25-3706-U), polystyrene handle with 100 mm breakpoint | 16 x 100 mm | 3 ml, Universal Transport | 6/50, 16 lbs |
|  | UT-316 | One miniature PurFlock Ultra®-tipped swab (25-3316-U), polystyrene handle with 100 mm breakpoint | 16 x 100 mm | 3 ml, Universal Transport | 6/50, 16 lbs |
|  | UT-317 | One ultrafine PurFlock Ultra®-tipped swab (25-3317-U), polystyrene handle with 100 mm breakpoint | 16 x 100 mm | 3 ml, Universal Transport | 6/50, 16 lbs |
|  | UT-367 | One elongated PurFlock Ultra®-tipped swab (25-3706-U) with polystyrene handle and 100 mm breakpoint, and one ultrafine PurFlock Ultra®-tipped swab (25-3317-U), with polystyrene handle | 16 x 100 mm | 3 ml, Universal Transport | 6/50, 16 lbs |

PURITAN UNITRANZ-RT® (UNIVERSAL TRANSPORT SYSTEM) with Spun Polyester Swabs




| | Item No. | Product Description | Vial diameter x length | Fill Volume, Medium | Packaging pack, weight |
|---|----------|--|------------------------|---------------------------|------------------------|
| non-sterile sterile | | | | | |
|  | UT-302 | Two polyester swabs (one regular-tipped with a plastic handle, one mini tip with a plastic/wire handle, both with 100 mm breakpoint) | 16 x 100 mm | 3 ml, Universal Transport | 6/50, 16 lbs |
|  | UT-361 | One regular polyester-tipped swab, plastic handle with 100 mm breakpoint | 16 x 100 mm | 3 ml, Universal Transport | 6/50, 16 lbs |
|  | UT-362 | Two regular polyester-tipped swabs, plastic handles with 100 mm breakpoint | 16 x 100 mm | 3 ml, Universal Transport | 6/50, 16 lbs |
|  | UT-366 | Two polyester swabs (one regular-tipped with a plastic handle, one mini tip with a plastic handle, both with 100 mm breakpoint) | 16 x 100 mm | 3 ml, Universal Transport | 6/50, 16 lbs |

PURITAN UNITRANZ-RT® (UNIVERSAL TRANSPORT SYSTEM) with Media Only


| | Item No. | Product Description | Vial diameter x length | Fill Volume, Medium | Packaging pack, weight |
|---|----------|--|------------------------|---------------------------|------------------------|
| non-sterile sterile | | | | | |
|  | UT-100 | No swab, red self-centering cap, unwrapped | 12 x 80 mm | 1 ml, Universal Transport | 6/50, 6 lbs |
|  | UT-300 | No swab, red self-centering cap, unwrapped | 16 x 100 mm | 3 ml, Universal Transport | 6/50, 10 lbs |

PURITAN OPTI-SWAB® LIQUID AMIES TRANSPORT SYSTEM with Patented HydraFlock® Flocked Swabs

Designed for superior ease of use and performance in the collection and transport of clinically significant bacteria. Swabs are not individually wrapped.


| | Item No. | Product Description | Vial diameter x length | Fill Volume, Medium | Packaging pack, weight |
|---|----------|--|------------------------|---------------------|------------------------|
| non-sterile sterile | | | | | |
|  | LA-106 | One elongated HydraFlock®-tipped swab (3506-H), polystyrene handle with 80 mm breakpoint, white self-centering cap | 12 x 80 mm | 1 ml, Liquid Amies | 6/50, 9 lbs |
|  | LA-116 | One miniature HydraFlock®-tipped swab (3316-H), polystyrene handle with 80 mm breakpoint, green self-centering cap | 12 x 80 mm | 1 ml, Liquid Amies | 6/50, 9 lbs |
|  | LA-117 | One ultrafine HydraFlock®-tipped swab (3317-H), polystyrene handle with 100 mm breakpoint, blue self-centering cap | 12 x 80 mm | 1 ml, Liquid Amies | 6/50, 9 lbs |

PURITAN OPTI-SWAB® LIQUID AMIES TRANSPORT SYSTEM with Media Only

| | Item No. | Product Description | Vial diameter x length | Fill Volume, Medium | Packaging pack, weight |
|---|----------|--|------------------------|---------------------|------------------------|
| non-sterile sterile | | | | | |
|  | LA-100 | No swab, white self-centering cap, unwrapped | 12 x 80 mm | 1 ml, Liquid Amies | 6/50, 6 lbs |

PURITAN FECAL OPTI-SWAB® COLLECTION & TRANSPORT SYSTEM

Intended for use in the collection and transport of fecal and rectal swab specimens to preserve the viability of enteric bacteria during transport from the collection site to the laboratory for bacteriological examination and culture. Swab is not individually wrapped.

| | Item No. | Product Description | Vial diameter x length | Fill Volume, Medium | Packaging pack, weight |
|---|----------|---|------------------------|---------------------|------------------------|
| non-sterile sterile | | | | | |
|  | CB-206 | One elongated HydraFlock®-tipped swab (3506-H), polystyrene handle with 80 mm breakpoint, orange self-centering cap | 12 x 80 mm | 2 ml, Cary-Blair | 6/50, 9 lbs |

Fecal Opti-Swab® Collection & Transport System

Optimize your specimen collection and preservation of fecal enteric bacteria.

Puritan's Fecal Opti-Swab® features a liquid-based, ready-to-use system for rectal swabbing or direct collection from fecal sample. Simple to use – eliminates unnecessary specimen handling steps.

LEAK-PROOF, SELF-CENTERING CAP

Self-centering cap is designed to facilitate easy swab removal and disposal.

MEDICAL GRADE MATERIALS

The vial allows for safe collection and transport of specimens. Made in the US.

MAX FILL

Indicator line showing maximum sample quantity.

LIQUID MEDIUM

2 ml Cary-Blair medium is compatible with manual and automated specimen processors.

SUPERIOR ABSORPTION

Puritan® HydraFlock® provides superior absorption, outperforming competition.

MOLDED BREAKPOINT

Handle is sturdy and flexible. Offers a molded breakpoint with printed indicator line for sample handling.



FEATURED PRODUCT:

Puritan Fecal Opti-Swab®
Collection & Transport
System (#CB-206)

Puritan® – a tradition of excellence

Order with confidence, knowing you will always get consistent quality, ready availability, and outstanding service. You can count on Puritan.

From our inception in 1919, our wood products operation has grown to become a state-of-the-art medical device manufacturer serving markets worldwide with Puritan's US-made products.

Our success is evident in the success of our customers. Our guarantee is to produce the highest-quality single-use products possible. Our mission is to provide our customers with unparalleled service. Our promise is to deliver – the right product, on time.

Puritan Medical Products Co.
31 School Street
PO Box 149
Guilford, Maine 04443-0149 USA

800-321-2313 (US & Canada)
207-876-3311
puritanmedproducts.com
sales@puritanmedproducts.com