


PTI INTEGRATED SYSTEMS PROPRIETARY  
 THIS DOCUMENT AND THE INFORMATION DISCLOSED HEREIN ARE  
 PROPRIETARY DATA OF PTI INTEGRATED SYSTEMS. NEITHER THIS  
 DOCUMENT NOR THE INFORMATION CONTAINED HEREIN SHALL BE  
 REPRODUCED, USED OR DISCLOSED TO OTHERS WITHOUT THE  
 WRITTEN AUTHORIZATION OF PTI INTEGRATED SYSTEMS.


PT REV	DESCRIPTION	BY	DATE
-	RELEASED.	LAC	1/4/02

Last 4 connections of each  
 row of connectors are  
 Common (Ground) connections.



Unused Channels

Common (Ground)  
 Connections




DETAIL A  
 UNUSED CHANNEL WIRING  
 Use PTI provided punch-down tool  
 to insert wire into connector(s).

Strip each end of wire. Connect one  
 end to pin 5 of TS1 connector, and  
 connect the other end between MUX  
 board and mounting screw.

See Detail A

THIRD ANGLE PROJECTION



UNLESS OTHERWISE SPECIFIED

ALL DIMENSIONS IN INCHES.

TOLERANCE: ±N/A

ANGLE TOLERANCE (DEG): ±N/A

REMOVE BURRS & SHARP EDGES.



8271 E. Gelding Drive  
 Scottsdale, AZ 85260  
 Phone 480.991.1259  
 FAX 480.991.1395

ORIG. DATE 1/4/02

DRAWING DESCRIPTION

MUX UNUSED  
 CHANNEL WIRING

SIZE SCALE  
 C/NONE

DWG NO.

DWG REV  
 - .00

DRAWN BY L. CAMPANELLI

SHEET 1 OF 1