


medTV³²

medTV Smart 32"



medTV³²



medTV Smart 32"

SPECIFICATIONS

- 1366x768
- 31.5" Diagonal Panel
- Metal Black Gloss Cabinet
- Cabinet Dims (WxHxD): 29.6" x 17.9" x 2.2"
(75.2 x 45.5 x 5.6 cm)
- Weight 15 lbs, 6.8kg
- 100x200mm, 6mm

**For more info, visit
pdiam.com/32-inch-a-series**

32" LED HDTV WITH SMART TECHNOLOGY

- Use as simple TV or medTV with integrated game and relaxation apps, *no internet required*
- Smart TV Capable (Android OS 7.0) to work with Interactive Patient Software Systems
- UL-Listed, Healthcare-grade
- ATSC, NTSC, Clear QAM
- Pro:Idiom® and MPEG4
- Multi-bed Codes, Volume Limiters, and More
- Universal Pillow Speaker Recognition
- RF-HEMIS and USB Clone Capable



Compatible with the
DVD module by PDi





medTV SMART

24"
32"
43"
55"

Enhanced entertainment, made simple

EXPANDED ENTERTAINMENT

Fully integrated TV, relaxation, and games will delight patients with no internet connection needed. Also offers future-proof options to work with interactive patient systems or activate additional smart features.

Easy setup as TV-only for lobbies, waiting rooms, or breakrooms.

DESIGNED SPECIFICALLY FOR HEALTHCARE

PDi A-Series displays with Pro:Idiom® are UL Listed, Universal Pillow Speaker Compatible, offer Closed Captioning and Volume Limiters to satisfy patients and staff.



**Compatible with the RF-HEMIS
Head-end TV Server by PDi**

"PDi TVs are bulletproof. They stand up to a lot of abuse from patients and keep working really well. I plan to keep using them."

- Skeets Zinkhan, Healthsouth Chesapeake Rehabilitation Hospital, Salisbury, MD

MODELS & SPECIFICATIONS

medTV^{SMART}

A-Series Healthcare Televisions



55"

43"

32"

24"


PDI-A55B
55" class

PDI-A43A
43" class

PDI-A32A
32" class

PDI-A24A
24" class

| SMART Option (Android 7.0) | Includes TV, relaxation, and games; no internet required. Ask about compatible interactive patient software systems or required activation for full Android OS. | | | |
|--------------------------------------|---|---|---|---|
| Diagonal Panel Size | 55" (139.7cm) | 43" (109cm) | 31.5" (80.0cm) | 23.6" (59.8cm) |
| Cabinet Type/Color | Metal/Black Gloss | Metal/Black Gloss | Metal/Black Gloss | Metal/Black Gloss |
| Backlight Type/Life | Back Lit LED/30,000 hrs | Back Lit LED/30,000 hrs | Back Lit LED/30,000 hrs | Back Lit LED/30,000 hrs |
| Native Resolution | 1920 x 1080 (FHD) | 1920 x 1080 (FHD) | 1366 x 768 | 1920 x 1080 (FHD) |
| Panel Contrast Ratio | 4000:1 | 1200:1 | 3000:1 | 1200:1 |
| Viewing Angle H/V | 176°/176° | 176°/176° | 176°/176° | 170°/160° |
| Response Time | 8ms | 6ms | 6.5ms | 8.5ms |
| Frame Rate | 60 Hz | 60 Hz | 60 Hz | 60 Hz |
| Power Consumption Max and Normal/Low | 120 W <15 W / <1 W | 110 W <15 W / <1 W | 50 W <15 W / <1 W | 40 W <15 W / <1 W |
| Unit Dimensions W x H x D | 49.2" x 28.5" x 2.1" (125 x 72.5 x 5.5cm) | 38.6" x 22.4" x 2.2" (98 x 57 x 6cm) | 29.2" x 17.1" x 2.3" (74 x 43.5 x 6cm) | 22.0" x 13.1" x 2.1" (56 x 34 x 5.3cm) |
| Carton Size & Carton Weight | 53" x 32" x 8" 52.5 lbs | 42" x 26" x 6" 24 lbs | 32" x 20" x 5" 18 lbs | 25" x 16" x 4" 11 lbs |
| Weight with Table Stand | 51 lbs (23 kg) | 26.5 lbs (12 kg) | 16.3 lbs (7.4 kg) | 9.5 lbs (4.3 kg) |
| VESA Mount Pattern | 400x400, 8mm | 200x200, 6mm | 100x200, 6mm | 100x100, 4mm |



*Typical connections. Placement varies by model.

HEALTHCARE FEATURES



Pro:Idiom



DOLBY AUDIO™

HDMI®
HIGH-DEFINITION MULTIMEDIA INTERFACE

HEALTHCARE TV FEATURES

| | | | | | |
|--------------------------------------|---------------------------|---|------------------------|--|------------------------|
| Auto Power On | Yes | Direct Access to Source from Pillow Speaker | Yes | Channel Tiers | 3 (Free/Basic/Premium) |
| Pro:Idiom® | Yes | Programmable Source Selection | Yes | Digital Channel Autoscan and On/Off Capability | Yes |
| Multi-Bed Codes A/B/C/D | Yes | Channel Enable/Disable | Yes | Customizable Power On Splash Screen | Yes |
| Min/Max Volume Limiter | Yes | Parental Control (V-CHIP) | Yes | UL Hospital Safety | Yes |
| Power-on Volume | Yes | Sleep Timer | Yes | Setup Menu Password Lock | Yes |
| Internal Speaker Disable | Yes | OSD Language | English/Spanish/French | Set-up Wizard | Yes |
| USB Cloning | Yes | SI Control Port | CCI/MTI/Smart Port | Pre-loaded Apps | Yes |
| RF Cloning (RF-HEMIS) | Yes | IR OUT | YES (MTI Port) | Android O/S | 7.0 Nougat |
| Selectable Pillow Speaker | +12VDC, +5VDC, OFF, -5VDC | | | | |
| Universal Pillow Speaker Recognition | Yes | | | | |

AUDIO/VIDEO BROADCAST SYSTEMS

| | |
|-----------------------------|--------------------------------------|
| Aspect Ratio | 16:9, 4:3 |
| NTSC/ATSC/Clear QAM | Air VHF/UHF, CATV, IRC, HRC |
| MPEG4/Pro:Idiom | Yes |
| Supported Formats | 1080p/1080i/720p/576p/576i/480p/480i |
| Speakers/Audio Output Power | 2 x 5W RMS, except 24" 2 x 3W RMS |
| Analog Channels | Mono/Stereo/SAP |
| Digital Channels | Multilingual |
| Tone Control Balance | Custom/Flat/Music/Movie/Speech |
| Source Input Leveling (AVC) | Yes |
| Wireless Audio | Yes |
| Dolby Audio | 2 ch |

INPUT/OUTPUT

| | |
|--|------------------------------|
| AC | IEC Male, Hospital-grade |
| USB Port (Cloning/Firmware Updates/Multimedia Use) | Yes, 2 |
| RF Input | Yes |
| HDMI/HDCP Input | Yes, 2 |
| CCI | Yes |
| MTI/SmartPort | Yes |
| DVD Module Port | Yes |
| Pillow Speaker I/O | Yes, 3 conductor 1/4" female |
| Ethernet | Yes |
| WiFi | Yes |

POWER & POWER-SAVING FEATURES

| | |
|-----------------------|--------------------|
| Power Source | 120V +/-15%, 60Hz |
| Inactive Power Off | Configurable Timer |
| Hardwired Power Cord | No |
| CERTIFICATIONS | |
| UL/cUL 60065, Annex Q | Yes |
| FCC Title 47 Part 15 | Yes |
| RoHS | Yes |

Fully integrated solutions to improve the experience.

Choose from a wide array of mounting options and amenities from PDi to perfectly place your PDi A-Series set in lobbies, waiting rooms, or your patient room & help the patient and visitors feel at home. Increase patient satisfaction with expanded entertainment accessories or options.

Contact PDi to learn about custom mount services, installation and integrated solutions.

Visit www.pdiarm.com.

ACCESSORIES



TABLE STAND



**ARTICULATING WALL
MOUNT STAND**



WIRELESS KEYBOARD

| | PDI-A55B 55" class | PDI-A43A 43" class | PDI-A32A 32" class | PDI-A24A 24" class |
|--|---|---|---|---|
| Standard Flat Wall Mount | PD168-070 | PD168-033 | PD168-051 | PD168-103 |
| Articulating Wall Mount for TV with DVD Module | PD168-069 | PD181-707 | PD181-772 | None |
| Articulating Wall Mount for TV without Module | PD168-069 | PD181-707 | PD181-772 | PD181-700 (or 701) |
| Table Stand | Call For Info | PD168-101 | PD168-101 | PD168-101 |
| DVD Module and Bottom Mount Kits or Side Mount Kits | PD251-043-1 Module PD251-048 Bottom | PD251-043-1 Module PD251-042 Bottom, PD251-035 Side Kit | PD251-043-1 Module PD251-045 Bottom, PD251-034 Side Kit | PD251-043-1 Module PD251-046 Bottom, PD251-033 Side Kit |
| Android™ 7.0 | Call to Activate or for Compatible Interactive Partner Software | | | |
| Patient Remote TV/DVD | PD108-427 | PD108-427 | PD108-427 | PD108-427 |
| Patient Remote TV only | PD108-421 | PD108-421 | PD108-421 | PD108-421 |
| Program Remote | PD108-420 | PD108-420 | PD108-420 | PD108-420 |
| Extended Warranty | Available First Year of Purchase | Available First Year of Purchase | Available First Year of Purchase | Available First Year of Purchase |
| Wireless Keyboard | PD161-004 | PD161-004 | PD161-004 | PD161-004 |

Dolby, Dolby Audio, and the double-D symbol are trademarks of Dolby Laboratories.

Android is trademark of Google Inc.

The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. Some screen images are simulated. Dimensions and weights are approximate. Design specifications and features are subject to change without notice.

32" A-Series Enhanced Entertainment Patient Televisions

MODEL NUMBER PDI-A32A



Simple TV










Enhanced medTV

Built-in smart apps, no internet required, easy pillow speaker controls



Compatible Mounts

| | LOW-PROFILE FLAT MOUNT | ARTICULATING WALL MOUNT | PAN & TILT MOUNT | CEILING GRID MOUNTS | | TABLE STAND | BOLT-DOWN TABLE STAND |
|----------------------|---|---|---|--|---|---|---|
| Mount |  |  |  |  |  |  |  |
| | PD168-051 Sleek design positions the TV 7" (18 cm) away from the wall. Weighs 2.1 lbs. | PD181-772 Extends the TV 12.2" (31 cm) away from the wall. Weighs 4.8 lbs. | PD181-606 3" extension. Positions TV 7.4" away from the wall. <i>For longer lengths, call for details.</i> Requires PD168-051 flat mount. <i>(order separately)</i> | PD1-LCD-GRID-MT Grid mount ceiling support. Requires PD168-051 flat mount. <i>(order separately)</i> <i>Ask about high-tilt option and column extensions available from 2 FT to 6 FT lengths.</i> | PD1-DUAL-GRID-MT Grid mount ceiling support for two displays. Requires PD168-051 flat mounts. <i>(order separately)</i> <i>Ask about high-tilt option and column extensions available from 2 FT to 6 FT lengths.</i> | PD168-227 Freestanding, slim line curved TV table stand legs. Supports 25 lbs. | PD181-618 Secure bolt-down table stand with 18" ht. <i>Ask about pan & tilt accessories.</i> |
| Optional Accessories | PD108-420 Programming Remote | PD108-420 Programming Remote | PD108-420 Programming Remote | PD108-420 Programming Remote | PD108-420 Programming Remote | PD108-420 Programming Remote | PD108-420 Programming Remote |
| | PD108-421 Patient Remote | PD108-421 Patient Remote | PD108-421 Patient Remote | PD108-421 Patient Remote | PD108-421 Patient Remote | PD108-421 Patient Remote | PD108-421 Patient Remote |
| | WTG-A32 Premium Warranty | WTG-A32 Premium Warranty | WTG-A32 Premium Warranty | WTG-A32 Premium Warranty | WTG-A32 Premium Warranty | WTG-A32 Premium Warranty | WTG-A32 Premium Warranty |
| | PD251-043-1 DVD Module | PD251-043-1 DVD Module | PD251-043-1 DVD Module | PD240-003-6FT 6FT Extension | PD168-039 40deg to 55deg high tilt kit | PD251-043-1 DVD Module | PD181-618-PAN Pan & Tilt |
| | PD251-045 Bottom DVD Kit | PD251-045 Bottom DVD Kit | PD251-045 Bottom DVD Kit | PD168-039 40deg to 55deg high tilt kit | PD251-043-1 DVD Module | PD251-045 Bottom DVD Kit | PD168-004 Pan Option Kit |
| | PD251-034 Side DVD Kit | PD251-034 Side DVD Kit | PD251-034 Side DVD Kit | PD251-043-1 DVD Module | PD251-045 Bottom DVD Kit | PD251-034 Side DVD Kit | PD251-043-1 DVD Module |
| | PD890-1009 RF-HEMIS | PD890-1009 RF-HEMIS | PD890-1009 RF-HEMIS | PD251-045 Bottom DVD Kit | PD251-034 Side DVD Kit | PD890-1009 RF-HEMIS | PD251-045 Bottom DVD Kit |
| | | | PD251-034 Side DVD Kit | PD890-1009 RF-HEMIS | | PD251-034 Side DVD Kit | |
| | | | PD890-1009 RF-HEMIS | | | PD890-1009 RF-HEMIS | |


medTV³²

32" Large-screen TV Mounting Options

Enhanced entertainment, no internet required

Model Number PDI-A32A

Typical I/O Connectors



*Typical connections. Placement varies by model.

DVD Module and DVD Mounting Kits


- PD251-043-1 Module
- PD251-045 Bottom Mount Kit
- PD251-034 Side Mount Kit



VESA Pattern

VESA mount is 100x200, 6mm threads.

- A: 10.7 inches | 270.8 mm
- B: 10.7 inches | 270.8 mm
- C: 4.9 inches | 125.6 mm
- D: 8.3 inches | 209.6 mm



RF-HEMiS Head-end TV Management

PD890-1009

CENTRALIZED ON-SITE HEAD-END MANAGEMENT INTEGRATED TV SYSTEM

- Eliminates labor-intensive individual PDI TV touches with centralized user-friendly software
- No limit to the number of clone files that can be managed at one time
- Expedites TV installation by distributing clone files from a central location
- Automatically sends data over coax. TVs automatically receive the data when TV is powered off or on-demand
- A cost-effective solution that ensures TV setting consistency, just the way you want.



Shown here: PD890-1009, RF-HEMiS rack unit, front and back



medTV³²

DVD and TV Cloning Options

Healthcare Features

Model Number PDI-A32A



Pro:Idiom



DOLBY AUDIO™

HEALTHCARE TV FEATURES

| | |
|--------------------------------------|---------------------------|
| Auto Power On | Yes |
| Pro:Idiom® | Yes |
| Multi-Bed Codes A/B/C/D | Yes |
| Min/Max Volume Limiter | Yes |
| Power-on Volume | Yes |
| Internal Speaker Disable | Yes |
| USB Cloning | Yes |
| RF Cloning (RF-HEMiS) | Yes |
| Selectable Pillow Speaker | +12VDC, +5VDC, OFF, -5VDC |
| Universal Pillow Speaker Recognition | Yes |

| | |
|---|------------------------|
| Direct Access to Source from Pillow Speaker | Yes |
| Programmable Source Selection | Yes |
| Channel Enable/Disable | Yes |
| Parental Control (V-CHIP) | Yes |
| Sleep Timer | Yes |
| OSD Language | English/Spanish/French |
| SI Control Port | CCI/MTI/Smart Port |
| IR OUT | YES (MTI Port) |

| | |
|--|------------------------|
| Channel Tiers | 3 (Free/Basic/Premium) |
| Digital Channel Autoscan and On/Off Capability | Yes |
| Customizable Power On Splash Screen | Yes |
| UL Hospital Safety | Yes |
| Setup Menu Password Lock | Yes |
| Set-up Wizard | Yes |
| Pre-loaded Apps | Yes |
| Android O/S | 7.0 Nougat |

AUDIO/VIDEO BROADCAST SYSTEMS

| | |
|-----------------------------|--------------------------------------|
| Aspect Ratio | 16:9, 4:3 |
| NTSC/ATSC/Clear QAM | Air VHF/UHF, CATV, IRC, HRC |
| MPEG4/Pro:Idiom | Yes |
| Supported Formats | 1080p/1080i/720p/576p/576i/480p/480i |
| Speakers/Audio Output Power | 2 x 5W RMS |
| Analog Channels | Mono/Stereo/SAP |
| Digital Channels | Multilingual |
| Tone Control Balance | Custom/Flat/Music/Movie/Speech |
| Source Input Leveling (AVC) | Yes |
| Wireless Audio | Yes |
| Dolby Audio | 2 ch |

INPUT/OUTPUT

| | |
|--|------------------------------|
| AC | IEC Male, Hospital-grade |
| USB Port (Cloning/Firmware Updates/Multimedia Use) | Yes, 2 |
| RF Input | Yes |
| HDMI/HDCP Input | Yes, 2 |
| CCI | Yes |
| MTI/SmartPort | Yes |
| DVD Module Port | Yes |
| Pillow Speaker I/O | Yes, 3 conductor 1/4" female |
| Ethernet | Yes |
| WiFi | Yes |

POWER & POWER-SAVING FEATURES

| | |
|----------------------|--------------------|
| Power Source | 120V +/-15%, 60Hz |
| Inactive Power Off | Configurable Timer |
| Hardwired Power Cord | No |

CERTIFICATIONS

| | |
|-----------------------|-----|
| UL/cUL 60065, Annex Q | Yes |
| FCC Title 47 Part 15 | Yes |
| RoHS | Yes |

Compatible with leading interactive patient software systems*



*Some interactive software may require an external device.